

NACOmatic

Effective: 22-October-2009

Expires: 17-December-2009

Your Ad Here

~60,000 Page views/month

Contact:

Doug Ranz

248-318-0011

NACOmatic@hotmail.com

Warranty

I make absolutely no warranty nor guarantee whatsoever about the accuracy, availability, applicability and/or correctness of any of the information in this document.

The official, original NACO documents are available for your downloading pleasure from: <http://naco.faa.gov/index.asp?xml=naco/onlineproducts>

Copyright

This compilation is protected by US copyright laws and international copyright treaties.

Limitations

The sale, hosting and/or distribution of this document in any and all forms, is prohibited.

Release from Liability

All users of this compilation must agree to be legally bound hereby, that Douglas R. Ranz ("Released Party") SHALL NOT BE LIABLE FOR MY DEATH OR INJURY TO MY PERSON, OR FOR ANY LOSS FOR DAMAGE TO MY PROPERTY OR REPUTATION caused in any manner whatsoever, whether attributable to the negligence of the Released Party, or for any other reason, occurring during the time that I am operating an aircraft.

I do hereby waive any right of action against the Released Party from any and all causes or claims that I may have against them from the beginning of time. I further agree not to sue on any such cause or claim. This agreement shall not release liability for gross negligence or willful misconduct of the Released Party. I agree to indemnify and hold the Released Party harmless for any losses, judgments, damages or fees he may incur, including but not limited to attorneys fees, arising out any lawsuit related to the planning, flight and/or enforcement of or legal challenge to this agreement. It is my intention that this agreement be interpreted and enforced to the maximum extent allowed by Michigan law.

01C => 166	3FK => 98	62D => 273	AOH => 251
02C => 286	3GM => 164	63C => 295	APN => 137
02G => 243	3HO => 103	64C => 295	ARB => 138
03I => 230	3KK => 60	64I => 102	ARR => 43
04G => 279	3LF => 62	65G => 161	ARV => 311
04I => 234	3MY => 75	66G => 161	ASW => 132
05C => 102	3NP => 193	67D => 275	ASX => 284
06C => 47	3RC => 204	68C => 298	ATW => 283
06I => 99	3TE => 212	68G => 163	AUW => 332
07D => 139	3TR => 195	68R => 157	AXV => 273
07I => 89	40C => 216	69G => 168	AZO => 179
08C => 178	40D => 328	73C => 303	BAK => 93
08G => 227	40I => 275	75G => 185	BAX => 139
0D7 => 219	41C => 216	76G => 187	BCK => 285
10C => 56	41G => 140	77G => 187	BDJ => 285
10G => 257	41N => 259	78I => 95	BEH => 143
11Y => 288	42C => 217	79C => 312	BFA => 145
12G => 265	42I => 280	80D => 170	BFR => 89
12I => 91	42N => 204	82C => 313	BIV => 173
13C => 181	43G => 142	82D => 246	BJJ => 277
13D => 171	43I => 120	83D => 207	BKL => 231
13M => 174	44C => 285	84G => 152	BLV => 30
14G => 244	44G => 144	87Y => 305	BMG => 90
14I => 248	45G => 145	88C => 316	BMI => 33
15G => 272	48D => 149	88D => 248	BTL => 140
16G => 268	48G => 217	88G => 198	BUU => 287
17G => 226	49C => 287	89D => 249	CAD => 146
1WF => 270	49G => 148	89Y => 217	CAK => 219
22I => 254	50D => 151	91C => 319	CDI => 227
24C => 184	50G => 149	92C => 319	CEV => 93
24M => 180	50I => 110	92D => 249	CFJ => 94
27C => 189	51G => 150	93C => 322	CFS => 147
29G => 263	51M => 191	94C => 322	CGF => 233
30W => 314	52I => 198	96C => 322	CIR => 35
33C => 195	53M => 137	96G => 208	CIU => 209
34G => 213	53W => 217	97G => 207	CLE => 232
34U => 157	55G => 150	98G => 210	CLI => 289
35C => 202	56D => 271	99C => 327	CMH => 236
35D => 135	56G => 151	AAA => 62	CMI => 39
37I => 270	57C => 292	ACB => 142	CMX => 169
38C => 211	57D => 201	ADG => 135	CMY => 326
38D => 264	58C => 293	AHH => 282	CPS => 35
38I => 271	59M => 157	AID => 87	CQA => 228
39G => 138	5Y7 => 192	AIG => 282	CTK => 36
39T => 208	60C => 293	AJG => 70	CUL => 37
39Z => 162	60G => 157	AKR => 220	CVG => 239
3CK => 44	61C => 294	ALN => 28	CVX => 147
3CM => 141	61D => 199	AMN => 136	CWA => 312
3CU => 287	61G => 207	AMT => 275	CYO => 231
3DA => 160	61Y => 122	ANJ => 209	D20 => 218
3EV => 96	62C => 295	ANQ => 88	DAF => 312

DAY => 241	GOV => 167	LHQ => 250	ORD => 41
DCY => 133	GQQ => 245	LNL => 303	OSC => 196
DEC => 50	GRB => 297	LNN => 276	OSH => 316
DET => 152	GRE => 56	LNR => 304	OSU => 235
DFI => 242	GRR => 166	LOT => 46	OVO => 119
DKB => 51	GSH => 100	LPR => 252	OVS => 285
DLL => 284	GTG => 296	LSE => 301	OWX => 260
DLZ => 242	GUS => 120	LUK => 230	OXD => 260
DNV => 49	GWB => 88	LUM => 308	OXI => 111
DPA => 48	GYG => 100	LWA => 211	OZW => 174
DRM => 156	H80 => 168	LWV => 61	PBH => 317
DTG => 52	HAI => 213	MBL => 186	PCW => 262
DTW => 153	HAO => 247	MBS => 205	PCZ => 332
DUH => 181	HBW => 298	MCD => 185	PDC => 318
EAU => 293	HFY => 105	MCX => 116	PHD => 259
EDJ => 224	HHG => 104	MDH => 37	PHN => 201
EFT => 311	HLM => 173	MDW => 40	PIA => 74
EGV => 292	HNB => 103	MDZ => 307	PJY => 76
EKM => 95	HOC => 247	MFD => 253	PKF => 317
ENL => 38	HSB => 57	MFI => 307	PLD => 122
ENW => 300	HTL => 174	MGC => 116	PLN => 198
EOP => 274	HTW => 228	MGN => 169	PMH => 263
ERY => 194	HUF => 130	MGY => 240	PNT => 77
ESC => 158	HXF => 297	MIE => 117	PPO => 113
ETB => 333	HYR => 298	MKE => 309	PPQ => 76
EVV => 96	HYX => 206	MKG => 193	PRG => 73
EYE => 104	HZY => 222	MLI => 67	PTK => 200
EZI => 60	I76 => 121	MNM => 190	PVB => 318
EZS => 323	IGQ => 43	MNN => 254	PWK => 45
FDY => 244	IJX => 58	MOP => 192	PZQ => 203
FEP => 54	IKK => 60	MQB => 63	RAC => 320
FFO => 278	IKW => 190	MQJ => 108	RCR => 124
FFX => 162	ILN => 276	MRJ => 310	RCT => 202
FKR => 98	IMS => 115	MRT => 254	RCX => 302
FKS => 161	IMT => 176	MSN => 305	RFD => 46
FLD => 294	IND => 107	MTC => 210	RHI => 321
FNT => 160	IRS => 212	MTO => 65	RID => 123
FOA => 53	ISQ => 186	MTW => 306	RMV => 189
FPK => 148	ISW => 335	MVN => 71	RNH => 314
FRH => 99	ISZ => 229	MWA => 64	RNP => 197
FWA => 97	IWD => 177	MWC => 310	RPD => 321
FWC => 53	IWH => 132	MWO => 256	RPJ => 79
FZI => 244	JOT => 59	MZZ => 115	RQB => 144
GAS => 245	JVL => 299	OCQ => 314	RRL => 308
GBG => 54	JVY => 109	OEB => 150	RSV => 79
GDW => 164	JXN => 178	OEO => 315	RWN => 134
GEO => 246	JYM => 172	OGM => 196	RYV => 331
GEZ => 125	LAF => 112	OKK => 111	RZL => 123
GFD => 101	LAN => 182	OLG => 325	RZN => 325
GGP => 114	LCK => 237	OLY => 72	RZT => 229
GLR => 163	LDM => 184	ONZ => 155	SAR => 82

SAW	=>	188	ZZV	=>	281
SBM	=>	323			
SBN	=>	127			
SER	=>	125			
SFY	=>	81			
SGH	=>	267			
SIV	=>	128			
SJX	=>	141			
SKY	=>	265			
SLH	=>	148			
SLO	=>	80			
SMD	=>	98			
SPI	=>	83			
SQI	=>	84			
SSQ	=>	324			
STE	=>	326			
SUE	=>	327			
SUW	=>	327			
TAZ	=>	84			
TDZ	=>	269			
TEL	=>	128			
TEW	=>	189			
TIP	=>	78			
TKV	=>	329			
TOL	=>	269			
TSO	=>	227			
TTF	=>	191			
TVC	=>	214			
TYQ	=>	106			
TZR	=>	234			
UBE	=>	290			
UES	=>	331			
UGN	=>	48			
UIN	=>	78			
UMP	=>	108			
UNI	=>	222			
UNU	=>	300			
USE	=>	274			
UWL	=>	118			
UYF	=>	252			
VES	=>	272			
VIQ	=>	313			
VLA	=>	86			
VLL	=>	215			
VNW	=>	271			
VOK	=>	330			
VPZ	=>	131			
VTa	=>	258			
VYS	=>	75			
YIP	=>	154			
YNG	=>	280			

GENERAL INFORMATION

This Airport/Facility Directory is a Civil Flight Information Publication published and distributed every eight weeks by the National Aeronautical Charting Office, FAA, Department of Transportation, Silver Spring, Maryland 20910. It is designed for use with Aeronautical Charts covering the conterminous United States, Puerto Rico and the Virgin Islands.

This directory contains all open to the public airports, seaplane bases and heliports, military facilities, and selected private use facilities specifically requested by the Department of Defense (DoD) for which a DoD Instrument Approach Procedure has been published in the U.S. Terminal Procedures Publication. Additionally, this directory contains communications data, navigational facilities and certain special notices and procedures.

Military data contained within this publication is provided by the National Geospatial-Intelligence Agency and is intended to provide reference data for military and/or joint civil/military airports. Not all military data contained in this publication is applicable to civil users.

CORRECTIONS, COMMENTS, AND/OR PROCUREMENT

CRITICAL information such as equipment malfunction, abnormal field conditions, hazards to flight, etc., should be reported as soon as possible to the nearest FAA facility, either in person or by reverse charge telephone call.

FOR AIRPORT SUPPLEMENT REVISIONS FORM VISIT WEB SITE: <http://nfdc.faa.gov/portal/airportchanges.do>

FAA, Aeronautical Information Services, ATO-R, Rm. 626
800 Independence Ave., SW
Washington, DC 20591
Telephone 1-866-295-8236
Fax 202-267-5322
Email 9-ATOR-HQ-AIS-AIRPORTCHANGES@FAA.GOV

NOTICE: Changes must be received by the Aeronautical Information Services as soon as possible but not later than the "cut-off" dates listed below to assure publication on the desired effective date.

	Airport Information	Airspace Information*
Effective Date	Cut-off date	Cut-off date
22 Oct 09	9 Sep 09	20 Aug 09
17 Dec 09	4 Nov 09	15 Oct 09
11 Feb 10	30 Dec 09	10 Dec 09
8 Apr 10	24 Feb 10	4 Feb 10
3 Jun 10	21 Apr 10	1 Apr 10
29 Jul 10	16 Jun 10	27 May 10

*Including changes to preferred routes and graphic depictions on charts.

FOR CHARTING ERRORS CONTACT:

FAA, National Aeronautical Charting Office, ATO-W
SSMC-4 Sta. #2335
1305 East West Highway
Silver Spring, MD 20910-3281
Telephone 1-800-626-3677
Email 9-AMC-Aerochart@faa.gov

Frequently asked questions (FAQs) are answered on our web site at www.naco.faa.gov.
See the FAQs prior to contact via toll free number.

FOR PROCUREMENT CONTACT:

FAA, National Aeronautical Charting Office
Distribution Division, ATO-W
10201 Good Luck Road
Glenn Dale, MD 20769-9700
Online at www.naco.faa.gov
Email 9-AMC-Chartsales@faa.gov
Telephone 1-800-638-8972
Fax 301-436-6829
or any authorized FAA Chart Agent

New or Changed Information—To alert users of new information or changes to information from the previous issue, a vertical line will be portrayed in the outside margin and extending the full length of the new and/or revised data. This will not apply to the front cover or the airport/facility directory listing.

This Airport/Facility Directory comprises part of the following sections of the United States Aeronautical Information Publication (AIP): GEN, ENR and AD.

TABLE OF CONTENTS

General Information.....	Inside Front Cover
Abbreviations	2
Directory Legend	4
Airport/Facility Directory	
Illinois	22
Indiana	81
Michigan	129
Ohio	213
Wisconsin	276
City/Military Airport Cross Reference	330
Seaplane Landing Areas	331
Special Notices.....	332
Regulatory Notices	340
FAA and National Weather Service	
Telephone Numbers	341
Key to Aviation Weather Reports	342
Air Traffic Facilities Telephone Numbers	344
Air Route Traffic Control Centers	346
Flight Service Station Communication Frequencies	348
Flight Standards District Offices.....	351
Routes/Waypoints	
Low Altitude Preferred Routes.....	352
Low Altitude Directional Routes	355
High Altitude Preferred Routes.....	356
High Altitude Directional Routes	374
Q-Routes.....	377
RNAV Routing Pitch and Catch Points	380
VFR Waypoints.....	391
VOR Receiver Check	399
Parachute Jumping Areas	403
Aeronautical Chart Bulletins	405
Supplemental Communication Reference	417
Airport Diagrams	424
National Weather Service (NWS) Upper Air Observing Stations	504
Enroute Flight Advisory Service (EFAS)	Inside Back Cover

ABBREVIATIONS

The following abbreviations/acronyms are those commonly used within this Directory. Other abbreviations/acronyms may be found in the Legend and are not duplicated below. The abbreviations presented are intended to represent grammatical variations of the basic form. (Example—"req" may mean "request", "requesting", "requested", or "requests").

AAF	Army Air Field	byd	beyond
AB	Airbase	C	Commercial Circuit (Telephone)
abv	above	CGAF	Coast Guard Air Facility
ACC	Air Combat Command; Area Control Center	CGAS	Coast Guard Air Station
acft	aircraft	CIV	Civil
ADCC	Air Defense Control Center	clsd	closed
AER	approach end rwy	comd	command
AFB	Air Force Base	CONUS	Continental United States
AFHP	Air Force Heliport	CSTMS	Customs
afld	airfield	ctc	contact
AFOD	US Army Flight Operations Detachment	ctl	control
AFRC	Armed Forces Reserve Center/Air Force Reserve Command	dalgt	daylight
AFSS	Automated Flight Service Station	Dec	December
AG	Agriculture	DIAP	DoD Instrument Approach Procedure
A-GEAR	Arresting Gear	DoD	Department of Defense
AGL	above ground level	DSN	Defense Switching Network (Telephone)
AHP	Army heliport	dspld	displaced
ALS	Approach Light System	durn	duration
alt	altitude	eff	effective
AMC	Air Mobility Command	emerg	emergency
ANGS	Air National Guard Station	EOR	End of Runway
apch	approach	ETA	Estimated Time of Arrival
Apr	April	ETD	Estimated Time of Departure
APU	Auxiliary Power Unit	exc	except
ARB	Air Reserve Base	extd	extend
arpt	airport	FBO	fixed-base operator
ARS	Air Reserve Station	Feb	February
AS	Air Station	fld	field
ASDE-X	Airport Surface Detection Equipment—Model X	FLIP	Flight Information Publication
ASU	Aircraft Starting Unit	flt	flight
ATC	Air Traffic Control	flw	follow
Aug	August	Fri	Friday
AUW	All Up Weight (gross weight)	FSS	Flight Service Station
avbl	available	GA	glide angle
bcn	beacon	GCA	Ground Controlled Approach
blo	below	GS	glide slope
		haz	hazard
		HQ	Headquarters

CONTINUED ON NEXT PAGE

CONTINUED FROM PRECEDING PAGE

hr	hour	npi	non precision instrument
IAP	Instrument Approach Procedure	NS ABTMT	Noise Abatement
ICAO	International Civil Aviation Organization	NSTD	nonstandard
IFR	Instrument Flight Rules	ntc	notice
ILS	Instrument Landing System	obsn	observation
IM	Inner Marker	Oct	October
IMG	Immigration	OLF	Outlying Field
incr	increase	opr	operate, operator, operational
indef	indefinite	ops	operations
ints	intensity	OTS	out of service
invo	in the vicinity of	ovrn	overrun
IMC	Instrument Meteorological Conditions	PAEW	personnel and equipment working
Jan	January	pat	pattern
JASU	Jet Aircraft Starting Unit	p-line	power line
JOAP	Joint Oil Analysis Program	PMSV	Pilot-to-Metro Service
JOSAC	Joint Operational Support Airlift Center	POL	Petrol, Oils and Lubricants
JRB	Joint Reserve Base	PPR	prior permission required
Jul	July	PRM	Precision Runway Monitoring
Jun	June	PTD	Pilot to Dispatcher
Kt	Knots	RAMCC	Regional Air Movement Control Center
LAA	Local Airport Advisory	req	request
LAHSO	Land and Hold Short Operations	rgt tfc	right traffic
lbs	pounds	RON	Remain Overnight
ldg	landing	rqr	require
lgtd	lighted	rstd	restricted
lgts	lights	RSRS	reduced same runway separation
LMM	Compass locator at Middle Marker ILS	rw	runway
LOC	Localizer	Sat	Saturday
LOM	Compass locator at Outer Marker ILS	SELF	Strategic Expeditionary Landing Field
ltd	limited	Sep	September
MACC	Military Area Control Center	SFA	Single Frequency Approach
Mar	March	sfc	surface
MCAF	Marine Corps Air Facility	SFRA	Special Flight Rules Area
MICALF	Marine Corps Auxiliary Landing Field	SOAP	Spectrometric Oil Analysis Program
MCAS	Marine Corps Air Station	SOF	Supervisor of Flying
MCB	Marine Corps Base	SPB	Seaplane Base
med	medium	SR	sunrise
METRO	Pilot-to-Metro voice call	SS	sunset
Mil	military	std	standard
min	minute	Sun	Sunday
MLS	Microwave Landing System	svc	service
MM	Middle Marker of ILS	tfc	traffic
Mon	Monday	thld	threshold
MP	Maintenance Period	Thu	Thursday
MSL	mean sea level	tkf	take-off
MSAW	minimum safe altitude warning	tmp	temporary
NAAS	Naval Auxiliary Air Station	tran	transient
NADC	Naval Air Development Center	Tue	Tuesday
NADEP	Naval Air Depot	twr	tower
NAEC	Naval Air Engineering Center	twy	taxiway
NAES	Naval Air Engineering Station	UC	Under Construction
NAF	Naval Air Facility	USA	United States Army
NALCO	Naval Air Logistics Control Office	USAF	United States Air Force
NALO	Navy Air Logistics Office	USCG	United States Coast Guard
NALF	Naval Auxiliary Landing Field	USN	United States Navy
NAS	Naval Air Station	V	Defense Switching Network (telephone, formerly AUTOVON)
NAWC	Naval Air Warfare Center	VFR	Visual Flight Rules
NAWS	Naval Air Weapons Station	VIP	Very Important Person
ngt	night	VMC	Visual Meteorological Conditions
NOLF	Naval Outlying Field	Wed	Wednesday
Nov	November	wx	weather

DIRECTORY LEGEND

SAMPLE

① CITY NAME
 ② AIRPORT NAME (ALTERNATE NAME) (LTS) (KLTS) CIV/MIL 3 N UTC-6(-5DT) N34°41.93' W99°20.20' JACKSONVILLE
 ③ 200 B S4 FUEL 100 OX 1 TPA-1000(800) AOE Class IV, ARFF Index A NOTAM FILE ORL Not insp. COPTER
 ④ ⑤ ⑥ ⑦ ⑧ ⑨ H-46, L-19C IAP, DIAP, AD

⑩ RWY 18-36: H12004X200 (ASPH-CONC-GRVD)
 S-90, D-160, DT-300 PCN 80 R/B/W/T HIRL CL
 RWY 18: LDIN. MALSF. TDZL. REIL. PAPI(P2R)—GA 3.0° TCH 36'.
 Thld dsplcd 300'. Trees. Rgt tfc. 0.3% up.
 RWY 36: ALSF1. 0.4% down.
 RWY 09-27: H6000X150 (ASPH) MIRL
 RWY 173-353: H3515X150 (ASPH-PFC) AUW PCN 59 F/A/W/T

⑪ LAND AND HOLD SHORT OPERATIONS
 LANDING HOLD SHORT POINT DIST AVBL
 RWY 18 09-27 6500
 RWY 36 09-27 5400

⑫ RUNWAY DECLARED DISTANCE INFORMATION
 RWY 18: TORA-12004 TODA-12704 ASDA-11704 LDA-11504
 RWY 36: TORA-12004 TODA-12004 ASDA-12004 LDA-11704

⑬ ARRESTING GEAR/SYSTEM
 RWY 18 → HOOK E5 (65' OVRN) BAK-14 BAK-12B (1650')
 BAK-14 BAK-12 (B) (1087') HOOK E5 (74' OVRN) ← RWY 36

⑭ MILITARY SERVICE: A-GEAR E-5 connected on dep end, disconnected on
 apch end. JASU 3(AM32A-60) 2(A/M32A-86)

⑮ ⑯ ⑰ ⑱ ⑲ ⑳ ㉑ ㉒ ㉓ ㉔ ㉕ ㉖ ㉗ ㉘ ㉙ ㉚ ㉛ ㉜ ㉝ ㉞ ㉟ ㊱ ㊲ ㊳ ㊴ ㊵ ㊶ ㊷ ㊸ ㊹ ㊺ ㊻ ㊼ ㊽ ㊾ ㊿

⑳ FUEL J8(Mil) (NC-100, A) FLUID W SP PRESAIR LOX
 OIL O-128 TRAN ALERT Avbl 1300-0200Z†, svc limited weekends.

㉑ AIRPORT REMARKS: Special Air Traffic Rules—Part 93, see Regulatory Notices. Attended 1200-0300Z†. Parachute
 Jumping. Deer invov arpt. Heavy jumbo jet training surface to 9000'. Twy A clsd indef. Flight Notification Service
 (ADCUS) avbl.

㉒ MILITARY REMARKS: ANG PPR/Official Business Only. Base OPS DSN 638-4390, C503-335-4222. Ctc Base OPS 15
 minutes prior to ldg and after dep. Limited tran parking.

㉓ WEATHER DATA SOURCES: AWOS-1 120.3 (202) 426-8000. LLWAS.

㉔ COMMUNICATIONS: SFA ATIS 127.25 273.5 (202) 426-8003 UNICOM 122.95 PTD 372.2
 NAME FSS (ORL) on arpt. 123.65 122.65 122.2
 NAME RCO 112.2T 112.1R (NAME RADIO)
 NAME APP/DEP CON 128.35 257.725 (1200-0400Z†)
 TOWER 119.65 255.6 (1200-0400Z†) GND CON 121.7 GCO 135.075 (ORLANDO CLNC) CLNC DEL 125.55
 NAME COMD POST (GERONIMO) 311.0 321.4 6761 PMSV METRO 239.8 NAME OPS 257.5


㉕ AIRSPACE: CLASS B See VFR Terminal Area Chart.

㉖ RADIO AIDS TO NAVIGATION: NOTAM FILE ORL. VHF/DF ctc FSS.
 (H) VORTAC 112.2 MCO Chan 59 N28°32.55' W81°20.12' at fld. 1110/8E.
 (H) TACAN Chan 29 CBU (109.2) N28°32.65' W81°21.12' at fld. 1115/8E.
 HERNY NDB (LOM) 221 OR N28°37.40' W81°21.05' 177° 5.4 NM to fld.
 ILS/DME 108.5 I-ORL Chan 22 Rwy 18. Class IIE. LOM HERNY NDB.
 ASR/PAR (1200-0400Z†)

㉗ COMM/NAV/WEATHER REMARKS: Emerg frequency 121.5 not avbl at twr.

㉘ HELIPAD H1: H100X75 (ASPH)
 HELIPAD H2: H60X60 (ASPH)
 HELIPORT REMARKS: Helipad H1 lctd on general aviation side and H2 lctd on air carrier side of arpt.

㉙ 187 TPA 1000(813)
 WATERWAY 15-33: 5000X425 (WATER)
 SEAPLANE REMARKS: Birds roosting and feeding areas along river banks. Seaplanes operating adjacent to SW side of
 arpt not visible from twr and are required to ctc twr.



All bearings and radials are magnetic unless otherwise specified.
 All mileages are nautical unless otherwise noted.

All times are Coordinated Universal Time (UTC) except as noted.











All elevations are in feet above/below Mean Sea Level (MSL) unless otherwise noted.

The horizontal reference datum of this publication is North American Datum of 1983 (NAD83), which for charting purposes is considered equivalent to World Geodetic System 1984 (WGS 84).
















10

SKETCH LEGEND







RUNWAYS/LANDING AREAS

Hard Surfaced	
Metal Surface	
Sod, Gravel, etc.	
Light Plane,	
Ski Landing Area or Water	
Under Construction	
Closed	
Helicopter Landings Area	
Displaced Threshold	
Taxiway, Apron and Stopways ..	






MISCELLANEOUS BASE AND CULTURAL FEATURES

Buildings	
Power Lines	
Fence	
Towers	
Tanks	
Oil Well	
Smoke Stack	
Obstruction	
Controlling Obstruction	
Trees	
Populated Places	
Cuts and Fills	
Cliffs and Depressions ..	
Ditch	
Hill	

RADIO AIDS TO NAVIGATION

















VORTAC ...		VOR	
VOR/DME ..		NDB	
TACAN		NDB/DME	

MISCELLANEOUS AERONAUTICAL FEATURES

Airport Beacon	
Wind Cone	
Landing Tee	
Tetrahedron	
Control Tower	

APPROACH LIGHTING SYSTEMS

A dot "•" portrayed with approach lighting letter identifier indicates sequenced flashing lights (F) installed with the approach lighting system e.g. (A1) Negative symbology, e.g., (A1) indicates Pilot Controlled Lighting (PCL).

Runway Centerline Lighting	
(A) Approach Lighting System ALSF-2 ..	
(A1) Approach Lighting System ALSF-1 ..	
Short Approach Lighting System SALS/SALSF	
(A2) Simplified Short Approach Lighting System (SSALR) with RAIL	
(A3) Medium Intensity Approach Lighting System (MALSR and MALSF)/(SSALS and SSALF)	
(A4) Medium Intensity Approach Lighting System (MALSR) and RAIL	
(A5) Omnidirectional Approach Lighting System (ODALS)	
(D) Navy Parallel Row and Cross Bar ..	
(F) Air Force Overrun	
(V) Visual Approach Slope Indicator with Standard Threshold Clearance provided	
(V2) Pulsating Visual Approach Slope Indicator (PVASI)	
(V3) Visual Approach Slope Indicator with a threshold crossing height to accommodate long bodied or jumbo aircraft	
(V4) Tri-color Visual Approach Slope Indicator (TRCV)	
(V5) Approach Path Alignment Panel (APAP)	
(P) Precision Approach Path Indicator (PAPI)	

LEGEND

This directory is a listing of data on record with the FAA on all open to the public airports, military facilities and selected private use facilities specifically requested by the Department of Defense (DoD) for which a DoD Instrument Approach Procedure has been published in the U.S. Terminal Procedures Publication. Additionally this listing contains data for associated terminal control facilities, air route traffic control centers, and radio aids to navigation within the conterminous United States, Puerto Rico and the Virgin Islands. Joint civil/military and civil airports are listed alphabetically by state, associated city and airport name and cross-referenced by airport name. Military facilities are listed alphabetically by state and official airport name and cross-referenced by associated city name. Nav aids, flight service stations and remote communication outlets that are associated with an airport, but with a different name, are listed alphabetically under their own name, as well as under the airport with which they are associated.

The listing of an open to the public airport in this directory merely indicates the airport operator's willingness to accommodate transient aircraft, and does not represent that the facility conforms with any Federal or local standards, or that it has been approved for use on the part of the general public. Military and private use facilities published in this directory are open to civil pilots only in an emergency or with prior permission. See Special Notice Section, Civil Use of Military Fields.

The information on obstructions is taken from reports submitted to the FAA. Obstruction data has not been verified in all cases. Pilots are cautioned that objects not indicated in this tabulation (or on the airports sketches and/or charts) may exist which can create a hazard to flight operation. Detailed specifics concerning services and facilities tabulated within this directory are contained in the Aeronautical Information Manual, Basic Flight Information and ATC Procedures.

The legend items that follow explain in detail the contents of this Directory and are keyed to the circled numbers on the sample on the preceding pages.

① CITY/AIRPORT NAME

Civil and joint civil/military airports and facilities in this directory are listed alphabetically by state and associated city. Where the city name is different from the airport name the city name will appear on the line above the airport name. Airports with the same associated city name will be listed alphabetically by airport name and will be separated by a dashed rule line. A solid rule line will separate all others. FAA approved helipads and seaplane landing areas associated with a land airport will be separated by a dotted line. Military airports are listed alphabetically by state and official airport name.

② ALTERNATE NAME

Alternate names, if any, will be shown in parentheses.

③ LOCATION IDENTIFIER

The location identifier is a three or four character FAA code followed by a four-character ICAO code assigned to airports. ICAO codes will only be published at joint civil/military, and military facilities. If two different military codes are assigned, both codes will be shown with the primary operating agency's code listed first. These identifiers are used by ATC in lieu of the airport name in flight plans, flight strips and other written records and computer operations. Zeros will appear with a slash to differentiate them from the letter "O".

④ OPERATING AGENCY

Airports within this directory are classified into two categories, Military/Federal Government and Civil airports open to the general public, plus selected private use airports. The operating agency is shown for military, private use and joint civil/military airports. The operating agency is shown by an abbreviation as listed below. When an organization is a tenant, the abbreviation is enclosed in parenthesis. No classification indicates the airport is open to the general public with no military tenant.

A	US Army	MC	Marine Corps
AFRC	Air Force Reserve Command	N	Navy
AF	US Air Force	NAF	Naval Air Facility
ANG	Air National Guard	NAS	Naval Air Station
AR	US Army Reserve	NASA	National Air and Space Administration
ARNG	US Army National Guard	P	US Civil Airport Wherein Permit Covers
CG	US Coast Guard		Use by Transient Military Aircraft
CIV/MIL	Joint Use Civil/Military	PVT	Private Use Only (Closed to the Public)
DND	Department of National Defense Canada		

⑤ AIRPORT LOCATION

Airport location is expressed as distance and direction from the center of the associated city in nautical miles and cardinal points, e.g., 4 NE.

⑥ TIME CONVERSION

Hours of operation of all facilities are expressed in Coordinated Universal Time (UTC) and shown as "Z" time. The directory indicates the number of hours to be subtracted from UTC to obtain local standard time and local daylight saving time UTC-5(-4DT). The symbol ‡ indicates that during periods of Daylight Saving Time effective hours will be one hour earlier than shown. In those areas where daylight saving time is not observed the (-4DT) and ‡ will not be shown. Daylight saving time is in effect from 0200 local time the second Sunday in March to 0200 local time the first Sunday in November. Canada and all U.S. Conterminous States observe daylight saving time except Arizona and Puerto Rico, and the Virgin Islands. If the state observes daylight saving time and the operating times are other than daylight saving times, the operating hours will include the dates, times and no ‡ symbol will be shown, i.e., April 15-Aug 31 0630-1700Z, Sep 1-Apr 14 0600-1700Z.

7 GEOGRAPHIC POSITION OF AIRPORT—AIRPORT REFERENCE POINT (ARP)

Positions are shown as hemisphere, degrees, minutes and hundredths of a minute and represent the approximate geometric center of all usable runway surfaces.

8 CHARTS

Charts refer to the Sectional Chart and Low and High Altitude Enroute Chart and panel on which the airport or facility is located. Helicopter Chart locations will be indicated as COPTER.

9 INSTRUMENT APPROACH PROCEDURES, AIRPORT DIAGRAM

IAP indicates an airport for which a prescribed (Public Use) FAA Instrument Approach Procedure has been published. DIAP indicates an airport for which a prescribed DoD Instrument Approach Procedure has been published in the U.S. Terminal Procedures. See the Special Notice Section of this directory, Civil Use of Military Fields and the Aeronautical Information Manual 5-4-5 Instrument Approach Procedure Charts for additional information. AD indicates an airport for which an airport diagram has been published. Airport diagrams are located in the back of each A/FD volume alphabetically by associated city and airport name.

10 AIRPORT SKETCH

The airport sketch, when provided, depicts the airport and related topographical information as seen from the air and should be used in conjunction with the text. It is intended as a guide for pilots in VFR conditions. Symbology that is not self-explanatory will be reflected in the sketch legend. The airport sketch will be oriented with True North at the top. Airport sketches will be added incrementally.

11 ELEVATION

The highest point of an airport's usable runways measured in feet from mean sea level. When elevation is sea level it will be indicated as "00". When elevation is below sea level a minus "-" sign will precede the figure.

12 ROTATING LIGHT BEACON

B indicates rotating beacon is available. Rotating beacons operate sunset to sunrise unless otherwise indicated in the AIRPORT REMARKS or MILITARY REMARKS segment of the airport entry.

13 SERVICING—CIVIL

S1: Minor airframe repairs.	S5: Major airframe repairs.
S2: Minor airframe and minor powerplant repairs.	S6: Minor airframe and major powerplant repairs.
S3: Major airframe and minor powerplant repairs.	S7: Major powerplant repairs.
S4: Major airframe and major powerplant repairs.	S8: Minor powerplant repairs.

14 FUEL

CODE	FUEL	CODE	FUEL
80	Grade 80 gasoline (Red)	B+	Jet B, Wide-cut, turbine fuel with FS-II*, FP** minus 50° C.
100	Grade 100 gasoline (Green)	J4 (JP4)	(JP-4 military specification) FP** minus 58° C.
100LL	100LL gasoline (low lead) (Blue)	J5 (JP5)	(JP-5 military specification) Kerosene with FS-11, FP** minus 46°C.
115	Grade 115 gasoline (115/145 military specification) (Purple)	J8 (JP8)	(JP-8 military specification) Jet A-1, Kerosene with FS-II*, FP** minus 47°C.
A	Jet A, Kerosene, without FS-II*, FP** minus 40° C.	J8+100	(JP-8 military specification) Jet A-1, Kerosene with FS-II*, FP** minus 47°C, with-fuel additive package that improves thermo stability characteristics of JP-8.
A+	Jet A, Kerosene, with FS-II*, FP** minus 40°C.	J	(Jet Fuel Type Unknown)
A1	Jet A-1, Kerosene, without FS-II*, FP** minus 47°C.	MOGAS	Automobile gasoline which is to be used as aircraft fuel.
A1+	Jet A-1, Kerosene with FS-II*, FP** minus 47° C.		
B	Jet B, Wide-cut, turbine fuel without FS-II*, FP** minus 50° C.		

*(Fuel System Icing Inhibitor)

**(Freeze Point)

NOTE: Certain automobile gasoline may be used in specific aircraft engines if a FAA supplemental type certificate has been obtained. Automobile gasoline, which is to be used in aircraft engines, will be identified as "MOGAS", however, the grade/type and other octane rating will not be published.

Data shown on fuel availability represents the most recent information the publisher has been able to acquire. Because of a variety of factors, the fuel listed may not always be obtainable by transient civil pilots. Confirmation of availability of fuel should be made directly with fuel suppliers at locations where refueling is planned.

15 OXYGEN—CIVIL

OX 1 High Pressure	OX 3 High Pressure—Replacement Bottles
OX 2 Low Pressure	OX 4 Low Pressure—Replacement Bottles

16 TRAFFIC PATTERN ALTITUDE

Traffic Pattern Altitude (TPA)—The first figure shown is TPA above mean sea level. The second figure in parentheses is TPA above airport elevation. Multiple TPA shall be shown as "TPA—See Remarks" and detailed information shall be shown in the Airport or Military Remarks Section. Traffic pattern data for USAF bases, USN facilities, and U.S. Army airports (including those on which ACC or U.S. Army is a tenant) that deviate from standard pattern altitudes shall be shown in Military Remarks.

17 AIRPORT OF ENTRY, LANDING RIGHTS, AND CUSTOMS USER FEE AIRPORTS

U.S. CUSTOMS USER FEE AIRPORT—Private Aircraft operators are frequently required to pay the costs associated with customs processing.

AOE—Airport of Entry. A customs Airport of Entry where permission from U.S. Customs is not required to land. However, at least one hour advance notice of arrival is required.

LRA—Landing Rights Airport. Application for permission to land must be submitted in advance to U.S. Customs. At least one hour advance notice of arrival is required.

NOTE: Advance notice of arrival at both an AOE and LRA airport may be included in the flight plan when filed in Canada or Mexico. Where Flight Notification Service (ADCUS) is available the airport remark will indicate this service. This notice will also be treated as an application for permission to land in the case of an LRA. Although advance notice of arrival may be relayed to Customs through Mexico, Canada, and U.S. Communications facilities by flight plan, the aircraft operator is solely responsible for ensuring that Customs receives the notification. (See Customs, Immigration and Naturalization, Public Health and Agriculture Department requirements in the International Flight Information Manual for further details.)

US Customs Air and Sea Ports, Inspectors and Agents

Northeast Sector (New England and Atlantic States—ME to MD)

407-975-1740

Southeast Sector (Atlantic States—DC, WV, VA to FL)

407-975-1780

Central Sector (Interior of the US, including Gulf states—MS, AL, LA)

407-975-1760

Southwest East Sector (OK and eastern TX)

407-975-1840

Southwest West Sector (Western TX, NM and AZ)

407-975-1820

Pacific Sector (WA, OR, CA, HI and AK)

407-975-1800

18 CERTIFICATED AIRPORT (14 CFR PART 139)

Airports serving Department of Transportation certified carriers and certified under 14 CFR part 139 are indicated by the Class and the ARFF Index; e.g. Class I, ARFF Index A, which relates to the availability of crash, fire, rescue equipment. Class I airports can have an ARFF Index A through E, depending on the aircraft length and scheduled departures. Class II, III, and IV will always carry an Index A.

14 CFR PART 139 CERTIFICATED AIRPORTS
AIRPORT CLASSIFICATIONS

Type of Air Carrier Operation	Class I	Class II	Class III	Class IV
Scheduled Air Carrier Aircraft with 31 or more passenger seats	X			
Unscheduled Air Carrier Aircraft with 31 or more passengers seats	X	X		X
Scheduled Air Carrier Aircraft with 10 to 30 passenger seats	X	X	X	

14 CFR—PART 139 CERTIFICATED AIRPORTS**INDICES AND AIRCRAFT RESCUE AND FIRE FIGHTING EQUIPMENT REQUIREMENTS**

Airport Index	Required No. Vehicles	Aircraft Length	Scheduled Departures	Agent + Water for Foam
A	1	<90'	≥1	500#DC or HALON 1211 or 450#DC + 100 gal H ₂ O
B	1 or 2	≥90', <126' ----- ≥126', <159'	≥5 ----- <5	Index A + 1500 gal H ₂ O
C	2 or 3	≥126', <159' ----- ≥159', <200'	≥5 ----- <5	Index A + 3000 gal H ₂ O
D	3	≥159', <200' ----- >200'	<5	Index A + 4000 gal H ₂ O
E	3	≥200'	≥5	Index A + 6000 gal H ₂ O

> Greater Than; < Less Than; ≥ Equal or Greater Than; ≤ Equal or Less Than; H₂O—Water; DC—Dry Chemical.

NOTE: The listing of ARFF index does not necessarily assure coverage for non-air carrier operations or at other than prescribed times for air carrier. ARFF Index Ltd.—indicates ARFF coverage may or may not be available, for information contact airport manager prior to flight.

19 NOTAM SERVICE

All public use landing areas are provided NOTAM "D" (distant dissemination) and NOTAM "L" (local dissemination) service. Airport NOTAM file identifier is shown for individual airports, e.g. "NOTAM FILE IAD". See AIM, Basic Flight Information and

ATC Procedures for detailed description of NOTAM's. Current NOTAMS are available from Flight Service Stations at 1-800-WX-BRIEF. Real time Military NOTAMS are available using the DoD Internet NOTAM Distribution System (DINS) www.notams.jcs.mil.

20 FAA INSPECTION

All airports not inspected by FAA will be identified by the note: Not insp. This indicates that the airport information has been provided by the owner or operator of the field.

21 RUNWAY DATA

Runway information is shown on two lines. That information common to the entire runway is shown on the first line while information concerning the runway ends is shown on the second or following line. Runway direction, surface, length, width, weight bearing capacity, lighting, and slope, when available are shown for each runway. Multiple runways are shown with the longest runway first. Direction, length, width, and lighting are shown for sea-lanes. The full dimensions of helipads are shown, e.g., 50X150. Runway data that requires clarification will be placed in the remarks section.

RUNWAY DESIGNATION

Runways are normally numbered in relation to their magnetic orientation rounded off to the nearest 10 degrees. Parallel runways can be designated L (left)/R (right)/C (center). Runways may be designated as STOL, Ultralight, or assault strips. Assault strips are shown by magnetic bearing.

RUNWAY DIMENSIONS

Runway length and width are shown in feet. Length shown is runway end to end including displaced thresholds, but excluding those areas designed as overruns.

RUNWAY SURFACE AND LENGTH

Runway lengths prefixed by the letter "H" indicate that the runways are hard surfaced (concrete, asphalt, or part asphalt-concrete). If the runway length is not prefixed, the surface is sod, clay, etc. The runway surface composition is indicated in parentheses after runway length as follows:

(AFSC)—Aggregate friction seal coat	(GRVL)—Gravel, or cinders	(PSP)—Pierced steel plank
(ASPH)—Asphalt	(MATS)—Pierced steel planking, landing mats, membranes	(RFSC)—Rubberized friction seal coat
(CONC)—Concrete	(PEM)—Part concrete, part asphalt	(TURF)—Turf
(DIRT)—Dirt	(PFC)—Porous friction courses	(TRTD)—Treated
(GRVD)—Grooved		(WC)—Wire combed

RUNWAY WEIGHT BEARING CAPACITY

Runway strength data shown in this publication is derived from available information and is a realistic estimate of capability at an average level of activity. It is not intended as a maximum allowable weight or as an operating limitation. Many airport pavements are capable of supporting limited operations with gross weights in excess of the published figures. Permissible operating weights, insofar as runway strengths are concerned, are a matter of agreement between the owner and user. When desiring to operate into any airport at weights in excess of those published in the publication, users should contact the airport management for permission. Runway strength figures are shown in thousand of pounds, with the last three figures being omitted. Add 000 to figure following S, D, 2S, 2T, AUW, SWL, etc., for gross weight capacity. A blank space following the letter designator is used to indicate the runway can sustain aircraft with this type landing gear, although definite runway weight bearing capacity figures are not available, e.g., S, D. Applicable codes for typical gear configurations with S=Single, D=Dual, T=Triple and Q=Quadruple:

CURRENT	NEW	NEW DESCRIPTION
S	S	Single wheel type landing gear (DC3), (C47), (F15), etc.
D	D	Dual wheel type landing gear (BE1900), (B737), (A319), etc.
T	D	Dual wheel type landing gear (P3, C9).
ST	2S	Two single wheels in tandem type landing gear (C130).
TRT	2T	Two triple wheels in tandem type landing gear (C17), etc.
DT	2D	Two dual wheels in tandem type landing gear (B707), etc.
TT	2D	Two dual wheels in tandem type landing gear (B757, KC135).
SBTT	2D/D1	Two dual wheels in tandem/dual wheel body gear type landing gear (KC10).
None	2D/2D1	Two dual wheels in tandem/two dual wheels in tandem body gear type landing gear (A340-600).
DDT	2D/2D2	Two dual wheels in tandem/two dual wheels in double tandem body gear type landing gear (B747, E4).
TTT	3D	Three dual wheels in tandem type landing gear (B777), etc.
TT	D2	Dual wheel gear two struts per side main gear type landing gear (B52).
TDT	C5	Complex dual wheel and quadruple wheel combination landing gear (C5).

AUW—All up weight. Maximum weight bearing capacity for any aircraft irrespective of landing gear configuration.

SWL—Single Wheel Loading. (This includes information submitted in terms of Equivalent Single Wheel Loading (ESWL) and Single Isolated Wheel Loading).

PSI—Pounds per square inch. PSI is the actual figure expressing maximum pounds per square inch runway will support, e.g., (SWL 000/PSI 535).

Omission of weight bearing capacity indicates information unknown.

The ACN/PCN System is the ICAO standard method of reporting pavement strength for pavements with bearing strengths greater than 12,500 pounds. The Pavement Classification Number (PCN) is established by an engineering assessment of the runway. The PCN is for use in conjunction with an Aircraft Classification Number (ACN). Consult the Aircraft Flight Manual, Flight Information Handbook, or other appropriate source for ACN tables or charts. Currently, ACN data may not be available for all aircraft. If an ACN table or chart is available, the ACN can be calculated by taking into account the aircraft weight, the pavement type, and the subgrade category. For runways that have been evaluated under the ACN/PCN system, the PCN will be shown as a five-part code (e.g. PCN 80 R/B/W/T). Details of the coded format are as follows:

- (1) The PCN NUMBER—The reported PCN indicates that an aircraft with an ACN equal or less than the reported PCN can operate on the pavement subject to any limitation on the tire pressure.
- (2) The type of pavement:
 - R — Rigid
 - F — Flexible
- (3) The pavement subgrade category:
 - A — High
 - B — Medium
 - C — Low
 - D — Ultra-low
- (4) The maximum tire pressure authorized for the pavement:
 - W — High, no limit
 - X — Medium, limited to 217 psi
 - Y — Low, limited to 145 psi
 - Z — Very low, limited to 73 psi
- (5) Pavement evaluation method:
 - T — Technical evaluation
 - U — By experience of aircraft using the pavement

NOTE: Prior permission from the airport controlling authority is required when the ACN of the aircraft exceeds the published PCN or aircraft tire pressure exceeds the published limits.

RUNWAY LIGHTING

Lights are in operation sunset to sunrise. Lighting available by prior arrangement only or operating part of the night and/or pilot controlled lighting with specific operating hours are indicated under airport or military remarks. At USN/USMC facilities lights are available only during airport hours of operation. Since obstructions are usually lighted, obstruction lighting is not included in this code. Unlighted obstructions on or surrounding an airport will be noted in airport or military remarks. Runway lights nonstandard (NSTD) are systems for which the light fixtures are not FAA approved L-800 series: color, intensity, or spacing does not meet FAA standards. Nonstandard runway lights, VASI, or any other system not listed below will be shown in airport remarks or military service. Temporary, emergency or limited runway edge lighting such as flares, smudge pots, lanterns or portable runway lights will also be shown in airport remarks or military service. Types of lighting are shown with the runway or runway end they serve.

NSTD—Light system fails to meet FAA standards.

LIRL—Low Intensity Runway Lights.

MIRL—Medium Intensity Runway Lights.

HIRL—High Intensity Runway Lights.

RAIL—Runway Alignment Indicator Lights.

REIL—Runway End Identifier Lights.

CL—Centerline Lights.

TDZL—Touchdown Zone Lights.

ODALS—Omni Directional Approach Lighting System.

AF OVRN—Air Force Overrun 1000' Standard Approach Lighting System.

LDIN—Lead-In Lighting System.

MALS—Medium Intensity Approach Lighting System.

MALSF—Medium Intensity Approach Lighting System with Sequenced Flashing Lights.

MALSR—Medium Intensity Approach Lighting System with Runway Alignment Indicator Lights.

SALS—Short Approach Lighting System.

SALSF—Short Approach Lighting System with Sequenced Flashing Lights.

SSALS—Simplified Short Approach Lighting System.

SSALF—Simplified Short Approach Lighting System with Sequenced Flashing Lights.

SSALR—Simplified Short Approach Lighting System with Runway Alignment Indicator Lights.

ALSAF—High Intensity Approach Lighting System with Sequenced Flashing Lights.

ALSF1—High Intensity Approach Lighting System with Sequenced Flashing Lights, Category I, Configuration.

ALSF2—High Intensity Approach Lighting System with Sequenced Flashing Lights, Category II, Configuration.

SF—Sequenced Flashing Lights.

OLS—Optical Landing System.

WAVE—OFF.

NOTE: Civil ALSF2 may be operated as SSALR during favorable weather conditions. When runway edge lights are positioned more than 10 feet from the edge of the usable runway surface a remark will be added in the "Remarks" portion of the airport entry. This is applicable to Air Force, Air National Guard and Air Force Reserve Bases, and those joint civil/military airfields on which they are tenants.

VISUAL GLIDESLOPE INDICATORS

APAP—A system of panels, which may or may not be lighted, used for alignment of approach path.

PNIL APAP on left side of runway

PNIR APAP on right side of runway

PAPI—Precision Approach Path Indicator

P2L 2-identical light units placed on left side of runway

P4L 4-identical light units placed on left side of runway

P2R 2-identical light units placed on right side of runway

P4R 4-identical light units placed on right side of runway

PVASI—Pulsating/steady burning visual approach slope indicator, normally a single light unit projecting two colors.

PSIL PVASI on left side of runway

PSIR PVASI on right side of runway

SAVASI—Simplified Abbreviated Visual Approach Slope Indicator

S2L 2-box SAVASI on left side of runway

S2R 2-box SAVASI on right side of runway

TRCV—Tri-color visual approach slope indicator, normally a single light unit projecting three colors.

TRIL TRCV on left side of runway

TRIR TRCV on right side of runway

VASI—Visual Approach Slope Indicator

V2L 2-box VASI on left side of runway

V6L 6-box VASI on left side of runway

V2R 2-box VASI on right side of runway

V6R 6-box VASI on right side of runway

V4L 4-box VASI on left side of runway

V12 12-box VASI on both sides of runway

V4R 4-box VASI on right side of runway

V16 16-box VASI on both sides of runway

NOTE: Approach slope angle and threshold crossing height will be shown when available; i.e., -GA 3.5° TCH 37'.

PILOT CONTROL OF AIRPORT LIGHTING

Key Mike	Function
7 times within 5 seconds	Highest intensity available
5 times within 5 seconds	Medium or lower intensity (Lower REIL or REIL-Off)
3 times within 5 seconds	Lowest intensity available (Lower REIL or REIL-Off)

Available systems will be indicated in the airport or military remarks, e.g., ACTIVATE HIRL Rwy 07–25, MALSR Rwy 07, and VASI Rwy 07—122.8.

Where the airport is not served by an instrument approach procedure and/or has an independent type system of different specification installed by the airport sponsor, descriptions of the type lights, method of control, and operating frequency will be explained in clear text. See AIM, "Basic Flight Information and ATC Procedures," for detailed description of pilot control of airport lighting.

RUNWAY SLOPE

When available, runway slope data will only be provided for those airports with an approved FAA instrument approach procedure. Runway slope will be shown only when it is 0.3 percent or greater. On runways less than 8000 feet, the direction of the slope up will be indicated, e.g., 0.3% up NW. On runways 8000 feet or greater, the slope will be shown (up or down) on the runway end line, e.g., RWY 13: 0.3% up., RWY 21: Pole. Rgt tfc. 0.4% down.

RUNWAY END DATA

Information pertaining to the runway approach end such as approach lights, touchdown zone lights, runway end identification lights, visual glideslope indicators, displaced thresholds, controlling obstruction, and right hand traffic pattern, will be shown on the specific runway end. "Rgt tfc"—Right traffic indicates right turns should be made on landing and takeoff for specified runway end.

LAND AND HOLD SHORT OPERATIONS (LAHSO)

LAHSO is an acronym for "Land and Hold Short Operations." These operations include landing and holding short of an intersection runway, an intersecting taxiway, or other predetermined points on the runway other than a runway or taxiway. Measured distance represents the available landing distance on the landing runway, in feet.

Specific questions regarding these distances should be referred to the air traffic manager of the facility concerned. The Aeronautical Information Manual contains specific details on hold-short operations and markings.

RUNWAY DECLARED DISTANCE INFORMATION

TORA—Take-off Run Available. The length of runway declared available and suitable for the ground run of an aeroplane take-off.

TODA—Take-off Distance Available. The length of the take-off run available plus the length of the clearway, if provided.

ASDA—Accelerate-Stop Distance Available. The length of the take-off run available plus the length of the stopway, if provided.

LDA—Landing Distance Available. The length of runway which is declared available and suitable for the ground run of an aeroplane landing.



ARRESTING GEAR/SYSTEMS

Arresting gear is shown as it is located on the runway. The a-gear distance from the end of the appropriate runway (or into the overrun) is indicated in parentheses. A-Gear which has a bi-direction capability and can be utilized for emergency approach end engagement is indicated by a (B). The direction of engaging device is indicated by an arrow. Up to 15 minutes advance notice may be required for rigging A-Gear for approach and engagement. Airport listing may show availability of other than US Systems. This information is provided for emergency requirements only. Refer to current aircraft operating manuals for specific engagement weight and speed criteria based on aircraft structural restrictions and arresting system limitations.

Following is a list of current systems referenced in this publication identified by both Air Force and Navy terminology:

BI-DIRECTIONAL CABLE (B)

<u>TYPE</u>	<u>DESCRIPTION</u>
BAK-9	Rotary friction brake.
BAK-12A	Standard BAK-12 with 950 foot run out, 1-inch cable and 40,000 pound weight setting. Rotary friction brake.
BAK-12B	Extended BAK-12 with 1200 foot run, 1¼ inch Cable and 50,000 pounds weight setting. Rotary friction brake.
E28	Rotary Hydraulic (Water Brake).
M21	Rotary Hydraulic (Water Brake) Mobile.

The following device is used in conjunction with some aircraft arresting systems:

BAK-14	A device that raises a hook cable out of a slot in the runway surface and is remotely positioned for engagement by the tower on request. (In addition to personnel reaction time, the system requires up to five seconds to fully raise the cable.)
H	A device that raises a hook cable out of a slot in the runway surface and is remotely positioned for engagement by the tower on request. (In addition to personnel reaction time, the system requires up to one and one-half seconds to fully raise the cable.)

UNI-DIRECTIONAL CABLE

<u>TYPE</u>	<u>DESCRIPTION</u>
MB60	Textile brake—an emergency one-time use, modular braking system employing the tearing of specially woven textile straps to absorb the kinetic energy.
E5/E5-1/E5-3	Chain Type. At USN/USMC stations E-5 A-GEAR systems are rated, e.g., E-5 RATING-13R-1100 HW (DRY), 31L/R-1200 STD (WET). This rating is a function of the A-GEAR chain weight and length and is used to determine the maximum aircraft engaging speed. A dry rating applies to a stabilized surface (dry or wet) while a wet rating takes into account the amount (if any) of wet overrun that is not capable of withstanding the aircraft weight. These ratings are published under Military Service.

FOREIGN CABLE

<u>TYPE</u>	<u>DESCRIPTION</u>	<u>US EQUIVALENT</u>
44B-3H	Rotary Hydraulic (Water Brake)	
CHAG	Chain	E-5

UNI-DIRECTIONAL BARRIER

<u>TYPE</u>	<u>DESCRIPTION</u>
MA-1A	Web barrier between stanchions attached to a chain energy absorber.
BAK-15	Web barrier between stanchions attached to an energy absorber (water squeezer, rotary friction, chain). Designed for wing engagement.

NOTE: Landing short of the runway threshold on a runway with a BAK-15 in the underrun is a significant hazard. The barrier in the down position still protrudes several inches above the underrun. Aircraft contact with the barrier short of the runway threshold can cause damage to the barrier and substantial damage to the aircraft.

OTHER

<u>TYPE</u>	<u>DESCRIPTION</u>
EMAS	Engineered Material Arresting System, located beyond the departure end of the runway, consisting of high energy absorbing materials which will crush under the weight of an aircraft.

23 MILITARY SERVICE

Specific military services available at the airport are listed under this general heading. Remarks applicable to any military service are shown in the individual service listing.

24 JET AIRCRAFT STARTING UNITS (JASU)

The numeral preceding the type of unit indicates the number of units available. The absence of the numeral indicates ten or more units available. If the number of units is unknown, the number one will be shown. Absence of JASU designation indicates non-availability.

The following is a list of current JASU systems referenced in this publication:

USAF JASU (For variations in technical data, refer to T.O. 35-1-7.)

ELECTRICAL STARTING UNITS:

A/M32A-86	AC: 115/200v, 3 phase, 90 kva, 0.8 pf, 4 wire DC: 28v, 1500 amp, 72 kw (with TR pack)
MC-1A	AC: 115/208v, 400 cycle, 3 phase, 37.5 kva, 0.8 pf, 108 amp, 4 wire DC: 28v, 500 amp, 14 kw
MD-3	AC: 115/208v, 400 cycle, 3 phase, 60 kva, 0.75 pf, 4 wire DC: 28v, 1500 amp, 45 kw, split bus
MD-3A	AC: 115/208v, 400 cycle, 3 phase, 60 kva, 0.75 pf, 4 wire DC: 28v, 1500 amp, 45 kw, split bus
MD-3M	AC: 115/208v, 400 cycle, 3 phase, 60 kva, 0.75 pf, 4 wire DC: 28v, 500 amp, 15 kw

MD-4	AC: 120/208v, 400 cycle, 3 phase, 62.5 kva, 0.8 pf, 175 amp, "WYE" neutral ground, 4 wire, 120v, 400 cycle, 3 phase, 62.5 kva, 0.8 pf, 303 amp, "DELTA" 3 wire, 120v, 400 cycle, 1 phase, 62.5 kva, 0.8 pf, 520 amp, 2 wire
AIR STARTING UNITS	
AM32-95	150 +/- 5 lb/min (2055 +/- 68 cfm) at 51 +/- 2 psia
AM32A-95	150 +/- 5 lb/min @ 49 +/- 2 psia (35 +/- 2 psig)
LASS	150 +/- 5 lb/min @ 49 +/- 2 psia
MA-1A	82 lb/min (1123 cfm) at 130° air inlet temp, 45 psia (min) air outlet press
MC-1	15 cfm, 3500 psia
MC-1A	15 cfm, 3500 psia
MC-2A	15 cfm, 200 psia
MC-11	8,000 cu in cap, 4000 psig, 15 cfm
COMBINED AIR AND ELECTRICAL STARTING UNITS:	
AGPU	AC: 115/200v, 400 cycle, 3 phase, 30 kw gen DC: 28v, 700 amp AIR: 60 lb/min @ 40 psig @ sea level
AM32A-60*	AIR: 120 +/- 4 lb/min (1644 +/- 55 cfm) at 49 +/- 2 psia AC: 120/208v, 400 cycle, 3 phase, 75 kva, 0.75 pf, 4 wire, 120v, 1 phase, 25 kva DC: 28v, 500 amp, 15 kw
AM32A-60A	AIR: 150 +/- 5 lb/min (2055 +/- 68 cfm) at 51 +/- psia AC: 120/208v, 400 cycle, 3 phase, 75 kva, 0.75 pf, 4 wire DC: 28v, 200 amp, 5.6 kw
AM32A-60B*	AIR: 130 lb/min, 50 psia AC: 120/208v, 400 cycle, 3 phase, 75 kva, 0.75 pf, 4 wire DC: 28v, 200 amp, 5.6 kw
*NOTE: During combined air and electrical loads, the pneumatic circuitry takes preference and will limit the amount of electrical power available.	
USN JASU	
ELECTRICAL STARTING UNITS:	
NC-8A/A1	DC: 500 amp constant, 750 amp intermittent, 28v; AC: 60 kva @ .8 pf, 115/200v, 3 phase, 400 Hz.
NC-10A/A1/B/C	DC: 750 amp constant, 1000 amp intermittent, 28v; AC: 90 kva, 115/200v, 3 phase, 400 Hz.
AIR STARTING UNITS:	
GTC-85/GTE-85	120 lbs/min @ 45 psi.
MSU-200NAV/A/U47A-5	204 lbs/min @ 56 psia.
WELLS AIR START SYSTEM	180 lbs/min @ 75 psi or 120 lbs/min @ 45 psi. Simultaneous multiple start capability.
COMBINED AIR AND ELECTRICAL STARTING UNITS:	
NCPP-105/RCPT	180 lbs/min @ 75 psi or 120 lbs/min @ 45 psi. 700 amp, 28v DC. 120/208v, 400 Hz AC, 30 kva.
JASU (ARMY)	
59B2-1B	28v, 7.5 kw, 280 amp.
OTHER JASU	
ELECTRICAL STARTING UNITS (DND):	
CE12	AC 115/200v, 140 kva, 400 Hz, 3 phase
CE13	AC 115/200v, 60 kva, 400 Hz, 3 phase
CE14	AC/DC 115/200v, 140 kva, 400 Hz, 3 phase, 28vDC, 1500 amp
CE15	DC 22-35v, 500 amp continuous 1100 amp intermittent
CE16	DC 22-35v, 500 amp continuous 1100 amp intermittent soft start
AIR STARTING UNITS (DND):	
CA2	ASA 45.5 psig, 116.4 lb/min
COMBINED AIR AND ELECTRICAL STARTING UNITS (DND)	
CEA1	AC 120/208v, 60 kva, 400 Hz, 3 phase DC 28v, 75 amp AIR 112.5 lb/min, 47 psig
ELECTRICAL STARTING UNITS (OTHER)	
C-26	28v 45kw 115-200v 15kw 380-800 Hz 1 phase 2 wire
C-26-B, C-26-C	28v 45kw: Split Bus: 115-200v 15kw 380-800 Hz 1 phase 2 wire
E3	DC 28v/10kw
AIR STARTING UNITS (OTHER):	
A4	40 psi/2 lb/sec (LPAS Mk12, Mk12L, Mk12A, Mk1, Mk2B)
MA-1	150 Air HP, 115 lb/min 50 psia
MA-2	250 Air HP, 150 lb/min 75 psia
CARTRIDGE:	
MXU-4A	USAF

(25) FUEL—MILITARY

Fuel available through US Military Base supply, DESC Into-Plane Contracts and/or reciprocal agreement is listed first and is followed by (Mil). At commercial airports where Into-Plane contracts are in place, the name of the refueling agent is shown. Military fuel should be used first if it is available. When military fuel cannot be obtained but Into-Plane contract fuel is available, Government aircraft must refuel with the contract fuel and applicable refueling agent to avoid any breach in contract terms and conditions. Fuel not available through the above is shown preceded by NC (no contract). When fuel is obtained from NC sources, local purchase procedures must be followed. The US Military Aircraft Identaplates DD Form 1896 (Jet Fuel), DD Form 1897 (Avgas) and AF Form 1245 (Avgas) are used at military installations only. The US Government Aviation Into-Plane Reimbursement (AIR) Card (currently issued by AVCARD) is the instrument to be used to obtain fuel under a DESC Into-Plane Contract and for NC purchases if the refueling agent at the commercial airport accepts the AVCARD. A current list of contract fuel locations is available online at www.desc.dla.mil/Static/ProductsAndServices.asp; click on the Commercial Airports button.

See legend item 14 for fuel code and description.

(26) SUPPORTING FLUIDS AND SYSTEMS—MILITARY**CODE**

ADI	Anti-Detonation Injection Fluid—Reciprocating Engine Aircraft.
W	Water Thrust Augmentation—Jet Aircraft.
WAI	Water-Alcohol Injection Type, Thrust Augmentation—Jet Aircraft.
SP	Single Point Refueling.
PRESAIR	Air Compressors rated 3,000 PSI or more.
De-Ice	Anti-icing/De-icing/Defrosting Fluid (MIL-A-8243).
OXYGEN:	
LPOX	Low pressure oxygen servicing.
HPOX	High pressure oxygen servicing.
LHOX	Low and high pressure oxygen servicing.
LOX	Liquid oxygen servicing.
ORXB	Oxygen replacement bottles. (Maintained primarily at Naval stations for use in acft where oxygen can be replenished only by replacement of cylinders.)
OX	Indicates oxygen servicing when type of servicing is unknown.
NOTE: Combinations of above items is used to indicate complete oxygen servicing available;	
LHOXRB	Low and high pressure oxygen servicing and replacement bottles;
LPOXRB	Low pressure oxygen replacement bottles only, etc.

NOTE: Aircraft will be serviced with oxygen procured under military specifications only. Aircraft will not be serviced with medical oxygen.

NITROGEN:

LPNIT	Low pressure nitrogen servicing.
HPNIT	High pressure nitrogen servicing.
LHNIT	Low and high pressure nitrogen servicing.

(27) OIL—MILITARY

US AVIATION OILS (MIL SPECS):

CODE	GRADE, TYPE
0-113	1065, Reciprocating Engine Oil (MIL-L-6082)
0-117	1100, Reciprocating Engine Oil (MIL-L-6082)
0-117+	1100, 0-117 plus cyclohexanone (MIL-L-6082)
0-123	1065, (Dispersant), Reciprocating Engine Oil (MIL-L-22851 Type III)
0-128	1100, (Dispersant), Reciprocating Engine Oil (MIL-L-22851 Type II)
0-132	1005, Jet Engine Oil (MIL-L-6081)
0-133	1010, Jet Engine Oil (MIL-L-6081)
0-147	None, MIL-L-6085A Lubricating Oil, Instrument, Synthetic
0-148	None, MIL-L-7808 (Synthetic Base) Turbine Engine Oil
0-149	None, Aircraft Turbine Engine Synthetic, 7.5c St
0-155	None, MIL-L-6086C, Aircraft, Medium Grade
0-156	None, MIL-L-23699 (Synthetic Base), Turboprop and Turbohaft Engines
JOAP/SOAP	Joint Oil Analysis Program. JOAP support is furnished during normal duty hours, other times on request. (JOAP and SOAP programs provide essentially the same service, JOAP is now the standard joint service supported program.)

(28) TRANSIENT ALERT (TRAN ALERT)—MILITARY

Tran Alert service is considered to include all services required for normal aircraft turn-around, e.g., servicing (fuel, oil, oxygen, etc.), debriefing to determine requirements for maintenance, minor maintenance, inspection and parking assistance of transient aircraft. Drag chute backup, specialized maintenance, or extensive repairs will be provided within the capabilities and priorities of the base. Delays can be anticipated after normal duty hours/holidays/weekends regardless of the hours of transient maintenance operation. Pilots should not expect aircraft to be serviced for TURN-AROUNDS during time periods when servicing or maintenance manpower is not available. In the case of airports not operated exclusively by US military, the servicing indicated by the remarks will not always be available for US military

aircraft. When transient alert services are not shown, facilities are unknown. NO PRIORITY BASIS—means that transient alert services will be provided only after all the requirements for mission/tactical assigned aircraft have been accomplished.

29 AIRPORT REMARKS

The Attendance Schedule is the months, days and hours the airport is actually attended. Airport attendance does not mean watchman duties or telephone accessibility, but rather an attendant or operator on duty to provide at least minimum services (e.g., repairs, fuel, transportation).

Airport Remarks have been grouped in order of applicability. Airport remarks are limited to those items of information that are determined essential for operational use, i.e., conditions of a permanent or indefinite nature and conditions that will remain in effect for more than 30 days concerning aeronautical facilities, services, maintenance available, procedures or hazards, knowledge of which is essential for safe and efficient operation of aircraft. Information concerning permanent closing of a runway or taxiway will not be shown. A note "See Special Notices" shall be applied within this remarks section when a special notice applicable to the entry is contained in the Special Notices section of this publication.

Parachute Jumping indicates parachute jumping areas associated with the airport. See Parachute Jumping Area section of this publication for additional information.

Landing Fee indicates landing charges for private or non-revenue producing aircraft. In addition, fees may be charged for planes that remain over a couple of hours and buy no services, or at major airline terminals for all aircraft.

Note: Unless otherwise stated, remarks including runway ends refer to the runway's approach end.

30 MILITARY REMARKS

Military Remarks published at a joint Civil/Military facility are remarks that are applicable to the Military. At Military Facilities all remarks will be published under the heading Military Remarks. Remarks contained in this section may not be applicable to civil users. The first group of remarks is applicable to the primary operator of the airport. Remarks applicable to a tenant on the airport are shown preceded by the tenant organization, i.e., (A) (AF) (N) (ANG), etc. Military airports operate 24 hours unless otherwise specified. Airport operating hours are listed first (airport operating hours will only be listed if they are different than the airport attended hours or if the attended hours are unavailable) followed by pertinent remarks in order of applicability. Remarks will include information on restrictions, hazards, traffic pattern, noise abatement, customs/agriculture/immigration, and miscellaneous information applicable to the Military.

Type of restrictions:

CLOSED: When designated closed, the airport is restricted from use by all aircraft unless stated otherwise. Any closure applying to specific type of aircraft or operation will be so stated. USN/USMC/USAF airports are considered closed during non-operating hours. Closed airports may be utilized during an emergency provided there is a safe landing area.

OFFICIAL BUSINESS ONLY: The airfield is closed to all transient military aircraft for obtaining routine services such as fueling, passenger drop off or pickup, practice approaches, parking, etc. The airfield may be used by aircrews and aircraft if official government business (including civilian) must be conducted on or near the airfield and prior permission is received from the airfield manager.

AF OFFICIAL BUSINESS ONLY OR NAVY OFFICIAL BUSINESS ONLY: Indicates that the restriction applies only to service indicated.

PRIOR PERMISSION REQUIRED (PPR): Airport is closed to transient aircraft unless approval for operation is obtained from the appropriate commander through Chief, Airfield Management or Airfield Operations Officer. Official Business or PPR does not preclude the use of US Military airports as an alternate for IFR flights. If a non-US military airport is used as a weather alternate and requires a PPR, the PPR must be requested and confirmed before the flight departs. The purpose of PPR is to control volume and flow of traffic rather than to prohibit it. Prior permission is required for all aircraft requiring transient alert service outside the published transient alert duty hours. All aircraft carrying hazardous materials must obtain prior permission as outlined in AFJI 11-204, AR 95-27, OPNAVINST 3710.7.

Note: OFFICIAL BUSINESS ONLY AND PPR restrictions are not applicable to Special Air Mission (SAM) or Special Air Resource (SPAR) aircraft providing person or persons on board are designated Code 6 or higher as explained in AFJMAN 11-213, AR 95-11, OPNAVINST 3722-8J. Official Business Only or PPR do not preclude the use of the airport as an alternate for IFR flights.

31 WEATHER DATA SOURCES

Weather data sources will be listed alphabetically followed by their assigned frequencies and/or telephone number and hours of operation.

ASOS—Automated Surface Observing System. Reports the same as an AWOS-3 plus precipitation identification and intensity, and freezing rain occurrence (future enhancement).

AWOS—Automated Weather Observing System

AWOS-A—reports altimeter setting (all other information is advisory only).

AWOS-1—reports altimeter setting, wind data and usually temperature, dewpoint and density altitude.

AWOS-2—reports the same as AWOS-1 plus visibility.

AWOS-3—reports the same as AWOS-1 plus visibility and cloud/ceiling data.

See AIM, Basic Flight Information and ATC Procedures for detailed description of AWOS.

HIWAS—See RADIO AIDS TO NAVIGATION

LAWRS—Limited Aviation Weather Reporting Station where observers report cloud height, weather, obstructions to vision, temperature and dewpoint (in most cases), surface wind, altimeter and pertinent remarks.

LLWAS—indicates a Low Level Wind Shear Alert System consisting of a center field and several field perimeter anemometers. SAWRS—identifies airports that have a Supplemental Aviation Weather Reporting Station available to pilots for current weather information.

SWSL—Supplemental Weather Service Location providing current local weather information via radio and telephone.

TDWR—indicates airports that have Terminal Doppler Weather Radar.

WSP—indicates airports that have Weather System Processor.

When the automated weather source is broadcast over an associated airport NAVAID frequency (see NAVAID line), it shall be indicated by a bold ASOS, AWOS, or HIWAS followed by the frequency, identifier and phone number, if available.

32 COMMUNICATIONS

Airport terminal control facilities and radio communications associated with the airport shall be shown. When the call sign is not the same as the airport name the call sign will be shown. Frequencies shall normally be shown in descending order with the primary frequency listed first. Frequencies will be listed, together with sectorization indicated by outbound radials, and hours of operation. Communications will be listed in sequence as follows:

Single Frequency Approach (SFA), Common Traffic Advisory Frequency (CTAF), Automatic Terminal Information Service (ATIS) and Aeronautical Advisory Stations (UNICOM) or (AUNICOM) along with their frequency is shown, where available, on the line following the heading "COMMUNICATIONS." When the CTAF and UNICOM frequencies are the same, the frequency will be shown as CTAF/UNICOM 122.8.

The FSS telephone nationwide is toll free 1-800-WX-BRIEF (1-800-992-7433). When the FSS is located on the field it will be indicated as "on aprt". Frequencies available at the FSS will follow in descending order. Remote Communications Outlet (RCO) providing service to the airport followed by the frequency and FSS RADIO name will be shown when available.

FSS's provide information on airport conditions, radio aids and other facilities, and process flight plans. Airport Advisory Service (AAS) is provided on the CTAF by FSS's for select non-tower airports or airports where the tower is not in operation. (See AIM, Para 4-1-9 Traffic Advisory Practices at Airports Without Operating Control Towers or AC 90-42C.)

Aviation weather briefing service is provided by FSS specialists. Flight and weather briefing services are also available by calling the telephone numbers listed.

Remote Communications Outlet (RCO)—An unmanned air/ground communications facility that is remotely controlled and provides UHF or VHF communications capability to extend the service range of an FSS.

Civil Communications Frequencies—Civil communications frequencies used in the FSS air/ground system are operated on 122.0, 122.2, 123.6; emergency 121.5; plus receive-only on 122.1.

- a. 122.0 is assigned as the Enroute Flight Advisory Service frequency at selected FSS RADIO outlets.
- b. 122.2 is assigned as a common enroute frequency.
- c. 123.6 is assigned as the airport advisory frequency at select non-tower locations. At airports with a tower, FSS may provide airport advisories on the tower frequency when tower is closed.
- d. 122.1 is the primary receive-only frequency at VOR's.
- e. Some FSS's are assigned 50 kHz frequencies in the 122-126 MHz band (eg. 122.45). Pilots using the FSS A/G system should refer to this directory or appropriate charts to determine frequencies available at the FSS or remote facility through which they wish to communicate.

Emergency frequency 121.5 and 243.0 are available at all Flight Service Stations, most Towers, Approach Control and RADAR facilities.

Frequencies published followed by the letter "T" or "R", indicate that the facility will only transmit or receive respectively on that frequency. All radio aids to navigation (NAVAID) frequencies are transmit only.

TERMINAL SERVICES

SFA—Single Frequency Approach.

CTAF—A program designed to get all vehicles and aircraft at airports without an operating control tower on a common frequency.

ATIS—A continuous broadcast of recorded non-control information in selected terminal areas.

D-ATIS—Digital ATIS provides ATIS information in text form outside the standard reception range of conventional ATIS via landline & data link communications and voice message within range of existing transmitters.

AUNICOM—Automated UNICOM is a computerized, command response system that provides automated weather, radio check capability and airport advisory information selected from an automated menu by microphone clicks.

UNICOM—A non-government air/ground radio communications facility which may provide airport information.

PTD—Pilot to Dispatcher.

APP CON—Approach Control. The symbol **®** indicates radar approach control.


TOWER—Control tower.

GCA—Ground Control Approach System.

GND CON—Ground Control.

GCO—Ground Communication Outlet—An unstaffed, remotely controlled, ground/ground communications facility. Pilots at uncontrolled airports may contact ATC and FSS via VHF to a telephone connection to obtain an instrument clearance or close a VFR or IFR flight plan. They may also get an updated weather briefing prior to takeoff. Pilots will use four "key clicks" on the

VHF radio to contact the appropriate ATC facility or six "key clicks" to contact the FSS. The GCO system is intended to be used only on the ground.

DEP CON—Departure Control. The symbol  indicates radar departure control.

CLNC DEL—Clearance Delivery.

PRE TAXI CLNC—Pre taxi clearance.

VFR ADVSY SVC—VFR Advisory Service. Service provided by Non-Radar Approach Control.

Advisory Service for VFR aircraft (upon a workload basis) ctc APP CON.

COMD POST—Command Post followed by the operator call sign in parenthesis.

PMSV—Pilot-to-Metro Service call sign, frequency and hours of operation, when full service is other than continuous.

PMSV installations at which weather observation service is available shall be indicated, following the frequency and/or hours of operation as "Wx obsn svc 1900-0000Z+" or "other times" may be used when no specific time is given. PMSV facilities manned by forecasters are considered "Full Service". PMSV facilities manned by weather observers are listed as "Limited Service".

OPS—Operations followed by the operator call sign in parenthesis.

CON

RANGE

FLT FLW—Flight Following

MEDIVAC

NOTE: Communication frequencies followed by the letter "X" indicate frequency available on request.

AIRSPACE

Information concerning Class B, C, and part-time D and E surface area airspace shall be published with effective times.

Class D and E surface area airspace that is continuous as established by Rulemaking Docket will not be shown.

CLASS B—Radar Sequencing and Separation Service for all aircraft in CLASS B airspace.

CLASS C—Separation between IFR and VFR aircraft and sequencing of VFR arrivals to the primary airport.

TRSA—Radar Sequencing and Separation Service for participating VFR Aircraft within a Terminal Radar Service Area.

Class C, D, and E airspace described in this publication is that airspace usually consisting of a 5 NM radius core surface area that begins at the surface and extends upward to an altitude above the airport elevation (charted in MSL for Class C and Class D). Class E surface airspace normally extends from the surface up to but not including the overlying controlled airspace.

When part-time Class C or Class D airspace defaults to Class E, the core surface area becomes Class E. This will be formatted as:

AIRSPACE: CLASS C svc "times" ctc **APP CON** other times CLASS E:

or

AIRSPACE: CLASS D svc "times" other times CLASS E.

When a part-time Class C, Class D or Class E surface area defaults to Class G, the core surface area becomes Class G up to, but not including, the overlying controlled airspace. Normally, the overlying controlled airspace is Class E airspace beginning at either 700' or 1200' AGL. This will be formatted as:

AIRSPACE: CLASS C svc "times" ctc **APP CON** other times CLASS G, with CLASS E 700' (or 1200') AGL & abv:

or

AIRSPACE: CLASS D svc "times" other times CLASS G with CLASS E 700' (or 1200') AGL & abv:

or

AIRSPACE: CLASS E svc "times" other times CLASS G with CLASS E 700' (or 1200') AGL & abv.

NOTE: AIRSPACE SVC "TIMES" INCLUDE ALL ASSOCIATED ARRIVAL EXTENSIONS. Surface area arrival extensions for instrument approach procedures become part of the primary core surface area. These extensions may be either Class D or Class E airspace and are effective concurrent with the times of the primary core surface area. For example, when a part-time Class C, Class D or Class E surface area defaults to Class G, the associated arrival extensions will default to Class G at the same time. When a part-time Class C or Class D surface area defaults to Class E, the arrival extensions will remain in effect as Class E airspace.

NOTE: CLASS E AIRSPACE EXTENDING UPWARD FROM 700 FEET OR MORE ABOVE THE SURFACE, DESIGNATED IN CONJUNCTION WITH AN AIRPORT WITH AN APPROVED INSTRUMENT PROCEDURE.


Class E 700' AGL (shown as magenta vignette on sectional charts) and 1200' AGL (blue vignette) areas are designated when necessary to provide controlled airspace for transitioning to/from the terminal and enroute environments. Unless otherwise specified, these 700'/1200' AGL Class E airspace areas remain in effect continuously, regardless of airport operating hours or surface area status. These transition areas should not be confused with surface areas or arrival extensions.

(See Chapter 3, AIRSPACE, in the Aeronautical Information Manual for further details)

34 RADIO AIDS TO NAVIGATION

The Airport/Facility Directory lists, by facility name, all Radio Aids to Navigation that appear on National Aeronautical Charting Office Visual or IFR Aeronautical Charts and those upon which the FAA has approved an Instrument Approach Procedure, with exception of selected TACANs. Military TACAN information will be published for Military facilities contained in this publication. All VOR, VORTAC, TACAN, ILS and MLS equipment in the National Airspace System has an automatic monitoring and shutdown feature in the event of malfunction. Unmonitored, as used in this publication, for any navigational aid, means that monitoring personnel cannot observe the malfunction or shutdown signal. The NAVAID NOTAM file identifier will be shown as "NOTAM FILE IAD" and will be listed on the Radio Aids to Navigation line. When two or more NAVAIDS are listed and the NOTAM file identifier is different from that shown on the Radio Aids to Navigation line, it will be shown with the NAVAID listing. NOTAM file identifiers for ILSs and its components (e.g., NDB (LOM) are the same as the associated airports and are not repeated. Automated Surface Observing System (ASOS), Automated Weather Observing System (AWOS), and Hazardous Inflight Weather Advisory Service (HIWAS) will be shown when this service is broadcast over selected NAVAIDS.

NAVAID information is tabulated as indicated in the following sample:



Note: Those DME channel numbers with a (Y) suffix require TACAN to be placed in the "Y" mode to receive distance information.

HIWAS—Hazardous Inflight Weather Advisory Service is a continuous broadcast of inflight weather advisories including summarized SIGMETs, convective SIGMETs, AIRMETs and urgent PIREPs. HIWAS is presently broadcast over selected VOR's and will be implemented throughout the conterminous U.S.

ASR/PAR—Indicates that Surveillance (ASR) or Precision (PAR) radar instrument approach minimums are published in the U.S. Terminal Procedures. Only part-time hours of operation will be shown.

RADIO CLASS DESIGNATIONS

VOR/DME/TACAN Standard Service Volume (SSV) Classifications

SSV Class	Altitudes	Distance (NM)
(T) Terminal	1000' to 12,000'	25
(L) Low Altitude	1000' to 18,000'	40
(H) High Altitude	1000' to 14,500'	40
	14,500' to 18,000'	100
	18,000' to 45,000'	130
	45,000' to 60,000'	100

NOTE: Additionally, (H) facilities provide (L) and (T) service volume and (L) facilities provide (T) service. Altitudes are with respect to the station's site elevation. Coverage is not available in a cone of airspace directly above the facility.

CONTINUED ON NEXT PAGE

CONTINUED FROM PRECEDING PAGE

The term VOR is, operationally, a general term covering the VHF omnidirectional bearing type of facility without regard to the fact that the power, the frequency protected service volume, the equipment configuration, and operational requirements may vary between facilities at different locations.

AB _____	Automatic Weather Broadcast.
DF _____	Direction Finding Service.
DME _____	UHF standard (TACAN compatible) distance measuring equipment.
DME(Y) _____	UHF standard (TACAN compatible) distance measuring equipment that require TACAN to be placed in the "Y" mode to receive DME.
GS _____	Glide slope.
H _____	Non-directional radio beacon (homing), power 50 watts to less than 2,000 watts (50 NM at all altitudes).
HH _____	Non-directional radio beacon (homing), power 2,000 watts or more (75 NM at all altitudes).
H-SAB _____	Non-directional radio beacons providing automatic transcribed weather service.
ILS _____	Instrument Landing System (voice, where available, on localizer channel).
IM _____	Inner marker.
ISMLS _____	Interim Standard Microwave Landing System.
LDA _____	Localizer Directional Aid.
LMM _____	Compass locator station when installed at middle marker site (15 NM at all altitudes).
LOM _____	Compass locator station when installed at outer marker site (15 NM at all altitudes).
MH _____	Non-directional radio beacon (homing) power less than 50 watts (25 NM at all altitudes).
MLS _____	Microwave Landing System.
MM _____	Middle marker.
OM _____	Outer marker.
S _____	Simultaneous range homing signal and/or voice.
SABH _____	Non-directional radio beacon not authorized for IFR or ATC. Provides automatic weather broadcasts.
SDF _____	Simplified Direction Facility.
TACAN _____	UHF navigational facility-omnidirectional course and distance information.
VOR _____	VHF navigational facility-omnidirectional course only.
VOR/DME _____	Collocated VOR navigational facility and UHF standard distance measuring equipment.
VORTAC _____	Collocated VOR and TACAN navigational facilities.
W _____	Without voice on radio facility frequency.
Z _____	VHF station location marker at a LF radio facility.

ILS FACILITY PERFORMANCE CLASSIFICATION CODES

Codes define the ability of an ILS to support autoland operations. The two portions of the code represent Official Category and farthest point along a Category I, II, or III approach that the Localizer meets Category III structure tolerances.

Official Category: I, II, or III; the lowest minima on published or unpublished procedures supported by the ILS.

Farthest point of satisfactory Category III Localizer performance for Category I, II, or III approaches: A – 4 NM prior to runway threshold, B – 3500 ft prior to runway threshold, C – glide angle dependent but generally 750–1000 ft prior to threshold, T – runway threshold, D – 3000 ft after runway threshold, and E – 2000 ft prior to stop end of runway.

ILS information is tabulated as indicated in the following sample:

ILS/DME 108.5 I-ORL Chan 22 Rwy 18. Class IIE. LOM HERNY NDB.

ILS Facility Performance
Classification Code

FREQUENCY PAIRING PLAN AND MLS CHANNELING

MLS CHANNEL	VHF FREQUENCY	TACAN CHANNEL	MLS CHANNEL	VHF FREQUENCY	TACAN CHANNEL	MLS CHANNEL	VHF FREQUENCY	TACAN CHANNEL
500	108.10	18X	568	109.45	31Y	636	114.15	88Y
502	108.30	20X	570	109.55	32Y	638	114.25	89Y
504	108.50	22X	572	109.65	33Y	640	114.35	90Y
506	108.70	24X	574	109.75	34Y	642	114.45	91Y
508	108.90	26X	576	109.85	35Y	644	114.55	92Y
510	109.10	28X	578	109.95	36Y	646	114.65	93Y
512	109.30	30X	580	110.05	37Y	648	114.75	94Y
514	109.50	32X	582	110.15	38Y	650	114.85	95Y
516	109.70	34X	584	110.25	39Y	652	114.95	96Y
518	109.90	36X	586	110.35	40Y	654	115.05	97Y
520	110.10	38X	588	110.45	41Y	656	115.15	98Y
522	110.30	40X	590	110.55	42Y	658	115.25	99Y
524	110.50	42X	592	110.65	43Y	660	115.35	100Y
526	110.70	44X	594	110.75	44Y	662	115.45	101Y
528	110.90	46X	596	110.85	45Y	664	115.55	102Y
530	111.10	48X	598	110.95	46Y	666	115.65	103Y
532	111.30	50X	600	111.05	47Y	668	115.75	104Y
534	111.50	52X	602	111.15	48Y	670	115.85	105Y
536	111.70	54X	604	111.25	49Y	672	115.95	106Y
538	111.90	56X	606	111.35	50Y	674	116.05	107Y
540	108.05	17Y	608	111.45	51Y	676	116.15	108Y
542	108.15	18Y	610	111.55	52Y	678	116.25	109Y
544	108.25	19Y	612	111.65	53Y	680	116.35	110Y
546	108.35	20Y	614	111.75	54Y	682	116.45	111Y
548	108.45	21Y	616	111.85	55Y	684	116.55	112Y
550	108.55	22Y	618	111.95	56Y	686	116.65	113Y
552	108.65	23Y	620	113.35	80Y	688	116.75	114Y
554	108.75	24Y	622	113.45	81Y	690	116.85	115Y
556	108.85	25Y	624	113.55	82Y	692	116.95	116Y
558	108.95	26Y	626	113.65	83Y	694	117.05	117Y
560	109.05	27Y	628	113.75	84Y	696	117.15	118Y
562	109.15	28Y	630	113.85	85Y	698	117.25	119Y
564	109.25	29Y	632	113.95	86Y			
566	109.35	30Y	634	114.05	87Y			

FREQUENCY PAIRING PLAN AND MLS CHANNELING

The following is a list of paired VOR/ILS VHF frequencies with TACAN channels and MLS channels.

TACAN CHANNEL	VHF FREQUENCY	MLS CHANNEL	TACAN CHANNEL	VHF FREQUENCY	MLS CHANNEL	TACAN CHANNEL	VHF FREQUENCY	MLS CHANNEL
2X	134.5	-	19Y	108.25	544	25X	108.80	-
2Y	134.55	-	20X	108.30	502	25Y	108.85	556
11X	135.4	-	20Y	108.35	546	26X	108.90	508
11Y	135.45	-	21X	108.40	-	26Y	108.95	558
12X	135.5	-	21Y	108.45	548	27X	109.00	-
12Y	135.55	-	22X	108.50	504	27Y	109.05	560
17X	108.00	-	22Y	108.55	550	28X	109.10	510
17Y	108.05	540	23X	108.60	-	28Y	109.15	562
18X	108.10	500	23Y	108.65	552	29X	109.20	-
18Y	108.15	542	24X	108.70	506	29Y	109.25	564
19X	108.20	-	24Y	108.75	554	30X	109.30	512

TACAN CHANNEL	VHF FREQUENCY	MLS CHANNEL	TACAN CHANNEL	VHF FREQUENCY	MLS CHANNEL	TACAN CHANNEL	VHF FREQUENCY	MLS CHANNEL
30Y	109.35	566	63X	133.60	-	95Y	114.85	650
31X	109.40	-	63Y	133.65	-	96X	114.90	-
31Y	109.45	568	64X	133.70	-	96Y	114.95	652
32X	109.50	514	64Y	133.75	-	97X	115.00	-
32Y	109.55	570	65X	133.80	-	97Y	115.05	654
33X	109.60	-	65Y	133.85	-	98X	115.10	-
33Y	109.65	572	66X	133.90	-	98Y	115.15	656
34X	109.70	516	66Y	133.95	-	99X	115.20	-
34Y	109.75	574	67X	134.00	-	99Y	115.25	658
35X	109.80	-	67Y	134.05	-	100X	115.30	-
35Y	109.85	576	68X	134.10	-	100Y	115.35	660
36X	109.90	518	68Y	134.15	-	101X	115.40	-
36Y	109.95	578	69X	134.20	-	101Y	115.45	662
37X	110.00	-	69Y	134.25	-	102X	115.50	-
37Y	110.05	580	70X	112.30	-	102Y	115.55	664
38X	110.10	520	70Y	112.35	-	103X	115.60	-
38Y	110.15	582	71X	112.40	-	103Y	115.65	666
39X	110.20	-	71Y	112.45	-	104X	115.70	-
39Y	110.25	584	72X	112.50	-	104Y	115.75	668
40X	110.30	522	72Y	112.55	-	105X	115.80	-
40Y	110.35	586	73X	112.60	-	105Y	115.85	670
41X	110.40	-	73Y	112.65	-	106X	115.90	-
41Y	110.45	588	74X	112.70	-	106Y	115.95	672
42X	110.50	524	74Y	112.75	-	107X	116.00	-
42Y	110.55	590	75X	112.80	-	107Y	116.05	674
43X	110.60	-	75Y	112.85	-	108X	116.10	-
43Y	110.65	592	76X	112.90	-	108Y	116.15	676
44X	110.70	526	76Y	112.95	-	109X	116.20	-
44Y	110.75	594	77X	113.00	-	109Y	116.25	678
45X	110.80	-	77Y	113.05	-	110X	116.30	-
45Y	110.85	596	78X	113.10	-	110Y	116.35	680
46X	110.90	528	78Y	113.15	-	111X	116.40	-
46Y	110.95	598	79X	113.20	-	111Y	116.45	682
47X	111.00	-	79Y	113.25	-	112X	116.50	-
47Y	111.05	600	80X	113.30	-	112Y	116.55	684
48X	111.10	530	80Y	113.35	620	113X	116.60	-
48Y	111.15	602	81X	113.40	-	113Y	116.65	686
49X	111.20	-	81Y	113.45	622	114X	116.70	-
49Y	111.25	604	82X	113.50	-	114Y	116.75	688
50X	111.30	532	82Y	113.55	624	115X	116.80	-
50Y	111.35	606	83X	113.60	-	115Y	116.85	690
51X	111.40	-	83Y	113.65	626	116X	116.90	-
51Y	111.45	608	84X	113.70	-	116Y	116.95	692
52X	111.50	534	84Y	113.75	628	117X	117.00	-
52Y	111.55	610	85X	113.80	-	117Y	117.05	694
53X	111.60	-	85Y	113.85	630	118X	117.10	-
53Y	111.65	612	86X	113.90	-	118Y	117.15	696
54X	111.70	536	86Y	113.95	632	119X	117.20	-
54Y	111.75	614	87X	114.00	-	119Y	117.25	698
55X	111.80	-	87Y	114.05	634	120X	117.30	-
55Y	111.85	616	88X	114.10	-	120Y	117.35	-
56X	111.90	538	88Y	114.15	636	121X	117.40	-
56Y	111.95	618	89X	114.20	-	121Y	117.45	-
57X	112.00	-	89Y	114.25	638	122X	117.50	-
57Y	112.05	-	90X	114.30	-	122Y	117.55	-
58X	112.10	-	90Y	114.35	640	123X	117.60	-
58Y	112.15	-	91X	114.40	-	123Y	117.65	-
59X	112.20	-	91Y	114.45	642	124X	117.70	-
59Y	112.25	-	92X	114.50	-	124Y	117.75	-
60X	133.30	-	92Y	114.55	644	125X	117.80	-
60Y	133.35	-	93X	114.60	-	125Y	117.85	-
61X	133.40	-	93Y	114.65	646	126X	117.90	-
61Y	133.45	-	94X	114.70	-	126Y	117.95	-
62X	133.50	-	94Y	114.75	648			
62Y	133.55	-	95X	114.80	-			

(35) COMM/NAV/WEATHER REMARKS:

These remarks consist of pertinent information affecting the current status of communications, NAVAIDs and weather.

ABRAHAM N40°09.61' W89°20.27' NOTAM FILE AAA.
NDB (MHW) 329 AAA at Logan Co.

CHICAGO
L-27C

ABRAHAM LINCOLN CAPITAL (See SPRINGFIELD)

ACORE N38°31.19' W90°03.57' NOTAM FILE STL.
NDB (LOM) 350 CP 304° 5.5 NM to St Louis Downtown.

ST LOUIS

ALBERTUS (See FREEPORT)

ALED0

MERCER CO (CØØ) 3 NE UTC-6(-5DT) N41°14.92' W90°44.23'
740 FUEL 100LL TPA-1540(800) NOTAM FILE IKK
RWY 17-35: H2480X45 (ASPH) LIRL
RWY 17: Building. RWY 35: Road.
AIRPORT REMARKS: Attended 1400-2300Z±.
COMMUNICATIONS: CTAF 122.9

CHICAGO

ALPOS N38°51.30' W89°56.28' NOTAM FILE ALN.
NDB (LOM) 218 AL 291° 5.5 NM to St Louis Rgnl.

ST LOUIS
L-27C

ALTON/ST LOUIS

ST LOUIS RGNL (ALN) 4 E UTC-6(-5DT) N38°53.42' W90°02.76'

ST LOUIS

544 B S4 FUEL 100LL, JET A OX 1, 3 ARFF Index-See Remarks NOTAM FILE ALN H-5D, L-27C, A
RWY 11-29: H8098X150 (ASPH-GRVD) S-80, D-140, DT-200 HIRL IAP, AD

RWY 11: REIL. VASI(V4L)-GA 3.0° TCH 46'. Hangar.
RWY 29: MALSR.
RWY 17-35: H6499X100 (ASPH) S-35, D-47 MIRL
RWY 17: VASI(V4L)-GA 3.0° TCH 45'. Tree.
RWY 35: VASI(V4L)-GA 3.0° TCH 45'. Trees.

LAND AND HOLD SHORT OPERATIONS

LANDING	HOLD SHORT POINT	DIST AVBL
RWY 29	17-35	6850
RWY 35	11-29	4800

AIRPORT REMARKS: Attended 1200-0400Z±. For attendant other hrs call 618-259-3230 or 258-1005. Closed to scheduled air carrier ops with greater than 9 passenger seats and unscheduled air carrier ops greater than 30 passenger seats. 90-day PPR, call arpt manager 618-259-2531. Class IV, ARFF Index A. Index E firefighting equipment avbl with 30 minutes notice and prior permission of arpt manager. When twr closed HIRL Rwy 11-29 and MIRL Rwy 17-35 preset on low ints; to increase ints and ACTIVATE MALSR Rwy 29-CTAF.

WEATHER DATA SOURCES: AWOS-3 128.0 (618) 259-7231. LAWRS.
COMMUNICATIONS: CTAF 126.0 ATIS 128.0

UNICOM 122.95

RCO 122.05 (ST LOUIS RADIO)

® APP/DEP CON 124.2 CLNC DEL 120.2 (0400-1300Z±)

RGNL TOWER 126.0 (1300-0400Z±) GND CON 120.2

AIRSPACE: CLASS D svc 1300-0400Z± other times CLASS G.

RADIO AIDS TO NAVIGATION: NOTAM FILE STL.


TROY (L) VORTACW 116.0 TOY Chan 107 N38°44.35' W89°55.12' 323° 10.9 NM to fld. 570/4E.

CIVIC MEMORIAL NDB (MHW) 263 CVM N38°53.54' W90°03.38' at fld. NOTAM FILE ALN.

ALPOS NDB (LOM) 218 AL N38°51.30' W89°56.28' 291° 5.5 NM to fld.

ILS/DME 108.5 I-ALN Chan 22 Rwy 29 LOM ALPOS NDB. Unmonitored when twr clsd. LOC BC unusable byd 18° left and 23° right of course.

COMM/NAV/WEATHER REMARKS: Freq 121.5 not avbl at twr.




APPLE RIVER**FOSTER FLD** (7A4) 6 SW UTC-6(-5DT) N42°27.99' W90°10.16'**CHICAGO**

990 B TPA-1790(800) NOTAM FILE IKK

RWY 18-36: H2996X30 (ASPH) MIRL(NSTD)**RWY 18:** Thld dsplcd 187'. Tree.**RWY 36:** Thld dsplcd 57'. Tree.

AIRPORT REMARKS: Unattended. Snow removal unavailable. Call for rwy conditions at 815-541-4282. ACTIVATE MIRL Rwy 18-36 —CTAF-7 clicks. Rwy 18-36 NSTD MIRL; non-frangible; spacing and ints. Rwy 18-36 20' turf shoulders. Ldg fee. Dsplcd thld Rwy 18 and Rwy 36 NSTD white stripe and numbers—no arrows.

COMMUNICATIONS: CTAF/UNICOM 122.8**AURORA MUNI** (See CHICAGO AURORA)**BEARDSTOWN****GREATER BEARDSTOWN** (K06) 3 SE UTC-6(-5DT) N39°58.40' W90°24.22'**ST LOUIS**


465 B TPA-1265(800) NOTAM FILE STL

RWY 18-36: H4000X60 (ASPH) S-12.5 LIRL**RWY 18:** Tree.**RWY 36:** Tree.

AIRPORT REMARKS: Unattended. Rwy 18-36 cracks in rwy. LIRL Rwy 18-36 preset on low ints; to increase ints ACTIVATE—CTAF.

COMMUNICATIONS: CTAF 122.9**RADIO AIDS TO NAVIGATION:** NOTAM FILE SPI.

SPINNER (H) VORTACW 112.7 SPI Chan 74 N39°50.38' W89°40.66' 285° 34.5 NM to fld. 586/1W.



BELLEVILLE**SCOTT AFB/MIDAMERICA**

(BLV)(KBLV) MIL/CIV 14 E UTC-6(-5DT) N38°32.71' W89°50.11' ST LOUIS
 459 B S1 FUEL 100LL, JET A+ TPA—See Remarks Class I, ARFF Index B H-5D, L-27C, A
 NOTAM FILE BLV IAP, DIAP, AD

RWY 14L-32R: H1000X150 (CONC-GRVD) S-75, D-209, ST-175, DT-605, SBTT-593,
 TRT-585, DDT-840 HIRL

RWY 14L: REIL. PAPI(P4R)—GA 3.0° TCH 72'.

RWY 32R: MALSR. PAPI(P4L)—GA 3.0° TCH 72'.

RWY 14R-32L: H8011X150 (ASPH-CONC) PCN 81 R/B/W/T HIRL

RWY 14R: MALSR. PAPI(P4L)—GA 3.0° TCH 65'. Rgt tfc.

0.4% down.

RWY 32L: MALSR. PAPI(P4L)—GA 3.0° TCH 72'. Thld dsplcd 210'.

MILITARY SERVICE: JASU 6(A/M32A-86) 3(AM32-95). MidAmerica
 2(A/M32A-60B) 1(AM32-95) 2(A/M32A-86) 1(MD-4).

FUEL A+ 100LL (Arpt Terminal Svc avbl 1400-0200Z†,

C618-566-5265. **FLUID SP(Mil)** PRESAIR(Mil) LHOX(Mil) LOX(Mil)

OIL O-133-148(Mil) SOAP(Mil) **TRAN ALERT** Opr weekdays

1200-0400Z†, weekends 1300-0000Z†, clsd Federal holidays,

see NOTAM. MidAmerica FBO svc provided by Air Terminal Svc

(ATS), opr 1400-0200Z† 24 hr PPR other times. FBO svc limited

to refueling only. Ctc FBO at C618-566-5265 for specific park

and svc. Mil svc not avbl to mil acft at civ ramp.

AIRPORT REMARKS: Attended continuously. FBO avbl 1200-2030Z†,

C618-566-5320. Deer, birds and waterfowl on and invof arpt.

CAUTION Dense civil air traffic all quadrants, all altitudes. Use
 caution when utilizing Twy G, 0.25 NM east of Rwy 14R-32L intersection, gradient change of 3° and a 70° turn

present, on coming traffic may not be visible due to terrain. Index C ARFF capability avbl one hr PPR call arpt ops
 center 618-566-5227. Military ramps clsd to civil acft without prior coordination and a ldg permit number on

file. First 6000' of Rwy 32L is asph, remaining 2001' is conc; locked wheel turns on asph portion of rwy

prohibited. 180° turns on asph portion of rwy is authorized for light and medium category acft only. First 2000'

of Rwy 14R is concrete. Acft taxiing N on Twy A making left turn onto Foxtrot ramp—be alert—no twy centerline

due to acute angle of twy intersection. Acft taxiing N on Rwy 32L onto East Twy E—be alert—no twy centerline

due to acute angle of twy/rwy intersection. Rwy 14L touchdown rwy visual range avbl. Rwy 32L hold lines lctd on

Twy A abeam dsplcd thld. TPA—Overhead, fighter acft, 2500(2041), rectangular 2000(1541), light acft and

helicopter rectangular 1500(1041). During VFR conditions tkf, low approach, touch and go and clsd pattern, acft

will not exceed 2000' until fld boundary to avoid overhead pattern. Landing fee.

MILITARY REMARKS: See FLIP AP/1 Supplementary Arpt Remarks. **RSTD** Official Business Only when Tran Alert clsd.

Scott AFB is PPR. All inbound acft must ctc 375th comd post or 126th ANG comd post no later than 30 min prior

to ldg. Military support may not be avbl on MidAmerica side of fld without prior coordination through Scott AFB.

PPR call DSN 576-1861, C618-256-1861, fax extension 6718. ANG ramp/services: ctc 126th AM DSN

760-4275, C618-222-4275 or 126th Comd Post extension 4255, fax extension 4252. PPR issued up to seven

days prior to arrival. Parking at 126th ARW ramp is official business requiring 48 hrs PPR. AMC acft restricted

during Bird Aircraft Strike Hazard Phase II and when arpt enters Bird Watch Conditions Moderate or Severe.

When arpt is code Moderate or Severe no local IFR/VFR tfc pat. When arpt code Severe, tkf/ldg prohibited

without 375 OG/CC approval. During Phase II, daily Bird Aircraft Strike Hazard windows are estimated as

SR+1-SR-1 and SS+1-SS-1. During Bird Aircraft Strike Hazard window (when code Low) no trans pattern

permission, initial tkf/full stop ldg are at AC discretion. Ctc ATIS, PTD, 375 AW Comd Post or twr for current

code. Mil ramps clsd to civil aircraft without prior coordination and a landing permits number on file. Rwy 32L

hold line is on Twy A abeam Rwy 32L dsplcd thld. No de-icing svc avbl on Scott main military ramp. De-icing

may be avbl on 126th guard ramp or MidAmerica ramp via prior coordination. De-icing for C17/C5 acft or

equivalent not avbl. See AP/1 for additional information. **MISC** Rwy 32L 1000' overrun (north end) avbl, Rwy 14R

no overrun (south end) avbl. Acft arriving Scott AFB with more than 30 passengers after hr ctc Base 24 hr in

advance, C618-256-1861. Wx svc avbl Mon-Fri 0900-0100Z†; weekend and hol as dictated by local mission

schedule, or during forecast severe wx conditions at DSN 576-5905, C618-256-5905. Wx svc avbl Mon-Fri

0900-0100Z†; weekend and holiday as dictated by local mission schedule, or during forecast severe wx

conditions at DSN 576-5905, C618-256-5905. Wx observation avbl 24 hrs via AN/FMQ-19 Automated

Observing System. During wx flight hrs of closure remote service avbl from 15 Opr Wx Squadron DSN 576-9755,

C618-256-9755. During evacuation of wx flight ctc 15OWS at number above.

COMMUNICATIONS: SFA ATIS 128.7 256.7 (1200-0600Z†) UNICOM 122.95 PTD 139.85 372.2
 (R) ST LOUIS APP/DEP CON 125.2 281.5


SCOTT TOWER 128.25 253.5 GND CON 119.2 275.8

CLNC DEL 119.875 263.025

375 AW COMD POST 130.65 383.2

126 ARW COMD POST 138.55 277.7 PMSV METRO 239.8

AIRSPACE: CLASS D svc continuous.



CONTINUED ON NEXT PAGE

CONTINUED FROM PRECEDING PAGE

RADIO AIDS TO NAVIGATION: NOTAM FILE STL.

TROY (L) VORTACW 116.0 TOY Chan 107 N38°44.35' W89°55.12' 157° 12.3NM to fld. 570/4E.

(T) TACAN Chan 59 SKE (112.2) N38°32.72' W89°51.10' at fld. 482/2E. No NOTAM MP Wed and Thu 1200–1600Z†.

GOOEY NDB (LOM) 385 JD N38°28.68' W89°44.27' 309° 6.1 NM to fld. No NOTAM MP Tue 1200–1600Z†.

ILS 109.9 I-OKX Rwy 14R. No NOTAM MP Mon and Tue 1200–1600Z†.

ILS/DME 111.15 I-BTC Chan 48(Y) Rwy 14L. Class IE. No NOTAM MP Wed and Thu 1200–1600Z†.

ILS 111.15 I-JDU Rwy 32R. Class ID LOM GOOEY NDB. No NOTAM MP Wed and Thu 1200–1600Z†.

ILS 109.9 I-BLV Rwy 32L. No NOTAM MP Mon and Tue 1200–1600Z†.

ASR

BELLGRADE N37°08.73' W88°40.23' NOTAM FILE PAH.

ST LOUIS

NDB (MHW) 254 BDD 224° 7.1 NM to Barkley Rgnl.

L-16I

BENTON MUNI (H96) 1 W UTC-6(-5DT) N38°00.41' W88°56.07'

ST LOUIS

444 B FUEL 100LL TPA-1244(800) NOTAM FILE STL

L-16H

RWY 18-36: H4000X75 (ASPH) S-4 MIRL

RWY 18: Tree. RWY 36: Tree.

AIRPORT REMARKS: Attended Fri-Sun 1400-0000Z†. MIRL Rwy 18-36 preset on low ints; to increase ints ACTIVATE-CTAF.

COMMUNICATIONS: CTAF/UNICOM 122.8

RADIO AIDS TO NAVIGATION: NOTAM FILE STL.

CENTRALIA (H) VORTAC 115.0 ENL Chan 97 N38°25.20' W89°09.54' 153° 27 NM to fld. 546/4E. HIWAS.

BIBLE GROVE N38°55.22' W88°28.91' NOTAM FILE STL.

ST LOUIS

(L) VORTAC 109.0 BIB Chan 27 342° 9.3 NM to Effingham Co Mem. 540/3E.

H-5E, L-27C

RCO 122.05R 109.0T (ST LOUIS RADIO)

BLOOMINGTON N40°28.85' W88°55.88' NOTAM FILE BMI.

CHICAGO

(L) VOR/DME 108.2 BMI Chan 19 at Central Illinois Rgnl Arpt at Bloomington-Normal 882/3E.

L-27C

VOR unusable 091°-149°, 221°-235° and 291°-314°.

RCO 123.6R 108.2T (KANKAKEE RADIO)

CONTINUED FROM PRECEDING PAGE

RADIO AIDS TO NAVIGATION: NOTAM FILE STL.

TROY (L) VORTACW 116.0 TOY Chan 107 N38°44.35' W89°55.12' 157° 12.3NM to fld. 570/4E.

(T) TACAN Chan 59 SKE (112.2) N38°32.72' W89°51.10' at fld. 482/2E. No NOTAM MP Wed and Thu 1200–1600Z†.

GOOEY NDB (LOM) 385 JD N38°28.68' W89°44.27' 309° 6.1 NM to fld. No NOTAM MP Tue 1200–1600Z†.

ILS 109.9 I-OKX Rwy 14R. No NOTAM MP Mon and Tue 1200–1600Z†.

ILS/DME 111.15 I-BTC Chan 48(Y) Rwy 14L. Class IE. No NOTAM MP Wed and Thu 1200–1600Z†.

ILS 111.15 I-JDU Rwy 32R. Class ID LOM GOOEY NDB. No NOTAM MP Wed and Thu 1200–1600Z†.

ILS 109.9 I-BLV Rwy 32L. No NOTAM MP Mon and Tue 1200–1600Z†.

ASR

BELLGRADE N37°08.73' W88°40.23' NOTAM FILE PAH.

ST LOUIS

NDB (MHW) 254 BDD 224° 7.1 NM to Barkley Rgnl.

L-16I

BENTON MUNI (H96) 1 W UTC-6(-5DT) N38°00.41' W88°56.07'

ST LOUIS

444 B FUEL 100LL TPA-1244(800) NOTAM FILE STL

L-16H

RWY 18-36: H4000X75 (ASPH) S-4 MIRL

RWY 18: Tree. RWY 36: Tree.

AIRPORT REMARKS: Attended Fri-Sun 1400-0000Z†. MIRL Rwy 18-36 preset on low ints; to increase ints ACTIVATE-CTAF.

COMMUNICATIONS: CTAF/UNICOM 122.8

RADIO AIDS TO NAVIGATION: NOTAM FILE STL.

CENTRALIA (H) VORTAC 115.0 ENL Chan 97 N38°25.20' W89°09.54' 153° 27 NM to fld. 546/4E. HIWAS.

BIBLE GROVE N38°55.22' W88°28.91' NOTAM FILE STL.

ST LOUIS

(L) VORTAC 109.0 BIB Chan 27 342° 9.3 NM to Effingham Co Mem. 540/3E.

H-5E, L-27C

RCO 122.05R 109.0T (ST LOUIS RADIO)

BLOOMINGTON N40°28.85' W88°55.88' NOTAM FILE BMI.

CHICAGO

(L) VOR/DME 108.2 BMI Chan 19 at Central Illinois Rgnl Arpt at Bloomington-Normal 882/3E.

L-27C

VOR unusable 091°-149°, 221°-235° and 291°-314°.

RCO 123.6R 108.2T (KANKAKEE RADIO)

BLOOMINGTON/NORMAL**CENTRAL ILLINOIS RGNL ARPT AT BLOOMINGTON-NORMAL** (BMI) 3 E UTC-6(-5DT)CHICAGO
H-5E, L-27C
IAP, AD

N40°28.63' W88°54.96'

871 B S4 FUEL 100LL, JET A OX 4 Class I, ARFF Index B NOTAM FILE BMI

RWY 02-20: H8000X150 (CONC-GRVD) HIRL CL S-75, D-150,

ST-175, DT-300

RWY 02: MALSR. PAPI(P4R)—GA 3.0° TCH 50'.

RWY 20: ALSF2. TDZL. P-line.

RWY 11-29: H6525X150 (ASPH-CONC-GRVD) S-75, D-105,

ST-175, DT-300 HIRL

RWY 11: REIL. VASI(V4R)—GA 3.0° TCH 43'.

RWY 29: MALSR.

LAND AND HOLD SHORT OPERATIONS

LANDING	HOLD SHORT POINT	DIST AVBL
RWY 02	11-29	4600
RWY 11	02-20	6200

RUNWAY DECLARED DISTANCE INFORMATION

RWY 02: TORA-8000 TODA-8000 ASDA-8000 LDA-8000

RWY 11: TORA-6525 TODA-6525 ASDA-6525 LDA-6525

RWY 20: TORA-8000 TODA-8000 ASDA-8000 LDA-8000

RWY 29: TORA-6525 TODA-6525 ASDA-6525 LDA-6525

AIRPORT REMARKS: Attended 1200-0500Z†. Birds and deer on and in/ov

arpt. Snow removal ops in progress winter months; equipment ops will be monitoring CTAF when twr closed. SE end of Rwy 29 565' conc, remaining 5960' asph. 48 hr PPR for unscheduled air carrier ops with more than 30 passengers seats call arpt manager 309-663-7383. Rwy 02 touchdown, midfield and rollout rwy visual range avbl. Rwy 20 touchdown, midfield and rollout rwy visual range avbl. Rwy 29 touchdown rwy visual range avbl. Rwy 20 ALSF2 operates as SSALR when twr clsd. Acft Idg/departing Bloomington should announce intentions on CTAF when twr clsd. When twr clsd HIRL Rwy 11-29 preset on low ints; to increase ints and ACTIVATE HIRL Rwy 02-20, MALSR Rwy 02 and Rwy 29 and PAPI Rwy 02 and REIL Rwy 11—CTAF. ALSF Rwy 20 avbl when twr open. Centerline lgts Rwy 02-20 only avbl when twr open. TDZL lgts Rwy 20 only avbl when twr open.

Centerline lgts Rwy 02-20 only avbl when twr open. TDZL lgts Rwy 20 only avbl when twr open.

Centerline lgts Rwy 02-20 only avbl when twr open. TDZL lgts Rwy 20 only avbl when twr open.

Centerline lgts Rwy 02-20 only avbl when twr open. TDZL lgts Rwy 20 only avbl when twr open.

WEATHER DATA SOURCES: ASOS 135.35 (309) 661-9478. LAWRS.**COMMUNICATIONS:** CTAF 124.6 ATIS 135.35 UNICOM 122.95

BLOOMINGTON RCO 123.6R 108.2T (KANKAKEE RADIO)

® PEORIA APP/DEP CON 128.725

BLOOMINGTON TOWER 124.6 (1200-0400Z†). GND CON 121.65

AIRSPACE: CLASS D svc 1200-0400Z† other times CLASS G.

RADIO AIDS TO NAVIGATION: NOTAM FILE BMI.


BLOOMINGTON (L) VOR/DME 108.2 BMI Chan 19 N40°28.85' W88°55.88' at fld. 882/3E.

EGROW NDB (LOM) 334 LH N40°33.62' W88°52.48' 201° 5.3 NM to fld. SHUTDOWN.

ILS/DME 111.9 I-LHJ Chan 56. Rwy 20. LOM EGROW NDB. Unmonitored when twr is clsd. Category II ILS is not avbl when twr clsd. LOM SHUTDOWN.

ILS 108.3 I-BMI Rwy 29. Unmonitored when twr is clsd. LOC BC unusable byd 15 NM.

ILS/DME 111.9 I-TXN Chan 56. Rwy 02. Unmonitored when twr clsd.



BOLINGBROOK**BOLINGBROOK'S CLOW INTL** (1C5) 0 NW UTC-6(-5DT) N41°41.76' W88°07.75'**CHICAGO**

670 B S4 FUEL 100LL, JET A TPA-1270(600) NOTAM FILE IKK

COPTER

RWY 18-36: H3362X50 (ASPH) LIRL (NSTD) 0.5% up N.

L-28H, A

RWY 18: Thld dsplcd 190'. Tree.

RWY 36: Building.

IAP

AIRPORT REMARKS: Attended 1300-0000Z†. Rwy 18-36 NSTD LIRL, spacing and ints varies.


COMMUNICATIONS: CTAF 122.9

® CHICAGO APP/DEP CON 119.35

RADIO AIDS TO NAVIGATION: NOTAM FILE IKK.

JOLIET (H) VORTAC 112.3 JOT Chan 70 N41°32.78'

W88°19.10' 041° 12.4 NM to fld. 592/2E.

**BRADFORD** N41°09.58' W89°35.27' NOTAM FILE IKK.**CHICAGO**

(H) VORTAC 114.7 BDF Chan 94 133° 12.4 NM to Marshall Co. 810/OE.

H-5D, L-27C

VOR portion unusable 189°-199° bto 3500' and between 25 and 35 NM.

RCO 123.6 122.05R 114.7T (KANKAKEE RADIO).

BRESSON (See COMPTON)**BULT FIELD** (See MONEE)**CABBI** N37°52.20' W89°14.73' NOTAM FILE MDH.**ST LOUIS**

NDB (LOM) 388 MD 181° 5.5 NM to Southern Illinois. Unmonitored when twr clsd.

CAHOKIA/ST LOUIS**ST LOUIS DOWNTOWN**

(CPS) 1E UTC-6(-5DT) N38°34.24' W90°09.37'

ST LOUIS

413 B S4 FUEL 100LL JET A OX 1 LRA ARFF Index—See Remarks NOTAM FILE STL H-5D, L-27C, A

RWY 12R-30L: H6997X100 (ASPH) S-43, D-71, ST-90, DT-100 MIRL

IAP, AD

RWY 12R: REIL. Tree.

RWY 30L: MALSR. VASI(V4L)—GA 3.0° TCH 50'. Pole.

RWY 12L-30R: H3800X75 (CONC) S-30, D-30 MIRL

RWY 12L: REIL. Tree. RWY 30R: REIL. Tree.

RWY 05-23: H2799X75 (ASPH) S-12 MIRL

RWY 05: Tree. RWY 23: Tower.

RUNWAY DECLARED DISTANCE INFORMATION

RWY 05: TORA-2799 TODA-2799 ASDA-2799 LDA-2799

RWY 12L: TORA-3800 TODA-3800 ASDA-3800 LDA-3800

RWY 12R: TORA-6997 TODA-6997 ASDA-6997 LDA-6997

RWY 23: TORA-2799 TODA-2799 ASDA-2799 LDA-2799

RWY 30L: TORA-6997 TODA-6997 ASDA-6997 LDA-6997

RWY 30R: TORA-3800 TODA-3800 ASDA-3800 LDA-3800

AIRPORT REMARKS: Attended continuously. Deer and migratory waterfowl on and invof arpt. Be alert: intensive student training, helicopter operations, and frequent blimp operations. Class IV, ARFF Index A. ARFF avbl Mon-Fri 1300-0200Z†, other times by request 618-337-6060. Unscheduled air carrier ops greater than 30 passenger seats require 12 hr prior permission. Mon-Fri (1400-2230Z†) ctc 618-337-6060. After hrs ctc 618-646-8263. Index B ARFF protection provided. Rwy 05-23 not avbl for air carrier ops except taxi ops. Rwy 12L-30R not avb for air carrier ops except taxi ops. During daylight hours and when twr closed right t/c Rwy 12R and Rwy 30R. MIRL Rwy 12R-30L preset on med ints when twr clsd, MIRL Rwy 12L-30R not avbl when twr clsd. ACTIVATE MALSR Rwy 30L when twr clsd—CTAF. Rwy 12R-30L lgts OTS except med ints.

WEATHER DATA SOURCES: ASOS (618) 332-0001. LAWRS.**COMMUNICATIONS:** CTAF 119.925 ATIS 121.45 UNICOM 122.95

⑧ APP/DEP CON 123.7 CLNC DEL 118.275 (0300-1300Z†)


DOWNTOWN TOWER 119.925 (1230-0400Z†) GND CON 121.8

AIRSPACE: CLASS D svc 1230-0400Z† other times CLASS G.**RADIO AIDS TO NAVIGATION:** NOTAM FILE STL.

TROY (L) VORTACW 116.0 TOY Chan 107 N38°44.35' W89°55.12' 224° 15.1 NM to fld. 570/4E.

ACORE NDB (LOM) 350 CP N38°31.19' W90°03.57' 304° 5.5 NM to fld.

ILS 109.1 I-CPS Rwy 30L. Class 1A. LOM ACORE NDB. LOC and OM unmonitored when twr clsd. LOC unusable from 0.2 NM inbound and byd 14° right of course.

COMM/NAV/WEATHER REMARKS: Emerg frequency 121.5 not avbl at twr.**CALDE** N39°47.83' W89°35.52' NOTAM FILE SPI.**ST LOUIS**

NDB (LOM) 240 CJ 306° 4.9 NM to Abraham Lincoln Capital.

CAIRO RGNL (CIR) 4 NW UTC-6(-5DT) N37°03.87' W89°13.18'**ST LOUIS**

321 B FUEL 100LL NOTAM FILE CIR

L-16H

RWY 14-32: H4003X100 (ASPH) S-30, D-35 MIRL

IAP

RWY 14: REIL. PAPI(P4L)—GA 3.0° TCH 25'. Tree.

RWY 32: Tree.

RWY 02-20: H3201X60 (ASPH) S-6 MIRL

RWY 02: Tree. RWY 20: Tree.

AIRPORT REMARKS: Attended 1400-2330Z†. Self svc fuel avbl 24 hrs.

Parachute Jumping on weekends. MIRL Rwy 14-32 preset low ints; to increase ints ACTIVATE—CTAF. MIRL Rwy 02-20 by prior req only call 618-734-0600.

WEATHER DATA SOURCES: AWOS-3 118.025 (618) 734-9173.**COMMUNICATIONS:** CTAF/UNICOM 122.8


MEMPHIS CENTER APP/DEP CON 133.65

RADIO AIDS TO NAVIGATION: NOTAM FILE PAH.

CUNNINGHAM (L) VORTACW 113.1 CNG Chan 78 N37°00.52'

W88°50.21' 277°18.7 NM to fld. 480/3E.

NDB (MHW) 397 CIR N37°03.70' W89°13.41' at fld. NOTAM FILE CIR.



CAMPBELL (See GRAYSLAKE)

CANTON N40°33.95' W90°04.62' NOTAM FILE IKK.
 NDB (MHW) 236 CTK at Ingersoll.

CHICAGO
 L-27B

CANTON

INGERSOLL (CTK) 2 NW UTC-6(-5DT) N40°34.15' W90°04.49'
 684 B S4 FUEL 100LL, MOGAS TPA-1484(800) NOTAM FILE PIA
 RWY 18-36: H3899X75 (ASPH) S-10 MIRL 0.3% up N

CHICAGO
 L-27B
 IAP

RWY 18: Trees. RWY 36: REIL. Trees.

RWY 09-27: H3295X60 (ASPH) S-11 MIRL

RWY 09: Pole. RWY 27: Tree.

AIRPORT REMARKS: Attended 1300Z†-dusk. ACTIVATE MIRL Rwy
 09-27 and 18-36 and REIL Rwy 36 and twy lgts—CTAF.


COMMUNICATIONS: CTAF/UNICOM 122.8

® PEORIA APP/DEP CON 124.675

RADIO AIDS TO NAVIGATION: NOTAM FILE PIA.

PEORIA (L) VORTACW 115.2 PIA Chan 99 N40°40.80'
 W89°47.57' 239° 14.5 NM to fld. 730/4E.

CANTON NDB (MHW) 236 CTK N40°33.95' W90°04.62' at fld.
 NOTAM FILE IKK.



CARBONDALE/MURPHYSBORO

SOUTHERN ILLINOIS (MDH) 3 NW UTC-6(-5DT) N37°46.69' W89°15.12'

ST LOUIS

411 B S4 FUEL 100LL, JET A, MOGAS Class IV, ARFF Index A NOTAM FILE MDH

H-5E, L-16H

RWY 18L-36R: H6506X100 (ASPH-GRVD-PFC) S-80, D-99.5, ST-126, DT-150 HIRL

IAP, AD

RWY 18L: MALSR.

RWY 36R: REIL. VASI(V4L)—GA 4.0° TCH 69'. Pole.

RWY 06-24: H4164X100 (ASPH-PFC) S-36, D-47, DT-70 MIRL

RWY 06: REIL. VASI(V4L)—GA 3.5° TCH 48'. Trees.

RWY 24: REIL. PAPI(P4R)—GA 3.5° TCH 25'.

RWY 18R-36L H3498X60 (ASPH) S-30, D-42, DT-60 MIRL

RWY 18R: PVASI(P5IL)—GA 3.0° TCH 27'. Trees.

RWY 36L: PVASI(P5IL)—GA 3.0° TCH 25'. Trees.

LAND AND HOLD SHORT OPERATIONS

LANDING	HOLD SHORT POINT	DIST AVBL
RWY 06	18L-36R	3100
RWY 24	18R-36L	3800
RWY 36R	06-24	3000

RUNWAY DECLARED DISTANCE INFORMATION

RWY 06:	TORA-4164	TODA-4164	ASDA-4164	LDA-4164
RWY 18L:	TORA-6506	TODA-6506	ASDA-6506	LDA-6506
RWY 18R:	TORA-3498	TODA-3498	ASDA-3498	LDA-3498
RWY 24:	TORA-4164	TODA-4164	ASDA-4164	LDA-4164
RWY 36L:	TORA-3498	TODA-3498	ASDA-3498	LDA-3498
RWY 36R:	TORA-6506	TODA-6506	ASDA-6506	LDA-6506

AIRPORT REMARKS: Attended continuously. Birds on and in/ovf arpt.

Heavy student training activity. PPR 24 hrs for air carrier ops with more than 30 passenger seats call arpt manager Mon-Fri

618-529-1721. Rwy 06-24 and Rwy 18R-36L not avbl for air

carrier ops with more than 30 passenger seats. Rwy 06-24

restricted to acft 12,500 pounds or less; unless prior arrangement

with twr. Rwy 18R PVASI unusable byd 6° right of course. When twr clsd HIRL Rwy 18L-36R preset med ints

only; ACTIVATE MALSR Rwy 18L and VASI Rwy 06, 36R and PAPI Rwy 24—CTAF. When twr clsd MIRL Rwy 06-24; MIRL Rwy 18R-36L and PVASI Rwy 18R and Rwy 36L by req only—call 618-529-2221.

WEATHER DATA SOURCES: ASOS (618) 529-1821. LAWRS.

COMMUNICATIONS: CTAF 125.35 ATIS 119.85 UNICOM 122.95

KANSAS CITY CENTER APP/DEP CON 125.3

CARBONDALE TOWER 125.35 126.25 (1300-0300Z±) GND CON 121.8


AIRSPACE: CLASS D svc 1300-0300Z± other times CLASS E.

RADIO AIDS TO NAVIGATION: NOTAM FILE MWA.

MARION (L) VOR/DME 110.4 MWA Chan 41 N37°45.26' W89°00.70' 273° 11.5 NM to fld. 468/4E.

CABBI NDB (LOM) 388 MD N37°52.20' W89°14.73' 181° 5.5 NM to fld. Unmonitored when twr clsd.

ILS 110.9 I-MDH Rwy 18L. Class IE. LOM CABBI NDB. ILS unmonitored when twr clsd.



CARMi MUNI (CUL) 2E UTC-6(-5DT) N38°05.37' W88°07.38'

ST LOUIS

388 B FUEL 100LL, MOGAS TPA-1188(800) NOTAM FILE CUL

L-16I

RWY 18-36: H4001X75 (ASPH) S-12 MIRL

IAP

RWY 18: VASI(V2L)—GA 3.0° TCH 20'. Tree.

RWY 36: REIL. VASI(V2L)—GA 3.0° TCH 20'. Tree.

AIRPORT REMARKS: Attended 1500-2300Z±. Parachute Jumping. MIRL

Rwy 18-36 preset on low ints; to increase ints and ACTIVATE VASI

Rwys 18 and 36 and REIL Rwy 36—CTAF.

WEATHER DATA SOURCES: AWOS-3 118.425 (618) 382-3760.

COMMUNICATIONS: CTAF/UNICOM 122.8

® EVANSVILLE APP/DEP CON 127.35 (1200-0500Z±)


® INDIANAPOLIS CENTER APP/DEP CON 128.3 (0500-1200Z±)

RADIO AIDS TO NAVIGATION: NOTAM FILE HUF.

POCKET CITY (H) VORTACW 113.3 PXV Chan 80 N37°55.70'

W87°45.74' 297° 19.6 NM to fld. 384/3E. HIWAS.

NDB (MHW) 332 CUL N38°05.61' W88°07.18' at fld. NOTAM FILE CUL.



CASEY MUNI (1H8) 1 NW UTC-6(-5DT) N39°18.15' W88°00.24'

ST LOUIS

654 B S4 FUEL 100LL TPA-1454(800) NOTAM FILE STL

L-27C

RWY 04-22: H4002X75 (ASPH) S-12 MIRL

IAP

RWY 04: REIL. Trees. RWY 22: Road. Rgt tfc.

RWY 18-36: 1965X100 (TURF)

RWY 18: Thld dsplcd 315'. Road. Rgt tfc. RWY 36: Road.

AIRPORT REMARKS: Attended 1400Z†-2300Z†. MIRL Rwy 04-22 and REIL Rwy 04 preset on low ints; to incr ints and ACTIVATE twy lgts—CTAF. Rwy 18 dsplcd thld marked with white gravel in shape of "L" on rwy edges.

COMMUNICATIONS: CTAF/UNICOM 122.8

Ⓡ HULMAN APP/DEP CON 125.45 (1100-0300Z†)

Ⓡ INDIANAPOLIS CENTER APP/DEP CON 132.2 (0300-1100Z†)


RADIO AIDS TO NAVIGATION: NOTAM FILE STL.

BIBLE GROVE (L) VORTAC 109.0 BIB Chan 27 N38°55.22'

W88°28.91' 041° 32 NM to fld. 540/3E.

NDB (MHW) 359 CZB N39°18.31' W88°00.12' at fld.

Unmonitored. NOTAM FILE STL.

**CENTRAL ILLINOIS RGNL ARPT AT BLOOMINGTON-NORMAL** (See BLOOMINGTON/NORMAL)**CENTRALIA MUNI** (ENL) 2 E UTC-6(-5DT) N38°30.91' W89°05.47'

ST LOUIS

534 B S2 FUEL 100LL, JET A NOTAM FILE ENL

H-5E, L-27C

RWY 18-36: H5001X75 (ASPH) S-30, D-40 MIRL 0.3% up S

IAP

RWY 18: REIL. VASI(V2L)—GA 3.0° TCH 25'. Tree.

RWY 36: REIL. VASI(V2L)—GA 3.0° TCH 25'. Tree.

RWY 09-27: H3300X60 (ASPH) S-12.5 MIRL

RWY 09: REIL. Road.

RWY 27: REIL. Tree.

AIRPORT REMARKS: Attended 1400Z†-dusk. For svc after hrs call 618-533-1626. MIRL Rwy 09-27 and REIL Rwy 09 and Rwy 27 on request through UNICOM.

WEATHER DATA SOURCES: AWOS-3 121.125 (618) 533-4417. HIWAS 115.0 ENL.

COMMUNICATIONS: CTAF/UNICOM 122.8

RCO 122.1R 115.0T (ST LOUIS RADIO)


KANSAS CITY CENTER APP/DEP CON 127.7

RADIO AIDS TO NAVIGATION: NOTAM FILE STL.

(H) VORTAC 115.0 ENL Chan 97 N38°25.20'

W89°09.54' 025° 6.5 NM to fld. 546/4E. HIWAS.

VOR portion unusable 100°-134° blo 3000'; 135°-140° blo 2700'.

**CHAMPAIGN** N40°02.07' W88°16.56' NOTAM FILE CMI.

CHICAGO

(L) VORTAC 110.0 CMI Chan 37 at University of Illinois-Willard. 745/3E.

L-27C

RCO 122.1R 110.0T (ST LOUIS RADIO)

CHAMPAIGN/URBANA N40°02.07' W88°16.56'

CHICAGO

RCO 122.45 (ST LOUIS RADIO)

L-27C

CHAMPAIGN/URBANA**UNIVERSITY OF ILLINOIS—WILLARD**

(CMI) 5 SW UTC-6(-5DT) N40°02.33' W88°16.67'
 755 B S4 FUEL 100LL, JET A1+ OX 1 TPA-1505(750) Class I, ARFF Index B
 NOTAM FILE CMI

CHICAGO
 H-5E, L-27C
 IAP, AD

RWY 14L-32R: H8102X150 (ASPH-CONC-GRVD) S-100, D-180, ST-175, DT-260 MIRL

RWY 14L: VASI(V4L)—GA 3.0° TCH 31'.

RWY 32R: MALSR. VASI(V4L)—GA 3.0° TCH 54'.

RWY 04-22: H6501X150 (CONC-GRVD) S-100, D-180, ST-175, DT-260 MIRL

RWY 04: VASI(V4L)—GA 3.0° TCH 45'.

RWY 22: VASI(V4L)—GA 3.0° TCH 41'. Tree.

RWY 18-36: H5302X150 (CONC) S-40, D-50, DT-90 MIRL

RWY 36: VASI(V4L)—GA 3.0° TCH 40'. Tree.

RWY 14R-32L: H3817X75 (ASPH) S-12.5, D-12.5, ST-175 MIRL

RWY 14R: PAPI(P4L)—GA 3.0° TCH 35'.

RWY 32L: PAPI(P4L)—GA 3.0° TCH 35'.

LAND AND HOLD SHORT OPERATIONS

LANDING	HOLD SHORT POINT	DIST AVBL
RWY 04	14L-32R	3600
RWY 14L	04-22	3550
RWY 18	04-22	4100
RWY 22	18-36	4700
RWY 32R	04-22	4050
RWY 36	14L-32R	3950

RUNWAY DECLARED DISTANCE INFORMATION

RWY 14R: TORA-3817 TODA-3817 ASDA-3817 LDA-3817

RWY 32L: TORA-3817 TODA-3817 ASDA-3817 LDA-3817

AIRPORT REMARKS: Attended 1200-0400Z†. Rwy 18-36 CLOSED 0500-1200Z†. Rwy 18-36 CLOSED to scheduled air carrier ops 10 seats or more and clsd to unscheduled air carrier ops greater than 30 passenger seats. Avbl for air carrier taxi only. Rwy 14R-32L CLOSED 0500-1200Z†. Birds on and invof arpt. AER 22 and 32 not visible from each other. Rwy 14L and Rwy 18 apch ends are closely aligned. Rwy 04 and Rwy 36 apch ends are closely aligned. Verify correct rwy and compass heading prior to departure. 24 hr PPR for unscheduled air carrier ops with more than 30 passenger seats between 0400-1200Z†, call arpt manager 217-244-8634/8764. Taxiing acft should use caution in early morning and late afternoon hrs; sun glare may make visual recognition of signs and pavement markings difficult. Twy A5 and Twy C1 southwest of Rwy 14L-32R closed to acft over 11800 lbs. Twy A6 and A7, adjacent to ramp, not visible from the control twr. When twr is clsd Rwy 32R is the preferred calm wind rwy. When twr clsd HIRL Rwy 14L-32R preset on radio control, to increase ints and ACTIVATE MIRL Rwy 04-22 and MALSR Rwy 32R—CTAF. Itinerant parking on SE ramp only.

WEATHER DATA SOURCES: ASOS (217) 352-9118.

COMMUNICATIONS: CTAF 120.4 ATIS 124.85 UNICOM 122.95

CHAMPAIGN RCO 122.1R 110.0T (ST LOUIS RADIO)

CHAMPAIGN/URBANA RCO 122.45 (ST LOUIS RADIO)

① CHAMPAIGN APP/DEP CON 132.85 (136°-315°) 121.35 (316°-135°) 133.97 (1200-0500Z†)

CHICAGO CENTER APP/DEP CON 121.35 (0500-1200Z†)

CHAMPAIGN TOWER 120.4 118.25 (1200-0500Z†) GND CON 121.8 CLNC DEL 128.75

AIRSPACE: CLASS C svc 1200-0500Z† etc APP CON other times CLASS G.


RADIO AIDS TO NAVIGATION: NOTAM FILE CMI.

CHAMPAIGN (L) VORTAC 110.0 CMI Chan 37 N40°02.07' W88°16.56' at fld. 745/3E.

VEALS NDB (LOM) 407 CM N39°57.97' W88°10.95' 315° 6.2 NM to fld.

ILS 109.1 I-CMI Rwy 32R. Class IE. LOM VEALS NDB. ILS unmonitored when twr clsd.

ASR (1200-0500Z†)



CHICAGO**CHICAGO MIDWAY INTL**

(MDW) 9SW UTC-6(-5DT) N41°47.16' W87°45.15'
 620 B S4 FUEL 100LL, JET A1 + OX 2, 4 AOE ARFF Index—See Remarks
 NOTAM FILE MDW

CHICAGO

COPTER

H-5E, L-28H, A

IAP, AD

RWY 13C-31C: H6522X150 (CONC-GRVD) S-95, D-165, ST-175, DT-250 HIRL

RWY 13C: LDIN. PAPI (P4R)—GA 3.0° TCH 46'. Thld dsplcd 463'. Road.

RWY 31C: REIL. VASI(V4L)—GA 3.0° TCH 52'. Thld dsplcd 696'. Road.

RWY 04R-22L: H6446X150 (CONC-ASPH-GRVD) S-95, D-165, ST-175, DT-250 HIRL

RWY 04R: REIL. PAPI(P4L)—GA 3.4° TCH 66'. Thld dsplcd 518'. Road.

RWY 22L: REIL. PAPI(P4R)—GA 3.0° TCH 43'. Thld dsplcd 634'. Road.

RWY 04L-22R: H5507X150 (ASPH-GRVD) S-60, D-120, ST-152 MIRL

RWY 04L: VASI(V4R)—GA 3.75° TCH 55'. Thld dsplcd 758'. Road.

RWY 22R: PAPI(P4L)—GA 3.0° TCH 35'. Thld dsplcd 878'. Road.

RWY 13L-31R: H5141X150 (ASPH-GRVD) S-80, D-125, ST-159 MIRL

RWY 13L: Thld dsplcd 752'. Road.

RWY 31R: PAPI(P4R)—GA 3.0° TCH 44'. Tree.

RWY 13R-31L: H3859X60 (CONC) S-12.5 MIRL

RWY 13R: Pole.

RWY 31L: Tree.

RUNWAY DECLARED DISTANCE INFORMATION

RWY 04L: TORA-5507 TODA-5507 ASDA-5507 LDA-4749

RWY 04R: TORA-6446 TODA-6446 ASDA-6446 LDA-5928

RWY 13L: TORA-5141 TODA-5141 ASDA-5141 LDA-4389

RWY 13C: TORA-6522 TODA-6522 ASDA-6522 LDA-6059

RWY 22L: TORA-6446 TODA-6446 ASDA-6446 LDA-5812

RWY 22R: TORA-5507 TODA-5507 ASDA-5507 LDA-4629

RWY 31C: TORA-6522 TODA-6522 ASDA-6522 LDA-5826

RWY 31R: TORA-5141 TODA-5141 ASDA-5141 LDA-5141

ARRESTING GEAR/SYSTEM

RWY 04R: EMAS 249' X 170'

RWY 13C: EMAS 190' X 170'

RWY 22L: EMAS 346' X 170'

RWY 31C: EMAS 210' X 170'

AIRPORT REMARKS: Attended continuously. Birds on and invof arpt. Arpt CLOSED to solo student training. Rwy 13R-31L; Rwy 13L-31R and Rwy 04L-22R not avbl for scheduled air carrier ops with more than 9 passenger seats or unscheduled air carrier ops at least 31 passenger seats. Class I, ARFF Index C. Class I ARFF Index C. ARFF Index D equipment avbl with 8 hrs notification to arpt ops 773-838-0677. Noise abatement procedures: all departures are requested to expedite climb through 1500' MSL 0400-1200Z± daily. Twy A and F clsd to acct over 79' wing span. Rwy 22L preferred departure rwy 0400-1300Z±. Rwy 31C VASI OTS indef. Rwy 31C VASI unusable byd 7.5° right of centerline. Ldg fee. Flight Notification Service (ADCUS) avbl.

WEATHER DATA SOURCES: ASOS 132.75 (773) 581-8094.

COMMUNICATIONS: D-ATIS 132.75 (773) 581-9967 UNICOM 122.95

Ⓡ APP/DEP CON 118.4 126.05

MIDWAY TOWER 118.7 GND CON 121.65 CLNC DEL 121.85 PRE TAXI CLNC 121.85

AIRSPACE: CLASS C svc continuous etc MIDWAY RADAR 119.45 135.2

RADIO AIDS TO NAVIGATION: NOTAM FILE IKK.

CHICAGO HEIGHTS (L) VORTAC 114.2 CGT Chan 89 N41°30.60' W87°34.29' 332° 18.4 NM to fld. 630/2E.

ERMIN NDB (MHW/LOM) 332 HK N41°43.14' W87°50.18' 044° 5.5 NM to fld. NOTAM FILE MDW.


KEDZI NDB (MHW/LOM) 248 MX N41°44.49' W87°41.38' 315° 3.9 NM to fld. NOTAM FILE MDW.

ILS/DME 109.9 I-MDW Chan 36 Rwy 13C. Class IE.

DME also serves Rwy 31C.

ILS 111.5 I-HKH Rwy 04R. Class IE. LOM ERMIN NDB.

ILS/DME 109.9 I-MXT Chan 36 Rwy 31C. Class IC. LOM KEDZI NDB. DME also serves Rwy 13C.



CONTINUED FROM PRECEDING PAGE

Twy V westbound only between Twy WT and KK; Twy LL northbound only between Rwy 14L–32R and Twy MM. Be Alert: Waivered air traffic separation standards in effect for tfc ldg Rwy 14R and departing Rwy 28, whereby ldg tfc on Rwy 14R will be past the ldg thld as Rwy 28 departures pass through the intersection of the two rws. B747–400's, B777–300's or A340–600's cannot pass on Twys A and B insufficient wingtip clearance. Twy V rstd to acft less than 117' wingspan or wheelbase less than 30' (design group 4–5–6) between Twy KK and Twy LL. All part 91 and unscheduled parts 125, 133 and 135 charter operators etc Signature Flight Support at 773–686–7000 regarding new security regulations prior to dep. Arpt ngt time noise abatement procedures are in effect from 0400 to 1300Z; etc arpt manager 773–686–2255. Rwy 14R–32L possible low level turbulence on AER 14R. Primary run-up location ground run-up enclosure; secondary run-up locations avbl upon req contact city ops 773–686–2255. During periods of cold weather; the apch end of Rwy 32R may not be visible from the ATCT due to steam plume from arpt heating plant. Be Alert: Of duplicate alpha-numeric twy designators and terminal gate designations involving the letters G, H, K, L and M. Acft with wingspan greater than 214'; require 48 hrs PPR—call 773–686–2255. Periodic fire department training at N sector of arpt. Fee req. Deicing fluid not avbl to transient acft. Rotating bcn OTS indef. Ldg fee. Flight Notification Service (ADCUS) avbl. NOTE: See Special Notices Section for Intersection Departures During Periods of Darkness. Intersecting Runway Operations, and Simultaneous Opposite Direction Operations.

WEATHER DATA SOURCES: ASOS (773) 462–0118. **HIWAS** 113.9 ORD. **LLWAS**. **TDWR**.

COMMUNICATIONS: **D-ATIS** 135.4 (773) 601–8921 **UNICOM** 122.95

Ⓡ **APP CON** 119.0 (360°–179°) 133.625 128.45 125.7 (180°–359°) 121.15 124.35

O'HARE TOWER – CENTER 120.75 126.9 127.925 132.7

GND CON – CENTER 121.9 121.75

O'HARE TOWER – NORTH 128.15

GND CON – NORTH 124.125

CLNC DEL 121.6

PRE-TAXI CLNC 121.6 119.25 **GND METERING** 121.675

Ⓡ **DEP CON** 125.0 (340°–159°) 125.4 (220°–339°) 126.625 (160°–219°)

AIRSPACE: CLASS B: See VFR Terminal Area Chart.

RADIO AIDS TO NAVIGATION: NOTAM FILE ORD.

(L) **VORW/DME** 113.9 ORD Chan 86 N41°59.26' W87°54.29' at fld. 650/2E. **HIWAS**.

NOTE: See Special Notices Section.

VOR portion unusable: 140°–155° byd 15 NM; 100°–140° and 155°–060° byd 35 NM blo 2,500'.

ILS 110.75 I-IDN Rwy 32R. Class IA.

ILS/DME 110.5 I-JAV Chan 42 Rwy 09R. Class IB. Loc unusable byd 30° left of course and byd 30° right of course.

ILS 110.1 I-LQQ Rwy 22L. Class IB. OM OTS indef.

ILS/DME 111.1 I-TSL Chan 48 Rwy 28. Class IIIE.

ILS/DME 109.75 I-ORD Chan 34(Y) Rwy 14R. Class IIIE.

ILS/DME 111.1 I-MED Chan 48 Rwy 10. Class IIIE.

ILS 111.3 I-RXZ Rwy 22R. Class IC.

ILS/DME 108.95 I-RVG Chan 26(Y) Rwy 32L.

ILS/DME 110.5 I-IAC Chan 42 Rwy 27L. Class IIIE.

ILS 110.1 I-FJU Rwy 04R. Class IE.

ILS/DME 110.9 I-OHA Chan 46 Rwy 14L. Class IIIE.

ILS 111.3 I-HNA Rwy 04L. LOC only.

ILS/DME 111.75 I-SAJ Chan 54(Y) Rwy 09L. Class IIID

ILS/DME 111.75 I-ABU Chan 54(Y) Rwy 27R. Class IIIE. DME unusable byd 10° right of course.

COMM/NAV/WEATHER REMARKS: CLASS B frequency 133.5 for VFR acft req tfc advisories or to transition CLASS B South of O'Hare. CLASS B frequency 120.55 for VFR acft req tfc advisories or to transition CLASS B North of O'Hare. If unable to ctc Chicago App/Dep Control 133.1; call 312–686–0681 to obtain IFR CLNC.


• • • • •

HELIPAD H1: H200X100 (CONC) PERIMETER LIGHTS

HELIPORT REMARKS: H1 apch departure paths are E and W.

LANSING MUNI (IGQ) 21 S UTC-6(-5DT) N41°32.10' W87°31.77'
 620 B S4 FUEL 100LL, JET A OX 1, 2, 3, 4 TPA-1620(1000) NOTAM FILE IGQ
RWY 18-36: H4002X75 (ASPH-PFC) S-24 MIRL
RWY 18: REIL. PAPI(P2L)—GA 3.0° TCH 40'. Tower.
RWY 36: REIL. PAPI(P2L)—GA 3.0° TCH 40'.
RWY 09-27: H3395X75 (ASPH-PFC) S-12.5 MIRL
RWY 09: REIL. PAPI(P2L)—GA 3.0° TCH 40'. Tree.
RWY 27: REIL. PAPI(P2L)—GA 3.0° TCH 40'. Tower.
AIRPORT REMARKS: Attended 1300-0100Z±. Birds on and invof arpt. All pattern flying in noise sensitive area. 146' Twr 4325' from Rwy 27 665' rgt of extended centerline. Rwy 09 thld was relocated; Dsplcd thld is now twy. MIRL Rwy 18-36 preset on low ints; to increase ints and ACTIVATE MIRL Rwy 09-27, REIL Rwy 09, Rwy 18, Rwy 27 and Rwy 36 and twy lgts—CTAF.
WEATHER DATA SOURCES: AWOS-3 119.275 (708) 895-9526. Visibility unreliable.
COMMUNICATIONS: CTAF/UNICOM 122.7
CHICAGO HEIGHTS RCO 122.1R 114.2T (KANKAKEE RADIO).
 ® **CHICAGO APP/DEP CON** 118.4
RADIO AIDS TO NAVIGATION: NOTAM FILE IKK.
CHICAGO HEIGHTS (L) VORTAC 114.2 CGT Chan 89 N41°30.60' W87°34.29' 050° 2.4 NM to fld. 630/2E.
ILS/DME 109.15 I-XJX Chan 28(Y) Rwy 36. LOC only.

CHICAGO
 L-28H, A
 IAP



CHICAGO/AURORA

AURORA MUNI (ARR) 38 W UTC-6(-5DT) N41°46.32' W88°28.54'
 712 B S4 FUEL 100, JET A1 OX 1, 2, 3, 4 NOTAM FILE ARR
RWY 09-27: H6501X100 (CONC-GRVD) S-30, D-130, ST-165 HIRL
RWY 09: MALSR. PAPI(P4L)—GA 3.0° TCH 45'. Tree.
RWY 27: REIL. VASI(V4L)—GA 3.0° TCH 42'.
RWY 15-33: H5503X100 (CONC-GRVD) D-130, ST-165 HIRL
RWY 15: REIL. PAPI(P4L)—GA 3.0° TCH 34'. Tree.
RWY 33: REIL. PAPI(P4L)—GA 3.0° TCH 48'. Tree.
RWY 18-36: H3198X75 (ASPH) S-30 MIRL
RWY 18: REIL. VASI(V4L)—GA 3.0° TCH 30'. Pole.
RWY 36: REIL. VASI(V4L)—GA 3.0° TCH 34'. Tree.

CHICAGO
 H-5E, L-28H, A
 IAP, AD

LAND AND HOLD SHORT OPERATIONS

LANDING	HOLD SHORT POINT	DIST AVBL
RWY 09	18-36	3450
RWY 15	09-27	3900
RWY 27	15-33	4000

AIRPORT REMARKS: Attended Mon-Sat 1100-0600Z±, Sun 1300-0400Z±. Rwy 18-36 sfc several large cracks and vegetative growth. Twy M1 closed indef. When twr clsd HIRL Rws 15-33 and 09-27 and MIRL Rwy 18-36 preset low ints: to increase ints and ACTIVATE MALSR Rwy 09; REIL Rws 18, 36, 15, 33 and 27, and twy lgts—CTAF.

WEATHER DATA SOURCES: ASOS 125.85 (630) 466-4024. LAWRS.

COMMUNICATIONS: CTAF 120.6 ATIS 125.85

UNICOM 123.5 122.95

JOLIET RCO 122.1R 112.3T (KANKAKEE RADIO)

JOLIET RCO 122.5 (KANKAKEE RADIO)

® **CHICAGO APP/DEP CON** 133.5 **CLNC DEL** 121.7 (When twr clsd)

TOWER 120.6 (1300-0300Z±) **GND CON** 121.7

AIRSPACE: CLASS D svc 1300-0300Z± other times CLASS G.

RADIO AIDS TO NAVIGATION: NOTAM FILE IKK.


DU PAGE (L) VOR/DME 108.4 DPA Chan 21 N41°53.42' W88°21.01' 216° 9.1 NM to fld. 838/2E.

JOLIET (H) VORTAC 112.3 JOT Chan 70 N41°32.78' W88°19.10' 330° 15.3 NM to fld. 592/2E.

ILS 108.9 I-ARR Rwy 09.

ILS/DME 115.15 I-ROF Chan 48(Y) Rwy 33.

COMM/NAV/WEATHER REMARKS: Emerg frequency 121.5 not avbl at twr.



CHICAGO EXECUTIVE (See CHICAGO/PROSPECT HGTS/WHEELING)

CHICAGO HEIGHTS N41°30.60' W87°34.29' NOTAM FILE IKK.

CHICAGO

(L) VORTAC 114.2 CGT Chan 89 050° 2.4 NM to Lansing Muni. 630/2E.

L-28H, A

DME unusable:

050°-070° byd 20 NM blo 4000'

150°-225° byd 20 NM blo 4000'

110°-145° byd 20 NM blo 4000'

225°-280° byd 20 NM blo 4000'

145°-150° byd 20 NM blo 4000'

RCO 122.1R 114.2T (KANKAKEE RADIO)

CHICAGO/LAKE IN THE HILLS**LAKE IN THE HILLS** (3CK) 38 NW UTC-6(-5DT) N42°12.41' W88°19.38'

CHICAGO

888 B S4 FUEL 100LL, JET A TPA-1888(1000) NOTAM FILE IKK

COPTER

RWY 08-26: H3058X50 (ASPH) MIRL

L-28H, A

RWY 08: REIL. PAPI(P2L)—GA 3.0° TCH 20'. Trees.

IAP

RWY 26: PAPI(P2R)—GA 3.0° TCH 20'. Pole.

AIRPORT REMARKS: Attended 1300Z†-dusk. Numerous deer invof Rwy

08-26. Numerous geese invof arpt. Acft with wingspan greater than 56' cannot use parallel twy. Acft with wingspan greater than

45.5' cannot use parallel twy E of Twy Bravo. ACTIVATE REIL Rwy 08. PAPI Rwy 08 and Rwy 26—122.75.

COMMUNICATIONS: CTAF/UNICOM 123.05

® CHICAGO APP/DEP CON 120.55

RADIO AIDS TO NAVIGATION: NOTAM FILE IKK.


NORTHBROOK (H) VORW/DME 113.0 OBK Chan 77 N42°13.29'

W87°57.11' 269° 16.6 NM to fld. 758/2W.

COMM/NAV/WEATHER REMARKS: For VFR wx advisory 5 clicks CTAF. Phone

815-444-1729. Wind speed and direction info broadcast on

Unicom is inaccurate.

**CHICAGO MEIGS** N41°51.52' W87°36.50'

CHICAGO

RCO 122.15 (KANKAKEE RADIO)

COPTER

L-28H, A

CHICAGO/PROSPECT HEIGHTS/WHEELING**CHICAGO EXECUTIVE** (PWK) 18 NW UTC-6(-5DT) N42°06.85' W87°54.09'**CHICAGO**

647 B S4 FUEL 100LL, JET A1 + OX 1, 2, 3, 4 TPA—See Remarks LRA NOTAM FILE PWK COPTER
 RWY 16-34: H5000X150 (ASPH-GRVD) S-72, D-98, ST-124 HIRL H-5E, L-28H, A
 RWY 16: LDIN (NSTD). REIL. PAPI(P4L)—GA 3.0° TCH 49'. Bldg. IAP, AD

RWY 34: REIL. PAPI(P4L)—GA 3.0° TCH 40'. Road.

RWY 12-30: H4386X75 (ASPH-GRVD) S-18, D-28 HIRL

RWY 12: PAPI(P4L)—GA 3.0° TCH 42'. Thld displd 289'. Tree.

RWY 30: PAPI(P4L)—GA 3.0° TCH 43'. Thld displd 433'. Road.

Rgt tfc.

RWY 06-24: H3660X50 (ASPH) S-20, D-30 HIRL

RWY 06: PAPI(P4L)—GA 3.0° TCH 33'. Thld displd 354'. Pole.

RWY 24: Thld displd 1251'. Tree. Rgt tfc.


LAND AND HOLD SHORT OPERATIONS

LANDING	HOLD SHORT POINT	DIST AVBL
RWY 16	12-30	3623

AIRPORT REMARKS: Attended continuously. Migratory birds on and invof

arpt. Rwy 16 LDIN NSTD due to spacing. ACTIVATE HIRL Rwy 16-34, Rwy 06-24, Rwy 12-30, LDIN lights Rwy 16, REIL Rwy 16 and Rwy 34—CTAF. Twy Z closed indef. Noise abatement procedures: When holding at the Rwy 16 pad align acft at 315°; for Rwy 34 pad align acft at 190° while waiting tkf. While awaiting tkf in the Rwy 16-34 pads, tail acft toward center of arpt for noise abatement. TPA—For piston acft 1647(1000) and for jets 2147(1500). Noise sensitive neighbors N and S of arpt. US customs users fee. For customs clnc 2 hrs

minimum advance notice req Mon-Fri 1800-0200Z† and not later than 2200Z† Fri for weekend arrivals. Ctc customs at 800-323-7887 extension 333 or 708-537-1200 extension 333.

WEATHER DATA SOURCES: ASOS (847) 465-0291.**COMMUNICATIONS:** CTAF 119.9 ATIS 124.2 UNICOM 122.95① **CHICAGO APP/DEP CON** 120.55 125.0**EXECUTIVE TOWER** 119.9 (Mon-Fri 1200-0400Z†, Sat-Sun 1300-0400Z†) **GND CON** 121.7**CLNC DEL** 124.7 (By CHICAGO APP CON on 124.7 when twr is clsd.)**AIRSPACE:** CLASS D svc Mon-Fri 1200-0400Z† Sat-Sun 1300-0400Z† other times CLASS E.**RADIO AIDS TO NAVIGATION:** NOTAM FILE IKK.**NORTHBROOK (H) VORW/DME** 113.0 OBK Chan 77 N42°13.29' W87°57.11' 163° 6.8 NM to fld. 758/2W.**ILS** 111.9 I-PWK Rwy 16.**COMM/NAV/WEATHER REMARKS:** Emerg frequency 121.5 not avbl at twr.

CHICAGO/ROCKFORD INTL (RFD) 68 NW UTC-6(-5DT) N42°11.72' W89°05.83'

CHICAGO

742 B S4 FUEL 100LL JET A, A1+ OX 1, 2, 3, 4 LRA ARFF Index—See Remarks
NOTAM FILE RFD

H-5D, L-28H
IAP, AD

RWY 07-25: H10004X150 (ASPH-CONC-GRVD) S-100, D-190, ST-175,

DT-360, TRT-550, DDT-850 HIRL CL

RWY 07: ALSF2. TDZL. PAPI(P4R)—GA 3.0° TCH 68'. Trees.
0.3% down.

RWY 25: REIL. VASI(V4L)—GA 3.0° TCH 37'. Tree.

RWY 01-19: H8200X150 (ASPH-GRVD) S-75, D-210, ST-175,

DT-390, TRT-590, DDT-850 HIRL CL

RWY 01: MALSR. TDZL. Road. 0.6% up.

RWY 19: REIL. VASI(V6L)—Upper GA 3.25° TCH 90'.

Lower GA 3.0° TCH 50'. Tree.

LAND AND HOLD SHORT OPERATIONS

LANDING	HOLD SHORT POINT	DIST AVBL
RWY 01	07-25	6000
RWY 07	01-19	8800

RUNWAY DECLARED DISTANCE INFORMATION

RWY 01: TORA-8199 TODA-8199 ASDA-8199 LDA-8199

RWY 19: TORA-8199 TODA-8199 ASDA-8099 LDA-8099

AIRPORT REMARKS: Attended continuously. Birds and Deer on and invof

arpt. Rwy 07 RVR touchdown, midpoint and rollout avbl. Class I, ARFF Index C. ARFF Index E equipment avbl with one hr PPR call 815-969-4011. US customs office rqr 2 hr advance notice during business hrs Mon-Fri 1430-2300Z. US Customs user fee arpt. Request for U.S. Customs svc on weekends should be received by 2300Z. Fri. Ldg fee. Twy L identifying sign on Twy J NSTD.

WEATHER DATA SOURCES: ASOS (815) 399-0627.

COMMUNICATIONS: ATIS 127.6 UNICOM 122.95

ROCKFORD RCO 122.65 (KANKAKEE RADIO)

Ⓡ ROCKFORD APP/DEP CON 126.0 (West) 121.0 (East)

ROCKFORD TOWER 118.3 CLNC DEL 119.25 GND CON 121.9

TRSA svc ctc APP CON.

RADIO AIDS TO NAVIGATION: NOTAM FILE RFD.


ROCKFORD (L) VOR/DME 110.8 RFD Chan 45 N42°13.54' W89°11.96' 111° 4.9 NM to fld. 860/1E.

GILMY NDB (LOM) 275 RF N42°06.87' W89°05.92' 001° 4.9 NM to fld.

ILS/DME 109.3 I-RFD Chan 30 Rwy 01. Class IE. LOM GILMY NDB.

ILS 109.55 I-UDY Rwy 07. Class IIIIE.

ASR

**CHICAGO/ROMEOVILLE**

LEWIS UNIVERSITY (LOT) 20 SW UTC-6(-5DT) N41°36.44' W88°05.77'

CHICAGO

679 B S4 FUEL 100LL, JET A NOTAM FILE LOT

COPTER

RWY 09-27: H5696X75 (ASPH-PFC) MIRL

H-5E, L-28H, A

RWY 09: REIL. PAPI(P4L)—GA 3.0° TCH 41'.

IAP

RWY 27: REIL. PAPI(P4L)—GA 3.0° TCH 35'. Thld displcd 196'. Tree.

RWY 02-20: H5100X100 (CONC-GRVD) D-99 MIRL 0.3% up S

RWY 02: REIL. PAPI(P4L)—GA 3.0° TCH 35'.

RWY 20: REIL. PAPI(P4L)—GA 3.0° TCH 35'.

AIRPORT REMARKS: Attended 1300-0300Z. Twy A clsd indef. N parking ramp clsd to all multi engine acft. Birds on and invof arpt.

Rotating bcn OTS indef. MIRL Rwy 02-20 and Rwy 09-27 preset on low ints; to increase ints ACTIVATE—CTAF. ACTIVATE REIL Rwy 02, Rwy 20, Rwy 09 and Rwy 27 and PAPI Rwy 02, Rwy 20, Rwy 09 and Rwy 27—CTAF.

WEATHER DATA SOURCES: AWOS-3 118.525 (815) 588-4802.

COMMUNICATIONS: CTAF/UNICOM 122.8

JOLIET RCO 122.5 122.1R 112.3T (KANKAKEE RADIO).

Ⓡ CHICAGO APP/DEP CON 119.35


RADIO AIDS TO NAVIGATION: NOTAM FILE IKK.

JOLIET (H) VORTAC 112.3 JOT Chan 70 N41°32.78'

W88°19.10' 068° 10.7 NM to fld. 592/2E.

ILS/DME 111.95 I-LOT Chan 56Y Rwy 09. LOC only.

ILS/DME 108.55 I-JQH Chan 22Y Rwy 02. LOC only.



CHICAGO/SCHAUMBURG**SCHAUMBURG MUNI HELISTOP**

(4H1) 24 NW UTC-6(-5DT) N42°02.88' W88°03.15'

**CHICAGO
COPTER**

730 NOTAM FILE IKK

HELIPAD H1: H25X25 (CONC)**HELIPAD H1:** LDIN. S-12.5

HELIPORT REMARKS: Unattended. Heliport CLOSED 0400Z†-SR. Helipad lgts ops SS-0400Z†. Ingress and egress routes are 100° and 240°-260°. Helipad H1 concrete pad has 25' ASPH area adjacent-all sides. 12' X 25' parking pad lctd 56' NW of landing pad.

COMMUNICATIONS: CTAF 122.9**SCHAUMBURG RGNL**

(Ø6C) 22 NW UTC-6(-5DT) N41°59.36' W88°06.08'

**CHICAGO
COPTER
L-28H, A**


801 B S4 FUEL 100LL, JET A OX 1, 2, 3, 4 TPA-1601(800) NOTAM FILE IKK

RWY 11-29: H3800X100 (CONC) S-12.5 D-12.5 MIRL**RWY 11:** REIL. PAPI(P2R)—GA 3.25° TCH 44'. Trees.**RWY 29:** REIL. PAPI(P2L)—GA 3.0° TCH 40'. Railroad.

AIRPORT REMARKS: Attended May-Sep 1300-0200Z†, Oct-Apr 1300-0100Z†. 100LL self svc fuel avbl after hrs. Water fowl on and invof Rwy 11-29. Rwy 29 preferred rwy in calm and direct crosswinds. Dep acft fly rwy heading to 1400' MSL before starting crosswind turn. For noise abatement procedures contact arpt manager 847-985-4778. Banner towing prohibited within 2 NM radius of arpt. MIRL Rwy 11-29 preset on low ints; to increase ints and ACTIVATE Twy lgts and REILS Rwy 11 and Rwy 29—CTAF.

COMMUNICATIONS: CTAF/UNICOM 123.0**RADIO AIDS TO NAVIGATION:** NOTAM FILE ORD.**CHICAGO-O HARE (L) VORW/DME 113.9** ORD Chan 86

N41°59.26' W87°54.29' 269° 8.8 NM to fld.

650/2E. **HIWAS.** See Special Notices—Chicago O'Hare VOR/DME.**CHICAGO/TINLEY PARK****TINLEY PARK HELISTOP**

(TF8) 20 SW UTC-6(-5DT) N41°33.55' W87°48.35'

**CHICAGO
COPTER**

760 NOTAM FILE IKK

HELIPAD H1: H40X40 (ASPH)

HELIPORT REMARKS: Unattended. 32' unlighted p-lines 95' S; 40' bldg 120' NW; and 33' lgtd poles 293' W; 90' lgtd twr 250' NW of pad. Ingress/egress routes are 090° and 270°. Final apch and txf area measures 100' by 100'. 60' by 60' helo parking pad lctd 75' N of ldg pad.

COMMUNICATIONS: CTAF 122.9

CHICAGO/WAUKEGAN

WAUKEGAN RGNL (UGN) 35 N UTC-6(-5DT) N42°25.33' W87°52.07'

CHICAGO

727 B S4 FUEL 100LL, JET A OX 1, 2, 3, 4 TPA-1527(800) LRA NOTAM FILE UGN H-5E, L-28H, A
RWY 05-23: H6000X150 (ASPH-PFC) S-95, D-120, ST-152, DT-200 HIRL IAP, AD

RWY 05: VASI(V4L)—GA 3.0° TCH 37'. Road.

RWY 23: MALSR. VASI(V4L)—GA 3.0° TCH 38.4'. Tree. Rgt tfc.

RWY 14-32: H3751X75 (ASPH) S-16, D-23 MIRL 0.4% up NW

RWY 14: VASI(V4L)—GA 3.5° TCH 30'. Thld dspcd 500'. Tree.

RWY 32: Tree.

AIRPORT REMARKS: Attended continuously. Birds on and invof arpt.

Noise abatement procedures in effect ctc arpt manager

847-244-0055. No touch and go lds on Rwy 14. When twr clsd

MIRL Rwy 14-32 preset low ints; to increase ints and ACTIVATE

HIRL Rwy 05-23; MALSR Rwy 23 and twy lgtS—CTAF. A110-02

ctc arpt management office 847-244-0055. US customs user fee

arpt. For customs clearance 2 hrs minimum advance notice rqr

Mon-Fri during business hrs and by 4 PM Fri for weekend arrivals.

WEATHER DATA SOURCES: ASOS (847) 782-0876.

COMMUNICATIONS: CTAF 120.05 ATIS 132.4 UNICOM 122.95

RCO 122.55 (KANKAKEE RADIO)

Ⓡ **CHICAGO APP/DEP CON** 120.55

TOWER 120.05 (1200-0200Z) GND CON 121.65


AIRSPACE: CLASS D svc 1200-0200Z other times CLASS E.

RADIO AIDS TO NAVIGATION: NOTAM FILE IKK.

NORTHBROOK (H) VOR/DME 113.0 OBK Chan 77 N42°13.29' W87°57.11' 019° 12.6 NM to fld. 758/2W.

WAUKE NDB (LOM) 379 UG N42°27.84' W87°48.09' 233° 3.9 NM to fld.

ILS 110.7 I-UGN Rwy 23. LOM WAUKE NDB. LOC only.

**CHICAGO (WEST CHICAGO)**

DUPAGE (DPA) 29 W UTC-6(-5DT) N41°54.42' W88°14.89'

CHICAGO

759 B S4 FUEL 100LL, JET A OX 1, 2, 3, 4 TPA-1559(800) NOTAM FILE DPA

COPTER

RWY 02L-20R: H7571X100 (CONC-GRVD) S-30, D-45 HIRL CL

H-5E, L-28H, A

RWY 02L: MALSR. TDZL.

IAP, AD

RWY 20R: PAPI(P4L)—GA 3.0° TCH 40'. Tree.

RWY 02R-20L: H5101X100 (CONC-GRVD) S-30, D-45 MIRL

RWY 02R: Bldg. Rgt tfc.

RWY 10-28: H4750X75 (ASPH-PFC) S-30, D-45 HIRL

RWY 10: LDIN. REIL. VASI(V4L)—GA 3.0° TCH 50'. Tree.

RWY 28: REIL. VASI(V4L)—GA 3.0° TCH 43'. Thld dspcd 749'. Tree.

RWY 15-33: H3399X100 (ASPH) S-30, D-45, DT-100 MIRL

RWY 15: REIL. PAPI(P4R)—GA 3.9° TCH 42'. Tree.

RWY 33: REIL. Thld dspcd 190'. Tree.

AIRPORT REMARKS: Attended continuously. Deer, birds and migratory

waterfowl on and invof arpt. Acft on short final to Rwy 15 are not

visible from tower due to trees. Rwy 28 VASI OTS indef. U.S.

Customs user fee arpt.

WEATHER DATA SOURCES: ASOS (630) 584-2728 LAWRS.

COMMUNICATIONS: ATIS 124.8 UNICOM 122.95

RCO 122.3 (KANKAKEE RADIO)

RCO 122.1R 108.4T (KANKAKEE RADIO)

Ⓡ **APP/DEP CON** 133.5

TOWER 120.9 124.5 GND CON 121.8 CLNC DEL 119.75

RADIO AIDS TO NAVIGATION: NOTAM FILE IKK.

(L) **VOR/DME** 108.4 DPA Chan 21 N41°53.42' W88°21.01' 076° 4.7 NM to fld. 838/2E.

VOR portion unusable:

110°-139°

140°-150° byd 7 NM blo 7500'


207°-221° byd 16 NM

222°-239°

ILS 111.7 I-GVK Rwy 02L.

ILS 109.5 I-DPA Rwy 10.

COMM/NAV/WEATHER REMARKS: Emerg frequency 121.5 not available at twr.



CIVIC MEMORIAL N38°53.54' W90°03.38' NOTAM FILE ALN.

ST LOUIS

NDB (MHW) 263 CVM at St Louis Rgnl.

A

COLES CO MEML (See MATTOON-CHARLESTON)

COLUMBIA

SACKMAN FLD (H49) 2 NW UTC-6(-5DT) N38°27.14' W90°14.16'

ST LOUIS

420 NOTAM FILE STL

RWY 03-21: 2450X150 (TURF) LIRL (NSTD)

RWY 03: P-line. **RWY 21:** Trees. Rgt tfc.

AIRPORT REMARKS: Unattended. P-line marked with orange balls. Rwy 03-21 NSTD LIRL due to uneven spacing and non-frangible mounts. For Rwy lgts key 122.9 3 clicks. Lgts go off after 15 min.

COMMUNICATIONS: CTAF 122.9

COMPTON

BRESSON (C82) 4 N UTC-6(-5DT) N41°45.75' W89°06.09'

CHICAGO

769 S4 TPA-1569(800) NOTAM FILE IKK

RWY 18-36: 2590X184 (TURF) LIRL (NSTD)

RWY 18: Thld dsplcd 292'. Dike. **RWY 36:** Thld dsplcd 320'. Road.

AIRPORT REMARKS: Attended 1400Z-dusk. Arpt clsd winter months when snow covered except for ski equipped acct. For NSTD LIRL Rwy 18-36 call 815-628-7111/7431. Rwy 18 and Rwy 36 dsplcd thld marked with tires. Rwy 18-36 NSTD LIRL due to non-frangible mountings; spacing and ints.

COMMUNICATIONS: CTAF/UNICOM 123.0

COTTONWOOD (See ROCKFORD)

CUSHING FLD LTD (See NEWARK)

DACY (See HARVARD)

DANVILLE N40°17.63' W87°33.43' NOTAM FILE DNV.

CHICAGO

(L) VORTAC 111.0 DNV Chan 47 195° 5.9 NM to Vermilion Rgnl. 700/2E.

H-5E, 4H, L-27D

RC0 122.1R 111.0T (ST LOUIS RADIO)

DANVILLE

VERMILION RGNL (DNV) 4 NE UTC-6(-5DT) N40°11.98' W87°35.73'

CHICAGO

697 B S4 FUEL 100LL, JET A NOTAM FILE DNV

H-5E, L-27D

RWY 03-21: H6002X100 (ASPH-PFC) S-50, D-75, ST-95 HIRL 0.8% up NE

IAP

RWY 03: VASI(V4L)—GA 3.0° TCH 41'. Tree.

RWY 21: MALSR. PAPI(P4L).

RWY 16-34: H3999X100 (ASPH-GRVD) S-40, D-50 MIRL
0.6% up N

RWY 16: REIL. VASI(V2L)—GA 3.0° TCH 26'. Tree.

RWY 34: REIL. VASI(V2L)—GA 3.0° TCH 26'. Road.

AIRPORT REMARKS: Attended 1300-0400Z. HIRL Rwy 03-21 preset on low ints, to increase ints and ACTIVATE MALSR Rwy 21, MIRL Rwy 16-34, VASI Rwy 03, Rwy 16 and Rwy 34, PAPI Rwy 21, REIL Rwys 16 and 34—CTAF.

WEATHER DATA SOURCES: AWOS-3 119.275 (217) 442-4660.

COMMUNICATIONS: CTAF/UNICOM 122.7.

DANVILLE RC0 122.1R 111.0T (ST LOUIS RADIO)

Ⓡ CHAMPAIGN APP/DEP CON 121.35 (1200-0500Z)

CHICAGO CENTER APP/DEP CON 135.75 (0500-1200Z)

CHAMPAIGN CLNC DEL 121.7


AIRSPACE: CLASS E svc 1200-1800Z and 0200-0400Z other times
CLASS G.

RADIO AIDS TO NAVIGATION: NOTAM FILE DNV.

DANVILLE (L) VORTAC 111.0 DNV Chan 47 N40°17.63' W87°33.43' 195° 5.9 NM to fld. 700/2E.

JULIP NDB (LOM) 332 DN N40°17.37' W87°31.78' 209° 6.2 NM to fld.

ILS 108.5 I-DNV Rwy 21. LOM JULIP NDB. Unmonitored.



DECATUR (DEC) 4 E UTC-6(-5DT) N39°50.02' W88°51.94'**ST LOUIS**

682 B FUEL 100LL, JET A OX 2, 4 Class II, ARFF Index A NOTAM FILE DEC

H-5E, L-27C

RWY 06-24: H8496X150 (ASPH-CONC-GRVD) S-75, D-200, ST-175, DT-245 HIRL

IAP, AD

RWY 06: MALSR. Road.

RWY 24: VASI(V4L)—GA 3.0° TCH 41'.

RWY 12-30: H6799X150 (ASPH-CONC-GRVD) S-75, D-200, ST-175, DT-245 MIRL

RWY 12: Tree. RWY 30: PAPI(P4L).

RWY 18-36: H5299X150 (ASPH-GRVD) S-75, D-115, ST-146, DT-180 MIRL

RWY 18: PAPI(P4L)—GA 3.0° TCH 41'.

RWY 36: REIL. VASI(V4L)—GA 3.0° TCH 42'. Pole.

LAND AND HOLD SHORT OPERATIONS

LANDING	HOLD SHORT POINT	DIST AVBL
RWY 06	12-30	4800
RWY 12	06-24	4450
RWY 18	06-24	4450
RWY 24	12-30	3000
RWY 24	18-36	8000
RWY 30	18-36	5050
RWY 36	12-30	4800

RUNWAY DECLARED DISTANCE INFORMATION

RWY 06:	TORA-8496	TODA-8496	ASDA-8496	LDA-8496
RWY 12:	TORA-6799	TODA-6799	ASDA-6799	LDA-6799
RWY 18:	TORA-5299	TODA-5299	ASDA-5299	LDA-5299
RWY 24:	TORA-8496	TODA-8496	ASDA-8496	LDA-8496
RWY 30:	TORA-6799	TODA-6799	ASDA-6799	LDA-6799
RWY 36:	TORA-5299	TODA-5299	ASDA-5299	LDA-5299

AIRPORT REMARKS: Attended Mon-Fri continuously, Sat-Sun

1300-0330Z†. Birds; deer and other wildlife on and in/ovt arpt.


Snow removal ops in progress winter months; vehicle opr will be monitoring CTAF; acft ldg/dep use CTAF when twr clsd. 24 hr PPR for unscheduled air carrier ops with more than 30 passenger seats, call arpt manager 217-428-2423 or 217-428-8836. PPR for AARF index B call arpt manager. Rwy 12 and Rwy 18 apch ends are closely aligned. Rwy 06 and Rwy 36 apch ends are closely aligned. Verify correct rwy and compass heading prior to departure. N ramp from Hangar B to Hangar G closed to acft over 12,500 lbs. Glider ops by written approval only; contact arpt manager 217-428-2423. Glider ops allowed on Rws 06 and 30 only. No sod ops. Rwy 06 touchdown runway visual range avbl. When twr clsd HIRL Rwy 06-24 preset low ints; to increase ints and ACTIVATE MIRL Rwy 12-30 and Rwy 18-36; PAPI Rwy 30, twy lgtg and MALSR Rwy 06—CTAF. When the twr is clsd, be alert for intermittent vehicular tfc in arpt ops areas. For U.S. Customs call 217-425-4803. U.S. Customs user fee arpt.

WEATHER DATA SOURCES: ASOS (217) 429-0052. **HIWAS** 117.2 DEC.**COMMUNICATIONS:** CTAF 118.9 ATIS 126.35 **UNICOM** 122.95

RCO 122.3 122.1R 117.2T (ST LOUIS RADIO)

① **CHAMPAIGN APP/DEP CON** 132.85 (1200-0500Z†)**CHICAGO CENTER APP/DEP CON** 121.35 (0500-1200Z†)**TOWER** 118.9 (1200-0400Z†) **GND CON** 121.75**AIRSPACE:** CLASS D svc 1200-0400Z† other times CLASS E.**RADIO AIDS TO NAVIGATION:** NOTAM FILE DEC.(H) **VORTAC** 117.2 DEC Chan 119 N39°44.25' W88°51.38' 353° 5.8 NM to fld. 700/3E. **HIWAS**.**ELWIN NDB (LOM)** 275 DE N39°47.43' W88°57.23' 058° 4.9 NM to fld.**ILS/DME** 110.9 I-DEC Chan 46 Rwy 06. Class 1E. LOM **ELWIN NDB**. Unmonitored when twr clsd.

LOC BC unusable byd 15 NM.

COMM/NAV/WEATHER REMARKS: Emerg frequency 121.5 not avbl at twr.

DE KALB TAYLOR MUNI (DKB) 2 E UTC-6(-5DT) N41°56.03' W88°42.34'

CHICAGO

914 B S2 FUEL 100LL, JET A1 + TPA—See Remarks NOTAM FILE DKB

H-5E, L-28H

RWY 02-20: H7026X100 (ASPH-GRVD) S-25, D-80 MIRL

IAP

RWY 02: MALSR. REIL. PAPI(P2L)—GA 3.0° TCH 55'. Railroad.

RWY 20: REIL. PAPI(P2L)—GA 3.25° TCH 27'. Tree.

RWY 09-27: H4201X75 (ASPH-GRVD) S-25, D-80 MIRL

RWY 09: REIL. PAPI(P4L)—GA 3.0° TCH 30'. Tree.

RWY 27: REIL. PVASI(PSIL)—GA 3.0° TCH 21'. Tree.

AIRPORT REMARKS: Attended Nov-Mar 1330-2300Z†, Apr-Oct 1330-0000Z†. Twy C clsd between Twys B and C3. Twy A clsd indef. Rwy 09 REIL OTS indef. Rwy 09 VASI OTS indef. Rwy 27 REIL OTS indef. TPA 1914(1000) for piston acft and 2414(1500) for jet acft. MIRL Rwy 02-20 preset low ints, to increase ints and ACTIVATE MIRL Rwy 09-27, PAPI Rwy 09 and PVASI Rwy 27, REIL Rwys 09, 27, 02 and 20 and MALSR Rwy 02—CTAF. PAPI Rwys 02 and 20 operates 24 hrs. MIRL Rwy 09-27 opr dusk-dawn.

WEATHER DATA SOURCES: AWOS-3 119.075 (815) 748-2350.**COMMUNICATIONS:** CTAF/UNICOM 122.7

® CHICAGO APP/DEP CON 133.5

GCO 121.725 (CHICAGO-O HARE CLNC)


RADIO AIDS TO NAVIGATION: NOTAM FILE IKK.

DU PAGE (L) VOR/DME 108.4 DPA Chan 21 N41°53.42'

W88°21.01' 277° 16.1 NM to fld. 838/2E.

NDB (MHW) 209 DKB N41°56.04' W88°42.44' at fld. NOTAM FILE DKB.

ILS/DME 109.95 I-DJK Chan 36Y Rwy 02. Class IT. LOC only.

COMM/NAV/WEATHER REMARKS: GCO OTS indef.**DIXON MUNI-CHARLES R. WALGREEN FLD** (C73) 1 E UTC-6(-5DT) N41°50.02' W89°26.77'

CHICAGO

785 B S4 FUEL 100LL, JET A TPA-1585(800) NOTAM FILE IKK

L-28H

RWY 08-26: H3899X75 (ASPH) S-12 MIRL

IAP

RWY 08: REIL. Tree.

RWY 26: PAPI(P4L)—GA 3.0° TCH 20'. Pole.

RWY 12-30: H2803X75 (ASPH) S-12 MIRL 0.3% up E

RWY 12: Stack. RWY 30: Railroad.

AIRPORT REMARKS: Attended Mon-Fri 1400-2300Z†, Sat 1400-1800Z†. Sun on call. For attendant call 815-667-0161 or 815-440-6557. Self fueling avbl 24 hr. MIRL Rwy 12-30 preset on low ints SS-SR; to increase ints and ACTIVATE MIRL Rwy 08-26, REIL Rwy 08, PAPI Rwy 26—CTAF. Twys have edge reflectors with no lgts.

COMMUNICATIONS: CTAF/UNICOM 123.05


POLO RCO 122.1R 111.2T (KANKAKEE RADIO)

® ROCKFORD APP/DEP CON 126.0

RADIO AIDS TO NAVIGATION: NOTAM FILE IKK.

POLO (L) VOR/DME 111.2 PLL Chan 49 N41°57.94'

W89°31.45' 153° 8.7 NM to fld. 840/3E. HIWAS.

**DUPAGE** (See CHICAGO/WEST CHICAGO)

DWIGHT (DTG) 3 N UTC-6(-5DT) N41°08.00' W88°26.45'

CHICAGO

632 B FUEL 100LL TPA-1432(800) NOTAM FILE IKK

L-27C

RWY 09-27: H2364X21 (ASPH-TURF) LIRL (NSTD) 0.3% up W

IAP

RWY 27: Thld dsplcd 300'. Building.

RWY 18-36: 2000X92 (TURF) 0.5% up S

AIRPORT REMARKS: Attended Mon-Sat 1400-2300Z, Sun 1600-2100Z. For NSTD LIRL Rwy 09-27 after 0400Z call 815-584-2486; for rotating bcn call 815-584-2486. Rwy 09-27 NSTD LIRL; not FAA approved L-800 series. Spacing and ints of lgts vary. Rwy 09-27 21' asph strip centered on 100' turf rwy. Rwy 09-27 NSTD markings due to narrow width.


COMMUNICATIONS: CTAF/UNICOM 122.8

® CHICAGO CENTER APP/DEP CON 123.75

RADIO AIDS TO NAVIGATION: NOTAM FILE IKK.

PONTIAC (L) VOR/DME 109.6 PNT Chan 33 N40°49.27'

W88°44.01' 032° 23 NM to fld. 679/3E. HIWAS.



EARLVILLE (C94) 2 SW UTC-6(-5DT) N41°33.99' W88°56.88'

CHICAGO

690 TPA-1490(800) NOTAM FILE IKK

RWY 04-22: 3400X100 (TURF) LIRL (NSTD)

RWY 04: Thld dsplcd 400'. P-line.

RWY 22: Thld dsplcd 160'.

AIRPORT REMARKS: Attended irregularly. Extensive crop dusting activity during summer months. Rwy lgts opr phone req, call 815-246-9870. Rwy 04-22 NSTD LIRL; lgts on SE side of rwy only. Rwy 04 dsplcd thld marked with painted wood markers. Rwy 04 P-line marked with orange balls. Rwy 22 dsplcd thld marked with painted wood markers.

COMMUNICATIONS: CTAF 122.9

EDGAR CO (See PARIS)

EFFINGHAM CO MEM (1H2) 3 S UTC-6(-5DT) N39°04.23' W88°32.01'

ST LOUIS

587 B S4 FUEL 100LL, JET A TPA-1387(800) NOTAM FILE 1H2

H-5E, L-27C

RWY 11-29: H5100X75(CONC) MIRL

IAP

RWY 11: Tree. RWY 29: REIL. Tree.

RWY 01-19: H3400X60 (ASPH) S-12 MIRL 0.3% up N

RWY 01: PVASI(PSIL)-GA 3.0° TCH 50'. Trees.

RWY 19: PVASI(PSIL)-GA 3.0° TCH 50'. Tree.

AIRPORT REMARKS: Attended 1400-2300Z. MIRL Rwy 11-29 preset low ints; to increase ints and ACTIVATE MIRL Rwy 01-19; REIL Rwy 29 and VASI Rws 01 and 19-CTAF.

WEATHER DATA SOURCES: AWOS-3 118.375 (217) 536-5976.

COMMUNICATIONS: CTAF/UNICOM 122.8

BIBLE GROVE RCO 122.05R 109.0T (ST LOUIS RADIO)


KANSAS CITY CENTER APP/DEP CON 124.3

RADIO AIDS TO NAVIGATION: NOTAM FILE STL.

BIBLE GROVE (L) VORTAC 109.0 BIB Chan 27 N38°55.22'

W88°28.91' 342° 9.3 NM to fld. 540/3E.

ILS/DME 110.75 I-FQE Chan 44Y Rwy 29. LOC only.



EGROW N40°33.62' W88°52.48' NOTAM FILE BMI.

NDB (LOM) 334 LH 201°5.3NM to Central Illinois Rgnl Arpt at Bloomington-Normal. Unmonitored when twr clsd. SHUTDOWN.

ELWIN N39°47.43' W88°57.23' NOTAM FILE DEC.

ST LOUIS

NDB (LOM) 275 DE 058° 4.9 NM to Decatur. Unmonitored when twr closed.

EMPRESS RIVER CASINO HELIPORT (See JOLIET)**ERIE AIR PARK ULTRALIGHT** (3H5) 1 N UTC-6(-5DT) N41°40.95' W90°04.72'

CHICAGO

600 TPA-1400(800) NOTAM FILE IKK

RWY 18U-36U: 2000X200 (TURF)

RWY 18U: Trees.

RWY 36U: Trees.

AIRPORT REMARKS: Attended Tue-Sat SR-SS. Rwy 18U-36U thlds marked with L-shaped white gravel.**COMMUNICATIONS:** CTAF 122.9**ERMIN** N41°43.14' W87°50.18' NOTAM FILE MDW.

CHICAGO

NDB (MHW/LOM) 332 HK 044° 5.5 NM to Chicago Midway Intl.

A

FAIRFIELD MUNI (FWC) 2 W UTC-6(-5DT) N38°22.72' W88°24.76'

ST LOUIS

436 B FUEL 100LL, JET A NOTAM FILE FWC

L-27C

RWY 09-27: H4000X75 (ASPH) S-12 MIRL 0.6% up W

IAP

RWY 09: REIL. PVASI(P SIL)—GA 3.0° TCH 25'. Tree.

RWY 27: PVASI(P SIL)—GA 3.0° TCH 25'. Pole.

RWY 18-36: H1999X60 (ASPH) S-16 MIRL

RWY 18: Road.

RWY 36: Road.

AIRPORT REMARKS: Attended 1400-2200Z+. For attendant other hrs call 618-842-3145/9101. MIRL Rwy 18-36 preset on low ints; to increase ints and ACTIVATE MIRL Rwy 09-27; REIL Rwy 09-123.05.**WEATHER DATA SOURCES:** AWOS-3 119.425 (618) 847-4709.**COMMUNICATIONS:** CTAF/UNICOM 123.05

KANSAS CITY CENTER APP/DEP CON 127.7


RADIO AIDS TO NAVIGATION: NOTAM FILE STL.

SAMSVILLE (L) VOR/DME 116.6 SAM Chan 113 N38°29.11'

W88°05.15' 245° 16.7 NM to fld. 540/3E.

WAYNE COUNTY NDB (MHW) 257 FWC N38°22.80'

W88°24.59' at fld. NOTAM FILE FWC.

**FLORA MUNI** (FOA) 2 E UTC-6(-5DT) N38°39.90' W88°27.19'

ST LOUIS

473 B S4 FUEL 100LL, JET A NOTAM FILE FOA

H-5E, L-27C

RWY 03-21: H5003X75 (ASPH-PFC) S-30, S-40 MIRL

IAP

RWY 03: PVASI(P SIL)—GA 3.0° TCH 26'. Tree.

RWY 21: REIL. VASI(V2L)—GA 3.0° TCH 20'. Pole.

RWY 15-33: 2715X100 (TURF)

RWY 15: Thld dsplcd 204'. Tree.

RWY 33: Thld dsplcd 174'.

AIRPORT REMARKS: Attended Mon-Fri 1400-2230Z+. Rwy 15-33 soft when wet. Rwy 15-33 thlds and boundary outlined by white ½ tires. Dsplcd thld marked with white rock and is day use only.

MIRL Rwy 03-21 preset on low ints; to increase ints and ACTIVATE REIL Rwy 21; PVASI Rwy 03; VASI Rwy 21 and twy lgts—CTAF. PVASI Rwy 03 OTS indef.

WEATHER DATA SOURCES: AWOS-3 120.175 (618) 662-8355.**COMMUNICATIONS:** CTAF/UNICOM 122.7


KANSAS CITY CENTER APP/DEP CON 127.7

RADIO AIDS TO NAVIGATION: NOTAM FILE STL.

BIBLE GROVE (L) VORTAC 109.0 BIB Chan 27 N38°55.22'

W88°28.91' 172° 15.4 NM to fld. 540/3E.

ILS/DME 108.55 I-RTT Chan 22Y Rwy 21. LOC only.

**FOSTER FLD** (See APPLE RIVER)**FRASCA FLD** (See Urbana)

FREEPORT**ALBERTUS** (FEP) 3 SE UTC-6(-5DT) N42°14.77' W89°34.92'**CHICAGO**859 B S4 **FUEL** 100LL, JET A TPA—See Remarks NOTAM FILE FEP


H-5D, L-286

RWY 06-24: H5504X100 (ASPH-GRVD) S-20, D-60 MIRL 0.3% up SW**IAP****RWY 06:** REIL. PAPI(P4L). GA 3.0° TCH 40'. Tree.**RWY 24:** MALSR. PAPI(P4L). GA 3.0° TCH 40'.**RWY 18-36:** 2496X150 (TURF)**RWY 18:** Road. **RWY 36:** Tree.**RWY 13-31:** 2285X150 (TURF)**RWY 13:** Road.

AIRPORT REMARKS: Attended Mon-Fri 1400-0000Z±, Sat 1400-2300Z±. Ultralight and glider activity on and invof arpt. TPA 1659 (800) piston acft, 1259 (400) ultralights. Rwy 18-36 thlds marked with in-ground conc markers. Rwy 13-31 thlds marked with in-ground conc markers. Rwy 06 REIL OTS indef. MIRL Rwy 06-24 and twy lghts preset on low ints SS-SR, to incr inst and ACTIVATE REIL Rwy 06 and MALSR Rwy 24—CTAF. PAPI Rwy 06 and Rwy 24 opr continuously.

WEATHER DATA SOURCES: AWOS-3 120.525 (815) 233-4472.**COMMUNICATIONS:** CTAF/UNICOM 122.8④ **ROCKFORD APP/DEP CON** 126.0 **CLNC DEL** 121.85**RADIO AIDS TO NAVIGATION:** NOTAM FILE FEP.**JANESVILLE (L) VOR/DME** 114.3 **JVL** Chan 90 N42°33.48'

W89°06.32' 226° 28.3 NM to fld. 931/3E.

HIWAS.**ILS/DME** 108.3 **I-PJE** Chan 20 Rwy 24.**FREEPORT/DORNINK** (C86) 6 NE UTC-6(-5DT) N42°22.67' W89°33.84'**CHICAGO**

949 TPA-1749(800) NOTAM FILE IKK

RWY 18-36: 2600X100 (TURF)**RWY 36:** Thld dsplcd 360°. Road.


AIRPORT REMARKS: Attended irregularly. Rwy 36 dsplcd thld marked with red and white ground markers. Rwy mowed 80' wide and marked with cones on sides.

COMMUNICATIONS: CTAF/UNICOM 122.8**GALESBURG MUNI** (GBG) 3 SW UTC-6(-5DT) N40°56.28' W90°25.87'**CHICAGO**764 B S4 **FUEL** 100LL, JET A OX 2 NOTAM FILE GBG

H-5D, L-278

RWY 03-21: H5791X150 (ASPH-PFC) S-47, D-57, DT-85 HIRL**IAP****RWY 03:** MALSR.**RWY 21:** REIL. VASI(V4L)—GA 3.0° TCH 43.2'. Antenna.**RWY 10-28:** H3600X100 (ASPH) S-30, D-40 MIRL**RWY 10:** Tree **RWY 28:** Tree.

AIRPORT REMARKS: Attended Mon-Fri 1200-0230Z±, Sat-Sun 1300-0100Z±. Self serve 100LL avbl 24 hrs. HIRL Rwy 03-21 and MIRL Rwy 10-28 preset low ints ngt. To increase ints ngt and ACTIVATE HIRL Rwy 03-21 and MIRL Rwy 10-28 day and MALSR Rwy 03; REIL and VASI Rwy 21—CTAF.

WEATHER DATA SOURCES: AWOS-3 109.8 GBG (309) 343-3711.**COMMUNICATIONS:** CTAF/UNICOM 123.0**RCD** 122.1R 109.8T (KANKAKEE RADIO)④ **QUAD CITY APP/DEP CON** 118.2 (1130-0430Z±) **CLNC DEL** 120.7④ **CHICAGO CENTER APP/DEP CON** 135.6 (0430-1130Z±)**AIRSPACE:** CLASS E svc 1300-0400Z± other times CLASS G.**RADIO AIDS TO NAVIGATION:** NOTAM FILE GBG.(T) **VOR/DME** 109.8 **GBG** Chan 35 N40°56.24'W90°26.07' at fld. 760/3E. **AWOS-3.****ILS** 110.7 **I-GBG** Rwy 03.**GALT FLD** (See GREENWOOD/WONDER LAKE)**GEN-AIR PARK** (See GENESEO)

GENESEO**GEN-AIRPARK** (3G8) 2 SE UTC-6(-5DT) N41°26.39' W90°06.60'

CHICAGO

645 TPA-1445 (800) NOTAM FILE IKK

RWY 09-27: 2568X120 (TURF) LIRL (NSTD)**RWY 09:** Thld dspld 240'. Road. **RWY 27:** Thld dsplcd 300'. Road.**AIRPORT REMARKS:** Attended irregularly. Parachute activity on and invof arpt. Rwy 09-27 dsplcd thld marked with a 10' strip of gravel outward from both sides of rwy. Rwy 09-27 NSTD LIRL; NSTD spacing and ints.**COMMUNICATIONS:** CTAF 122.9**GILMY** N42°06.87' W89°05.92' NOTAM FILE RFD.

CHICAGO

NDB (LOM) 275 RF 001° 4.9 NM to Chicago/Rockford Intl.**GOOEY** N38°28.68' W89°44.27' NOTAM FILE BLV.

ST LOUIS

NDB (LOM) 385 JD 309° 6.1 NM to Scott AFB/MidAmerica. No NOTAM MP Tue 1200-1600Z†.**GRANDPAS' FARM MENDOTA** (See MENDOTA)**GRAYSLAKE****CAMPBELL** (C81) 2 SW UTC-6(-5DT) N42°19.48' W88°04.45'

CHICAGO

788 B S4 **FUEL** 100LL TPA-1588(800) NOTAM FILE IKK

COPTER

RWY 06-24: 3573X40 (ASPH-TURF)

L-28H, A

RWY 06: Trees. **RWY 24:** Thld dsplcd 301'. Tree.


IAP

RWY 09-27: H3270X40 (ASPH) LIRL (NSTD) 0.3% up E**RWY 09:** TRCV(TRIL)—GA 4.0°. Trees.**RWY 27:** TRCV(TRIL)—GA 4.0°. Tree.**AIRPORT REMARKS:** Attended Mon-Fri 1330-2300Z†, Sat-Sun

1330-0000Z†. Be alert: model acft flying ½ mile SE of Rwy 27 thld. No touch and go ldt permitted. Unlgt'd power lines 167' AGL ¾ mile S of Rwy 09-27. Rwy 06-24 pavement has several areas of loose debris, cracks and depressions. Rwy 09-27 parallel twy poor, loose debris, cracks and depressions. Rwy edges drop off in excess of 2 inches. Rwy 24 NSTD dsplcd thld white stripe marking only. Rwy 06-24 SW 1000' portion turf-grvl. Rwy 09-27 NSTD LIRL; spacing and lgt ints varies.

COMMUNICATIONS: CTAF/UNICOM 122.7

® CHICAGO APP/DEP CON 120.55

RADIO AIDS TO NAVIGATION: NOTAM FILE IKK.**NORTHBROOK (H) VORW/DME** 113.0 OBK Chan 77 N42°13.29' W87°57.11' 321° 8.2 NM to fld. 758/2W.**GREATER BEARDSTOWN** (See BEARDSTOWN)**GREATER KANKAKEE** (See KANKAKEE)**GREATER PEORIA RGNL** (See PEORIA)

GREENVILLE (GRE) 3 S UTC-6(-5DT) N38°50.17' W89°22.70'

ST LOUIS

541 B S2 FUEL 100LL, JET A TPA-1341(800) NOTAM FILE STL

L-27C

RWY 18-36: H4002X75 (ASPH) S-7.5 MIRL

IAP

RWY 18: REIL. PVASI(PSIL)—GA 3.0° TCH 25'.

RWY 09-27: 3200X250 (TURF)

Rwy 09: Tree Rwy 27: Thld dsplcd 600'. Tree.

AIRPORT REMARKS: Attended Oct-Mar 1400-2300Z†, Apr-Sep 1230-0000Z†. Parachute Jumping. Intensive powered parachute ops during early morning and late afternoon/evening. Runway 09-27 600' E CLOSED indef. MIRL Rwy 18-36 preset on low ints; to increase ints ACTIVATE—CTAF. Rwy 27 dsplcd thlds marked with 5' vee board painted yellow. Rwy 18 REIL OTS indef.

COMMUNICATIONS: CTAF/UNICOM 123.05

VANDALIA RCO 122.1R 114.3T (ST LOUIS RADIO)


KANSAS CITY CENTER APP/DEP CON 127.7

RADIO AIDS TO NAVIGATION: NOTAM FILE STL.

VANDALIA (L) VORTAC 114.3 VLA Chan 90 N39°05.62'

W89°09.75' 209° 18.5 NM to fld. 604/4E.

COMM/NAV/WEATHER REMARKS: Automated UNICOM. 618-664-1939.



GREENWOOD/WONDER LAKE

GALT FLD (10C) 1N UTC-6(-5DT) N42°24.17' W88°22.51'

CHICAGO

875 B S4 FUEL 100LL OX 3, 4 TPA-1675(800) NOTAM FILE IKK

COPTER

RWY 09-27: H2802X36 (ASPH) LIRL (NSTD) 0.9% up W

L-28H, A

RWY 09: Tree. Rwy 27: Tree.

IAP

RWY 18-36: 2141X125 (TURF) 0.6% up N

Rwy 18: Thld dsplcd 200'. Tree.

Rwy 36: Thld dsplcd 270'. Pole.

AIRPORT REMARKS: Attended May-Sep 1300-0200Z†, Oct-Apr 1300-2300Z†, Memorial Day to Labor Day 1300-0100Z†. Deer on and invof arpt. Rwy 18-36 CLOSED indef. Rwy 09-27 unmarked. Rwy 09-27 NSTD LIRL with NSTD spacing; 2669' lgtd at night. Rwy 18 and 36 dsplcd thlds marked with A-frames painted black and yellow.


COMMUNICATIONS: CTAF/UNICOM 122.8

® CHICAGO APP/DEP CON 120.55

RADIO AIDS TO NAVIGATION: NOTAM FILE IKK.

NORTHBROOK (H) VORW/DME 113.0 OBK Chan 77 N42°13.29'

W87°57.11' 302° 21.8 NM to fld. 758/2W.



HARRISBURG**HARRISBURG—RALEIGH** (HSB) 4 N UTC−6(−5DT) N37°48.68' W88°33.02'

ST LOUIS

398 B S2 FUEL 100LL, JET A TPA—1198(800) NOTAM FILE HSB

H−5E, L−16I

RWY 06−24: H5013X75 (ASPH) S−12 MIRL

IAP

RWY 06: REIL. VASI(V4L)—GA 3.0° TCH 35'. Tree.

RWY 24: REIL. VASI(V4L)—GA 3.0° TCH 35'. Tree.


RWY 14−32: H2764X75 (ASPH) S−26 MIRL

RWY 14: Pole. RWY 32: Pole.

AIRPORT REMARKS: Attended 1400−2300Z†. For fuel after hrs call arpt manager at 618−926−0640 (cell) or 618−937−3674. Ultralight activity on and in/ov arpt. MIRL Rwy 06−24 preset on low ints, to increase ints and ACTIVATE MIRL Rwy 14−32, VASI Rwy 06 and Rwy 24, and REIL Rwy 06 and Rwy 24—CTAF.

WEATHER DATA SOURCES: AWOS−3 135.925 (618) 253−3010.**COMMUNICATIONS:** CTAF/UNICOM 122.8

Ⓡ KANSAS CITY CENTER APP/DEP CON 125.3

RADIO AIDS TO NAVIGATION: NOTAM FILE HUF.**POCKET CITY (H) VORTACW** 113.3 PXV Chan 80 N37°55.70'W87°45.74' 257° 38.1 NM to fld. 384/3E. **HIWAS.****NDB (MHW)** 230 HSB N37°48.70' W88°32.72' at fld. NOTAM FILE HSB.**HARTENBOWER HECTARES** (See LOSTANT)**HARVARD****DACY** (ØCØ) 1 SW UTC−6(−5DT) N42°24.15' W88°37.94'

CHICAGO

913 S4 FUEL 100LL TPA—1513(600) NOTAM FILE IKK

RWY 09−27: 3589X105 (TURF)

RWY 09: Thld dsplcd 300'. Tree. RWY 27: Tree.

RWY 14−32: 2633X100 (TURF)

RWY 14: Thld dsplcd 681'. Tree.

RWY 18−36: 2577X120 (TURF) LIRL (NSTD)

RWY 18: Thld dsplcd 305'. Road.

AIRPORT REMARKS: Attended 1400−0400Z†. Rwy 18−36 NSTD LIRL; NSTD spacing and non−frangible. Rwy 18−36 2,272' lighted. Rwy 09 dsplcd thld marked with white tires. Rwy 14 dsplcd thld marked with white tires. Rwy 18 dsplcd thld marked with white tires and orange and white barrels.

COMMUNICATIONS: CTAF 122.9**HAVANA RGNL** (9IØ) 5 SE UTC−6(−5DT) N40°13.27' W90°01.37'

CHICAGO

499 B TPA—1499(1000) NOTAM FILE IKK

RWY 09−27: 2235X100 (TURF) LIRL

AIRPORT REMARKS: Attended irregularly. 9' crops E of Rwy 27 thld—seasonal.**COMMUNICATIONS:** CTAF 122.9**HIGHLAND—WINET** (HØ7) 3 NE UTC−6(−5DT) N38°46.76' W89°38.43'

ST LOUIS

537 TPA—1337(800) NOTAM FILE STL

RWY 18−36: 2692X200 (TURF)

RWY 36: Thld dsplcd 354'. Road. Rgt tfc.

AIRPORT REMARKS: Unattended. Extensive glider ops along W side of rwy; gliders fly opposite pattern to powered acft. Rwy 36 dsplcd thld marked with white tires; also both sides of rwy marked with white tires. To assure firm turf; do not taxi S of above ground fuel tank.

COMMUNICATIONS: CTAF 122.9

HILLSBORO MUNI (3K4) 2 SE UTC-6(-5DT) N39°08.67' W89°27.42'

ST LOUIS

637 TPA-1437(800) NOTAM FILE STL

RWY 18-36: 4150X200 (TURF) LIRL (NSTD)

RWY 18: P-line.

RWY 36: Thld dsplcd 1050'. Tree.

AIRPORT REMARKS: Unattended. Minimum security prison ¾ mile SW of arpt, maintain TPA on left downwind and base leg of Rwy 36. Rwy 18-36 soft when wet, use center portion. Rwy 18-36 S 1050' rough. This area is not lighted and is marked by dsplcd thld, which consists of white rock and 3 red thld lights on each side of rwy. N end of rwy also marked with white rock and three red thld lights on both sides of rwy. For NSTD LIRL Rwy 18-36 call 217-532-2173. Rwy 18-36 NSTD LIRL due to spacing. Rwy 18 obstruction marked with orange balls. NOTE: See Special Notices—Model Rocket Activity.

COMMUNICATIONS: CTAF 122.9

HINCKLEY (ØC2) 3 W UTC-6(-5DT) N41°46.25' W88°42.21'

CHICAGO

760 TPA-1560(800) NOTAM FILE IKK

RWY 09-27: 2640X100 (TURF)

AIRPORT REMARKS: Attended irregularly. Parachute Jumping. Extensive parachute jumping and glider ops conducted surface-14,500'. Rwy 09-27 not plowed; use at own risk. Arpt may be unusable under very wet conditions.

COMMUNICATIONS: CTAF 122.9

COMM/NAV/WEATHER REMARKS: Multicom 123.3.—Glider school freq.

HOMER N40°01.59' W87°57.19' NOTAM FILE STL.

CHICAGO

NDB (MHW) 281 HMJ 302° 13.4 NM to Frasca fld. VFR only. OTS indef.

HUSKK N39°46.39' W89°45.59' NOTAM FILE SPI.

ST. LOUIS

NDB (MHW/LOM) 382 SP 043° 5.7 NM to Abraham Lincoln Capital.

L-27C

ILLINOIS VALLEY RGNL-WALTER A DUNCAN FLD (See PERU)

INGERSOLL (See CANTON)

JACKSONVILLE MUNI (IJX) 3 N UTC-6(-5DT) N39°46.48' W90°14.30'

ST LOUIS

624 B S4 FUEL 100LL, JET A TPA-1424(800) NOTAM FILE IJX

H-5D, L-27B

RWY 13-31: H5000X75 (ASPH) S-22, D-28 MIRL

IAP

RWY 13: REIL. VASI(V4L)—GA 3.0° TCH 36'. Pole.

RWY 31: REIL. Trees.

RWY 04-22: H4001X75 (ASPH) MIRL

RWY 04: Trees.

RWY 22: Trees.

AIRPORT REMARKS: Attended 1300Z±-dusk. CAUTION: Deer on and invof arpt. ACTIVATE MIRL Rwy 13-31 and Rwy 04-22 and REIL Rwy 13 and Rwy 31 and twy lgts—CTAF. Southeast twy lgts OTS indef.

WEATHER DATA SOURCES: AWOS-3 108.6 IJX (217) 243-6379.

COMMUNICATIONS: CTAF/UNICOM 122.8

Ⓡ **SPRINGFIELD APP/DEP CON** 118.45 118.6 (1200-0400Z±)


CLNC DEL 118.45

KANSAS CITY CENTER APP/DEP CON 127.275 (0400-1200Z±)

RADIO AIDS TO NAVIGATION: NOTAM FILE IJX.

(T) **VOR/DME** 108.6 IJX Chan 23 N39°46.59'

W90°14.32' at fld. 615/2E. AWOS-3.



JOLIET N41°32.78' W88°19.10' NOTAM FILE IKK.

CHICAGO

(H) **VORTAC** 112.3 JOT Chan 70 103°6.7 NM to Joliet Rgnl. 592/2E.

H-5E, L-28H, A

DME unusable byd 35 NM blo 2800'.

RCO 122.1R 112.3T (KANKAKEE RADIO)

RCO 122.5 (KANKAKEE RADIO)

JOLIET**EMPRESS RIVER CASINO HELIPORT** (IØ1) 5 SW UTC-6(-5DT) N41°28.82' W88°08.64'

CHICAGO

550 NOTAM FILE IKK

HELIPAD H1: H100X125 (ASPH) FLOOD LGTS**HELIPORT REMARKS:** Attended continuously. Optional ingress/egress routes are 160°-340°. Asph helicopter parking area is west of helipad.**COMMUNICATIONS** CTAF/UNICOM 123.05**JOLIET RGNL** (JOT) 4 W UTC-6(-5DT) N41°31.06' W88°10.54'

CHICAGO

582 B S4 **FUEL** 100LL, JET A, MOGAS NOTAM FILE JOT


L-28H, A

RWY 12-30: H2937X100 (ASPH) S-8 MIRL

IAP

RWY 12: REIL. PAPI(P4R)—GA 3.0° TCH 37'. Thld dsplcd 220'. Canopy.**RWY 30:** Thld dsplcd 80'. Tree.**RWY 04-22:** 2746X150 (TURF)**RWY 04:** Pole. **RWY 22:** Tree.**AIRPORT REMARKS:** Attended Apr-Oct 1300Z±-0300Z±, Nov-Mar 1300-0100Z±. PAEW adjacent to AER 12 indef. MIRL Rwy 12-30 preset on low inst, ACTIVATE higher inst—CTAF. Rwy 04-22 marked with tires painted white; thld marked with white gravel.**WEATHER DATA SOURCES:** AWOS-3 119.975 (815) 730-9560.**COMMUNICATIONS:** CTAF/UNICOM 122.7**RCO 122.1R 112.3T** (KANKAKEE RADIO)**RCO 122.5** (KANKAKEE RADIO)® **CHICAGO APP/DEP CON 119.35****RADIO AIDS TO NAVIGATION:** NOTAM FILE IKK.**(H) VORTAC 112.3** JOT Chan 70 N41°32.78'

W88°19.10' 103° 6.7 NM to fld. 592/2E.

**JONNY** N37°50.35' W88°58.25' NOTAM FILE MWA.

ST LOUIS

NDB (LOM) 382 MW 200° 5.4 NM to Williamson Co Rgnl.**JULIP** N40°17.37' W87°31.78' NOTAM FILE DNV.**NDB (LOM) 332** DN 209° 6.2 NM to Vermilion Rgnl.**KANKAKEE** N41°04.47' W87°50.99' NOTAM FILE IKK.

CHICAGO

(L) VOR/DME 111.6 IKK Chan 53 at Greater Kankakee. 625/OE. **AWOS-3.**

L-27C

RCO 122.2 122.1R 111.6T (KANKAKEE RADIO)

KANKAKEE**GREATER KANKAKEE** (IKK) 3 S UTC-6(-5DT) N41°04.28' W87°50.78'CHICAGO
H-5E, L-27C
IAP

630 B S4 FUEL 100LL TPA-1430(800) NOTAM FILE IKK

RWY 04-22: H5979X100 (ASPH-PFC) S-60, D-95 HIRL

RWY 04: MALSR, PAPI(P4L)—GA 3.0° TCH 49'.

RWY 22: REIL, PAPI(P4L)—GA 3.0° TCH 35'.

RWY 16-34: H4399X75 (ASPH) S-30, D-40 MIRL

RWY 16: PAPI(P4L)—GA 3.0° TCH 35'. Road.

RWY 34: PAPI(P4L)—GA 3.0° TCH 35'. Road.

AIRPORT REMARKS: Attended Apr-Oct 1300-0300Z†, Nov-Mar 1300-0100Z†. Ultralight activity in grass area W of Rwy 04-22. For ultralight ops PPR, call 815-939-1422. Deer and waterfowl on and inof. HIRL Rwy 04-22 preset on low ints, to increase ints and ACTIVATE MALSR Rwy 04 and MIRL Rwy 16-34 and REIL Rwy 04 and Rwy 22—CTAF.

WEATHER DATA SOURCES: AWOS-3 111.6 IKK (815) 939-4044.**COMMUNICATIONS:** CTAF/UNICOM 123.0

KANKAKEE FSS (IKK) on arpt.

KANKAKEE RCO 122.2 122.1R 111.6T (KANKAKEE RADIO)

Ⓡ CHICAGO CENTER APP/DEP CON 132.5


RADIO AIDS TO NAVIGATION: NOTAM FILE IKK.

PEOTONE (L) VORTAC 113.2 EON Chan 79 N41°16.18' W87°47.46' 190° 12.2 NM to fld. 690/2E.

KANKAKEE (L) VOR/DME 111.6 IKK Chan 53 N41°04.47' W87°50.99' at fld. 625/OE. AWOS-3.

LUKOW NDB (LOM) 272 IK N41°01.07' W87°54.22' 039° 4.1 NM to fld.

ILS 108.7 I-IKK Rwy 04 LOM LUKOW NDB. LOC unusable byd 20° right of course.

**KANKAKEE** (3KK) 3 SW UTC-6(-5DT) N41°06.00' W87°55.00'

CHICAGO

625 S4 FUEL 100LL TPA-1425(800) NOTAM FILE IKK

RWY 09-27: 2644X300 (TURF) LIRL (NSTD)

RWY 27: Thld dsplcd 285'. Road.

RWY 18-36: 2564X200 (TURF)

RWY 36: Thld dsplcd 900'. Trees.

AIRPORT REMARKS: Attended 1300-0100Z†. Ultralight activity on and inof arpt. Rwy 09-27 NSTD LIRL; variable ints and spacing and non-frangible mountings. Lgts on photocell. Rwy 27 and Rwy 36 dsplcd thlds marked with white rocks.

COMMUNICATIONS: CTAF/UNICOM 122.8**KEDZI** N41°44.49' W87°41.38'. NOTAM FILE MDW.

CHICAGO

NDB (MHW/LOM) 248 MX 315° 3.9 NM to Chicago Midway Intl.

A

KEWANEE MUNI (EZI) 3 SW UTC-6(-5DT) N41°12.31' W89°57.83'

CHICAGO

858 B S4 FUEL 100LL TPA-See Remarks NOTAM FILE IKK

L-27C

RWY 09-27: H4500X75 (ASPH) S-20 MIRL

IAP

RWY 09: PVASI(PSIL)—GA 3.5° TCH 29'. P-line.

RWY 27: PVASI(PSIL)—GA 3.0° TCH 26'.

RWY 01-19: H3200X60 (ASPH) S-20 MIRL 0.6% up S

RWY 01: P-line.

AIRPORT REMARKS: Attended Mon-Fri 1400-0000Z†, Sat-Sun 1400-2300Z†. Ultralight acft on and inof arpt. Hospital heliport 1.2 NM northeast of arpt. PVASI Rwy 09 and Rwy 27 OTS indef. MIRL Rwy 09-27 preset on low ints; to increase ints and ACTIVATE MIRL Rwy 01-19 and twy lgts—CTAF. TPA 1658 (800) piston acft and 1258 (400) ultralight acft.

COMMUNICATIONS: CTAF/UNICOM 122.8

Ⓡ QUAD CITY APP/DEP CON 118.2 (1130-0430Z†)


Ⓡ CHICAGO CENTER APP/DEP CON 124.55 (0430-1130Z†)

RADIO AIDS TO NAVIGATION: NOTAM FILE IKK.

BRADFORD (H) VORTAC 114.7 BDF Chan 94 N41°09.58' W89°35.27' 279° 17.3 NM to fld. 810/OE.

NDB (MHW) 245 EZI N41°12.07' W89°57.56' at fld.


Unmonitored. NDB OTS indef.



LACON

MARSHALL CO (C75) 1 E UTC-6(-5DT) N41°01.16' W89°23.19'
 568 B S4 FUEL 100LL, JET A TPA-1568(1000) NOTAM FILE C75
 RWY 13-31: H3200X75 (ASPH) MIRL 0.9% up SE
 RWY 13: REIL. Tree.
 RWY 31: PAPI (P4L)—GA 3.0° TCH 20'. Hill. Rgt tfc.
 RWY 18-36: H2200X50 (ASPH) S-4 LIRL 0.3% up N
 RWY 18: Road. RWY 36: Bldg.
AIRPORT REMARKS: Attended 1400Z±-dusk. Rwy 31 PAPI OTS indef.
 ACTIVATE MIRL Rwy 13-31; REIL Rwy 13 and PAPI Rwy 31—CTAF.
WEATHER DATA SOURCES: AWOS-3 119.425 (309) 246-3089.
COMMUNICATIONS: CTAF/UNICOM 122.8
 BRADFORD RCO 123.6 122.05R 114.7T (KANKAKEE RADIO)
 (R) CHICAGO CENTER APP/DEP CON 124.55
RADIO AIDS TO NAVIGATION: NOTAM FILE IKK.
 BRADFORD (H) VORTAC 114.7 BDF Chan 94 N41°09.58'
 W89°35.27' 133° 12.4 NM to fld. 810/0E.

CHICAGO
 L-27C
 IAP



LAKE IN THE HILLS (See CHICAGO/LAKE IN THE HILLS)

LANSING MUNI (See CHICAGO)

LAWRENCEVILLE-VINCENNES INTL (LWV) 3 NE UTC-6(-5DT) N38°45.86' W87°36.33'

ST. LOUIS
 H-5E, L-27D
 IAP

430 B S4 FUEL 100LL, JET A TPA—See Remarks NOTAM FILE LWV

RWY 18-36: H5199X150 (ASPH) S-19, D-28 MIRL
 RWY 18: REIL. PVASI(PSIL). RWY 36: REIL. PAPI(P4L). Tree.
 RWY 09-27: H5198X150 (ASPH) S-40, D-50, DT-70 MIRL
 RWY 09: REIL. PVASI(PSIL).
 RWY 27: ODALS. REIL. PAPI(P4L). Tree.
 RWY 04U-22U: 1000X200 (TURF)
 RWY 04U: Road. RWY 22U: Pole. Rgt tfc.

AIRPORT REMARKS: Attended 1200-0400Z±. Glider activity SR-SS. Rwy 09-27 and Rwy 18-36 have left hand tfc pattern for glider acft. TPA for ultralight tfc using Rwy 04U-22U is 500' maximum. Be alert: ODALS for Rwy 27 are in operation simultaneously with REILS on Rwy 18. MIRL Rwy 18-36 preset on low ints; to increase ints and ACTIVATE MIRL Rwy 09-27 and REIL Rwy 09, 27, 18 and 36 and ODALS Rwy 27—CTAF. TPA for powered acft using Rwy 09-27 and 18-36 is 1330(900). TPA for ultralight tfc using Rwy 04U-22U is 930(500).

WEATHER DATA SOURCES: ASOS 118.0 (618) 943-5252

COMMUNICATIONS: CTAF/UNICOM 122.8


(R) EVANSVILLE APP/DEP CON 125.6 (1200-0500Z±)

(R) INDIANAPOLIS CENTER APP/DEP CON 128.3 (0500-1200Z±)

RADIO AIDS TO NAVIGATION: NOTAM FILE LWV.

(T) VORW/DME 108.8 LWV Chan 25 N38°46.19' W87°36.23' at fld. 430/1W.

DME unusable 350°-030° byd 15 NM bto 3000'.



LEWIS UNIVERSITY (See CHICAGO/ROMEOVILLE)

LICOL N39°54.72' W89°36.18' NOTAM FILE SPI.

ST. LOUIS

NDB (MHW/LDM) 375 LQ 221° 5.3 NM to Abraham Lincoln Capital.

LINCOLN**LOGAN CO** (AAA) 2 NE UTC-6(-5DT) N40°09.52' W89°20.10'

597 B S4 FUEL 100 NOTAM FILE AAA

RWY 03-21: H3999X75 (ASPH) S-12.5 MIRL

RWY 03: REIL. PVASI(PSIL). Building.

RWY 21: PVASI(PSIL). Tree.

RWY 14-32: 3003X135 (TURF)

RWY 14: Thld displcd 307'. Trees.

RWY 32: Road.

AIRPORT REMARKS: Attended Mon-Sat irregularly. For svc call 217-732-6400. Self serve fuel avbl 24 hrs. Rwy 14-32 PPR to use Dec-Apr and after rain call 217-732-6400. ACTIVATE MIRL Rwy 03-21-CTAF.

WEATHER DATA SOURCES: AWOS-3 118.775 (217) 732-9605.**COMMUNICATIONS:** CTAF/UNICOM 122.8Ⓡ **SPRINGFIELD APP/DEP CON** 118.6 (1200-0400Z)**KANSAS CITY CENTER APP/DEP CON** 127.275 (0400-1200Z)**RADIO AIDS TO NAVIGATION:** NOTAM FILE SPI.**SPINNER (H) VORTACW** 112.7 SPI Chan 74 N39°50.38'

W89°40.66' 040° 24.8 NM to fld. 586/1W.


ABRAHAM NDB (MHW) 329 AAA N40°09.61' W89°20.27' at fld.

NOTAM FILE AAA.

CHICAGO

L-27C

IAP

**LITCHFIELD MUNI** (3LF) 2 SW UTC-6(-5DT) N39°09.75' W89°40.48'

690 B S4 FUEL 100LL, JET A TPA-1490(800) NOTAM FILE 3LF

RWY 18-36: 4003X75 (CONC) MIRL

RWY 18: REIL. PAPI(P2L)-GA 3.0° TCH 23'. Tank. Rgt tfc.

RWY 36: REIL. PAPI(P2L)-GA 3.0° TCH 25'. Tree.

RWY 09-27: H3901X75 (ASPH) MIRL

RWY 09: REIL. VASI(V2L)-GA 3.45° TCH 25'. Road. Rgt tfc.

RWY 27: REIL. VASI(V2L)-GA 4.0° TCH 57'. Road.

AIRPORT REMARKS: Attended 1400-2300Z. Self svc 100LL fuel avbl 24 hrs. CAUTION: Aerobatic area 1700'-4200' MSL above arpt. MIRL Rwy 18-36 and Twy C preset low ints, to increase ints and ACTIVATE MIRL Rwy 09-27 VASI Rwy 09 and 27, PAPI Rwy 18 and 36, twy lgt and REILS-CTAF. REIL Rwy 09 and Rwy 27 OTS indef. Rwy 27 VASI OTS indef. Rwy 09 VASI OTS indef.


WEATHER DATA SOURCES: AWOS-3 118.175 (217) 324-4735.**COMMUNICATIONS:** CTAF/UNICOM 122.8Ⓡ **ST LOUIS APP/DEP CON** 124.2**RADIO AIDS TO NAVIGATION:** NOTAM FILE STL.**VANDALIA (L) VORTAC** 114.3 VLA Chan 90 N39°05.62'

W89°09.75' 276° 24.3 NM to fld. 604/4E.

NDB (MHW) 371 LTD N39°09.92' W89°40.53' at fld.**ST. LOUIS**

L-27C

IAP

**LOGAN CO** (See LINCOLN)**LOSTANT****HARTENBOWER HECTARES** (2V3) 5 NW UTC-6(-5DT) N41°10.89' W89°08.80'

733 B FUEL 100LL, MOGAS NOTAM FILE IKK

RWY 18-36: 2413X100 (TURF) LIRL (NSTD)

RWY 18: Crops.

RWY 36: Road.

AIRPORT REMARKS: Attended on call 815-882-2371/2573. ACTIVATE LIRL Rwy 18-36-CTAF. ACTIVATE rotating bcn-CTAF. Rwy 18-36 NSTD LIRL; lgt ints varies.

COMMUNICATIONS: CTAF/UNICOM 122.7.**CHICAGO****LUKOW** N41°01.07' W87°54.22' NOTAM FILE IKK.**NDB (LOM)** 272 IK 039° 4.1 NM to Greater Kankakee.

MACOMB MUNI (MQB) 3 N UTC-6(-5DT) N40°31.21' W90°39.14'

CHICAGO

707 B FUEL 100LL TPA-1507(800) NOTAM FILE MQB

H-5D, L-27B

RWY 09-27: H5101X100 (ASPH) S-18, D-21 HIRL 0.5% up W

IAP

RWY 09: VASI(V2L)—GA 3.0° TCH 25'.

RWY 27: REIL. VASI(V2L)—GA 3.0° TCH 25'.

RWY 18-36: 3719X190 (TURF) 0.3% up N

RWY 18: Tree.

RWY 36: Road.

AIRPORT REMARKS: Attended 1400-2300Z+. Rwy 18-36 seasonal, Nov 1-May 1 ctc arpt manager 309-833-3324. HIRL Rwy 09-27 preset low ints, to ACTIVATE higher ints and REIL Rwy 27 and twy lgts—CTAF.

WEATHER DATA SOURCES: AWOS-3 119.025 (309) 837-4022.

COMMUNICATIONS: CTAF/UNICOM 122.8

RCO 122.15 (KANKAKEE RADIO)

CHICAGO CENTER APP/DEP CON 135.6

RADIO AIDS TO NAVIGATION: NOTAM FILE BRL.


BURLINGTON (L) VORTACW 111.4 BRL Chan 51 N40°43.40'

W90°55.55' 129° 17.5 NM to fld. 730/5E. HIWAS

NDB (MHW) 251 JZY N40°31.10' W90°33.63' 270° 4.2 NM to fld. NDB unmonitored 2300-1400Z+.

ILS 110.3 I-MQB Rwy 27. Localizer only.

LOC unmonitored 2300-1400Z+.



MANITO MITCHELL (See Manito)

MANITO

MANITO MITCHELL (C45) 3 N UTC-6(-5DT) N40°29.36' W89°46.69'

CHICAGO

501 TPA-1301(800) NOTAM FILE IKK

L-27C

RWY 04-22: H2784X40 (ASPH) LIRL (NSTD)

IAP

RWY 04: Thld dsplcd 175'. Tree.

RWY 22: Thld dsplcd 448'. Pole.

RWY 18-36: 2188X40 (ASPH-TURF)

RWY 18: Thld dsplcd 700'. Tree.

RWY 36: Thld dsplcd 80'. Tree.

AIRPORT REMARKS: Attended irregularly. Rwy 18-36 has 895' X 40' asph strip superimposed on N end. For NSTD LIRL Rwy 04-22 call 309-545-2281 after dark or emergency. Rwy 04-22 NSTD LIRL between dsplcd thlds; fixture spacing and lgt ints varies. All dsplcd thlds marked with white tires. Acft taking off on Rwy 36 cannot see AER 22 when crops grow high.


COMMUNICATIONS: CTAF/UNICOM 122.8

® PEORIA APP/DEP CON 124.675

RADIO AIDS TO NAVIGATION: NOTAM FILE PIA.

PEORIA (L) VORTACW 115.2 PIA Chan 99 N40°40.80'

W89°47.57' 173° 11.5 NM to fld. 730/4E.



MARION N37°45.26' W89°00.70' NOTAM FILE MWA.

ST LOUIS

(L) VOR/DME 110.4 MWA Chan 41 at Williamson Co Rgnl. 468/4E

H-5E, L-16H

DME unusable 030°-140° byd 20 NM blo 3500'.

RCO 122.1R 110.4T (ST LOUIS RADIO).

MARION

WILLIAMSON CO RGNL (MWA) 4 W UTC-6(-5DT) N37°45.30' W89°00.67'
 472 B S4 FUEL 100LL, JET A Class II, ARFF Index A NOTAM FILE MWA
RWY 02-20: H8002X150 (ASPH-PFC) S-80, D-95, ST-121, DT-140 HIRL

ST LOUIS
 H-5E, L-16H
 IAP, AD

RWY 02: REIL. VASI(V4L)—GA 3.5° TCH 34'. Trees.
RWY 20: MALSR. Tree.
RWY 11-29: H4997X100 (ASPH-CONC-GRVD) S-45, D-55,
 DT-100 MIRL 0.3% up SE
RWY 11: REIL. PAPI(P4L)—GA 3.0° TCH 25'. Tree.
RWY 29: REIL. PAPI(P4L)—GA 3.0° TCH 25'. Sign.

LAND AND HOLD SHORT OPERATIONS

LANDING	HOLD SHORT POINT	DIST AVBL
RWY 20	11-29	6650
RWY 29	02-20	4650

RUNWAY DECLARED DISTANCE INFORMATION

RWY 11: TORA-5000 TODA-5000 ASDA-5000 LDA-5000
RWY 29: TORA-5000 TODA-5000 ASDA-5000 LDA-5000

AIRPORT REMARKS: Attended continuously. Acft svc hrs 1230-0400Z†, other hrs call 618-993-2764. Migratory waterfowl and deer on and in/ovf arpt. First 1200' of Rwy 29 CONC GRVD. 72 hr PPR for air carrier ops with more than 30 passenger seats call arpt manager 618-993-3353. HIRL Rwy 02-20 preset on low ints; to increase ints and ACTIVATE MALSR Rwy 20, MIRL Rwy 11-29, PAPI Rwy 11 and Rwy 29 and REIL Rwy 11 and Rwy 29—CTAF. NOTE: See Special Notices—Aerobatic Practice Areas.

WEATHER DATA SOURCES: AWOS-3 119.675 (618) 942-8877. SAWRS.

COMMUNICATIONS: CTAF 126.9 UNICOM 122.95

MARION RCO 122.1R 110.4T (ST LOUIS RADIO)

® **KANSAS CITY CENTER APP/DEP CON** 125.3 **CLNC DEL** 125.3 (during hrs when twr clsd.)

MARION TOWER 126.9 (1300-0100Z†) **GND CON** 121.7

AIRSPACE: CLASS D svc 1300-0100Z† other times CLASS E.


RADIO AIDS TO NAVIGATION: NOTAM FILE MWA.

MARION (L) VOR/DME 110.4 MWA Chan 41 N37°45.26' W89°00.70' at fld. 468/4E.

JONNY NDB (LOM) 382 MW N37°50.35' W88°58.25' 200° 5.4 NM to fld.

ILS 109.3 I-MWA Rwy 20. Class IA. LOM JONNY NDB. MM OTS indef.

COMM/NAV/WEATHER REMARKS: Emerg frequency 121.5 Not avbl at twr. SAWRS available on req, call (618) 993-3921.

**MARSHALL CO** (See LACON)

MATTOON N39°28.68' W88°17.16' NOTAM FILE STL.

ST LOUIS
 L-27C

(L) **VOR/DME** 109.4 MTO Chan 31 at Coles Co Mem. 720/3E. ASOS.

DME unusable 100°-260° byd 30 NM blo 3500'.

RCO 123.6R 109.4T (ST LOUIS RADIO)

MATTOON/CHARLESTON**COLES CO MEM** (MTO) 4 E UTC-6(-5DT) N39°28.68' W88°16.76'**ST LOUIS**

722 B S4 FUEL 100LL, JET A Class IV, ARFF Index A NOTAM FILE MTO

H-5E, L-27C

RWY 11-29: H6501X150 (CONC-GRVD) S-100, D-180, ST-175, DT-280 HIRL

IAP

RWY 11: REIL. Rgt tfc. RWY 29: MALSR. Tree.

RWY 06-24: H5799X100 (ASPH-GRVD) S-50, D-70, ST-89, DT-117 MIRL

RWY 06: REIL. VASI(V4L)—GA 3.0° TCH 41'. Tree. Rgt tfc.

RWY 24: REIL. VASI(V4L)—GA 3.0° TCH 46'.

RWY 18-36: 1080X250 (TURF)

RWY 18: Rgt tfc.

RUNWAY DECLARED DISTANCE INFORMATION

RWY 06: TORA-5799 TODA-5799 ASDA-5799 LDA-5799

RWY 11: TORA-6501 TODA-6501 ASDA-6501 LDA-6501

RWY 18: TORA-1080 TODA-1080 ASDA-1080 LDA-1080

RWY 24: TORA-5799 TODA-5799 ASDA-5799 LDA-5799

RWY 29: TORA-6501 TODA-6501 ASDA-6501 LDA-6501

RWY 36: TORA-1080 TODA-1080 ASDA-1080 LDA-1080

AIRPORT REMARKS: Attended Apr-Sep 1130Z†-dusk, Oct-Mar

1230-0000Z†. Deer and birds on and invof arpt. 24 hr PPR for unscheduled air carrier ops with more than 30 passenger seats; call arpt manager 217-234-7120. Rwy 18-36 not avbl for air carrier ops with more than 30 passenger seats. Rwy 18 marked with corner stone markers, length and width. HIRL Rwy 11-29 ints preset, to increase ints and ACTIVATE MALSR Rwy 29, MIRL Rwy 06-24, REILS Rws 06, 11 and 24—CTAF.

WEATHER DATA SOURCES: ASOS 109.4 MTO (217) 234-8442.**COMMUNICATIONS:** CTAF/UNICOM 122.7

MATTOON RCO 123.6R 109.4T (ST LOUIS RADIO)

® CHAMPAIGN APP/DEP CON 132.85 (1200-0500Z†)


CHICAGO CENTER APP/DEP CON 121.35 (0500-1200Z†)

RADIO AIDS TO NAVIGATION: NOTAM FILE STL.

MATTOON (L) VOR/DME 109.4 MTO Chan 31 N39°28.68' W88°17.16' at fld. 720/3E. ASOS.

ZEBRE NDB (MHW/LOM) 347 MT N39°26.55' W88°10.41' 293° 5.4 NM to fld.

ILS 111.1 I-MTO Rwy 29. LOM ZEBRE NDB. LOM unusable byd 15 NM.

**MENDOTA****GRANDPAS' FARM MENDOTA** (ØC7) 2 SW UTC-6(-5DT) N41°31.32' W89°07.96'**CHICAGO**

727 TPA—1527(800) NOTAM FILE IKK

RWY 18-36: 3980X200 (TURF) LIRL (NSTD)

RWY 18: Thld dspcd 300'. Road. RWY 36: Thld dspcd 80'. Fence.

AIRPORT REMARKS: Attended irregularly. Rwy 18-36 CLOSED except PPR 815-866-9939/815-539-9939. Rwy 18-36 dspcd thld is 1' high blue barrel halves. ACTIVATE NSTD LIRL Rwy 18-36—CTAF. Rwy 18-36 NSTD LIRL; fixture spacing and lgt ints varies; non-FAA approved L-800 series.

COMMUNICATIONS: CTAF 122.9**MERCER CO** (See ALEDO)

METROPOLIS MUNI (M30) 2 NW UTC-6(-5DT) N37°11.15' W88°45.04'

ST LOUIS

384 B FUEL 100LL TPA-1184(800) NOTAM FILE M30

L-16H

RWY 18-36: H4000X75 (ASPH) S-12.5 MIRL

RWY 18: Tree. **RWY 36:** Tree.

AIRPORT REMARKS: Attended 1500-2300Z+. Self svc fuel avbl 24 hrs with credit card. Avoid factory lctd 4000' SW of Rwy 18-36.

Overnight tie down fee. ACTIVATE MIRL Rwy 18-36 CTAF.


WEATHER DATA SOURCES: AWOS-3 124.175 (618) 524-7483.

COMMUNICATIONS: CTAF/UNICOM 122.8

RADIO AIDS TO NAVIGATION: NOTAM FILE PAH.

CUNNINGHAM (L) VORTACW 113.1 CNG Chan 78 N37°00.52'

W88°50.21' 018° 11.4 NM to fld. 480/03E.



MOLINE N41°19.26' W90°38.29' NOTAM FILE MLI.

CHICAGO

(L) VORTACW 114.4 MZV Chan 91 033° 9.7 NM to Quad City Intl. 817/5E.

H-5D, L-27B

RCO 122.6 (KANKAKEE RADIO)

MOLINE**QUAD CITY INTL** (MLI) 3 S UTC-6(-5DT) N41°26.90' W90°30.45'**CHICAGO**590 B S4 **FUEL** 100LL, JET A LRA ARFF Index—See Remarks NOTAM FILE MLI**H-5D, L-28G****RWY 09-27:** H10002X150 (ASPH-CONC-GRVD-PFC) S-100, D-173, ST-175, DT-353 **HIRL****IAP, AD****RWY 09:** MALSR. Tree.**RWY 27:** MALSR. VASI(V4L)—GA 3.0° TCH 52'. Tree.**RWY 13-31:** H7301X150 (ASPH-CONC-GRVD-PFC) S-60, D-140, ST-175, DT-200 **HIRL****RWY 13:** REIL. VASI(V4L)—GA 3.0° TCH 48'. Tree.**RWY 31:** REIL. VASI(V4L)—GA 3.0° TCH 54'. Thld dsplcd 522'. Tree.**RWY 05-23:** H5015X150 (CONC) S-60, D-75, ST-95, DT-120**MIRL****RWY 05:** PAPI(P4L)—GA 4.0° TCH 46'. Tree.**RWY 23:** VASI(V4L)—GA 3.0° TCH 41'. Road.**LAND AND HOLD SHORT OPERATIONS**

LANDING	HOLD SHORT POINT	DIST AVBL
RWY 05	09-27	2509
RWY 05	13-31	2509
RWY 09	05-23	5500
RWY 09	13-31	5500
RWY 13	05-23	3100
RWY 13	09-27	3100
RWY 27	05-23	3350
RWY 27	13-31	3350
RWY 31	05-23	2550
RWY 31	09-27	2550

RUNWAY DECLARED DISTANCE INFORMATION

RWY 09:	TORA-10002	TODA-10002	ASDA-10002	LDA-10002
RWY 27:	TORA-10002	TODA-10002	ASDA-10002	LDA-10002
RWY 13:	TORA-7301	TODA-7301	ASDA-7046	LDA-7046
RWY 31:	TORA-7301	TODA-7301	ASDA-7026	LDA-6504

AIRPORT REMARKS: Attended 1100-0400Z†. Birds and migratory fowl on and in/ovf arpt. Rwy 05-23 and Rwy 13-31 CLOSED 0430-1130Z†. Construction/earthwork AER 05. Snow removal ops in progress winter months, vehicle operators will monitor CTAF. Arpt CLOSED to air carrier acft with more than 30 passenger seats 0530-1230Z† except PPR of arpt manager. Class I, ARFF Index B avbl 1100-0600Z† or with PPR from arpt manager; ARFF index C available on request; 24 hr PPR call arpt manager 309-757-1739. Twy K restricted to acft 100,000 lbs gross weight or less. Rwy 09 touchdown and rollout rwy visual range avbl. Rwy 27 touchdown and rollout rwy visual range avbl. When twr clsd **HIRL** Rwy 09-27 preset on med ints. **ACTIVATE MALSR** Rwy 09 and Rwy 27—CTAF.

WEATHER DATA SOURCES: ASOS (309) 799-7096. LLWAS.**COMMUNICATIONS:** CTAF 119.4 ATIS 121.2 **UNICOM** 122.95**MOLINE RCO** 122.6 (KANKAKEE RADIO)① **APP/DEP CON** 118.2 (S/SE of active rwy) 125.95 (N/NE of active rwy) (1130-0430Z†).① **CHICAGO CENTER APP/DEP CON** 118.75 (0430-1130Z†)**TOWER** 119.4 (1130-0430Z†) **GND CON** 121.9 **CLNC DEL** 124.05**AIRSPACE:** CLASS C svc 1130-0430Z† ctc **APP CON** other times CLASS E**RADIO AIDS TO NAVIGATION:** NOTAM FILE MLI.**MOLINE (L) VORTACW** 114.4 **MZV** Chan 91 N41°19.26' W90°38.29' 033° 9.7 NM to fld. 817/5E.**MOLLI NDB (LOM)** 215 **ML** N41°26.94' W90°37.11' 089° 5 NM to fld. SHUTDOWN.**ILS/DME** 110.5 I-MLI Chan 42 Rwy 09. Class IT. LOM **MOLLI NDB**. Unmonitored when twr clsd.

LOM SHUTDOWN.

ILS/DME 110.5 I-GEQ Chan 42 Rwy 27. Class IB. Unmonitored when twr clsd.**ASR****QUAD CITY SPB** (I04) 2 S UTC-6(-5DT) N41°27.60' W90°29.57'**CHICAGO**560 S2 **FUEL** 100LL TPA-960(400)**WATERWAY E-W:** 10000X300 (WATER)**WATERWAY E:** Rgt t/c.

SEAPLANE REMARKS: Unattended. Radio or phone approval req by Moline twr. Svc by prior agreement. Waterway E p-line crosses river 300' E of hanger and dock area; highway bridge 300' W of hangar and dock area.

COMMUNICATIONS: CTAF 122.9

COMM/NAV/WEATHER REMARKS: T/c information avbl from Quad City twr on 119.4. Individual ops must be approved by Quad City twr on 119.4 or by telephone.

MOLLI N41°26.94' W90°37.11' NOTAM FILE MLI.**CHICAGO****NDB (LOM)** 215 **ML** 089° 5 NM to Quad City Intl. SHUTDOWN.

MONEE**BULT FIELD** (C56) 3 SE UTC-6(-5DT) N41°22.65' W87°40.79'

790 FUEL 100LL TPA-1390(600) NOTAM FILE IKK

RWY 09-27: H5001X75 (CONC) S-60 LIRL

RWY 09: Thld dsplcd 375'. Tree. RWY 27: Thld dsplcd 151'.

AIRPORT REMARKS: Unattended. Fuel available 24 hrs with credit card.

COMMUNICATIONS: CTAF/UNICOM 123.0


PEOTONE RCO 122.05R 113.2T (KANKAKEE RADIO)

⑧ CHICAGO CENTER APP/DEP CON 132.5

RADIO AIDS TO NAVIGATION: NOTAM FILE IKK.

PEOTONE (L) VORTAC 113.2 EON Chan 79 N41°16.18'

W87°47.46' 036° 8.2 NM to fld. 690/2E.

CHICAGO
H-5E, L-28H, A
IAP**MONMOUTH MUNI** (C66) 2 N UTC-6(-5DT) N40°55.78' W90°37.87'

753 B FUEL 100LL, MOGAS TPA-1553(800) NOTAM FILE IKK

RWY 02-20: H2899X60 (ASPH) S-10 MIRL

RWY 02: VASI(V2L)—GA 3.0° TCH 40'. Tree.

RWY 20: VASI(V2L)—GA 3.0° TCH 25'. Tree.

AIRPORT REMARKS: Attended Tues-Sun 1400-2230Z†. For fuel after hrs call 309-734-5091. Rwy 02-20 pavement poor on E ramp and twy. MIRL Rwy 02-20 preset on low ints; to increase ints and ACTIVATE VASI Rwys 02 and 20—CTAF. VASI Rwys 02 and 20 OTS indef.

COMMUNICATIONS: CTAF/UNICOM 122.8

GALESBURG RCO 122.1R 109.8T (KANKAKEE RADIO)


⑧ QUAD CITY APP/DEP CON 118.2 (1130-0430Z†). CLNC DEL 120.7

⑧ CHICAGO CENTER APP/DEP CON 135.6 (0430-1130Z†)

RADIO AIDS TO NAVIGATION: NOTAM FILE GBG.

GALESBURG (T) VOR/DME 109.8 GBG Chan 35 N40°56.24'

W90°26.07' 264° 9 NM to fld. 760/3E.


CHICAGO
L-27B
IAP

MONTICELLO**PIATT CO** (2K0) 2 SE UTC-6(-5DT) N40°00.32' W88°33.52'740 B S2 **FUEL** 100LL, MOGAS TPA-1540(800) NOTAM FILE STL**RWY 18-36:** 2797X100 (TURF) MIRL (NSTD) 0.5% up N**RWY 18:** Vent pipe.**RWY 36:** Tree.

AIRPORT REMARKS: Attended Sat-Sun irregularly. For fuel call 217-762-9091/5586/7148. Extensive glider ops weekends. Model acft opr 1½ miles E of arpt. No line of sight between rwy ends. Txf to the S to avoid noise sensitive area N of arpt. ACTIVATE NSTD MIRL Rwy 18-36 and rotating bcn-CTAF. Rwy 18-36 NSTD MIRL fixture spacing and lgt ints varies.

COMMUNICATIONS: CTAF 122.9Ⓡ **CHAMPAIGN APP/DEP CON** 132.85 (1200-0500Z‡)Ⓡ **CHICAGO CENTER APP/DEP CON** 125.05 (0500-1200Z‡)**RADIO AIDS TO NAVIGATION:** NOTAM FILE CMI.


CHAMPAIGN (L) VORTAC 110.0 CMI Chan 37 N40°02.07' W88°16.56' 259° 13.1 NM to fld. 745/3E.

CHICAGO**L-27C****IAP****MORRIS MUNI-JAMES R. WASHBURN FLD** (C09) 4 N UTC-6(-5DT) N41°25.44' W88°25.12'**CHICAGO**584 B S4 **FUEL** 80, 100LL, JET A TPA-1384(800) NOTAM FILE C09**H-5E, L-28H, A****RWY 18-36:** H5000X75 (ASPH) S-4, D-125 MIRL 0.4% up N**RWY 18:** REIL. Building.**RWY 36:** REIL. Antenna.

AIRPORT REMARKS: Attended 1400-0200Z‡. MIRL Rwy 18-36 preset on low ints; to increase ints and ACTIVATE REIL Rwys 18 and 36-CTAF.

WEATHER DATA SOURCES: AWOS-3 118.175 (815) 941-1815.**COMMUNICATIONS:** CTAF/UNICOM 122.8**JOLIET RCO** 122.1R 112.3T (KANKAKEE RADIO)**JOLIET RCO** 122.5 (KANKAKEE RADIO)Ⓡ **CHICAGO APP/DEP CON** 119.35**RADIO AIDS TO NAVIGATION:** NOTAM FILE IKK.

JOLIET (H) VORTAC 112.3 JOT Chan 70 N41°32.78' W88°19.10' 210° 8.6 NM to fld. 592/2E.



MOUNT CARMEL MUNI (AJG) 12 N UTC-6(-5DT) N38°36.39' W87°43.60'

ST LOUIS

429 B S2 FUEL 100LL NOTAM FILE AJG

L-27D

RWY 13-31: H4500X75 (ASPH) MIRL

IAP

RWY 13: Tree. RWY 31: REIL. PVASI (PSIL)—GA 3.0° TCH 25'.

RWY 04-22: H4000X100 (ASPH) S-11 MIRL

RWY 04: REIL. PVASI(PSIL)—GA 3.0° TCH 29'. Tree.

RWY 22: REIL. PVASI(PSIL)—GA 3.0° TCH 29'. Road.

AIRPORT REMARKS: Attended 1400-2300Z±. Agriculture ops invof arpt.

Rwy 04 PSIL unusable byd 8° left of course. MIRL Rwy 04-22
 preset on low ints; to increase ints and ACTIVATE MIRL Rwy
 13-31; REIL Rwy 04, Rwy 22 and Rwy 31, PVASI Rwy 04, Rwy 22
 and Rwy 31—CTAF.

WEATHER DATA SOURCES: AWOS-3 134.9 (618) 948-2184.**COMMUNICATIONS:** CTAF/UNICOM 122.7


Ⓡ EVANSVILLE APP/DEP CON 125.6 (1200-0500Z±)

Ⓡ INDIANAPOLIS CENTER APP/DEP CON 128.3 (0500-1200Z±)

RADIO AIDS TO NAVIGATION: NOTAM FILE LWV.

LAWRENCEVILLE (T) VORW/DME 108.8 LWV Chan 25 N38°46.19'
 W87°36.23' 212° 11.4 NM to fld. 430/1W.

NDB (MHW) 524 AJG N38°36.71' W87°43.53' at fld. NOTAM
 FILE AJG.

**MOUNT HAWLEY AUXILIARY** (See PEORIA)**MOUNT MORRIS****OGLE CO** (C55) 2 SE UTC-6(-5DT) N42°02.24' W89°23.57'

CHICAGO

929 B TPA—See Remarks NOTAM FILE IKK

RWY 09-27: 2640X200 (TURF) LIRL (NSTD)

RWY 09: Trees.

AIRPORT REMARKS: Unattended. ACTIVATE NSTD LIRL Rwy 09-27 and rotating bcn—CTAF. Rwy 09-27 NSTD LIRL due
 to spacing; ints and non-frangible—orange cones adjacent to lights. TPA 1729 (800) TPA for ultralights 1329
 (400). +10' corn may be on rwy ends during growing season.

COMMUNICATIONS: CTAF 122.9**MOUNT STERLING MUNI** (I63) 2 W UTC-6(-5DT) N39°59.12' W90°48.25'

ST LOUIS

734 B FUEL 100LL, JET A NOTAM FILE STL

H-5D, L-27B

RWY 18-36: H5905X75 (ASPH) MIRL 0.3% up N

IAP

RWY 18: PVASI(PSIL)—GA 3.0° TCH 25'. Pole.

RWY 36: PVASI(PSIL)—GA 3.0° TCH 27'. Tree.


AIRPORT REMARKS: Attended irregularly. Fuel now avbl to public—self
 service. ACTIVATE MIRL Rwy 18-36—CTAF.

COMMUNICATIONS: CTAF/UNICOM 122.8

Ⓡ KANSAS CITY CENTER APP/DEP CON 135.525

RADIO AIDS TO NAVIGATION: NOTAM FILE UIN.

QUINCY (H) VORTAC 113.6 UIN Chan 83 N39°50.87'
 W91°16.74' 064° 23.4 NM to fld. 715/5E. HIWAS.



MOUNT VERNON (MVN) 3 E UTC-6(-5DT) N38°19.40' W88°51.51'

ST LOUIS

480 B S4 FUEL 100LL, JET A OX 2 Class IV, ARFF Index A NOTAM FILE MVN

H-5E, L-27C

RWY 05-23: H6496X150 (ASPH-PFC) S-50, D-90, ST-95, DT-110 HIRL

IAP

RWY 05: VASI(V4L)—GA 3.0° TCH 32.2'. Thld dsplcd 774'. Railroad.

RWY 23: MALSR. Trees.

RWY 15-33: H3146X100 (ASPH-PFC) S-12 MIRL 0.7% up NW

RWY 15: Tree. RWY 33: Railroad.

RUNWAY DECLARED DISTANCE INFORMATION

RWY 05: TORA-6496 TODA-6496 ASDA-6496 LDA-5722

RWY 23: TORA-5572 TODA-5572 ASDA-5572 LDA-5572

AIRPORT REMARKS: Attended 1230-0200Z+. For svcs after hrs call

618-204-0890. Migratory waterfowl and deer on and in/ov arpt.

Rwy 15-33 not avbl for air carrier ops with more than 30

passenger seats. Closed to scheduled air carrier ops with greater

than 9 passenger seats and unscheduled air carrier ops greater

than 30 passenger seats. 90-day PPR, call 618-242-7016. SW

General Aviation apron clsd except by PPR from arpt manager ctc

618-242-7016. Rwy 05 also 18' railroad 238' from rwy end 498'

right of centerline 2:1 slope. Heliport for private use by Air-Evac

Lifeteam only. ACTIVATE MIRL Rwy 15-33 and HIRL Rwy 05-23;

MALSR Rwy 23—CTAF.

WEATHER DATA SOURCES: AWOS-3 113.8 VNN (618) 242-7933**COMMUNICATIONS:** CTAF/UNICOM 123.0


RCO 122.05R 113.8T (ST LOUIS RADIO)

KANSAS CITY CENTER APP/DEP CON 127.7

RADIO AIDS TO NAVIGATION: NOTAM FILE MVN.

(L) VOR/DME 113.8 VNN Chan 85 N38°21.72' W88°48.44' 224° 3.3 NM to fld. 558/2E. AWOS-3.

ILS 111.7 I-MVN Rwy 23. Class IE.

**NEW LENOX** N41°28.79' W87°55.29'

CHICAGO

RCO 122.5 (KANKAKEE RADIO)

L-28H, A

NEWARK**CUSHING FLD LTD** (ØC8) 2 SW UTC-6(-5DT) N41°31.17' W88°36.34'

CHICAGO

640 FUEL MOGAS TPA-1440(800) NOTAM FILE IKK

RWY 18-36: 2831X180 (TURF) LIRL (NSTD)

RWY 18: Thld dsplcd 380'. P-line.

RWY 36: Thld dsplcd 250'. Fence.

AIRPORT REMARKS: Attended irregularly. Ultralight activity on and in/ov arpt. ACTIVATE LIRL Rwy 18-36—CTAF. Rwy

18-36 NSTD LIRL lgts ints varies; non FAA approved L-800 series. Rwy 18 P-line marked with orange balls. Rwy

18-36 dsplcd thlds marked with orange and white painted wood with one red lgt adjacent to each marker.

COMMUNICATIONS: CTAF/UNICOM 122.7**NORTHBROOK** N42°13.29' W87°57.11' NOTAM FILE IKK.

CHICAGO

(H) VORW/DME 113.0 OBK Chan 77 163° 6.8 NM to Chicago Executive. 758/2W.

COPTER

DME unusable 215°-330° byd 35 NM blo 3000'.

H-5E, L-28H, A

OGLE CO (See MOUNT MORRIS)

OLNEY—NOBLE (OLY) 4 W UTC-6(-5DT) N38°43.31' W88°10.59'

ST LOUIS

482 B S4 FUEL 100LL TPA—1282(800) NOTAM FILE OLY

L-27C

RWY 11-29: H4100X75 (ASPH) S-12 MIRL 0.3% up W

IAP

RWY 11: REIL. VASI(V2L)—GA 3.0° TCH 25'. Road.

RWY 29: VASI(V2L)—GA 3.0° TCH 25'. Tree.

RWY 03-21: H3599X60 (ASPH) S-18, D-25 MIRL

RWY 03: REIL. Tree.

RWY 21: Trees.

AIRPORT REMARKS: Attended 1400Z±-2300Z±. For arpt attendance after hrs call 618-393-2967. MIRL Rwy 11-29 preset on low ints—to increase ints and ACTIVATE VASI Rws 11 and 29, REIL Rwy 11, MIRL Rwy 03-21 and REIL Rwy 03—CTAF.

WEATHER DATA SOURCES: AWOS-3 119.275 (618) 393-4416.**COMMUNICATIONS:** CTAF/UNICOM 123.0

SAMSVILLE RCO 122.1R 116.6T (ST LOUIS RADIO)

KANSAS CITY CENTER APP/DEP CON 127.7

RADIO AIDS TO NAVIGATION: NOTAM FILE STL.


SAMSVILLE (L) VOR/DME 116.6 SAM Chan 113 N38°29.11'

W88°05.15' 340° 14.8 NM to fld. 540/3E.

NDB (MHW) 272 OLY N38°43.09' W88°10.37' at fld.

NOTAM FILE OLY.

ILS/DME 110.5 I-LZW Chan 42 Rwy 11. LOC unusable
byd 20 degrees right of course.

**OTTAWA** N41°21.75' W88°51.26' NOTAM FILE IKK.

CHICAGO

NDB (MHW) 266 at Skydive Chicago. VFR only. Out of svc indef.

OTTAWA**SKYDIVE CHICAGO** (8N2) 4 NE UTC-6(-5DT) N41°23.99' W88°47.64'

CHICAGO

616 TPA—1416(800) NOTAM FILE IKK

L-28H


RWY 03-21: H4522X50 (ASPH) S-12.5 LIRL

AIRPORT REMARKS: Attended 1400±-dusk. Extensive parachute activity on and in/ov arpt. 268' cellular twr ½ mile WSW of Rwy 03. For noise abatement fly wide pattern Rwy 03. Ldg fee. ACTIVATE LIRL Rwy 03-21—122.725.

COMMUNICATIONS: CTAF 122.725 UNICOM 122.725**RADIO AIDS TO NAVIGATION:** NOTAM FILE IKK.

JOLIET (H) VORTAC 112.3 JOT Chan 70 N41°32.78'

W88°19.10' 246° at 23.2 NM to fld. 592/2E.

**PALESTINE** N39°00.85' W87°38.50' NOTAM FILE RSV.

ST LOUIS

NDB (MHW) 391 PLX at Robinson Muni.

L-27D

PALMYRA**ZELMER MEM AIRPARK INC** (5K1) 1 S UTC-6(-5DT) N39°25.20' W89°59.47'

ST LOUIS

663 FUEL 100LL, MOGAS TPA—1463(800) NOTAM FILE STL

RWY 18-36: H2900X32 (ASPH) LIRL

RWY 18: Building.

RWY 36: Thld dsplcd 307'.

AIRPORT REMARKS: Attended irregularly, for attendant call 217-439-7497. ACTIVATE NSTD LIRL Rwy 18-36—CTAF.

Rwy 36 dsplcd thld marked with white line and three amber lgts on each side.

COMMUNICATIONS: CTAF 122.9.**PARIS** N39°41.90' W87°40.45' NOTAM FILE PRG.

ST LOUIS

NDB (MHW) 341 PRG at Edgar Co. Unmonitored 2200-1400Z±.

L-27D

PARIS

EDGAR CO (PRG) 5 N UTC-6(-5DT) N39°42.01' W87°40.18'

654 B FUEL 100LL TPA-1454(800) NOTAM FILE PRG

RWY 09-27: H4502X75 (ASPH) S-12.5 MIRL

RWY 09: PVASI(P SIL)—GA 3.0° TCH 25'. Tree.

RWY 27: REIL. PVASI(P SIL)—GA 3.0° TCH 25'. Tree.

AIRPORT REMARKS: Attended Mon-Fri 1400-2200Z†, Sat

1400-2000Z†, Sun on call. Rwy 09 VASI and Rwy 27 VASI

unusable byd 5° left/rgt of centerline. MIRL Rwy 09-27 preset on low ints; to increase ints and ACTIVATE PVASI Rwy 09 and Rwy 27—CTAF.

WEATHER DATA SOURCES: AWOS-3 124.175 (217) 465-4304.

COMMUNICATIONS: CTAF/UNICOM 123.0

® HULMAN APP/DEP CON 125.45, 118.3 (1100-0300Z†)

® INDIANAPOLIS CENTER APP/DEP CON 132.2 (0300-1100Z†)


RADIO AIDS TO NAVIGATION: NOTAM FILE HUF.

TERRE HAUTE (H) VORTACW 115.3 TTH Chan 100 N39°29.34'

W87°14.94' 301° 23.3 NM to fld. 606/2E. HIWAS.

PARIS NDB (MHW) 341 PRG N39°41.90' W87°40.45' at fld.

Unmonitored 2200-1400Z†. NOTAM FILE PRG.



ST LOUIS

L-27D

IAP

PAXTON (1C1) 2 SW UTC-6(-5DT) N40°26.94' W88°07.67'

779 B S4 FUEL 100LL, MOGAS TPA-1579(800) NOTAM FILE STL

RWY 18-36: H3409X50 (ASPH) S-12.5 MIRL (NSTD) 0.7% up N

RWY 18: REIL. TRCV(TRIL)—GA 3.0°. TCH 50'. Thld dsplcd 800'.

Tree.

RWY 36: TRCV(TRIL)—GA 3.0° TCH 50'. Tree.

AIRPORT REMARKS: Attended irregularly. Maintenance on call phone

217-249-2296 avbl May thru Sep. Rwy 18 dsplcd thld painted

white line across rwy. Rwy 18-36 NSTD MIRL—fixture spacing and lgt ints varies.

COMMUNICATIONS: CTAF/UNICOM 122.8


® CHAMPAIGN APP/DEP CON 121.35 (1200-0500Z†)

® CHICAGO CENTER APP/DEP CON 121.35 (0500-1200Z†)

RADIO AIDS TO NAVIGATION: NOTAM FILE STL.

ROBERTS (L) VOR/DME 116.8 RBS Chan 115 N40°34.90'

W88°09.86' 166° 8.1 NM to fld. 780/2E.



CHICAGO

L-27C

IAP

PEKIN MUNI (C15) 4 S UTC-6(-5DT) N40°29.29' W89°40.55'
 530 B S4 FUEL 100LL, JET A TPA-1330(800) NOTAM FILE IKK
 RWY 09-27: H5000X75 (ASPH) S-15 HIRL
 RWY 09: PAPI(P2L)—GA 3.0° TCH 20'.
 RWY 27: PAPI(P2L)—GA 3.0° TCH 25'.


AIRPORT REMARKS: Attended 1400-2300Z. ACTIVATE HIRL Rwy 09-27 and PAPIs Rwy 09 and Rwy 27—CTAF.

COMMUNICATIONS: CTAF/UNICOM 122.8

④ **PEORIA APP/DEP CON** 124.675

RADIO AIDS TO NAVIGATION: NOTAM FILE PIA.

PEORIA (L) VORTACW 115.2 PIA Chan 99 N40°40.80'
 W89°47.57' 151° 12.7 NM to fld. 730/4E.



CHICAGO

H-5D, L-27C

IAP

PEORIA N40°40.80' W89°47.57' NOTAM FILE PIA.

(L) **VORTACW** 115.2 PIA Chan 99 098° 4.6 NM to Greater Peoria Rgnl. 730/4E.

VOR portion unusable 009°-019° blo 8000' and between 25 and 35 NM.

RCO 122.35 (KANKAKEE RADIO)

CHICAGO

H-5D, L-27C

PEORIA

GREATER PEORIA RGNL (PIA) 4 W UTC-6(-5DT) N40°39.85' W89°41.60'

660 B S4 FUEL 100LL, JET A OX 1, 2 LRA Class I, ARFF Index B NOTAM FILE PIA

CHICAGO

H-5D, L-27C

RWY 13-31: H10104X150 (CONC-GRVD) S-100, D-175, ST-175, DT-310 HIRL

IAP, AD

RWY 13: MALSR. VASI(V4L)—GA 3.0° TCH 59'. Thld dsplcd 500'.

Tree.

RWY 31: MALSR. Tree.

RWY 04-22: H8003X150 (ASPH-GRVD) S-100, D-175, ST-175, DT-300 HIRL

RWY 04: MALSR. VASI(V4L)—GA 3.0° TCH 31'. Tree.

RWY 22: VASI(V4L)—GA 3.0° TCH 45'. Tree.

AIRPORT REMARKS: Attended continuously. Birds on and invof arpt.

Portion of Twy A-5 not visible from twr due to a building.

WEATHER DATA SOURCES: ASOS (309) 697-3611. LLWAS.

COMMUNICATIONS: ATIS 126.1 UNICOM 122.95

PEORIA RCO 122.35 (KANKAKEE RADIO)

④ **PEORIA APP/DEP CON** 125.8 (305°-125°) 124.675 (126°-304°)

PEORIA TOWER 119.1 GND CON 121.85

AIRSPACE: CLASS C svc continuous etc APP CON

RADIO AIDS TO NAVIGATION: NOTAM FILE PIA.

PEORIA (L) VORTACW 115.2 PIA Chan 99 N40°40.80'


W89°47.57' 098° 4.6 NM to fld. 730/4E.

TUNGG NDB (MHW/LDM) 356 PI N40°36.34' W89°35.59' 307°
 5.8 NM to fld.

ILS/DME 110.55 I-RNX Chan 42(Y) Rwy 04. Class IE.

ILS 109.9 I-GZX Rwy 13. Class IB.

ILS 109.9 I-PIA Rwy 31. Class IA. LOM TUNGG NDB.



MOUNT HAWLEY AUXILIARY (3MY) 7 N UTC-6(-5DT) N40°47.72' W89°36.81'

CHICAGO

786 B S4 FUEL 100LL, JET A OX 2 TPA-1786(1000) NOTAM FILE IKK

L-27C

RWY 18-36: H3600X60 (ASPH) S-4 MIRL 0.3% up N.

IAP

RWY 18: Tree.

RWY 36: REIL. VASI(V4L)-GA 3.5° TCH 32'. Tree.

AIRPORT REMARKS: Attended dawn-dusk. ACTIVATE Rwy 36 REIL and VASI-CTAF.


COMMUNICATIONS: CTAF/UNICOM 122.7

® PEORIA APP/DEP CON 125.8 CLNC DEL 121.6

RADIO AIDS TO NAVIGATION: NOTAM FILE PIA.

PEORIA (L) VORTACW 115.2 PIA Chan 99 N40°40.80'

W89°47.57' 046° 10.7 NM to fld. 730/4E.

**RAINBOW HELIPORT** (7B1) 5 NW UTC-6(-5DT) N40°46.52' W89°40.56'

CHICAGO

700 TPA-1400(700) NOTAM FILE IKK

HELIPAD H1: 225X82 (TURF)

HELIPAD H1: Tree.

HELIPORT REMARKS: Attended daily 1400-0000Z±. Approach/Departure from 010°-220° clockwise only. Helipad H1 NSTD markings. Helipad H1 marked with 'H' in the grass.

COMMUNICATIONS: CTAF/UNICOM 123.05

PEOTONE N41°16.18' W87°47.46' NOTAM FILE IKK.

CHICAGO

(L) VORTAC 113.2 EON Chan 79 190° 12.2 NM to Greater Kankakee. 690/2E.

L-28H

RC0 122.05R 113.2T (KANKAKEE RADIO)

PERCIVAL SPRINGS (See WATSON)**PERU****ILLINOIS VALLEY RGNL-WALTER A DUNCAN FLD** (VYS) 1 E UTC-6(-5DT)

CHICAGO

N41°21.11' W89°09.19'

H-5D, L-28H

654 B S4 FUEL 100LL, JET A NOTAM FILE VYS

IAP

RWY 18-36: H6000X100 (ASPH) S-24 MIRL

RWY 18: Pole.

RWY 36: ODALS.

AIRPORT REMARKS: Attended Sat-Sun 1400-0400Z±, Nov-Feb Mon-Fri 1300-2300Z±, Mar-Oct Mon-Fri 1300-0500Z±. Southbound jet departures climb straight S to the river (approximately 3 miles) before turning eastbound. MIRL 18-36 preset low ints, to increase ints and ACTIVATE ODALS Rwy 36-CTAF.

WEATHER DATA SOURCES: AWOS-3 120.025 (815) 223-8442.

COMMUNICATIONS: UNICOM/CTAF 123.0

® CHICAGO CENTER APP/DEP CON 123.75


RADIO AIDS TO NAVIGATION: NOTAM FILE IKK.

BRADFORD (H) VORTAC 114.7 BDF Chan 94 N41°09.58'

W89°35.27' 060° 22.8 NM to fld. 810/0E.

ILS/DME 110.35 I-PYU Chan 40(Y) Rwy 36. LOC only.

ILS/DME unmonitored.

**PIATT CO** (See MONTICELLO)

PINCKNEYVILLE—DU QUOIN (PJY) 6 SE UTC-6(-5DT) N37°58.67' W89°21.63'

ST LOUIS

400 B FUEL 100LL TPA—1200(800) NOTAM FILE STL

L-16H

RWY 18-36: H4000X60 (ASPH) S-4 MIRL

IAP


RWY 18: PAPI(P4L)—GA 3.0° TCH 20'.

RWY 36: PAPI(P4L)—GA 3.0° TCH 20'. Road.

AIRPORT REMARKS: Attended irregularly. For service call acft maintenance, 618-443-2002. Wildlife on and invof arpt. Ultralight activity on and invof arpt. Rotating bcn is shielded and not visible from the W. For service call 618-357-9611/8746 or 618-443-2002. Rwy 18-36 pre-set to low ints, to incr ints and ACTIVATE—CTAF, PAPI Rwy 18 and Rwy 36 opr 24 hrs. NOTE: See Special Notices—Aerobatic Practice Areas.

COMMUNICATIONS: CTAF/UNICOM 122.8**(R) KANSAS CITY CENTER APP/DEP CON 125.3****RADIO AIDS TO NAVIGATION:** NOTAM FILE STL.**CENTRALIA (H) VORTAC** 115.0 ENL Chan 97 N38°25.20'

W89°09.54' 196° 28.2 NM to fld. 546/4E.

HIWAS.**PITTSFIELD PENSTONE MUNI** (PPQ) 3 NE UTC-6(-5DT) N39°38.33' W90°46.71'

ST LOUIS

710 B FUEL 100LL, JET A TPA—1510(800) NOTAM FILE PPQ

L-27B


RWY 13-31: H4000X60 (ASPH) S-12 MIRL 0.4% up NW

IAP

RWY 13: PAPI(P2L)—GA 3.0° TCH 32'. Tree.

RWY 31: PAPI(P2L)—GA 3.0° TCH 29'. Tree.

AIRPORT REMARKS: Attended Mon-Fri 1400-2300Z†. 24 hr. self svc credit card (major) fuel facility. Deer and migratory waterfowl on and invof arpt. MIRL Rwy 13-31 preset on low ints; to increase ints ACTIVATE—CTAF.

WEATHER DATA SOURCES: AWOS-3 118.525 (217) 285-1428.**COMMUNICATIONS:** CTAF/UNICOM 122.8**KANSAS CITY CENTER APP/DEP CON 135.525****RADIO AIDS TO NAVIGATION:** NOTAM FILE UIN.**QUINCY (L) VORTAC** 113.6 UIN Chan 83 N39°50.87'W91°16.74' 113° 26.3 NM to fld. 715/5E. **HIWAS.****POLO** N41°57.94' W89°31.45' NOTAM FILE IKK.

CHICAGO

(L) VOR/DME 111.2 PLL Chan 49 153° 8.7 NM to Dixon Muni—Charles R. Walgreen Fld. 840/3E.

L-28H

HIWAS.**RCD 122.1R 111.2T (KANKAKEE RADIO)**

PONTIAC MUNI (PNT) 3 N UTC-6(-5DT) N40°55.47' W88°37.44'

666 B S4 FUEL 100LL, JET A NOTAM FILE PNT

RWY 06-24: H5000X75 (ASPH) S-8, D-12.5 MIRL 0.3% up NE

RWY 06: PVASI(PSIL). Pole. RWY 24: PVASI(PSIL).

AIRPORT REMARKS: Attended Nov-Mar 1400-2300Z, Apr-Oct 1400Z+-Dusk. Rwy 06 PVASI OTS indef. ACTIVATE MIRL Rwy 06-24 and PVASI Rwy 06 and Rwy 24-CTAF.

WEATHER DATA SOURCES: AWOS-3 119.675 (815) 844-0923.

HIWAS 109.6 PNT.

COMMUNICATIONS: CTAF/UNICOM 122.8

RCO 122.1R 109.6T (KANKAKEE RADIO)

® CHICAGO CENTER APP/DEP CON 124.55

RADIO AIDS TO NAVIGATION: NOTAM FILE IKK.


(L) VOR/DME 109.6 PNT Chan 33 N40°49.27'

W88°44.01' 036° 8.0 NM to fld. 679/03E. HIWAS.

CHICAGO

H-5E, L-27C

IAP



POPLAR GROVE (C77) 3 S UTC-6(-5DT) N42°19.39' W88°50.18'

858 B S4 FUEL 100LL, AFOS TPA-1858(1000) NOTAM FILE IKK

RWY 12-30: H3773X50 (ASPH-AFSC) LIRL (NSTD)

RWY 12: Thld dsplcd 500'. Tree.

RWY 09-27: 2709X200 (TURF) 0.3% up W

RWY 09: Tree. RWY 27: Tree.

RWY 17-35: 2467X150 (TURF)

RWY 17: Thld dsplcd 340'. Road. RWY 35: Bldg.

AIRPORT REMARKS: Attended SR-SS. Rwy 17-35 and 09-27 CLOSED exc ski acft when snow covered. Rwy 12-30 NSTD LIRL due to spacing, ints and non-frangible mountings. Tetrahedron lgts OTS indef.

COMMUNICATIONS: CTAF/UNICOM 122.8

® ROCKFORD APP/DEP CON 121.0

RADIO AIDS TO NAVIGATION: NOTAM FILE RFD.


ROCKFORD (L) VOR/DME 110.8 RFD Chan 45 N42°13.54'

W89°11.96' 069° 17.2 NM to fld. 860/1E.

CHICAGO

L-28H

IAP



QUAD-CITY (See MOLINE)

QUAD-CITY SPB (See MOLINE)

QUINCY RGNL-BALDWIN FLD (UIN) 10 E UTC-6(-5DT) N39°56.58' W91°11.67'

KANSAS CITY

768 B S4 FUEL 100LL, JET A TPA-1768(1000) Class II, ARFF Index A NOTAM FILE UIN H-5D, L-27B

RWY 04-22: H7098X150 (ASPH-CONC-GRVD) S-60, D-75, ST-95, DT-150 HIRL IAP

RWY 04: MALSR. Road.

RWY 22: REIL. VASI(V4L)—GA 3.0° TCH 43'.

RWY 18-36: H5400X150 (ASPH-CONC) S-45, D-55, DT-100 MIRL

RWY 18: REIL.

RWY 36: Road.

RWY 13-31: H5396X150 (ASPH-GRVD) S-75, D-95, ST-121, DT-150 MIRL

RWY 13: VASI(V4L)—GA 3.0° TCH 31'. Road.

RWY 31: PAPI(P4R)—GA 3.0° TCH 40'. Pole

RUNWAY DECLARED DISTANCE INFORMATION

RWY 04: TORA-7098 TODA-7098 ASDA-7098 LDA-7098

RWY 13: TORA-5396 TODA-5396 ASDA-5123 LDA-5123

RWY 18: TORA-5400 TODA-5400 ASDA-5400 LDA-5400

RWY 22: TORA-7098 TODA-7098 ASDA-7098 LDA-7098

RWY 31: TORA-5396 TODA-5396 ASDA-5146 LDA-5146

RWY 36: TORA-5400 TODA-5400 ASDA-5400 LDA-5400

AIRPORT REMARKS: Attended 1100-0400Z†. For attendant after hrs call 217-885-3353 or 217-224-3755. Migratory waterfowl on and invof arpt. 48 hrs PPR for unscheduled air carrier ops involving acft with more than 30 passenger seats. Call arpt manager 217-885-3285 or 217-885-3262 during business hrs. Rwy 18-36 spalling with cracks throughout rwy. N 479' of Rwy 18-36 conc. NE 1300' of Rwy 04-22 conc. HIRL Rwy 04-22 preset low ints; to increase ints and ACTIVATE MIRL Rwy 13-31 and Rwy 18-36, MALSR Rwy 04, VASI Rwy 13 and PAPI Rwy 31—CTAF.

WEATHER DATA SOURCES: ASOS 121.425 (217) 885-3319. HIWAS 113.6 UIN.**COMMUNICATIONS:** CTAF/UNICOM 123.0

RCO 122.1R 113.6T (ST LOUIS RADIO)

RCO 122.5 (ST LOUIS RADIO)


KANSAS CITY CENTER APP/DEP CON 135.525

AIRSPACE: CLASS E svc operational by NOTAM other times CLASS G.**RADIO AIDS TO NAVIGATION:** NOTAM FILE UIN.

(H) VORTAC 113.6 UIN Chan 83 N39°50.87' W91°16.74' 029° 6.9 NM to fld. 715/5E. HIWAS.

NDB (MHW/LOM) 293 UI N39°53.21' W91°15.22' 037° 4.3 NM to fld. Unmonitored.

ILS 110.1 I-UIN Rwy 04. Class IE. LOM QUINCY NDB. ILS unmonitored.

**RAINBOW HELIPORT** (See PEORIA)**RANTOUL NATIONAL AVIATION CENTER-FRANK ELLIOTT FLD** (TIP) O N UTC-6(-5DT)

CHICAGO

H-5E, L-27C

IAP

N40°17.61' W88°08.54'

737 B S4 FUEL 100LL, JET A NOTAM FILE TIP

RWY 09-27: H5000X75 (ASPH) MIRL

RWY 09: REIL. Pole. Rgt tfc.

RWY 27: REIL.

RWY 18-36: H4895X75 (ASPH) MIRL

RWY 18: Tree.

RWY 36: Rgt tfc.

AIRPORT REMARKS: Attended continuously. For fuel after hrs call 217-892-2121. Parachute Jumping. Rwy 18-36 uneven concrete midfield. MIRL Rwy 09-27 and Rwy 18-36 preset on low ints, to increase ints ACTIVATE—CTAF. REIL Rwy 09 and Rwy 27 OTS indef.

WEATHER DATA SOURCES: AWOS-3 119.025 (217) 892-4999.**COMMUNICATIONS:** CTAF/UNICOM 123.0


⑧ CHAMPAIGN APP/DEP CON 121.35 (1200-0500Z†)

CHICAGO CENTER APP/DEP CON 121.35 (0500-1200Z†)

RADIO AIDS TO NAVIGATION: NOTAM FILE CMI.

CHAMPAIGN (L) VORTAC 110.0 CMI Chan 37 N40°02.07'

W88°16.56' 019°16.7 NM to fld. 745/3E.

**ROBERTS** N40°34.90' W88°09.86' NOTAM FILE STL.

CHICAGO

H-5E, L-27C

(L) VOR/DME 116.8 RBS Chan 115 166° 8.1 NM to Paxton. 780/2E.

RCO 122.1R 116.8T (ST LOUIS RADIO)

ROBINSON MUNI (RSV) 4 E UTC-6(-5DT) N39°00.96' W87°38.99'

ST LOUIS

462 B S2 FUEL 100LL, JET A, MOGAS TPA-1262(800) NOTAM FILE RSV

H-5E, L-27D

RWY 09-27: H5109X75 (ASPH) S-35, D-50, DT-65 MIRL

IAP

RWY 09: REIL. PVASI(PSIL)—GA 3.0° TCH 27'. Tree.

RWY 27: REIL. PVASI(PSIL)—GA 3.0° TCH 25'. Tree.

RWY 17-35: H3399X75 (ASPH) S-5 MIRL

RWY 17: REIL. Tree. RWY 35: Tree.

AIRPORT REMARKS: Attended 1300-0000Z†. MIRL Rwy 09-27 preset on low ints; to increase ints and ACTIVATE MIRL Rwy 17-35, REIL Rwys 09, 27 and 17 PVASI Rwys 09 and 27—CTAF.

WEATHER DATA SOURCES: AWOS-3 120.5 (618) 586-2772.**COMMUNICATIONS:** CTAF/UNICOM 123.0

Ⓡ HULMAN APP/DEP CON 119.25 125.6 (1100-0300Z‡)


Ⓡ INDIANAPOLIS CENTER APP/DEP CON 132.2 (0300-1100Z‡)

RADIO AIDS TO NAVIGATION: NOTAM FILE RSV.

(T) VOR/DME 108.4 RSV Chan 21 N39°01.06' W87°38.93' at fld. 452/2E. VOR unmonitored 0000-1300Z‡.

VOR portion unusable 320°-340°

PALESTINE NDB (MHW) 391 PLX N39°00.85' W87°38.50' at fld. NOTAM FILE RSV.

**ROCHELLE MUNI AIRPORT-KORITZ FLD** (RPJ) 2 S UTC-6(-5DT) N41°53.58' W89°04.70'

CHICAGO

781 B S4 FUEL 100LL, JET A TPA-1581(800) NOTAM FILE RPJ

L-28H

RWY 07-25: H4226X75 (ASPH-PFC) S-15 MIRL

IAP

RWY 07: REIL. PAPI(P4L)—GA 3.0° TCH 20'.

RWY 25: REIL. PAPI(P4L)—GA 3.0° TCH 20'. Road.


AIRPORT REMARKS: Attended Nov-Apr Mon-Fri 1400-2300Z‡, May-Oct Mon-Fri 1400-0100Z‡, Sat-Sun 1500-2000Z‡. MIRL Rwy 07-25 preset on low ints SS-SR only; to increase ints and ACTIVATE REIL Rwy 07, REIL Rwy 25, PAPI Rwy 07 and PAPI Rwy 25—CTAF.

WEATHER DATA SOURCES: AWOS-3 119.675 (815) 562-2955.**COMMUNICATIONS:** CTAF/UNICOM 122.8

POLO RCO 122.1R 111.2T (KANKAKEE RADIO)

ROCKFORD APP/DEP CON 126.0**RADIO AIDS TO NAVIGATION:** NOTAM FILE IKK.

POLO (L) VOR/DME 111.2 PLL Chan 49 N41°57.94' W89°31.45' 099° 20.4 NM to fld. 840/3E. HIWAS.

**ROCKFORD** N42°13.54' W89°11.96' NOTAM FILE RFD.

CHICAGO

(L) VOR/DME 110.8 RFD Chan 45 111° 4.9 NM to Chicago/Rockford Intl. 860/1E.

L-28H

RCO 122.1R 110.8T (KANKAKEE RADIO) RCO 122.65 (KANKAKEE RADIO)

ROCKFORD**COTTONWOOD** (1C8) 2 NW UTC-6(-5DT) N42°17.50' W89°08.17'

CHICAGO

741 TPA—See remarks. NOTAM FILE IKK

RWY 18-36: 2540X260 (TURF) LIRL (NSTD)

RWY 18: Rgt tfr. RWY 36: Thld dsplcd 400'. Tree.

AIRPORT REMARKS: Unattended. Rwy 18-36 NSTD LIRL S 2250' lgtd; variable ints and non-frangible mounts. TPA 1541(800) TPA for ultralights 1041(300). Rwy 36 dsplcd thld marked with white barrels and lgts.

COMMUNICATIONS: CTAF/UNICOM 122.8

RUSHVILLE**SCHUY–RUSH** (5K4) 1 W UTC–6(–5DT) N40°07.05' W90°35.42'**CHICAGO**


665 TPA—1465(800) NOTAM FILE STL

RWY 09–27: 3565X100 (TURF) LIRL (NSTD)**RWY 09:** Thld dsplcd 305'. Road.**RWY 27:** Thld dsplcd 463'. Tree.**AIRPORT REMARKS:** Unattended. ACTIVATE NSTD LIRL Rwy 09–27—CTAF. Rwy 09–27 NSTD LIRL due to spacing. Rwy 09 first 305' unlgtd, Rwy 27 first 313' unlgtd. Rwy 09–27 dsplcd thld marked with white gravel both ends of rwy.**COMMUNICATIONS:** CTAF/UNICOM 123.0**SACKMAN FLD** (See COLUMBIA)**ST JACOB****ST LOUIS METRO–EAST/SHAHER FLD** (3K6) 2 N UTC–6(–5DT) N38°43.97' W89°48.39'**ST LOUIS**

477 B S2 FUEL 100LL TPA—1277(800) NOTAM FILE STL

L–27C, A**RWY 13–31:** H2662X50 (ASPH) MIRL 0.3% up NW**IAP****RWY 13:** Thld dsplcd 127'. Road.**RWY 31:** Pole.**AIRPORT REMARKS:** Attended continuously. For noise abatement procedures ctc arpt manager 618–644–5411. MIRL Rwy 13–31 preset on low ints; to increase ints ACTIVATE—CTAF. Military helicopter ops prior permission only.**COMMUNICATIONS:** CTAF/UNICOM 122.8**® SAINT LOUIS APP/DEP CON 124.2****RADIO AIDS TO NAVIGATION:** NOTAM FILE STL.**TROY (L) VORTACW** 116.0 TOY Chan 107 N38°44.35'

W89°55.12' 090° 5.3 NM to fld. 570/4E.


**ST LOUIS DOWNTOWN** (See CAHOKIA–ST LOUIS)**ST LOUIS METRO–EAST/SHAHER FLD** (See ST JACOB)**ST LOUIS RGNL** (See ALTON/ST LOUIS)**SALEM–LECKRONE** (SLO) 2 NW UTC–6(–5DT) N38°38.57' W88°57.85'**ST LOUIS**

573 B S4 FUEL 100LL NOTAM FILE SLO

L–27C**RWY 18–36:** H4098X75 (ASPH) S–12 MIRL**IAP****RWY 18:** REIL. PAPI(P4L)—GA 3.0° TCH 20'. Trees.**RWY 36:** PAPI(P4R)—GA 3.0° TCH 20'. Tree.**AIRPORT REMARKS:** Attended continuously. 100LL is self-serve with credit card. MIRL Rwy 18–36 preset low ints; to increase ints and ACTIVATE REIL Rwy 18—CTAF.**WEATHER DATA SOURCES:** AWOS–3 118.525 (618) 548–0469.**COMMUNICATIONS:** CTAF/UNICOM 122.8**KANSAS CITY CENTER APP/DEP CON 127.7****RADIO AIDS TO NAVIGATION:** NOTAM FILE STL.**CENTRALIA (H) VORTAC** 115.0 ENL Chan 97 N38°25.20'

W89°09.54' 030° 16.2 NM to fld.

546/4E. HIWAS.

NDB (MHW) 400 SLO N38°38.64' W88°58.04' at fld. NOTAM FILE SLO.

SAMSVILLE N38°29.11' W88°05.15' NOTAM FILE STL.
 (L) VOR/DME 116.6 SAM Chan 113 340° 14.8 NM to Olney–Noble. 540/3E.
 RCO 122.1R 116.6T (ST LOUIS RADIO)

ST LOUIS

L-27C

SAVANNA

TRI-TOWNSHIP (SFY) 3 SE UTC-6(-5DT) N42°02.75' W90°06.48'

616 B FUEL 100LL, MOGAS NOTAM FILE SFY

RWY 13-31: H4001X60 (ASPH) S-14, D-23 MIRL

RWY 13: Tree. RWY 31: Tower.

AIRPORT REMARKS: Unattended. Fuel available 24 hrs with credit card.
 Wild geese on and invof arpt. MIRL Rwy 13-31 preset on low ints;
 to increase ints and ACTIVATE twy lgts—CTAF. Irrigation sprinkler
 system opr seasonally under AER 31.

WEATHER DATA SOURCES: AWOS-3 118.65 (815) 273-4429.

COMMUNICATIONS: CTAF/UNICOM 122.7

Ⓡ QUAD CITY APP/DEP CON 125.95 (1130-0430Z‡)

CHICAGO CENTER APP/DEP CON 118.75 (0430-1130Z‡)

RADIO AIDS TO NAVIGATION: NOTAM FILE IKK.

POLO (L) VOR/DME 111.2 PLL Chan 49 N41°57.94'


W89°31.45' 278° 26.6 NM to fld. 840/3E. HIWAS.

COMM/NAV/WEATHER REMARKS: AWOS temporarily unreliable.

CHICAGO

L-28G

IAP



SCHAUMBURG MUNI HELISTOP (See CHICAGO/SCHAUMBURG)

SCHAUMBURG RGNL (See CHICAGO/SCHAUMBURG)

SCHUY-RUSH (See RUSHVILLE)

SCOTT AFB/MIDAMERICA (See BELLEVILLE)

SHELBY CO (See SHELBYVILLE)

SHELBYVILLE N39°24.40' W88°50.62'. NOTAM FILE STL.

ST LOUIS

NDB (MHW) 365 SYZ at Shelby Co. Unmonitored.

L-27C

SHELBYVILLE

SHELBY CO (2H0) 3 W UTC-6(-5DT) N39°24.63' W88°50.73'

ST LOUIS

618 B S4 FUEL 100LL TPA-1418(800) NOTAM FILE STL

L-27C

RWY 18-36: H4099X75 (ASPH-PFC) S-4 MIRL

IAP

RWY 18: Road.

RWY 36: PVASI(P SIL)—GA 3.0° TCH 25'. Road.

RWY 14-32: 3264X200 (TURF)

RWY 14: Tree.

RWY 32: Thld dsplcd 522'. Road.

RWY 04-22: 2585X200 (TURF)

RWY 04: Thld dsplcd 484'. Road.

RWY 22: Tree.

AIRPORT REMARKS: Attended 1400Z‡-dusk. Rwy 36 PVASI OTS indef.
 Rwy 04 and Rwy 32 dsplcd thlds marked with white gravel 2' wide.
 Twy guidance at ngt utilize blue reflectors. Boundaries for Rwy
 04-22 and Rwy 14-32 are marked with white painted lines
 spaced at 400' intervals.

COMMUNICATIONS: CTAF/UNICOM 122.8


KANSAS CITY CENTER APP/DEP CON 124.3

RADIO AIDS TO NAVIGATION: NOTAM FILE DEC.

DECATUR (H) VORTAC 117.2 DEC Chan 119 N39°44.25'

W88°51.38' 176° 19.6 NM to fld. 700/3E. HIWAS.

SHELBYVILLE NDB (MHW) 365 SYZ N39°24.40' W88°50.62' at
 fld. Unmonitored. NOTAM FILE STL.



SKYDIVE CHICAGO (See OTTAWA)

SOUTHERN ILLINOIS (See CARBONDALE/MURPHYSBORO)**SPARTA COMMUNITY-HUNTER FLD** (SAR) 2 N UTC-6(-5DT) N38°08.94' W89°41.92'**ST LOUIS**


538 B S4 FUEL 100LL, JET A NOTAM FILE SAR

L-16H**RWY 18-36:** H4001X60 (ASPH) S-5 MIRL 0.4% up N**IAP****RWY 18:** REIL. PAPI(P4L)—GA 3.0°TCH 20'. Tree.**RWY 36:** PAPI(P4L)—GA 3.0°TCH 20'. Tree.**RWY 09-27:** 2450X135 (TURF) 0.5% up W**RWY 09:** Building.**RWY 27:** Tree.

AIRPORT REMARKS: Attended 1400-0000Z+. Self svc fuel avbl 24 hrs with credit card. There is a 60' by 60' conc pad E of fueling area for helo parking. Migratory waterfowl NW of Rwy 18-36. Rwy 09 and 27 marked with white cones. MIRL Rwy 18-36 and wind indicator preset on low ints; to increase ints and ACTIVATE REIL Rwy 18 and Twy A—CTAF.

WEATHER DATA SOURCES: AWOS-3 118.375 (618) 443-3296.**COMMUNICATIONS:** CTAF/UNICOM 123.075**® ST LOUIS APP/DEP CON 125.2****RADIO AIDS TO NAVIGATION:** NOTAM FILE STL.**CENTRALIA (H) VORTAC** 115.0 ENL Chan 97 N38°25.20'

W89°09.54' 234° 30.2 NM to fld. 546/4E.

HIWAS.**SPINNER** N39°50.38' W89°40.66' NOTAM FILE SPI.**ST LOUIS****(H) VORTACW** 112.7 SPI Chan 74 at Abraham Lincoln Capital. 586/1W.**H-5D, L-27C****RCO 122.25** (ST LOUIS RADIO)

SPRINGFIELD

ABRAHAM LINCOLN CAPITAL

(SPI) 3 NW UTC-6(-5DT) N39°50.65' W89°40.69'

ST LOUIS

598 B S4 FUEL 100LL, JET A OX 1, 2 ARFF Index—See Remarks NOTAM FILE SPI

H-5D, L-27C

RWY 04-22: H8001X150 (CONC-GRVD) S-100, D-200, ST-175, DT-350 HIRL

IAP, AD

RWY 04: MALSR. VASI(V4L)—GA 3.0° TCH 56'. Tree.

RWY 22: MALSR. VASI(V4L)—GA 3.0° TCH 54'. Tree.

RWY 13-31: H7400X150 (ASPH-GRVD) S-70, D-90, ST-114,

DT-160 HIRL

RWY 13: REIL. PAPI(P4R) GA 3.0° TCH 36'. Trees.

RWY 31: MALSR. VASI(V4L)—GA 3.0° TCH 54'. Tree.

RWY 18-36: H5300X150 (ASPH-CONC) S-60, D-70, ST-89,

DT-130 MIRL

RWY 18: Tree.

RWY 36: Tree.

LAND AND HOLD SHORT OPERATIONS

LANDING	HOLD SHORT POINT	DIST AVBL
RWY 04	13-31	3200
RWY 22	13-31	4150
RWY 31	04-22	3350
RWY 36	13-31	3000

RUNWAY DECLARED DISTANCE INFORMATION

RWY 04:	TORA-7999	TODA-7999	ASDA-7999	LDA-7999
RWY 13:	TORA-7400	TODA-7400	ASDA-7217	LDA-7217
RWY 18:	TORA-5300	TODA-5300	ASDA-5300	LDA-5300
RWY 22:	TORA-7999	TODA-7999	ASDA-7999	LDA-7999
RWY 31:	TORA-7400	TODA-7400	ASDA-7000	LDA-7000
RWY 36:	TORA-5300	TODA-5300	ASDA-5300	LDA-5300

ARRESTING GEAR/SYSTEM

RWY 04: BAK-14 BAK-12(B) (1329')

BAK-14 BAK-12 (1329') RWY 22

RWY 13 BAK-12(B) (800')

AIRPORT REMARKS: Attended continuously. Rwy 18-36 CLOSED 0400-1200Z. Birds on and in/ovf arpt. Be alert; a 10' lgtd barricade separates the air carrier and the south general aviation ramp. General aviation access to and parking on the air carrier ramp is prohibited. Twy Y not available for air carrier ops with more than 30 passenger seats. During snow removal ops equipment operators will monitor CTAF when the twr is clsd. Rwy 13 PAPI OTS indef. When twr clsd ACTIVATE HIRL Rwy 13-31, HIRL Rwy 04-22, MALSR Rwy 04, Rwy 22 and Rwy 31, VASI Rwy 31 and REIL Rwy 13—CTAF. PAPI Rwy 13 and VASI Rwy 04, Rwy 22 opr continuously. MIRL Rwy 18-36 ints preset on/off per wind conditions when twr clsd. Class I ARFF Index A. AARF Index C equipment avbl upon req; call 217-788-1080. Rwy 18-36 400' concrete N end. NOTE: See Special Notices—Aerobatic Practice Areas.

WEATHER DATA SOURCES: ASOS (217) 789-7389. LLWAS.**COMMUNICATIONS:** CTAF 121.3 ATIS 127.65 UNICOM 122.95

SPINNER RCO 122.25 (ST LOUIS RADIO)

® SPRINGFIELD APP/DEP CON 118.6 (1200-0400Z)

KANSAS CITY CENTER APP/DEP CON 127.275 (0400-1200Z)

SPRINGFIELD TOWER 121.3 (1200-0400Z) GND CON 121.9 CLNC DEL 121.7

AIRSPACE: CLASS C svc 1200-0400Z etc APP CON other times CLASS E.**RADIO AIDS TO NAVIGATION:** NOTAM FILE SPI.

SPINNER (H) VORTACW 112.7 SPI Chan 74 N39°50.38' W89°40.66' at fld. 586/1W.

HUSKK NDB (MHW/LDM) 382 SP N39°46.39' W89°45.59' 043° 5.7 NM to fld.

CALDE NDB (LDM) 240 CJ N39°47.68' W89°35.56' 308° 4.9 NM to fld. Unmonitored.


LICOL NDB (MHW/LDM) 375 LQ N39°54.72' W89°36.18' 221° 5.3 NM to fld.

ILS 109.5 I-SPI Rwy 04. Class IT. LOM HUSKK NDB. ILS unmonitored when twr clsd.

ILS 111.7 I-LQY Rwy 22. Class IA. LOM LICOL NDB. ILS unmonitored when twr clsd.

ILS 110.15 I-CJF Rwy 31. Class IE. LOM CALDE NDB. ILS unmonitored when twr clsd. Glide slope unmonitored.

ASR (1200-0400Z)



STERLING/ROCKFALLS**WHITESIDE CO ARPT—JOS H BITTORF FLD** (SQI) 2 S UTC-6(-5DT) N41°44.57' W89°40.58'**CHICAGO**

648 B S4 FUEL 100LL, JET A OX 1, 2, 3, 4 TPA—See Remarks NOTAM FILE SQI

H-5D, L-286

RWY 07-25: H6498X150 (ASPH-PFC) S-50, D-60, DT-90 HIRL

IAP

RWY 07: REIL. VASI(V4L)—GA 3.0° TCH 46'. Tree.

RWY 25: MALSR. Tree.


RWY 18-36: H3900X100 (ASPH-GRVD) S-18 MIRL

RWY 18: REIL. Brush. RWY 36: REIL. Road.

AIRPORT REMARKS: Attended Oct-Apr 1400-0000Z†, May-Sep 1400-0100Z†. Unattended New Years; Christmas; and Thanksgiving. Rwy 07 preferred calm wind rwy. TPA—1448 (800) for piston acft, 2148 (1500) for jet acft. MIRL Rwy 18-36 preset on low ints; to increase ints and ACTIVATE HIRL Rwy 07-25; MALSR Rwy 25 and REIL Rws 07, 18 and 36—CTAF.

WEATHER DATA SOURCES: AWOS-3 119.175 (815) 626-2704.**COMMUNICATIONS:** CTAF/UNICOM 123.0Ⓡ **ROCKFORD APP/DEP CON** 126.0 **ROCKFORD CLNC DEL** 128.0**RADIO AIDS TO NAVIGATION:** NOTAM FILE IKK.**POLO (L) VOR/DME** 111.2 PLL Chan 49 N41°57.94'W89°31.45' 204° 15 NM to fld. 840/3E. **HIWAS.****NDB (MHW)** 254 **BOZ** N41°42.67' W89°47.14' 068° 5.3 NM to fld.**ILS** 111.5 **I-SQI** Rwy 25 Unmonitored. Localizer BC

unusable byd 15 NM.

**TAYLORVILLE MUNI** (TAZ) 2 SW UTC-6(-5DT) N39°31.95' W89°19.84'**ST LOUIS**

622 B S4 FUEL 100LL, JET A TPA—See remarks NOTAM FILE TAZ

L-27C

RWY 18-36: H4001X75 (ASPH-PFC) MIRL

IAP

RWY 18: REIL. PVASI(P5IL)—GA 3.0° TCH 39' Tree.

RWY 36: PVASI(P5IL)—GA 3.0° TCH 34' Tree.

RWY 09R-27L: H3500X60 (ASPH) MIRL

RWY 09R: REIL. PVASI(P5IL)—GA 3.0° TCH 26'. Trees. Rgt tfc.

RWY 27L: REIL. PVASI(P5IL)—GA 4.0° TCH 33'. Tree.

RWY 09L-27R: 1920X180 (TURF)

RWY 09L: Tree.

RWY 27R: Thld dsplcd 300'. Road. Rgt tfc.

AIRPORT REMARKS: Attended May-Oct Mon-Thu 1400-0000Z†,

May-Oct Fri-Sun 1400-0100Z†, Oct-May 1400-0000Z†.

Parachute Jumping. 172' high water twr located 3007' from end of Rwy 27L and 488' left of rwy centerline. Lighted with red obstacle lights. TPA 1422(800) TPA for Rwy 09L-27R 1222(600).


PVASI left side of Rwy 18 750' from apch end and PVASI left side of Rwy 36 650' from apch end. Rwy 09L end marked with white rocks. Rwy 27R thld and dsplcd thld marked with L-shaped white rock. Rwy 18 PVASI opr only when

rwy lgts are activated by CTAF. Unusable byd 6° left/rgt of course. Rwy 36 PVASI unusable byd 5° left/rgt of centerline. Rwy 09R

PVASI unusable byd 8° rgt of course. Rwy 27L PVASI unusable 6°

rgt/8° left of course. MIRL Rwy 18-36 preset on low ints; to incr ints and ACTIVATE MIRL Rwy 09R-27L, PVASI

Rwy 09R, Rwy 18, Rwy 27L and Rwy 36 and REIL Rwy 09R, Rwy 18 and Rwy 27L—CTAF.

WEATHER DATA SOURCES: AWOS-3 123.875 395 TAZ (217) 824-9323.**COMMUNICATIONS:** CTAF/UNICOM 122.8Ⓡ **SPRINGFIELD APP/DEP CON** 118.6 (1200-0400Z†)**KANSAS CITY CENTER APP/DEP CON** 124.3 (0400-1200Z†)**RADIO AIDS TO NAVIGATION:** NOTAM FILE SPI.**SPINNER (H) VORTACW** 112.7 SPI Chan 74 N39°50.38' W89°40.66' 140° 24.4 NM to fld. 586/1W.**NDB (MHW)** 395 **TAZ** N39°32.17' W89°19.42' at fld. **AWOS-3.** NOTAM FILE STL. Unmonitored. NOTAM FILE TAZ.**TINLEY PARK HELISTOP** (See CHICAGO/TINLEY PARK)**TRI—COUNTY** (See YATES CITY)**TRI—TOWNSHIP** (See SAVANNA)

TROY N38°44.35' W89°55.12' NOTAM FILE STL.
 (L)VORTACW 116.0 TOY Chan 107 090° 5.3 NM to St Louis Metro—East/Shafaer Fld.
 570/4E.

ST LOUIS
 H-5D, L-27C, A

TUNGG N40°36.34' W89°35.59' NOTAM FILE PIA.
 NDB (MHW/LOM) 356 PI 307° 5.8 NM to Greater Peoria Rgnl.

CHICAGO
 L-27C

TUSCOLA (K96) 2SW UTC-6(-5DT) N39°46.85' W88°18.37'
 665 S4 FUEL 80, 100LL TPA—1465(800) NOTAM FILE STL
 RWY 09-27: 2660X30 (GRVL) LIRL
 RWY 09: Tree. RWY 27: Thld dsplcd 660'. Road.

ST LOUIS

AIRPORT REMARKS: Attended Mon-Fri, 1400-2200Z†. Rwy 09-27 surface is a chip and seal. Rwy 27 dsplcd thld lgts NSTD, consist of two on each side spaced at 10' btn lgts. Seasonal crops AER 09 can periodically block view of thld lgts. There is no lighted, marked dsplcd thld for ngt ops. Rwy lighting alignment does not define center of rwy. NOTE: See Special Notices—Model Rocket Activity.

COMMUNICATIONS: CTAF 122.9

UNIVERSITY OF ILLINOIS—WILLARD (See CHAMPAIGN/URBANA)

URBANA

FRASCA FLD (C16) 1 N UTC-6(-5DT) N40°08.78' W88°11.91'
 735 FUEL 100LL, JET A OX 3 TPA—1535(800) NOTAM FILE STL
 RWY 09-27: H4001X55 (CONC) MIRL 0.3% up W
 RWY 09: Tree. RWY 27: Pole. Rgt tfc.
 RWY 18-36: 3654X140 (TURF)
 RWY 36: Thld dsplcd 318'. Pole.

CHICAGO
 L-27C
 IAP

AIRPORT REMARKS: Attended dawn-dusk.

COMMUNICATIONS: CTAF/UNICOM 122.8


CHAMPAIGN RCO 122.45, 122.1R, 110.0T (ST LOUIS RADIO)

® CHAMPAIGN APP/DEP CON 121.35 (1200-0500Z‡)

CHICAGO CENTER APP/DEP CON 121.35 (0500-1200Z‡)

RADIO AIDS TO NAVIGATION: NOTAM FILE CMI.

CHAMPAIGN (L) VORTAC 110.0 CMI Chan 37 N40°02.07'
 W88°16.56' 025° 7.6 NM to fld. 745/3E.



VANDALIA N39°05.62' W89°09.75' NOTAM FILE STL.
 (L) VORTAC 114.3 VLA Chan 90 178° 6.2 NM to Vandalia Muni. 604/4E.
 RCO 122.1R 114.3T (ST LOUIS RADIO)

ST LOUIS
 H-5E, L-27C

VANDALIA MUNI (VLA) 3 NW UTC-6(-5DT) N38°59.49' W89°09.97'

ST LOUIS

537 B FUEL 100LL, JET A NOTAM FILE STL

L-27C

RWY 18-36: H3752X100 (ASPH-PFC) S-21 MIRL

IAP

RWY 18: REIL. PAPI (P4L)—GA 3.0 TCH 20'. Road.

RWY 36: Road.

RWY 09-27: H3001X75 (ASPH) S-19 MIRL

RWY 09: Tree. RWY 27: REIL. Tree.

AIRPORT REMARKS: Attended 1400-2300Z+. Fuel is self-serve with credit card. Parachute Jumping. MIRL Rwy 18-36 preset on low ints; to increase ints and ACTIVATE MIRL Rwy 09-27, PAPI Rwy 18, and REILS Rwy 18 and Rwy 27—CTAF.


COMMUNICATIONS: CTAF/UNICOM 122.8

RCO 122.1R 114.3T (ST LOUIS RADIO)

KANSAS CITY CENTER APP/DEP CON 124.3

RADIO AIDS TO NAVIGATION: NOTAM FILE STL.

(L) VORTAC 114.3 VLA Chan 90 N39°05.62' W89°09.75'
178° 6.2 NM to fld. 604/4E.

**VEALS** N39°57.97' W88°10.95' NOTAM FILE CMI.

CHICAGO

NDB (LOM) 407 CM 315° 6.2 NM to University of Illinois-Willard.

VERMILION RGNL (see DANVILLE)**WATSON****PERCIVAL SPRINGS** (2T2) 1 SE UTC-6(-5DT) N39°00.84' W88°32.34'

ST LOUIS

550 B TPA-950(400) NOTAM FILE STL

RWY 18-36: 2000X100 (TURF) LIRL (NSTD)

RWY 18: Road. RWY 36: Road.

AIRPORT REMARKS: Attended 1400Z+-dusk. Predominantly ultralight and stol activity on and invof arpt. Pilots advised to monitor 122.8 due to close proximity of Effingham Co Mem. EMS helicopter operation with extensive activity is based at this arpt. Rwy 18-36 NSTD LIRL, lgts are solar powered and lgt ints varies. Windsock on top of building is lgt'd with flood lgt. Rwy 18 ends marked with one orange cone on each side of rwy end.

COMMUNICATIONS: CTAF 122.9**WAUKEGAN RGNL** (See CHICAGO/WAUKEGAN)**WAUKE** N42°27.84' W87°48.09' NOTAM FILE DPA.

CHICAGO

NDB (LOM) 379 UG 233° 3.4 NM to Waukegan Rgnl.

WAYNE CO N38°22.80' W88°24.59' NOTAM FILE FWC.

ST LOUIS

NDB (MHW) 257 FWC at Fairfield Muni.

L-27C

WEST CHICAGO (See CHICAGO/WEST CHICAGO)**WHEELING** (See CHICAGO/WHEELING)**WHITESIDE** N41°42.67' W89°47.14' NOTAM FILE IKK.

CHICAGO

NDB (MHW) 254 BOZ 068° 5.3 NM to Whiteside Co Arpt-Jos H. Bittorf Fld.

L-286

WHITESIDE CO ARPT-JOS H BITTORF FLD (See STERLING/ROCKFALLS)**WILLIAMSON CO RGNL** (See MARION)**YATES CITY****TRI-COUNTY** (2C6) 03 W UTC-6(-5DT) N40°46.44' W90°04.47'

CHICAGO

661 NOTAM FILE IKK

RWY 02-20: 2809X150 (TURF) LIRL (NSTD)

RWY 02: Trees. RWY 20: Trees.

AIRPORT REMARKS: Attended on call. Geese on and invof arpt. ACTIVATE NSTD LIRL Rwy 02-20—CTAF. Rwy 02-20 NSTD LIRL due to spacing. Rwy 02-20 thld marked with white gravel.

COMMUNICATIONS: CTAF 122.9

ACTION AIRPARK (See HARDENSTOWN)

AIRPA N39°55.52' W86°14.28' NOTAM FILE EYE.
 NDB (LOM) 209 EY 207° 6.2 NM to Eagle Creek Airpark. Unmonitored.

ST LOUIS

ALEXANDRIA (I99) 3 SE UTC-5(-4DT) N40°13.95' W85°38.25'

CHICAGO

900 NOTAM FILE HUF

L-27E

RWY 09-27: H2591X60 (ASPH) 0.3% up W.

IAP

RWY 09: Thld dsplcd 195'. Crops.

RWY 27: Thld dsplcd 277'. Crops.

AIRPORT REMARKS: Attended irregularly. Heavy glider activity on and
 invof arpt. Rwy 09-27 grass growing through numerous cracks.

COMMUNICATIONS: CTAF 122.8 UNICOM 123.05


MUNCIE RCO 122.1R 114.4T (TERRE HAUTE RADIO)

® INDIANAPOLIS CENTER APP/DEP CON 120.65

RADIO AIDS TO NAVIGATION: NOTAM FILE MIE.

MUNCIE (L) VOR/DME 114.4 MIE Chan 91 N40°14.24'

W85°23.64' 272° 11.2 NM to fld. 935/3W.



ANDERSON MUNI-DARLINGTON FLD (AID) 3 E UTC-5(-4DT) N40°06.52' W85°36.78'

CHICAGO

919 B S4 FUEL 100LL, JET A OX 4 NOTAM FILE AID

H-5E, 10F, L-27E

RWY 12-30: H5400X100 (ASPH-GRVD) S-45, D-55, DT-85 MIRL 0.7% up SE.

IAP

RWY 12: REIL. VASI (V4L)—GA 3.0° TCH 46'. Trees.

RWY 30: MALSF. VASI(V4L)—GA 3.0° TCH 47'. Thld dsplcd 88'.

Road.

RWY 18-36: H3400X75 (ASPH-GRVD) S-10 MIRL

RWY 18: PAPI(P2L)—GA 3.0° TCH 27'. Thld dsplcd 301'. Tree.

RWY 36: Thld dsplcd 298'. Road.

AIRPORT REMARKS: Attended 1200-0200Z†. Acft departing Rwy 12, Rwy
 18, Rwy 36, unable to see each other. Deer on and invof arpt. Rwy
 18-36 not avbl to air carrier acft over 30 passenger seats. When
 twr clsd MIRL Rwy 18-36 and Rwy 12-30 opr med ints, to
 increase ints and ACTIVATE MALSF Rwy 30, REIL Rwy 12, VASI
 Rwy 12-126.0. VASI Rwy 30 and PAPI Rwy 18 on continuously.

WEATHER DATA SOURCES: AWOS-3 118.375 (765) 378-1510.

COMMUNICATIONS: CTAF 126.0 UNICOM 122.95

MUNCIE RCO 122.1R, 114.4T (TERRE HAUTE RADIO)

® INDIANAPOLIS CENTER APP/DEP CON 120.65

TOWER 126.0 (1200-0200Z†) GND CON 121.6

AIRSPACE: CLASS D svc 1200-0200Z† other times CLASS G.


RADIO AIDS TO NAVIGATION: NOTAM FILE MIE.

MUNCIE (L) VOR/DME 114.4 MIE Chan 91 N40°14.24' W85°23.64' 236° 12.7 NM to fld. 935/3W.

VIDEO NDB (MHW/LOM) 371 AI N40°04.17' W85°30.64' 299° 5.3 NM to fld. NOTAM FILE AID.

Unmonitored when twr clsd.

ILS 110.1 I-AID Rwy 30. Class 1A. LOM VIDEO NDB. LOC/LOM unmonitored when twr clsd.



ANGOLA N41°38.39' W85°05.22' NOTAM FILE HUF.

CHICAGO

NDB (MHW) 347 ANQ at Tri-State Steuben Co.

L-28J

ANGOLA

TRI—STATE STEUBEN CO (ANQ) 3 W UTC-5(-4DT) N41°38.38' W85°05.01'

CHICAGO

995 B S4 FUEL 100LL, JET A NOTAM FILE HUF

L-28J

RWY 05-23: H4540X75 (ASPH) S-4 MIRL

IAP

RWY 05: REIL. Thld displd 540'. Bldg. RWY 23: REIL. Trees.

RUNWAY DECLARED DISTANCE INFORMATION

RWY 05: TORA-4540 TODA-4540 ASDA-4540 LDA-4000

RWY 23: TORA-4000 TODA-4000 ASDA-4000 LDA-4000

AIRPORT REMARKS: Attended 1300-2200Z. Arpt unattended

Thanksgiving, Christmas and New Years Day. Parachute Jumping.

Birds on and in/ovf arpt. Be alert for deer SS-SR. MIRL Rwy 05-23

preset low ints dusk-0500Z; to increase ints and ACTIVATE REIL

Rwys 05 and Rwy 23—CTAF. After 0500Z ACTIVATE—CTAF.

WEATHER DATA SOURCES: AWOS-3 118.175 (260) 668-5630.

COMMUNICATIONS: CTAF/UNICOM 123.075

LITCHFIELD RCO 122.1R 111.2T (LANSING RADIO)

® FORT WAYNE APP/DEP CON 132.15 (SE/NE of active rwy) 127.2

(SW/NW of active rwy)

RADIO AIDS TO NAVIGATION: NOTAM FILE LAN.


LITCHFIELD (L) VOR/DME 111.2 LFD Chan 49 N42°03.75'

W84°45.91' 214° 29.1 NM to fld. 1040/5W.

ANGOLA NDB (MHW) 347 ANQ N41°38.39' W85°05.22' at fld.

NOTAM FILE HUF.

COMM/NAV/WEATHER REMARKS: APP CON sectorization based upon Fort Wayne rwy usage.



ARENS FLD (See WINAMAC)

AUBON N41°18.50' W84°56.66' NOTAM FILE FWA.

CHICAGO

NDB (LOM) 227 GW 254° 5.4 NM to DeKalb Co.

AUBURN

DE KALB CO (GWB) 3 S UTC-5(-4DT) N41°18.43' W85°03.86'

CHICAGO

880 B S2 FUEL 100LL, JET A OX 1 NOTAM FILE HUF

H-5E, 10F, L-28J

RWY 09-27: H5000X100 (ASPH-GRVD) MIRL

IAP

RWY 09: REIL. VASI(V2L)—GA 3.0° TCH 42'.

RWY 27: MALSR. REIL. VASI(V2L)—GA 3.0° TCH 41'. P-line.

AIRPORT REMARKS: Attended Mon-Fri 1200-0300Z, Sat-Sun

1400-2200Z. For arpt attendant after hrs phone

260-927-1845. MIRL Rwy 09-27 preset low ints dusk-dawn, to

increase ints and ACTIVATE VASI Rwy 09 and Rwy 27 and MALSR

Rwy 27—CTAF.

WEATHER DATA SOURCES: AWOS-3 124.15 (260) 925-8225.

COMMUNICATIONS: CTAF/UNICOM 123.0

® FORT WAYNE APP/DEP CON 132.15 (SE/NE of active rwy) 127.2

(SW/NW of active rwy) CLNC DEL 126.6

RADIO AIDS TO NAVIGATION: NOTAM FILE FWA.

FORT WAYNE (H) VORTACW 117.8 FWA Chan 125 N40°58.74'

W85°11.28' 016° 20.5 NM to fld. 793/0E.

WOLF LAKE (L) VORW 110.4 OLK N41°14.82' W85°29.84'

082° 19.9 NM to fld. NOTAM FILE HUF.


AUBON NDB (LOM) 227 GW N41°18.50' W84°56.65'

274° 5.4 NM to fld.

ILS/DME 108.75 I-GWB Chan 24(Y) Rwy 27. LOM

AUBON NDB.

COMM/NAV/WEATHER REMARKS: APP CON sectorization based upon Fort Wayne rwy usage.



BALLL N40°10.85' W85°19.26' NOTAM FILE MIE.

ST. LOUIS

NDB (LOM) 365 JN 320° 5.0 NM to Delaware Co-Johnson Fld.

BEDFORD N38°50.38' W86°26.18' NOTAM FILE HUF.

ST. LOUIS

NDB (MHW) 344 BFR at Virgil I. Grissom Muni.

L-27D

BEDFORD**VIRGIL I GRISSOM MUNI** (BFR) 3 SE UTC-5(-4DT) N38°50.40' W86°26.72'

ST. LOUIS

727 B S4 FUEL 100LL, JET A TPA-1528(799) NOTAM FILE HUF

L-27D

RWY 13-31: H4501X100 (ASPH) S-25, D-30 MIRL

IAP

RWY 13: REIL. Trees.

RWY 31: REIL. VASI(V2L)—GA 3.0° TCH 31'. Tree.

RWY 06-24: H3089X70 (ASPH) S-4 0.3% up NE

RWY 06: Thld dspcd 155'. Road. RWY 24: Trees.

AIRPORT REMARKS: Attended 1300-0000Z†. Arpt CLOSED Christmas Day.

CAUTION: Line of sight restrictions to visibility. Deer on and invof arpt. MIRL Rwy 13-31 preset low ints; to increase ints and ACTIVATE REIL Rwy 13-31—122.8.

WEATHER DATA SOURCES: AWOS-3 119.125 (812) 275-8306.**COMMUNICATIONS:** CTAF/UNICOM 122.8

HOOSIER RCO 122.1R 110.2T (TERRE HAUTE RADIO)

® INDIANAPOLIS CENTER APP/DEP CON 124.775


RADIO AIDS TO NAVIGATION: NOTAM FILE BMG.

HOOSIER (L) VORTAC 110.2 OOM Chan 39 N39°08.63'

W86°36.78' 159° 19.8 NM to fld. 845/2W.

BEDFORD NDB (MHW) 344 BFR N38°50.38' W86°26.18' at fld.

NOTAM FILE HUF.

**BLOOMFIELD****SHAWNEE FLD** (1I3) 3 W UTC-5(-4DT) N39°02.67' W87°00.33'

ST. LOUIS

501 S2 NOTAM FILE HUF

RWY 18-36: 2160X150 (TURF) EDGE LGTS (NSTD)

RWY 36: Building.

AIRPORT REMARKS: Attended on call. For arpt attendant call 812-384-3903. Birds on and invof rwy. Ultralights on and invof arpt. Rwy 18-36 has a minus 4' slope on E side; N of Rwy 18 thld. Powerplant repairs part-time. Rwy 18-36 NSTD rwy lgts, pvc pipe with glass jars. ACTIVATE NSTD edge lgts Rwy 18-36—CTAF.**COMMUNICATIONS:** CTAF 122.9**BLOOMINGTON****LAKE MONROE SPB** (Ø7I) 7 SE UTC-5(-4DT) N39°03.52' W86°26.77'

ST LOUIS

538 NOTAM FILE HUF

WATERWAY SW-NE: 15000X4000 (WATER)**SEAPLANE REMARKS:** Unattended. Low altitude hi-speed military training activity over or near reservoir - ctc HUF FSS for information. Seaplane ops prohibited between SS to SR. Lake use permit required. Call 812-837-9546.**COMMUNICATIONS:** CTAF 122.9

MONROE CO (BMG) 4 SW UTC-5(-4DT) N39°08.76' W86°37.00'

ST LOUIS

846 B S4 FUEL 100LL, JET A ARFF Index—See Remarks NOTAM FILE BMG

H-5E, 10F, L-27D

RWY 17-35: H6500X150 (ASPH-GRVD) S-68, D-121, ST-160, DT-169 HIRL

IAP, AD

RWY 17: REIL. VASI(V4L)—GA 3.0° TCH 40'. Tree.

RWY 35: MALSR.

RWY 06-24: H3798X100 (ASPH-GRVD) S-35, D-50 MIRL

RWY 06: REIL. VASI (V4L) —GA 4.0° TCH 37'. Thld dsplcd 304'. Road.

RWY 24: REIL. VASI (V4L) —GA 4.0° TCH 49'. Thld dsplcd 222'. Road/Fence.

LAND AND HOLD SHORT OPERATIONS

LANDING	HOLD SHORT POINT	DIST AVBL
RWY 17	06-24	6100

AIRPORT REMARKS: Attended 1130-0230Z+. Rwy 06-24 not avbl for air carrier ops with more than 30 passenger seats. Rwy 17-35 brush and small trees penetrate primary surface W of centerline. PPR for air carrier ops with more than 30 passenger seats; call arpt manager 812-825-5406 or 812-825-9600 on weekends, holidays and ngts. Class IV ARFF Index A. Index B ARFF capability avbl on req. Rwy 06 REIL OTS indef. Rwy 17 REIL OTS indef. When twr clsd ACTIVATE HIRL Rwy 17-35, MALSR Rwy 35 and MIRL Rwy 06-24—CTAF.

WEATHER DATA SOURCES: ASOS 110.2 OOM (812) 825-8046. LAWRs.

COMMUNICATIONS: CTAF 120.775 UNICOM 122.95

HOOSIER RCO 122.1R, 110.2T (TERRE HAUTE RADIO)

Ⓡ HULMAN APP/DEP CON 128.025 (1100-0300Z+)

Ⓡ INDIANAPOLIS CENTER APP/DEP CON 132.2 (0300-1100Z+)

BLOOMINGTON TOWER 120.775 (1130-0230Z+) GND CON 121.9


AIRSPACE: CLASS D svc 1130-0230Z+ other times CLASS G.

RADIO AIDS TO NAVIGATION: NOTAM FILE BMG.

HOOSIER (L) VORTAC 110.2 OOM Chan 39 N39°08.63' W86°36.78' at fld. 845/2W. ASOS.

CLAYE NDB (MHW/LOM) 382 BM N39°03.39' W86°35.96' 353° 5.4 NM to fld.

ILS 108.3 I-BMG Rwy 35 Class IE. LOM CLAYE NDB. Unmonitored.



BLUFFTON

MILLER (C4Ø) 3 SW UTC-5(-4DT) N40°43.00' W85°15.00'

CHICAGO

845 B S4 FUEL 100LL NOTAM FILE HUF

RWY 09-27: 2600X100 (TURF)

RWY 09: Thld dsplcd 200'. Crops. RWY 27: Thld dsplcd 300'. Road.

RWY 18-36: 2230X100 (TURF)

RWY 18: Thld dsplcd 202'. Crops. RWY 36: Thld dsplcd 261'. Building.

AIRPORT REMARKS: Attended irregularly. Attended evenings and weekends only. Hangar W of Rwy 36 centerline.

Rotating bcn ops dusk-0500Z+. Rwy 18-36 dsplcd thlds marked with white cones. Rwy 09-27 dsplcd thlds marked with white cones.

COMMUNICATIONS: CTAF 122.9

BOILER N40°33.37' W87°04.16' NOTAM FILE HUF.

CHICAGO

(H) VORTAC 115.1 BVT Chan 98 144° 10.5 NM to Purdue University. 750/1E. HIWAS.

H-5E, 10F, L-27D

BOONE CO (See LEBANON)

BOONVILLE (I91) 2 W UTC-6(-5DT) N38°02.55' W87°19.07'

ST LOUIS

380 NOTAM FILE HUF

RWY 09-27: 2300X100 (TURF)

RWY 09: Thld dsplcd 300'. Road. RWY 27: Thld dsplcd 300'. Trees.

AIRPORT REMARKS: Attended irregularly. Poor access from turf rwy to gravel apron due to rising terrain. Rwy 09-27 dsplcd thlds marked with L shaped white conc.

COMMUNICATIONS: CTAF 122.9

BOYER FLIGHT PARK ULTRALIGHT (See BURNETTSVILLE)

BRAZIL CLAY CO (Ø12) 3 S UTC-5(-4DT) N39°28.60' W87°05.98'

ST. LOUIS

645 B S4 FUEL 100LL NOTAM FILE HUF Not insp.

L-27D

RWY 09-27: H2941X40 (ASPH) S-8 LIRL 0.5% up W

IAP

RWY 09: Thld dsplcd 620'. Trees.

RWY 27: Thld dsplcd 442'. Trees.

AIRPORT REMARKS: Attended Mon-Sat 1500-2200Z, Sun 1800-2200Z. For attendant after hrs call 812-443-5527. For fuel call 812-443-0018. Large flocks of geese on and invof arpt. +80' WSW-ENE p-line ¼ mile north of arpt.


COMMUNICATIONS: CTAF/UNICOM 122.8

Ⓡ HULMAN APP/DEP CON 125.45 118.3 (1100-0300Z)

Ⓡ INDIANAPOLIS CENTER APP/DEP CON 132.2 (0300-1100Z)

RADIO AIDS TO NAVIGATION: NOTAM FILE HUF.

TERRE HAUTE (H) VORTACW 115.3 TTH Chan 100 N39°29.34' W87°14.94' 094° 7.0 NM to fld. 606/2E. **HIWAS.**

**BRICKYARD** N39°48.88' W86°22.05'. NOTAM FILE HUF.

ST LOUIS

(H) VORTACW 116.3 VHP Chan 110 149° 6.7 NM to Indianapolis Intl. 823/IE.

H-5E, 10F, L-27D

BRINN N39°37.04' W86°24.47'. NOTAM FILE IND.

ST LOUIS

NDB (LOM) 219 OQ 043° 8.0 NM to Indianapolis Intl.

BROOKVILLE RESERVOIR SPB (12I) 6 N UTC-5(-4DT) N39°30.62' W85°00.00'

ST LOUIS

748 NOTAM FILE HUF

WATERWAY N-S: 25000X2000 (WATER)

WATERWAY S: Bridge.

WATERWAY 18-36: 16000X2000 (WATER)

WATERWAY 36: Bridge.

SEAPLANE REMARKS: Unattended. Seaplane ops prohibited between SS and SR. Two N-S waterways, one 25,000 ft S of bridge and one 16,000 ft N of bridge at mid-point of lake. Lake use permit required. Call 765-647-2657.

COMMUNICATIONS: CTAF 122.9**BURNETTSTVILLE****BOYER FLIGHT PARK ULTRALIGHT** (7W7) 4 SW UTC-5(-4DT) N40°43.20' W86°36.97'

CHICAGO

710 S8 NOTAM FILE HUF

RWY 18-36: 1770X120 (TURF)

RWY 18: Thld dsplcd 300'. Road. RWY 36: Thld dsplcd 200'. Crops.

AIRPORT REMARKS: Unattended. Birds and deer on and invof arpt. No snow removal. Rwy 18-36 dsplcd thlds marked with 3 traffic cones each side of centerline.

COMMUNICATIONS: CTAF 122.9**BUTLER****HARROLD** (B25) 3 NW UTC-5(-4DT) N41°28.57' W84°54.37'

DETROIT

925 S4 NOTAM FILE HUF

RWY 18-36: 2920X46 (GRVL)

RWY 18: Thld dsplcd 200'. Crops. RWY 36: Thld dsplcd 400'. Road.

AIRPORT REMARKS: Attended Mon-Sat 1300Z-dusk. Deer and birds on and invof rwy. Rwy 18-36 dsplcd thlds marked by 3 rwy lgts with yellow collars each side of centerline.

COMMUNICATIONS: CTAF 122.9**CAPTAIN** N38°52.05' W85°58.38' NOTAM FILE HUF.

ST. LOUIS

NDB (MHW) 308 EQZ 043° 4.6 NM to Freeman Muni. NDB unmonitored.

L-27D

CATCH N38°28.44' W85°44.23' NOTAM FILE HUF.

ST. LOUIS

NDB (LOM) 331 JV 182° 6.5 NM to Clark Rgnl.

CLARK RGNL (See JEFFERSONVILLE)

CLARKSVILLE**HOLIDAY INN LAKEVIEW HELIPORT** (1I6) 8 S UTC-5(-4DT) N38°17.01' W85°45.35'

ST LOUIS

445 NOTAM FILE HUF

HELIPAD H1: H50X50 (ASPH) **HELIPAD LGTS** (NSTD)**HELIPORT REMARKS:** Attended continuously. Helipad H1 ingress 060°-140°; egress 320°-030° from pad. Student and/or practice tkfs/lgds strictly prohibited. +30' sign lgtd 40' northeast of pad perimeter. Helipad H1 25' lightpole 145° clockwise from pad 122' from center of helipad. 111' lightpole 276' NNE. 30' power lines running NW-SE 150' N of pad. Helipad H1 NSTD perimeter lgts. All lenses are orange.**COMMUNICATIONS:** CTAF 122.9**CLAYE** N39°03.39' W86°35.96' NOTAM FILE BMG.

ST. LOUIS

NDB (MHW/LOM) 382 BM 353° 5.4 NM to Monroe Co.

L-27D

Unusable 055°-075°

210°-330° byd 10 NM

CLIFS N39°19.32' W85°49.11' NOTAM FILE BAK.

ST. LOUIS

NDB (MHW/LOM) 410 BA 228° 5.1 NM to Columbus Muni.


L-27D

CLINTON (1I7) 3 N UTC-5(-4DT) N39°42.75' W87°24.08'

ST LOUIS

526 NOTAM FILE HUF

L-27D

RWY 18-36: H3750X40 (ASPH)**RWY 18:** Thld dsplcd 145'. Crops. **RWY 36:** Crops.**AIRPORT REMARKS:** Attended Mon-Fri 1700-0100Z+. Rwy 18-36 low grass growing through cracks.**COMMUNICATIONS:** CTAF/UNICOM 122.8**RADIO AIDS TO NAVIGATION:** NOTAM FILE HUF.**TERRE HAUTE (H) VORTACW** 115.3 TTH Chan 100 N39°29.34' W87°14.94' 330° 15.2 NM to fld. 606/2E. **HIWAS.****COLFA** N39°39.42' W86°11.13' NOTAM FILE IND.

ST LOUIS

NDB (LOM) 232 CO 308° 6.2 NM to Indianapolis Intl.

COLUMBUS MUNI (BAK) 3 N UTC-5(-4DT) N39°15.72' W85°53.78'

ST. LOUIS

656 B S4 FUEL 100LL, JET A OX 1 Class IV, ARFF Index A NOTAM FILE BAK

H-5E, 10F, L-27D

RWY 05-23: H6400X150 (ASPH) S-75, D-100, ST-127, DT-160 HIRL

IAP, AD

RWY 05: REIL. PAPI(P4L)—GA 3.0° TCH 54'. Tree.

RWY 23: MALSR. PAPI (P4L)

RWY 14-32: H5000X100 (ASPH) S-75, D-100, ST-127, DT-160 MIRL

RWY 14: REIL. PAPI(P4L)—GA 3.0° TCH 45'.

RWY 32: REIL. PAPI(P4L)—GA 3.0° TCH 45'. Tree.

RUNWAY DECLARED DISTANCE INFORMATION

RWY 14: TORA-5000 TODA-5000 ASDA-5000 LDA-5000

RWY 32: TORA-5000 TODA-5000 ASDA-5000 LDA-5000

AIRPORT REMARKS: Attended 1100-0100Z† on call other times 812-372-1819. Occasional heavy concentration of birds Aug and Sep. Closed to scheduled air carrier ops with greater than 9 passenger seats and unscheduled air carrier ops greater than 30 passenger seats. 90-day PPR, call arpt manager 812-376-2519 or 379-9942. Rwy 14-32 not avbl for air carrier ops with more than 30 passenger seats. When twr is clsd HIRL Rwy 05-23 and MIRL Rwy 14-32 and MALSR Rwy 23 are preset on low ints; to increase ints and ACTIVATE REIL Rwy 05 and PAPI Rwy 05, Rwy 23, Rwy 14 and Rwy 32—CTAF.

WEATHER DATA SOURCES: AWOS-3 119.75 (812) 376-7584.**COMMUNICATIONS:** CTAF 118.6 UNICOM 122.95

SHELBYVILLE RCO 122.1R, 112.0T (TERRE HAUTE RADIO)

① INDIANAPOLIS APP/DEP CON 134.85

TOWER 118.6 (1130-0300Z†) GND CON 121.6

CLNC DEL 121.6 (134.85 when tower closed)

AIRSPACE: CLASS D svc 1130-0300Z† other times CLASS E.


TRSA svc ctc APP CON.

RADIO AIDS TO NAVIGATION: NOTAM FILE HUF.

SHELBYVILLE (L) VORTAC 112.0 SHB Chan 57 N39°37.95' W85°49.46' 188° 22.5 NM to fld. 810/1E. HIWAS.

CLIFS NDB (MHW/LOM) 410 BA N39°19.32' W85°49.11' 228° 5.1 NM to fld. NOTAM FILE BAK.

ILS 110.7 I-BAK Rwy 23 Class IE. LOM CLIFS NDB.

**CONNERSVILLE****METTEL FLD** (CEV) 3 N UTC-5(-4DT) N39°41.91' W85°07.78'

ST. LOUIS

867 B FUEL 100LL, JET A NOTAM FILE HUF

H-5E, 10F, L-27E

RWY 18-36: H6500X100 (ASPH-GRVD) S-50, D-84, ST-107 MIRL

IAP

RWY 18: MALSR. REIL. PAPI(P4L)—GA 3.0° TCH 47'. Trees.

RWY 36: REIL. PAPI(P4L)—GA 3.0° TCH 32'. Trees.

RWY 04-22: 2833X100 (TURF)

RWY 04: Thld dspcd 593'. Trees.

RWY 22: Thld dspcd 100'. Brush.

AIRPORT REMARKS: Attended 1300-2200Z†. Arpt CLOSED holidays. For arpt svcs after hrs call 765-309-1775. Birds and deer on and invof arpt. Rotating bcn OTS indef. MIRL Rwy 18-36 preset low ints, increase ints and ACTIVATE MALSR Rwy 18, REIL Rwy 18 and 36—CTAF. Rwy 04 and Rwy 22 dspcd thlds marked by orange cones.

WEATHER DATA SOURCES: AWOS-3 118.325 (765) 827-6649.**COMMUNICATIONS:** CTAF/UNICOM 122.8**① DAYTON APP/DEP CON 134.45 (181°-359°)**

GCO 121.725 (DAYTON CLNC and FLIGHT SERVICES)


RADIO AIDS TO NAVIGATION: NOTAM FILE HUF.

RICHMOND (L) VORTAC 110.6 RID Chan 43 N39°45.30'

W84°50.33' 259° 13.9 NM to fld. 1135/3W.

PNTHR NDB (LOM) 227 SQ N39°46.61' W 85°07.79' 184° 4.7 NM to fld.

ILS 108.35 I-SQK Rwy 18. LOM PNTHR NDB.



CONVERSE (118) 1 W UTC-5(-4DT) N40°34.25' W85°53.50'

CHICAGO

840 NOTAM FILE HUF

RWY 07-25: H1800X75 (ASPH-CONC)

RWY 07: Thld dsplcd 38'.

RWY 25: Thld dsplcd 38'. Crops.

AIRPORT REMARKS: Unattended. Rwy 07-25 75' wide concrete overlaid with 37' wide asph strip down middle of rwy.

Loose gravel on rwy. Radio controlled airplanes on and invof arpt.

COMMUNICATIONS: CTAF 122.9

CRAWFORDSVILLE MUNI (CFJ) 4 S UTC-5(-4DT) N39°58.54' W86°55.19'

ST. LOUIS

799 B S4 FUEL 100LL, JET A NOTAM FILE HUF

L-27D

RWY 04-22: H4500X75 (ASPH) S-16, D-25 MIRL

IAP

RWY 04: REIL. PAPI(P2L)—GA 3.0° TCH 24'. Crops.

RWY 22: REIL. PAPI(P2L)—GA 3.0° TCH 24'. Thld dsplcd 200'. Tree.

AIRPORT REMARKS: Attended Nov-Mar 1300-2200Z†, Apr-Oct

1300-0000Z†. Parachute Jumping. MIRL Rwy 04-22 preset on low ints; to increase ints and ACTIVATE PAPI and REIL Rwsy 04 and 22—CTAF.

COMMUNICATIONS: CTAF/UNICOM 122.8

® INDIANAPOLIS APP/DEP CON 119.05


RADIO AIDS TO NAVIGATION: NOTAM FILE HUF.

BRICKYARD (H) VORTACW 116.3 VHP Chan 110 N39°48.88'

W86°22.05' 290° 27.3 NM to fld. 823/1E.

NDB (MHW) 388 CFJ N39°58.86' W86°54.94' at fld. NDB

unmonitored 0000-1200Z†.



CROWNPOINT N41°24.25' W87°14.27'

CHICAGO

RC0 123.65 (TERRE HAUTE RADIO)

L-28I

DAVISS CO (See WASHINGTON)

DE KALB CO (See AUBURN)

DELAWARE CO—JOHNSON FLD (See MUNCIE)

DELPHI MUNI (119) 3 S UTC-5(-4DT) N40°32.57' W86°40.90'

CHICAGO

675 B S2 FUEL: 100LL, MOGAS NOTAM FILE HUF

RWY 18-36: H2891X60 (ASPH) MIRL

RWY 18: Thld dsplcd 260'.

RWY 36: Crops.

AIRPORT REMARKS: Attended irregularly. Arpt unattended Christmas. ACTIVATE MIRL Rwy 18-36—CTAF.

COMMUNICATIONS: CTAF 122.9

EAGLE CREEK AIRPARK (See INDIANAPOLIS)


EARLE N40°25.59' W87°03.11' NOTAM FILE LAF.

CHICAGO

NDB (LOM) 401 LA 100° 5.3 NM to Purdue University. LOM unmonitored.

ELKHART**ELKHART MUNI** (EKM) 3 NW UTC-5(-4DT) N41°43.16' W86°00.19'**CHICAGO**778 B S4 FUEL 100LL, JET A OX 4 TPA-1778(1000) Class IV, ARFF Index A
NOTAM FILE EKMH-5E, 10F, L-281
IAP, AD**RWY 09-27:** H6500X120 (ASPH-GRVD) S-40, D-60 HIRL**RWY 09:** REIL. VASI(V4L)—GA 3.0° TCH 49'. Trees.**RWY 27:** MALSR VASI(V4L)—GA 3.0° TCH 45'. Trees**RWY 18-36:** H4001X75 (ASPH-GRVD) S-45, D-65, ST-82 MIRL**RWY 18:** REIL. PAPI(P4L)—GA 3.0° TCH 37'. Bldg.**RWY 36:** REIL. VASI(V4L)—GA 3.5° TCH 46'. Trees.**RWY 08-26:** 2500X100 (TURF)**RUNWAY DECLARED DISTANCE INFORMATION****RWY 08:** TORA-2500 TODA-2500 ASDA-2500 LDA-2500**RWY 09:** TORA-6500 TODA-6500 ASDA-6500 LDA-6500**RWY 18:** TORA-4001 TODA-4001 ASDA-4001 LDA-4001**RWY 26:** TORA-2500 TODA-2500 ASDA-2500 LDA-2500**RWY 27:** TORA-6500 TODA-6500 ASDA-6500 LDA-6500**RWY 36:** TORA-4001 TODA-4001 ASDA-4001 LDA-4001**AIRPORT REMARKS:** Attended 1100-0300Z±. CLOSED to scheduled air carrier ops with greater than 9 passenger seats and unscheduled air carrier ops greater than 30 passenger seats. 90-day PPR, call arpt manager 574-264-5217, after hrs ctc city communications center 574-293-2175. Uncontrolled vehicles on acft aprons N side of arpt. Rwy 08-26 marked with white corner markers. VFR only and only opr during twr hrs. When twr clsd MIRL Rwy 18-36; HIRL Rwy 09-27 preset low ints; to increase ints and ACTIVATE VASI Rwy 09, Rwy 27 and Rwy 36; REIL Rwy 09, Rwy 18 and Rwy 36 and MALSR Rwy 27—CTAF. Twy A not avbl to acft with more than 30 passenger seats. Rwy 27 touchdown runway visual range avbl.**WEATHER DATA SOURCES:** AWOS-3 124.475 (574) 264-9002.**COMMUNICATIONS:** CTAF 119.5 UNICOM 122.95**GOSHEN RCO 122.1R 113.7T (TERRE HAUTE RADIO)****(R) SOUTH BEND APP/DEP CON 118.55** (Sun-Fri 1030-0500Z±, Sat 1030-0445Z±), other times ctc **(R) CHICAGO CENTER APP/DEP CON 127.55****TOWER 119.5** (Mon-Fri 1100-0300Z±, Sat 1100-0100Z±, Sun 1200-0300Z±) **GND CON 121.8****CLNC DEL 121.8 SOUTH BEND CLNC DEL 119.7** (When Elkhart twr clsd).**AIRSPACE:** CLASS D svc Mon-Fri 1100-0300Z±, Sat 1100-0100Z±, Sun 1200-0300Z± other times CLASS G.**RADIO AIDS TO NAVIGATION:** NOTAM FILE LAN.**GIPPER (H) VORTACW 115.4** GIJ Chan 101 N41°46.12' W86°19.11' 102° 14.5 NM to fld. 804/00E. HIWAS.**GOSHEN (H) VORTAC 113.7** GSH Chan 84 N41°31.51' W86°01.68' 005° 11.7 NM to fld. 850/00E.

NOTAM FILE GSH.

ILS 111.5 I-OUP Rwy 27. Class IB.**MISHAWAKA PILOTS CLUB** (3C1) 3 SW UTC-5(-4DT) N41°39.42' W86°02.08'**CHICAGO**

755 B NOTAM FILE HUF

RWY 12-30: 3140X100 (TURF)**RWY 12:** Thld dspcd 690'. Trees.**RWY 30:** Thld dspcd 520'. Trees.**RWY 03-21:** H2243X40 (ASPH) LIRL**RWY 03:** Thld dspcd 187'. Road.**RWY 21:** Thld dspcd 200'. Road.**AIRPORT REMARKS:** Attended irregularly. Rwy 12-30 dspcd thlds marked with white tires.**COMMUNICATIONS:** CTAF 122.9**EMINENCE****PAM'S PLACE** (78I) 3 SW UTC-5(-4DT) N39°30.05' W86°41.41'**ST. LOUIS**

795 S4 NOTAM FILE HUF

RWY 10-28: 3630X100 (TURF)**RWY 10:** Thld dspcd 745'. Trees.**RWY 28:** Thld dspcd 750'. Road. Rgt tfc.**AIRPORT REMARKS:** Attended Mon-Fri 1400-2200Z±. Deer and birds on and invof arpt. Rwy 10-28 edges marked with grassline; dspcd thlds marked with 3 traffic cones.**COMMUNICATIONS:** CTAF 122.9

EVANSVILLE**EVANSVILLE RGNL** (EVV) 3 N UTC-6(-5DT) N38°02.31' W87°31.85'

ST. LOUIS

418 B S4 FUEL 100LL, JET A, OX 1, 2, 3 ARFF Index—See Remarks NOTAM FILE EVV

H-5E, L-16I

RWY 04-22: H8020X150 (ASPH-GRVD) S-100, D-175, ST-175, DT-300 HIRL

IAP, AD

RWY 04: REIL. VASI(V4L)—GA 3.0° TCH 52'. Thld dspcd 1296'.

Building.

RWY 22: MALSR. 0.8% down.**RWY 18-36:** H6286X150 (ASPH-GRVD) S-100, D-175, ST-175, DT-300 MIRL**RWY 18:** REIL. PAPI(P4R)—GA 3.66 TCH 62'. Pole.**RWY 36:** REIL. PAPI(P4L)—GA 3.0 TCH 29'. Thld dspcd 789'. Road.**RWY 09-27:** H3497X75 (ASPH) S-30, D-40, DT-60 MIRL**RWY 09:** Thld dspcd 529'. Road.**RWY 27:** Thld dspcd 218'. Road.**RUNWAY DECLARED DISTANCE INFORMATION****RWY 18:** TORA-5505 TODA-5505 ASDA-5505 LDA-5505**RWY 36:** TORA-6286 TODA-6286 ASDA-6286 LDA-5505**AIRPORT REMARKS:** Attended continuously. Birds on and invof arpt.

Rwys 09-27, 18-36 and Twys C; H; and E, restricted to acft less

than 50,000 lbs. Rwy 04 and Rwy 36 apch ends are closely

aligned. Verify correct rwy and compass heading prior to

departure. Class I, ARFF Index B. Arpt has Index C ARFF

capability—avbl on req, call 812-421-4408. HIRL Rwy 04-22 and

Rwy 18-36 on when twr clsd; Ints level and lgts Rwy 09-27 predicated by weather forecast when twr clsd.


ACTIVATE MALSR Rwy 22—CTAF.

WEATHER DATA SOURCES: ASOS (812) 426-2174. LAWRS.**COMMUNICATIONS:** CTAF 118.7 ATIS 120.2 UNICOM 122.95

RCO 122.65 (TERRE HAUTE RADIO)

⑧ **APP/DEP CON** 126.4 (041-219°) 127.35 (220-040°) (1200-0500Z‡)⑧ **INDIANAPOLIS CENTER APP/DEP CON** 128.3 (0500-1200Z‡)**TOWER** 118.7 (1200-0500Z‡) **GND CON** 121.9 **CLNC DEL** 126.6**AIRSPACE:** CLASS C svc 1200-0500Z‡ ctc **APP CON** other times CLASS G.**RADIO AIDS TO NAVIGATION:** NOTAM FILE HUF.**POCKET CITY (H) VORTACW** 113.3 PXV Chan 80 N37°55.70' W87°45.74' 056° 12.8 NM to fld. 384/3E.

HIWAS.

NDB (MHW) 284 PDW N38°02.41' W87°31.86' at fld. VFR only. NOTAM FILE EVV. Unmonitored when twr clsd. OTS indef.**VICCI NDB (LOM)** 219 EV N38°07.60' W87°26.44' 219° 6.8 NM to fld.**ILS** 109.9 I-DSO Rwy 04. Class IB. Unmonitored when twr clsd.**ILS** 109.9 I-EVV Rwy 22 Class IE. LOM VICCI NDB. Unmonitored when twr clsd.**ASR** (1200-0500Z‡)**SKYLANE** (3EV) 1 NW UTC-6(-5DT) N38°01.70' W87°35.68'

ST. LOUIS

380 S2 FUEL 100LL NOTAM FILE HUF

RWY 18-36: 2105X142 (TURF)**RWY 18:** Pole.**RWY 36:** P-line.**AIRPORT REMARKS:** Attended irregularly. Coordinate ingress/egress with Evansville App/Dep Con. Rwy 18-36 thlds marked with L shaped mats painted white.**COMMUNICATIONS:** CTAF 122.9**FERDINAND** N38°14.91' W86°50.27' NOTAM FILE HNB.

ST. LOUIS

NDB (MHW) 239 FNZ 270° 5.5 NM to Huntingburg.

L-27D

FLORA MUNI (5I2) 2 SW UTC-5(-4DT) N40°32.39' W86°32.90'

CHICAGO

710 NOTAM FILE HUF

RWY 09-27: 2143X93 (TURF) LIRL**RWY 09:** Road.**RWY 27:** Crops.**AIRPORT REMARKS:** Unattended. Parachute Jumping.**COMMUNICATIONS:** CTAF 122.9**FLYING U RANCH** (See UNION MILLS)

FORT WAYNE**FORT WAYNE INTL** (FWA) 7 SW UTC-5(-4DT) N40°58.71' W85°11.71'

814 B S4 FUEL 100LL, JET A OX 3 LRA ARFF Index—See Remarks

NOTAM FILE FWA

CHICAGO

H-5E, 10F, L-27E

IAP, AD

RWY 05-23: H11981X150 (ASPH-CONC-GRVD) S-100, D-190, ST-175, DT-355, DDT-780 HIRL CL**RWY 05:** ALSF2. TDZL.**RWY 23:** REIL. PAPI(P4L)—GA 3.0° TCH 76'. Tree. 0.3% up.**RWY 14-32:** H8001X150 (ASPH-CONC-GRVD) S-100, D-190, ST-175, DT-215, DDT-430 HIRL**RWY 14:** REIL. PAPI (P4L)—GA 3.0° TCH 53'. Tree.**RWY 32:** MALSR. PAPI (P4L)—GA 3.0° TCH 74'. Railroad.**RWY 09-27:** H4001X75 (ASPH-CONC) S-100, D-190, ST-175, DT-215, DDT-430**LAND AND HOLD SHORT OPERATIONS**

LANDING	HOLD SHORT POINT	DIST AVBL
RWY 05	14-32	9150
RWY 14	05-23	5650
RWY 27	05-23	2700

RUNWAY DECLARED DISTANCE INFORMATION

RWY 05:	TORA-11981	TODA-11981	ASDA-11981	LDA-11981
RWY 09:	TORA-4001	TODA-4001	ASDA-4001	LDA-4001
RWY 14:	TORA-8001	TODA-8001	ASDA-8001	LDA-8001
RWY 23:	TORA-11981	TODA-11981	ASDA-11981	LDA-11981
RWY 27:	TORA-4001	TODA-4001	ASDA-4001	LDA-4001
RWY 32:	TORA-8001	TODA-8001	ASDA-8001	LDA-8001

ARRESTING GEAR/SYSTEM**RWY 05** BAK-14 BAK 12B(B) (1563')TYPE H BAK 12B(B) (1380') **RWY 23****AIRPORT REMARKS:** Attended continuously Mon-Fri; Sat-Sun

1000-0500Z. User fee. Callout fee for fuel imposed between

0500-1000Z. Birds on and in/ovf arpt. Rwy 05-23 grooved

11,981'X130'. Rwy 14-32 grooved 8000' by 130'. Rwy 09-27

CLOSED for takeoffs and ldgs at ngt; avbl for taxiing only. US Customs user fee arpt. Noise abatement

procedures in effect ctc arpt manager 260-747-4146. Class I, ARFF Index B. ARFF Index C avbl upon req call arpt manager 260-747-4146. Twy M and East ramp CLOSED to all acft except military acft. All other acft

wishing to use E ramp must have prior approval from arpt manager. Twys B/B-1/B-2/E and G2 CLOSED to acft with wing spans of 79' and over and acft with dual wheel type ldg gear in excess of 50,000 lbs. Twys B, B1, and B2 avbl to Group IV acft 0400-0900Z. Rwy 05 arm/dearm area restricted to military acft. Rwy 05


touchdown, midpoint and rollout runway visual range avbl. Rwy 23 touchdown, midfield and rollout runway visual range avbl.

WEATHER DATA SOURCES: ASOS (260) 478-5615.**COMMUNICATIONS:** ATIS 121.25 UNICOM 122.95

RCO 122.45 122.2 (TERRE HAUTE RADIO)

(R) APP/DEP CON 132.15 (SE/NE of active rwy) 127.2 (SW/NW of active rwy), 135.325**TOWER** 119.1 **GND CON** 121.9 **CLNC DEL** 124.75**AIRSPACE: CLASS C** svc continuous ctc **APP CON****RADIO AIDS TO NAVIGATION:** NOTAM FILE FWA.**(H) VORTACW** 117.8 FWA Chan 125 N40°58.74' W85°11.28' at fld. 793/00E.

VORTAC unusable byd 33 NM blo 2800'. DME unusable 055°-065° blo 7000'.

HOAGY NDB (LOM) 251 FW N40°55.83' W85°07.18' 313° 4.5 NM to fld.**ILS** 111.9 I-HVD Rwy 05. Class IIE. OM Unmonitored. LOC BC unusable. LOC unusable byd 25° right of course.**ILS** 109.9 I-FWA Rwy 32. Class IT. LOM HOAGY NDB.**ASR****COMM/NAV/WEATHER REMARKS:** APP CON sectorization based upon Fort Wayne rwy usage.

SMITH FLD (SMD) 4 N UTC-5(-4DT) N41°08.60' W85°09.17'

CHICAGO

835 B FUEL 100LL, JET A NOTAM FILE HUF

L-28J

RWY 05-23: H3124X60 (ASPH) D-40 LIRL

IAP

RWY 05: VASI(V2L)—GA 4.0° TCH 26'. Thld dsplcd 200'. Crops.

RWY 23: VASI(V2L)—GA 4.0 TCH 26'. Road.

RWY 13-31: H2922X100 (ASPH) D-40

RWY 13: Thld dsplcd 719'. Crops.

RWY 31: Road.

AIRPORT REMARKS: Attended 1200-0200Z±. 100' AGL athletic fld lgts
½ mile E of arpt. Birds on and invof arpt.

WEATHER DATA SOURCES: AWOS-3 124.55 (260) 490-4030.

COMMUNICATIONS: CTAF/UNICOM 122.8

® FORT WAYNE APP/DEP CON 132.15 (SE/NE of active rwy) 127.2
(SW/NW of active rwy)


RADIO AIDS TO NAVIGATION: NOTAM FILE FWA.

FORT WAYNE (H) VORTACW 117.8 FWA Chan 125 N40°58.74'

W85°11.28' 009° 10 NM to fld. 793/00E.

WOLF LAKE (L) VORW 110.4 OLK N41°14.82' W85°29.84' 115°
16.8 NM to fld. NOTAM FILE HUF.

COMM/NAV/WEATHER REMARKS: APP CON sectorization based upon Fort
Wayne rwy usage.



FRANKFORT MUNI (FKR) 3 W UTC-5(-4DT) N40°16.41' W86°33.73'

CHICAGO

861 B S2 FUEL 100LL, JET A NOTAM FILE HUF

H-5E, 10F, L-27D

RWY 09-27: H5000X75 (ASPH) MIRL

IAP

RWY 09: REIL. PAPI(P2L)—GA 3.0° TCH 29'. Crops.

RWY 27: REIL. PAPI(P2L)—GA 3.0° TCH 26'. Crops.

RWY 04-22: H2527X70 (ASPH) MIRL S-12.5, D-20

RWY 04: Crops. RWY 22: Road.

AIRPORT REMARKS: Attended 1300-2200Z±. MIRL Rwy 09-27 and Rwy
04-22 preset low ints, to increase ints and ACTIVATE REILS Rwy
09 and Rwy 27—CTAF.

WEATHER DATA SOURCES: AWOS-3 124.325 (765) 654-0328.

COMMUNICATIONS: CTAF/UNICOM 123.0


® CHICAGO CENTER APP/DEP CON 123.85

RADIO AIDS TO NAVIGATION: NOTAM FILE OKK.

KOKOMO (H) VORTAC 113.5 OKK Chan 82 N40°31.67'

W86°03.48' 237° 27.7 NM to fld. 830/00E.

NDB (MHW) 278 FKR N40°16.23' W86°33.77' at fld. NDB
unmonitored 0000-1200Z±. NOTAM FILE HUF.



FRANKLIN FLYING FIELD (3FK) 3 S UTC-5(-4DT) N39°25.59' W86°03.50'

ST. LOUIS

740 B S4 FUEL 100LL NOTAM FILE HUF


RWY 03-21: H2400X35 (ASPH)

RWY 03: Thld dsplcd 125'. Tree.

RWY 21: Thld dsplcd 165'. Crops.

AIRPORT REMARKS: Attended irregularly. Parachute Jumping. Rwy 03-21
thld lgts OTS indef.

COMMUNICATIONS: CTAF/UNICOM 122.7



FREEMAN MUNI (See SEYMOUR)**FRENCH LICK****FRENCH LICK MUNI** (FRH) 3 SW UTC-5(-4DT) N38°30.37' W86°38.22'


792 B S3 FUEL 100LL, JET A NOTAM FILE HUF

RWY 08-26: H5500X100 (ASPH) S-50, D-60 MIRL**RWY 08:** VASI(V4L)—GA 3.0° TCH 36'. Trees.**RWY 26:** REIL. VASI(V4L)—GA 3.0° TCH 38'. Trees.**AIRPORT REMARKS:** Attended 1400-2300Z+. For svc after hrs call pager: 888-237-6574. Deer on and invof arpt. ACTIVATE MIRL Rwy 08-26—122.8.**WEATHER DATA SOURCES:** AWOS-3 118.075 (812) 936-2252.**COMMUNICATIONS:** CTAF/UNICOM 122.8

(R) LOUISVILLE APP/DEP 132.075 (East) 123.675 (West)

RADIO AIDS TO NAVIGATION: NOTAM FILE BMG.**HOOSIER (L) VORTAC** 110.2 OOM Chan 39 N39°08.63'

W86°36.78' 184° 38.2 NM to fld. 845/2W.

ST. LOUIS
H-5E, 10F, L-27D
IAP**PATOKA RESERVOIR LANDING AREA SPB** (Ø6I) 8 NW UTC-5(-4DT) N38°26.00' W86°41.47'

ST LOUIS

536 NOTAM FILE HUF

WATERWAY E-W: 16000X3500 (WATER)**SEAPLANE REMARKS:** Unattended. Seaplane Ops prohibited SS-SR. CAUTION: Low alt-high speed military training route activity, cto FSS for information. Lake use permit required. Call 812-685-2464.**COMMUNICATIONS:** CTAF 122.9**FULTON CO** (See ROCHESTER)**GALVESTON** (5I6) 3 NW UTC-5(-4DT) N40°35.05' W86°15.42'

CHICAGO

786 NOTAM FILE HUF

RWY 18-36: 2720X75 (TURF)**RWY 18:** Thld dsplcd 200'. Crops. Rgt tfc.**RWY 36:** Thld dsplcd 200'. Crops.**AIRPORT REMARKS:** Unattended. Ingress/egress must be coordinated with Grissom AFB apch control on frequency 121.05 and Twr on frequency 133.7. Rwy 18-36 edges and dsplcd thlds marked with yellow and black aluminum strips. Crops 100' E and W of centerline entire length of Rwy 18-36.**COMMUNICATIONS:** CTAF 122.9**GARIE** N41°34.35' W87°19.62' NOTAM FILE GYY.

CHICAGO

NDB (LOM) 236 GY 306° 4.7 NM to Gary/Chicago Intl.

GARY/CHICAGO INTL (GYG) 3 NW UTC-6(-5DT) N41°36.98' W87°24.77'

CHICAGO

591 B S4 FUEL 100LL, JET A OX 3 ARFF Index—See Remarks NOTAM FILE GYG

COPTER

Rwy 12-30: H7003X150 (ASPH-GRVD) S-75, D-157, ST-175, DT-250. HIRL CL

H-5E, L-28H, A

Rwy 12: REIL. PAPI(P4L)—GA 3.0° TCH 50'. Thld dsplcd 713'. Pole.

IAP, AD

Rwy 30: MALSR. PAPI(P4L)—GA 3.0° TCH 50'. Pole.

Rwy 02-20: H3603X100 (ASPH) S-18, D-28 MIRL

Rwy 02: REIL. PAPI(P2L)—GA 3.0° TCH 35'. Road.

Rwy 20: REIL. PAPI(P2L)—GA 3.0° TCH 39'. Pole.

AIRPORT REMARKS: Attended continuously. Unlighted 30' AGL obstruction 1700' SE apch end Rwy 30. Birds; coyotes and deer and other wildlife and migratory waterfowl on and invof arpt. No line of sight between intersecting rwy ends. Rwy 30 touchdown rwy visual range avbl. Class I, ARFF Index B. ARFF Index C avbl 4 hrs PPR ctc 219-949-4922. Rwy 02-20 avbl to air carrier with more than 19 passenger seats between Rwy 12-30 and Twy A for taxiing only. Twys A, A-1, A-2, A-4 and Twy C north of Rwy 12-30 avbl to air carrier acft with more than 9 seats. Twy Foxtrot military use only. Uncontrolled vehicles on ramps N side of artp. When twr clsd ACTIVATE HIRL Rwy 12-30, MIRL Rwy 02-20; REIL Rws 02, 12 and 20 and MALSR Rwy 30—CTAF. Ldg fee. Ldg fee for acft 12,500 lbs and over and all twin engine acft.

WEATHER DATA SOURCES: AWOS-3 (219) 944-0010.

COMMUNICATIONS: CTAF 125.6 ATIS 120.625

CHICAGO HEIGHTS RCO 122.1R, 114.2T (KANKAKEE RADIO)

CROWNPOINT RCO 123.65 (TERRE HAUTE RADIO)

Ⓡ **CHICAGO APP/DEP CON** 133.1

TOWER 125.6 (1100-0400Z) **GND CON** 121.9


AIRSPACE: CLASS D svc 1100-0400Z other times CLASS G.

RADIO AIDS TO NAVIGATION: NOTAM FILE IKK.

CHICAGO HEIGHTS (L) VORTAC 114.2 CGT Chan 89 N41°30.60' W87°34.29' 046° 9.6 NM to fld. 630/2E.

GARIE NDB (LOM) 236 GY N41°34.35' W87°19.62' 306° 4.7 NM to fld.

ILS/DME 108.75 I-GYY Chan 24(Y) Rwy 30. Class IE. LOM GARIE NDB. Unmonitored when twr clsd.



GIPPER (See GIPPER, MI)

GLENDALE (See KOKOMO)

GOSHEN MUNI (GSH) 3 SE UTC-5(-4DT) N41°31.58' W85°47.65'

CHICAGO

827 B S4 FUEL 100LL, JET A OX 3 NOTAM FILE GSH

H-5E, 10F, L-28I

Rwy 09-27: H6050X100 (ASPH-GRVD) S-45, D-60, DT-100 HIRL

IAP

Rwy 09: REIL. PAPI(P2L)—GA 3.0° TCH 33'. Tree.

Rwy 27: REIL. PAPI(P4L)—GA 3.0° TCH 47'. Tree.

Rwy 05-23: 2585X180 (TURF)

Rwy 05: P-line. **Rwy 23:** P-line.

AIRPORT REMARKS: Attended Mon-Sat 1200-0000Z, Sun 1300-2300Z. Parachute Jumping. Rwy 05 and Rwy 23 has white metal markers at sides and ends. HIRL Rwy 09-27 preset low ints, to increase ints and ACTIVATE REIL Rwy 09 and Rwy 27—CTAF.

WEATHER DATA SOURCES: ASOS 121.45 (574) 642-4231.

COMMUNICATIONS: CTAF/UNICOM 123.05

GOSHEN RCO 122.1R 113.7T (TERRE HAUTE RADIO)

Ⓡ **SOUTH BEND APP/DEP CON** 132.05 (Sun-Fri 1030-0500Z, Sat 1030-0445Z), other times ctc Ⓡ **CHICAGO CENTER APP/DEP CON** 135.9


SOUTH BEND CLNC DEL 125.25

RADIO AIDS TO NAVIGATION: NOTAM FILE GSH.

(H) **VORTAC** 113.7 GSH Chan 84 N41°31.51'

W86°01.68' 090° 10.6 NM to fld. 850/00E.

ILS 108.3 I-GSH Rwy 27. Unmonitored. LOC BC unusable.



GREENCASTLE N39°42.84' W86°48.36' NOTAM FILE HUF.

ST. LOUIS

NDB (MHW) 521 TVX 187° 4.8 NM to Putnam Co.

L-27D

GREENCASTLE**PUTNAM CO**

(417) 3 SE UTC-5(-4DT) N39°38.01' W86°48.83'

842 B S4 FUEL 100LL, JET A1+ OX 1,2 TPA-1842 (1000) NOTAM FILE HUF

RWY 18-36: H4987X100 (ASPH) LIRL 0.6% up N

RWY 18: PAPI(P4L)—GA 3.0° TCH 20'. Crops.

RWY 36: PAPI(P4L)—GA 3.0° TCH 30'. Road.

AIRPORT REMARKS: Attended continuously. Deer on and invof arpt. 414' taxiway S end of Rwy 36. ACTIVATE LIRL (med ints only)

Rwy 18-36—CTAF.

WEATHER DATA SOURCES: AWOS-3 118.125 (765) 653-1789.

COMMUNICATIONS: CTAF/UNICOM 122.8

® INDIANAPOLIS APP/DEP CON 119.05

RADIO AIDS TO NAVIGATION: NOTAM FILE HUF.

BRICKYARD (H) VORTACW 116.3 VHP Chan 110 N39°48.88'

W86°22.05' 241° 23.3 NM to fld. 823/1E.


GREENCASTLE NDB (MHW) 521 TVX N39°42.84'

W86°48.36' 187° 4.8 NM to fld.

ST. LOUIS

L-27D

IAP

**GREENFIELD****POPE FLD**

(GFD) 2 NE UTC-5(-4DT) N39°47.42' W85°44.17'

895 NOTAM FILE HUF

RWY 18-36: 2165X150 (TURF) LIRL (NSTD)

RWY 18: Thld dspcd 165'. Crops.

RWY 36: Trees.

AIRPORT REMARKS: Unattended. Rwy 18-36 seasonal crops 85' E and W of rwy. Rwy 18-36 NSTD LIRL. NSTD spacing of lgts on pvc pipes and glass jar lenses. Rwy 18 dspcd thld marked with three yellow tires each side.

COMMUNICATIONS: CTAF 122.9

ST. LOUIS

GREENSBURG MUNI

(I34) 2 SW UTC-5(-4DT) N39°19.62' W85°31.35'

912 B S2 FUEL 100LL, JET A NOTAM FILE HUF

RWY 18-36: H3433X40 (ASPH) MIRL

RWY 18: VASI(V2L)—GA 2.8° TCH 19'. Thld dspcd 500'. Road.

RWY 36: VASI(V2L)—GA 2.8°. Thld dspcd 100'. Crops.

AIRPORT REMARKS: Attended Mon-Fri, 1400-2200Z+. Parachute Jumping. Rwy 36 seasonal crops 180' from thld OB 4'-10' high. ACTIVATE MIRL Rwy 18-36 and VASI Rwy 18 and Rwy 36—CTAF. Rwy 18 and Rwy 36 VASI OTS indef.

COMMUNICATIONS: CTAF 122.9

OSGOOD RCO 122.25 (TERRE HAUTE RADIO)

® INDIANAPOLIS APP/DEP CON 127.15

RADIO AIDS TO NAVIGATION: NOTAM FILE HUF.


SHELBYVILLE (L) VORTAC 112.0 SHB Chan 57 N39°37.95'

W85°49.46' 141° 23.1 NM to fld. 810/1E. HIWAS.

ST. LOUIS

L-27E

IAP

**GREENWOOD MUNI**

(See INDIANAPOLIS)

GRIFFITH-MERRILLVILLE (Ø5C) 2 E UTC-6(-5DT) N41°31.19' W87°23.97'

CHICAGO

634 B S4 FUEL 100LL, JET A OX 2, 4 NOTAM FILE HUF

L-28H, A

RWY 08-26: H4900X75 (ASPH-GRVD) MIRL

IAP

RWY 08: REIL. PAPI(P2L)—GA 3.5° TCH 43'.

RWY 26: REIL. PAPI (P2R)—GA 4.0° TCH 33'. Thld dsplcd 1120'.

Trees.

AIRPORT REMARKS: Attended 1400-0200Z±. Unattended New Years Day, Easter, Thanksgiving, and Christmas. Deer on and invof arpt. ACTIVATE MIRL Rwy 08-26 and REIL Rwy 08 and Rwy 26 and PAPI Rwy 08 and Rwy 26—CTAF.

COMMUNICATIONS: CTAF/UNICOM 123.0

CHICAGO HEIGHTS RCO 122.1R 114.2T (KANKAKEE RADIO)


CROWNPOINT RCO 123.65 (TERRE HAUTE RADIO)

Ⓡ CHICAGO APP/DEP CON 133.1

RADIO AIDS TO NAVIGATION: NOTAM FILE IKK.

CHICAGO HEIGHTS (L) VORTAC 114.2 CGT Chan 89 N41°30.60'

W87°34.29' 084° 7.8 NM to fld. 630/2E.

**GRISSOM ARB** (See PERU)**HAGERSTOWN** (I61) 1S UTC-5(-4DT) N39°53.35' W85°09.80'

ST. LOUIS

1000 NOTAM FILE HUF

RWY 02-20: 4000X200 (TURF) LIRL

RWY 02: Thld dsplcd 200'. Crops.

RWY 20: Thld dsplcd 1070'. Tree.

AIRPORT REMARKS: Unattended. ACTIVATE LIRL Rwy 02-20—CTAF. Rwy 02-20 dsplcd thlds marked by lgt fixtures and yellow tires.

COMMUNICATIONS: CTAF/UNICOM 123.0**HANOVER****LEE BOTTOM** (64I) 6S UTC-5(-4DT) N38°37.89' W85°26.61'

ST. LOUIS

470 NOTAM FILE HUF

RWY 18-36: 4080X100 (TURF)

RWY 18: Trees.

RWY 36: Thld dsplcd 800'. Trees. Rgt tfc.

AIRPORT REMARKS: Attended irregularly dalgt hrs. Rwy 18-36 has a 30' dropoff at south end of rwy. Rwy 18-36 yellow squares flush with ground mark; rwy thlds and white traffic cones mark rwy boundary.

COMMUNICATIONS: CTAF 122.9**HARDENSTOWN****ACTION AIRPARK** (I38) 1 NE UTC-5(-4DT) N39°07.95' W84°49.72'

CINCINNATI

465 TPA-865 (400) NOTAM FILE HUF

RWY 02-20: 1577X100 (TURF)

RWY 02: Sign. Rgt tfc.

RWY 20: Thld dsplcd 225'. Road.

AIRPORT REMARKS: Attended dusk-dawn. Ultralight arpt. Rwy 02-20 marked by mowing; thld and Rwy 20 dsplcd thld marked with orange tfc cones. Ldg fee.

COMMUNICATIONS: CTAF 122.9**HARROLD** (See BUTLER)**HENDRICKS CO-GORDON GRAHAM FLD** (See INDIANAPOLIS)**HOAGY** N40°55.83' W85°07.18' NOTAM FILE FWA.

CHICAGO

NDB (LOM) 251 FW 313° 4.5 NM to Fort Wayne Intl

HOBART SKY RANCH (3HO) 2 NW UTC-6(-5DT) N41°33.25' W87°15.75'

CHICAGO

644 FUEL MOGAS NOTAM FILE HUF

L-281

RWY 18-36: H3125X40 (ASPH)


RWY 18: Thld dsplcd 502'. Tree.

RWY 36: Thld dsplcd 320'. Trees.

AIRPORT REMARKS: Attended 1400-2300Z†. Parachute Jumping. Trailer park 155' W of rwy. Rwy 18-36 cracks with grass growing through.

COMMUNICATIONS: CTAF/UNICOM 122.8**CROWNPOINT RCO** 123.65 (TERRE HAUTE RADIO)**RADIO AIDS TO NAVIGATION:** NOTAM FILE IKK.

CHICAGO HEIGHTS (L) VORTAC 114.2 CGT Chan 89 N41°30.60' W87°34.29' 077° 14.2 NM to fld. 630/2E.

**HOLIDAY INN LAKEVIEW** (See CLARKSVILLE)**HOOSIER** N39°08.63' W86°36.78' NOTAM FILE BMG.

ST. LOUIS

(L) VORTAC 110.2 OOM Chan 39 at Monroe Co. 845/2W. ASOS.

L-270

VOR portion unusable 310°-014° byd 12 NM, 014°-061° and 061°-090° byd 15 NM.

DME portion unusable 150°-340° byd 25 NM, 222°-310° byd 25 NM and 015°-090°.

RCO 122.1R 110.2T (TERRE HAUTE RADIO)**HUNTINGBURG** (HNB) 3 S UTC-6(-5DT) N38°14.94' W86°57.22'

ST. LOUIS

529 B S4 FUEL 100LL, JET A1 + OX 3 NOTAM FILE HNB

H-5E, 10F, L-27D

RWY 09-27: H5000X75 (ASPH-GRVD) S-28, D-33 MIRL 0.3% up E

IAP

RWY 09: REIL. PAPI(P4L)—GA 3.0° TCH 38'. Road.

RWY 27: REIL. VASI(V4L)—GA 3.0° TCH 49'.

AIRPORT REMARKS: Attended Mon-Fri 1800-0300Z†, Sat 1800-2200Z†. Rwy 09 60' lgtd towers 800' from rwy end 400' left. ACTIVATE MIRL Rwy 09-27, VASI Rwy 27 and PAPI Rwy 09 and REIL Rwy 09-27—CTAF.

WEATHER DATA SOURCES: AWOS-3 118.25 (812) 683-4003.**COMMUNICATIONS:** CTAF/UNICOM 122.8

Ⓡ EVANSVILLE APP/DEP CON 126.4 (1200-0500Z†) CLNC DEL 118.8

Ⓡ INDIANAPOLIS CENTER APP/DEP CON 128.3 (0500-1200Z†)


RADIO AIDS TO NAVIGATION: NOTAM FILE HNB.

(T) VORW/DME 109.2 HNB Chan 29 N38°15.03'

W86°57.37' at fld. 517/00E.

FERDINAND NDB (MHW) 239 FNZ N38°14.91' W86°50.27' 270°

5.5 NM to fld.



HUNTINGTON MUNI (HHG) 3 SE UTC-5(-4DT) N40°51.18' W85°27.43'

806 B S4 FUEL 100LL, JET A NOTAM FILE HUF

RWY 09-27: H5001X75 (ASPH-GRVD) S-38, D-50 MIRL

RWY 09: REIL. PAPI(P4L)—GA 3.0° TCH 36'. Trees.

RWY 27: REIL. PAPI(P4L)—GA 3.0° TCH 45'. Trees.

AIRPORT REMARKS: Attended 1300Z†-dusk. Arpt unattended holidays.

CAUTION: Deer on arpt early morning and evening hrs. MIRL Rwy

09-27 preset on low inst, to increase inst and ACTIVATE REIL

Rwys 09 and 27—CTAF.

COMMUNICATIONS: CTAF/UNICOM 122.8

⑧ FORT WAYNE APP/DEP CON 127.2

RADIO AIDS TO NAVIGATION: NOTAM FILE FWA.

FORT WAYNE (H) VORTACW 117.8 FWA Chan 125 N40°58.74'


W85°11.28' 238° 14.4 NM to fld. 793/00E.

NDB (MHW) 417 HHG N40°51.34' W85°27.86' at fld. NOTAM
FILE HUF.

CHICAGO

H-5E, 10F, L-27E

IAP

**INDIANAPOLIS****EAGLE CREEK AIRPARK** (EYE) 7 W UTC-5(-4DT) N39°49.85' W86°17.66'

823 B S4 FUEL 100LL, JET A OX 1 NOTAM FILE EYE

RWY 03-21: H4200X75 (ASPH) S-12.5 MIRL

RWY 03: REIL. PAPI(P2L)—GA 3.0° TCH 30'. Trees.

RWY 21: MALS. PAPI(P2L)—GA 3.0° TCH 30' Road.

AIRPORT REMARKS: Attended 1200Z†-dusk. 100LL has 24 hr self svc.

MIRL Rwy 03-21 preset low ints, to increase ints and ACTIVATE

MALS Rwy 21 and REIL Rwy 03—CTAF.

WEATHER DATA SOURCES: ASOS 121.575 (317) 329-1754.**COMMUNICATIONS:** CTAF/UNICOM 122.8

⑧ INDIANAPOLIS APP/DEP CON 119.05 CLNC DEL 128.6

RADIO AIDS TO NAVIGATION: NOTAM FILE HUF.

BRICKYARD (H) VORTACW 116.3 VHP Chan 110 N39°48.88'

W86°22.05' 073° 3.5 NM to fld. 823/1E.

AIRPA NDB (LOM) 209 EY N39°55.52' W86°14.28' 207° 6.2


NM to fld. Unmonitored. NOTAM FILE EYE.

ILS 111.5 I-EYE. Rwy 21 LOM AIRPA NDB. LOC
only. LOC and LOM unmonitored.

ST. LOUIS

L-27D

IAP



GREENWOOD MUNI (HFY) 10 SE UTC-5(-4DT) N39°37.66' W86°05.28'

ST. LOUIS

822 B S4 FUEL 100LL, JET A OX 1, 2, 3, 4 TPA-1622(800) NOTAM FILE HUF

L-27D

RWY 01-19: H4901X75 (ASPH) HIRL

IAP

RWY 01: REIL. PAPI(P4L)—GA 3.0° TCH 39'. Tree.

RWY 19: REIL. PAPI(P4L)—GA 3.0° TCH 40'. Road.

AIRPORT REMARKS: Attended 1300Z±-dusk. Arpt unattended Christmas Day. High ints student training. HIRL Rwy 01-19 preset low inst; to increase ints ACTIVATE REIL Rwys 01 and 19—CTAF. Rwy 01-19 10' drainage ditch 125' right/left of centerline.

WEATHER DATA SOURCES: AWOS-3 118.525 (317) 882-5862.**COMMUNICATIONS:** CTAF/UNICOM 123.0


INDIANAPOLIS APP/DEP CON 124.95

RADIO AIDS TO NAVIGATION: NOTAM FILE HUF.

SHELBYVILLE (L) VORTAC 112.0 SHB Chan 57 N39°37.95'

W85°49.46' 268° 12.2 NM to fld. 810/1E. HIWAS.

NDB (MHW) 398 HFY N39°37.96' W86°05.44' at fld.

**HENDRICKS CO-GORDON GRAHAM FLD** (2R2) 13 W UTC-5(-4DT) N39°44.81' W86°28.51'

ST. LOUIS

897 B FUEL 100LL NOTAM FILE HUF

L-27D

RWY 18-36: H4400X100 (ASPH) MIRL

IAP

RWY 18: REIL. PAPI(P2L)—GA 3.0° TCH 38. Trees.

RWY 36: REIL. PAPI(P2L)—GA 3.0° TCH 38. P-line.

AIRPORT REMARKS: Attended Mon-Fri 1300-2200Z±. MIRL Rwy 18-36 preset on low ints to increase ints ACTIVATE—CTAF.

COMMUNICATIONS: CTAF/UNICOM 122.7

INDIANAPOLIS APP CON 121.1

INDIANAPOLIS DEP CON 119.05

RADIO AIDS TO NAVIGATION: NOTAM FILE HUF.

BRICKYARD (H) VORTACW 116.3 VHP Chan 110 N39°48.88' W86°22.05' 230° 6.4 NM to fld. 823/1E.

INDIANAPOLIS DOWNTOWN HELIPORT (8A4) ØN UTC-5(-4DT) N39°45.95' W86°08.93'

ST. LOUIS

732 B S1 FUEL JET A1+ NOTAM FILE HUF

L-27D

HELIPAD H1: H60X60 (CONC)

IAP

HELIPAD H1: VASI (NSTD). Buildings.

HELIPORT REMARKS: Attended Mon-Fri 1200-2030Z±, Sat-Sun on req. For attendant and information call 317-955-1271. For week-end assistance 317-487-5089. Fuel self serve. Minor repairs available on req call 317-487-5089. Helipad H1 all t/c remain S of heliport; utilize railroad tracks and interstate highways for ingress/egress. Apch and departure on easterly or westerly headings. ODALS westbound ingress. Helipad H1 NSTD PLASI—Pulsating apch slope indicator—on E apch. Helipad H1 building area to NE is lgtd. Heliport has noise abatement procedures contact heliport manager 317-955-1271. ACTIVATE ODALS; NSTD PLASI; and High Ints Pad Lgts—CTAF.

WEATHER DATA SOURCES: AWOS-3 118.25 (317) 955-3160.**COMMUNICATIONS:** CTAF/UNICOM 123.05

Ⓡ APP/DEP CON 125.275

RADIO AIDS TO NAVIGATION: NOTAM FILE HUF.

SHELBYVILLE (L) VORTAC 112.0 SHB Chan 57 N39°37.95' W85°49.46' 297° 17 NM to fld. 810/1E.

HIWAS.

INDIANAPOLIS EXECUTIVE (TYQ) 14 NW UTC-5(-4DT) N40°01.84' W86°15.09'

CHICAGO

922 B S4 FUEL 100LL, JET A OX 3 NOTAM FILE HUF

H-5E, 10F, L-27D

RWY 18-36: H5500X100 (CONC-GRVD) S-45, D-60 HIRL

IAP

RWY 18: REIL. VASI(V2L)—GA 3.0° TCH 45'. Trees.

RWY 36: REIL. PAPI(P2L)—GA 3.0° TCH 57'. Crops.

AIRPORT REMARKS: Attended 1100-0100Z. For svcs after hrs call arpt manager on 317-339-1554. HIRL Rwy 18-36 preset low ints dusk to 0330Z, to increase ints and ACTIVATE REIL Rws 18 and 36 and VASI Rwy 18 and PAPI Rwy 36—CTAF. After 0330Z ACTIVATE HIRL Rwy 18-36 and REIL Rws 18 and 36 and VASI Rwy 18 and PAPI Rwy 36—CTAF.

WEATHER DATA SOURCES: AWOS-3 120.725 (317) 769-3154.

COMMUNICATIONS: CTAF/UNICOM 123.05

® **APP/DEP CON** 127.15 (Active Rwy 14-32 at IND) 124.65 (Active Rwy 05-23 at IND)

RADIO AIDS TO NAVIGATION: NOTAM FILE HUF.

BRICKYARD (H) VORTACW 116.3 VHP Chan 110 N39°48.88'


W86°22.05' 021° 14 NM to fld. 823/1E.

ZIONSVILLE NDB (MHW) 248 HZP N39°56.38' W86°14.92'

002° 5.5 NM to fld. Unmonitored.

ILS 111.3 I-TYQ Rwy 36.

COMM/NAV/WEATHER REMARKS: APP/DEP CON sectorization based on active rwy at Indianapolis International arpt.



INDIANAPOLIS INTL (IND) 7 SW UTC-5(-4DT) N39°43.04' W86°17.68'

ST. LOUIS

797 B S4 FUEL 100LL, JET A, A1+ OX 1, 3 LRA Class I, ARFF Index D

H-5E, 10F, L-27D

NOTAM FILE IND

IAP, AD

RWY 05L-23R: H11200X150 (CONC-GRVD) S-145, D-300, ST-175, DT-550 HIRL CL

RWY 05L: ALSF2. TDZL. PAPI(P4L)—GA 3.0° TCH 68'.

RWY 23R: MALSR. PAPI(P4L)—GA 3.0° TCH 64'. Antenna. 0.6% down

RWY 05R-23L: H10000X150 (CONC-GRVD) S-145, D-300, ST-175, DT-550 HIRL CL

RWY 05R: ALSF2. TDZL. PAPI(P4L)—GA 3.0° TCH 66'.

RWY 23L: MALSR. PAPI(P4L)—GA 3.0° TCH 69'. Antenna.

RWY 14-32: H7280X150 (ASPH-GRVD) S-145, D-300, ST-175, DT-550 HIRL

RWY 14: MALSR. PAPI(P4L)—GA 3.0° TCH 68'. Antenna.

RWY 32: MALSR. PAPI(P4R)—GA 3.0° TCH 73'. Trees.

RUNWAY DECLARED DISTANCE INFORMATION

RWY 05L: TORA-11200 TODA-11200 ASDA-11200 LDA-11200

RWY 05R: TORA-10000 TODA-10000 ASDA-10000 LDA-10000

RWY 14: TORA-7280 TODA-7280 ASDA-7280 LDA-7280

RWY 23L: TORA-10000 TODA-10000 ASDA-10000 LDA-10000

RWY 23R: TORA-11200 TODA-11200 ASDA-11200 LDA-11200

RWY 32: TORA-7280 TODA-7280 ASDA-7280 LDA-7280

AIRPORT REMARKS: Attended continuously. Large flocks of birds on and

invof arpt. Twy V clsd to air carrier ops with more than 30 passenger seats. Primary student touch and go lds not permitted. Be alert to close proximity of Rwy 14-32 to apron. Twy H NE of Twy M not available for group V acft. Noise abatement procedures in effect contact arpt management 317-487-9594. Rwy 05R-23L and Rwy 14-32 have 200' blast pads both ends. Rwy 05L-23R has 400' blast pad both ends. Rwy 14 PAPI unusable byd 8° right of course. Twy H runs contiguous at air carrier ramp area. Flight Notification Service (ADCUS) available.

NOTE: See Special Notices Section-Intersection Departures During Period of Darkness.

WEATHER DATA SOURCES: ASOS (317) 241-0348. LLWAS. TDWR.

COMMUNICATIONS: D-ATIS 134.25 UNICOM 122.95

RCO 122.55 (TERRE HAUTE RADIO)

Ⓡ APP CON 127.15 (E of active rwy) 124.65 (W of active rwy) 119.3

INDY TOWER 120.9 (Rwy 14-32 and Rwy 05R-23L) 127.82 (Rwy 05L-23R) GND CON 121.9, 121.8

CLNC DEL 128.75 PRE TAXI CLNC 128.75

Ⓡ DEP CON 124.95 (East) 119.05 (West)

AIRSPACE: CLASS C svc continuous etc APP CON

RADIO AIDS TO NAVIGATION: NOTAM FILE HUF.

BRICKYARD (H) VORTAC 116.3 VHP Chan 110 N39°48.88' W86°22.05' 149° 6.7 NM to fld. 823/1E.

PULLY NDB (LOM) 266 IN N39°37.74' W86°25.10' 049° 7.8 NM to fld. NOTAM FILE IND.

COLFA NDB (LOM) 232 CO N39°39.42' W86°11.13' 308° 6.2 NM to fld.

BRINN NDB (LOM) 219 OQ N39°37.04' W86°24.47' 043° 8.0 NM to fld.

LAREZ NDB (LOM) 349 FV N39°47.19' W86°11.78' 230° 6.2 NM to fld.

ILS/DME 111.75 I-IND Chan 54(Y) Rwy 05L. Class IIID. LOM PULLY NDB. LOC unusable byd 20° right of course.


ILS/DME 111.15 I-OQV Chan 48(Y) Rwy 05R. LOM BRINN NDB.

ILS/DME 111.75 I-UZK Chan 54(Y) Rwy 23R. Class 1B.

ILS/DME 111.15 I-FVJ Chan 48(Y) Rwy 23L. Class 1A. LOM LAREZ NDB. Glide Slope unusable 5° left of LOC course.

ILS 110.5 I-BJP Rwy 14. Class 1T.

ILS 110.5 I-COA Rwy 32. Class 1T. LOM COLFA NDB. LOC unusable byd 30° left and right of course.



INDIANAPOLIS METROPOLITAN (UMP) 8 NE UTC-5(-4DT) N39°56.11' W86°02.70'

ST. LOUIS

811 B S4 FUEL 100LL, JET A TPA 1811(1000) NOTAM FILE HUF

L-27D

RWY 15-33: H3850X100 (ASPH-AFSC) S-17 MRL 0.6% up SE

IAP

RWY 15: REIL. PAPI(P4L)—GA 3.0° TCH 37'. Road.

RWY 33: REIL. PAPI(P4L)—GA 3.5° TCH 27'. Building.

AIRPORT REMARKS: Attended 1200-0200Z. Acft tkf/ldg from Rwy 15 during calm wind/crosswind conditions; during any questionable period Rwy 15 shall be preferred rwy—call arpt manager 317-487-9594.

WEATHER DATA SOURCES: AWOS-3 338 UMP (317) 842-3911.

COMMUNICATIONS: CTAF/UNICOM 123.0

⑧ INDIANAPOLIS APP/DEP CON 127.15 CLNC DEL 121.625


RADIO AIDS TO NAVIGATION: NOTAM FILE HUF.

SHELBYVILLE (L) VORTAC 112.0 SHB Chan 57 N39°37.95'

W85°49.46' 330° 20.8 NM to fld. 810/1E. HIWAS.

METROPOLITAN NDB (MHW) 338 UMP N39°56.26'

W86°03.01' at fld. AWOS-3.

**MOUNT COMFORT** (MQJ) 12 E UTC-5(-4DT) N39°50.61' W85°53.82'

ST. LOUIS

862 B S4 FUEL 100LL, JET A NOTAM FILE HUF

H-5E, 10F, L-27D

RWY 07-25: H5500X100 (ASPH-GRVD) S-30, D-65, ST-83 HIRL

IAP

RWY 07: REIL. PAPI(P4L)—GA 3.0° TCH 46'. Trees.

RWY 25: MALSR. PAPI(P4L)—GA 3.0° TCH 46'. Trees.

RWY 16-34: H3901X75 (CONC) S-12.5 MRL

RWY 16: VASI(V2L)—GA 3.0° TCH 31'. Trees.

RWY 34: REIL. VASI(V2L)—GA 3.0° TCH 30'.

AIRPORT REMARKS: Attended 1130-0300Z. For attendant on Christmas and Thanksgiving Day or for outside normal opr hrs call 317-335-3320. Rwy 16-34 and Twy B not avbl to air carrier acft with more than 30 passenger seats. ACTIVATE HIRL Rwy 07-25 and MALSR Rwy 25—CTAF.

WEATHER DATA SOURCES: AWOS-3 124.175 (317) 335-3037.

COMMUNICATIONS: CTAF/UNICOM 122.7


⑧ INDIANAPOLIS APP/DEP CON 127.15 CLNC DEL 119.25

RADIO AIDS TO NAVIGATION: NOTAM FILE HUF.

SHELBYVILLE (L) VORTAC 112.0 SHB Chan 57 N39°37.95'

W85°49.46' 344° 13.1 NM to fld. 810/1E. HIWAS.

ILS 108.7 I-MQJ Rwy 25. Unmonitored.



POST-AIR (7L8) 6 E UTC-5(-4DT) N39°45.00' W86°00.83'

ST LOUIS

861 NOTAM FILE HUF

L-270

RWY 10-28: H3750X47 (ASPH) LIRL

RWY 10: Trees. Rgt tfc.

RWY 28: Thld dspcd 1269'. Trees.


AIRPORT REMARKS: Attended irregularly. Lgtd TV-twr 2640' N of apch end Rwy 28. For LIRL Rwy 10-28 ctc Indianapolis apch control.

COMMUNICATIONS: CTAF 122.9

RADIO AIDS TO NAVIGATION: NOTAM FILE HUF.

SHELBYVILLE (L) VORTAC 112.0 SHB Chan 57 N39°37.95'

W85°49.46' 308° 11.3 NM to fld. 810/1E. **HIWAS.**



JASPER CO (See RENSSELAER)

JEFFERSONVILLE

CLARK RGNL (JVY) 5 N UTC-5(-4DT) N38°21.93' W85°44.29'

ST LOUIS

474 B S4 **FUEL** 100LL, JET A OX 1, 3 TPA-1274(800) NOTAM FILE HUF

H-5E, 10F, L-27E

RWY 18-36: H5500X100 (ASPH-GRVD) S-45, D-60 MIRL

IAP

RWY 18: MALSR. REIL. VASI (V2L)—GA 3.0° TCH 27'. P-line.

RWY 36: REIL. VASI (V2L)—GA 3.3° TCH 25'. Tree.

RWY 14-32: H3899X75 (ASPH) S-12 MIRL

RWY 14: REIL PAPI (P2L)—GA 3.0° TCH 40'. Trees.

RWY 32: REIL PAPI (P2L)—GA 3.38° TCH 43'. Brush.

AIRPORT REMARKS: Attended continuously. Deer and birds on and in/of arpt. High ints student activity. MIRL Rwy 18-36 ops dusk-dawn, ACTIVATE REIL Rwy 18 and Rwy 36, and VASI Rws 18 and 36 and MALSR Rwy 18—CTAF. All lighting Rwy 14-32 by prior request, call 812-246-5491.

WEATHER DATA SOURCES: AWOS-3 118.575 (812) 246-1278. SAWRS.

COMMUNICATIONS: CTAF/UNICOM 122.7

® **LOUISVILLE APP/DEP CON** 132.075 (East) 123.675 (West)

LOUISVILLE CLNC DEL 118.05

RADIO AIDS TO NAVIGATION: NOTAM FILE HUF.


NABB (L) VORTAC 112.4 ABB Chan 71 N38°35.33'

W85°38.16' 199° 14.2 NM to fld. 710/1E. **HIWAS.**

CATCH NDB (LOM) 331 JV N38°28.44' W85°44.23'. 182°

6.5 NM to fld.

ILS 111.7 I-JVY Rwy 18. LOM CATCH NDB. GS unusable for autocoupled apchs blo 988' MSL.



KENDALLVILLE MUNI (C62) 2 N UTC-5(-4DT) N41°28.36' W85°15.65'

CHICAGO

1005 B S4 FUEL 100LL, JET A NOTAM FILE HUF

L-281

RWY 10-28: H4400X75 (ASPH) S-12.5 MIRL

IAP

RWY 10: REIL. PAPI(P2L)—GA 3.0° TCH 23'. Road.

RWY 28: REIL. PAPI(P2L)—GA 3.0° TCH 23'. Road.

AIRPORT REMARKS: Attended 1300-0300Z†. Glider ops May-Nov 1400Z†-SS. ACTIVATE MIRL Rwy 10-28; REIL Rwy 10 and 28—CTAF. Crops 160' N of centerline entire rwy length. Rwy 10 100' from rwy end ground slopes down to 5' below rwy height.

WEATHER DATA SOURCES: AWOS-3 119.925 (260) 347-2967.**COMMUNICATIONS:** CTAF/UNICOM 122.8

Ⓡ **FORT WAYNE APP/DEP CON** 127.2 (SW/NW of active rwy) 132.15

(SE/NE of active rwy)

RADIO AIDS TO NAVIGATION: NOTAM FILE FWA.**FORT WAYNE (H) VORTACW** 117.8 FWA Chan 125 N40°58.74'


W85°11.28' 354° 29.8 NM to fld. 793/00 E.

WOLF LAKE (L) VORW 110.4 OLK N41°14.82' W85°29.84' 041°

17.3 NM to fld. NOTAM FILE HUF.

COMM/NAV/WEATHER REMARKS: APP CON sectorization based upon Fort

Wayne rwy usage.

**KENTLAND MUNI** (50I) 1 SE UTC-6(-5DT) N40°45.52' W87°25.69'

CHICAGO

698 B S4 FUEL 100LL, JET A NOTAM FILE HUF

L-27D

RWY 09-27: H3504X50 (ASPH) HIRL

IAP

RWY 09: REIL. PAPI(P2L)—GA 3.0° TCH 36'. Crops.

RWY 27: REIL. PAPI(P2L)—GA 3.0° TCH 25'. Road.


AIRPORT REMARKS: Attended Mon-Sat 1400-2200Z†. Arpt unattended on holidays. 100LL and Jet A fuel avbl self svc. Rwy 09-27 unlgtd +37' p-line 1267' from west end marked with red balls. HIRL Rwy 09-27 ops low ints, to increase ints and ACTIVATE REIL Rwy 09 and Rwy 27 and PAPI Rwy 09 and Rwy 27—CTAF.

COMMUNICATIONS: CTAF/UNICOM 122.8

Ⓡ **CHICAGO CENTER APP/DEP CON** 132.5

RADIO AIDS TO NAVIGATION: NOTAM FILE HUF.**BOILER (H) VORTACW** 115.1 BVT Chan 98 N40°33.37'

W87°04.16' 306° 20.4 NM to fld. 750/1E. HIWAS.

**KNOX** N41°19.32' W86°38.96'. NOTAM FILE HUF.

CHICAGO

(H) **VOR/DME** 115.6 OXI Chan 103 at Starke Co. 690/00E.

H-5E, 10F, L-281

VOR portion unusable: 213°-223° byd 35 NM blo 2700'


019°-039° blo 17500' between 25-36 NM

DME portion unusable: 352°-342° byd 30 NM blo 3000'


RCO 122.1R 115.6T (TERRE HAUTE RADIO)

KNOX**STARKE CO** (OXI) 3 NW UTC-6(-5DT) N41°19.81' W86°39.89'**CHICAGO**
L-281
IAP850 B **FUEL** 100LL NOTAM FILE HUF**RWY 18-36:** H4401X75 (ASPH) S-30 MIRL**RWY 18:** REIL. PAPI(P2L)—GA 3.0° TCH 24'. Road. Rgt tfc.**RWY 36:** REIL. PAPI(P2L)—GA 3.0° TCH 24'. Tree.**RWY 09-27:** 3096X145 (TURF)**RWY 09:** Thld dsplcd 285'. Crops.**RWY 27:** P-line.**AIRPORT REMARKS:** Attended 1400Z-0000Z±. Unattended Memorial Day, July 4th, Labor Day and Christmas, unless by prior req.

100LL self svc. Rwy 09-27 edges, thlds and Rwy 09 dsplcd thld marked with yellow cones.

WEATHER DATA SOURCES: AWOS-3 135.775 (574) 772-2041.**COMMUNICATIONS:** CTAF/UNICOM 122.8**KNOX RCO** 122.1R 115.6T (TERRE HAUTE RADIO)① **SOUTH BEND APP/DEP CON** 132.05 (Sun-Fri 1030-0500Z±, Sat 1030-0445Z±), other times ctc ② **CHICAGO CENTER APP/DEP CON** 135.9**RADIO AIDS TO NAVIGATION:** NOTAM FILE HUF.**KNOX (H) VOR/DME** 115.6 OXI Chan 103 N41°19.32' W86°38.96' at fld. 690/00E.**KOKOMO****GLENNDALE** (8I3) 5 SW UTC-5(-4DT) N40°26.00' W86°12.20'**CHICAGO**850 S2 **FUEL** 100LL, MOGAS NOTAM FILE HUF**RWY 18-36:** 2048X110 (TURF)**RWY 18:** Thld dsplcd 292'. P-line. Rgt tfc.**RWY 36:** Thld dsplcd 300'. Road.**AIRPORT REMARKS:** Attended Mon-Fri dalgt hrs. Rwy 18 and Rwy 36 dsplcd thlds marked with yellow metal markers.

Rwy 18-36 crops 55' left and right of centerline whole length of rwy.

COMMUNICATIONS: CTAF/UNICOM 122.9**KOKOMO MUNI** (OKK) 4 NE UTC-5(-4DT) N40°31.69' W86°03.54'**CHICAGO**
H-5E, 10F, L-27D
IAP830 B S4 **FUEL** 100LL, JET A1 + OX 3 NOTAM FILE OKK**RWY 05-23:** H5201X150 (ASPH-GRVD) S-56, D-75, ST-95, DT-95**RWY 05:** REIL. PAPI(P2L). Trees.**RWY 23:** MALSR. Silo.**RWY 14-32:** H4001X150 (ASPH-GRVD) S-50, D-60, DT-95 MIRL**RWY 14:** REIL. PAPI(P2L).**RWY 32:** REIL. PAPI(P2L). Tree.**AIRPORT REMARKS:** Attended 1200-0000Z±. ACTIVATE HIRL Rwy 05-23 and MIRL Rwy 14-32; PAPI and REIL Rwys 05; 14; 32; and MALSR Rwy 23—CTAF. Rwy 32 REIL OTS indef.**WEATHER DATA SOURCES:** AWOS-3 113.5 OKK (765) 452-3014.**COMMUNICATIONS:** CTAF/UNICOM 123.0**KCO** 122.1R 113.5T (TERRE HAUTE RADIO)① **GRISOM APP/DEP CON** 121.05 (1200-0400Z±) **CLNC DEL** 120.0② **CHICAGO CENTER APP/DEP CON** 121.05 (0400-1200Z±)**RADIO AIDS TO NAVIGATION:** NOTAM FILE OKK.**(H) VORTAC** 113.5 OKK Chan 82 N40°31.67'W86°03.48' at fld. 830/00E. **AWOS-3.****ILS** 108.9 I-OKK Rwy 23. Unmonitored.**LAFAYETTE** N40°24.74' W86°56.22'**CHICAGO**
L-27D**KCO** 122.35 122.2 (TERRE HAUTE RADIO)

LAFAYETTE**PURDUE UNIVERSITY** (LAF) 2 SW UTC-5(-4DT) N40°24.74' W86°56.21'**CHICAGO**606 B S4 FUEL 100LL, JET A OX 1, 2 TPA-1606(1000) Class IV, ARFF Index A H-5E, 10F, L-27D
NOTAM FILE LAF IAP, AD**RWY 10-28:** H6600X150 (ASPH-GRVD) S-90, D-110, ST-140, DT-165 HIRL**RWY 10:** MALSR. PAPI(P4L)—GA 3.0° TCH 50'. Trees.**RWY 28:** REIL. VASI(V4R)—GA 3.0° TCH 47'. Trees.**RWY 05-23:** H4225X100 (ASPH) S-48, D-58, DT-90 MIRL

0.3 % up NE


RWY 05: REIL. PAPI(P2L)—GA 3.0° TCH 38'.**RWY 23:** REIL. PAPI(P2L)—GA 3.0° TCH 39'. Thld displcd 313'.

Fence.

LAND AND HOLD SHORT OPERATIONS

LANDING	HOLD SHORT POINT	DIST AVBL
RWY 10	05-23	4600

AIRPORT REMARKS: Attended 1100-0300Z±. 48 hr PPR for unscheduled air carrier ops with more than 30 passenger seats; call arpt manager 765-743-3442. Air carrier ops involving acft with more than 30 passenger seats are not authorized in excess of 15 minutes before or after scheduled arrival/dep times without prior coordination with arpt manager and confirmation that ARFF is avbl prior to txf or landing. Rwy 05-23 restricted to acft with wingspan of 79' or less. Rwy 05-23 not avbl for air carrier ops. Intensive student training. Twr N visibility reduced when sports fld flood lgts opr ½ mile N of arpt. For MIRL Rwy 05-23 and Rwy 10-28 ctc twr. When twr clsd ACTIVATE HIRL Rwy 10-28; MALSR Rwy 10 and REILS Rwy 05, Rwy 23 and Rwy 28—CTAF.

WEATHER DATA SOURCES: ASOS 127.75 (765) 743-9687.**COMMUNICATIONS:** CTAF 119.6 ATIS 127.75 UNICOM 122.95**LAFAYETTE RCO** 122.35 122.2 (TERRE HAUTE RADIO)**®CHICAGO CENTER APP/DEP CON** 123.85**LAFAYETTE TOWER** 119.6 (1200-0200Z±) **GND CON** 121.9**AIRSPACE:** CLASS D svc 1200-0200Z± other times CLASS E.**RADIO AIDS TO NAVIGATION:** NOTAM FILE HUF.**BOILER (H) VORTACW** 115.1 BVT Chan 98 N40°33.37' W87°04.16' 144° 10.5 NM to fld. 750/1E HIWAS.**EARLE NDB (LOM)** 401 LA N40°25.59' W87°03.11' 100° 5.3 NM to fld. Unmonitored. NOTAM FILE LAF.**ILS** 110.3 I-LAF Rwy 10 LOM EARLE NDB. ILS unmonitored when twr clsd.**COMM/NAV/WEATHER REMARKS:** Emerg frequency 121.5 not avbl at twr.**LAKE MONROE SPB** (See BLOOMINGTON)**LAKE VILLAGE** (C98) 1 NW UTC-6(-5DT) N41°09.00' W87°27.75'**CHICAGO**

644 S4 NOTAM FILE HUF

RWY 18-36: 2000X140 (TURF) LIRL**RWY 18:** Road.**RWY 36:** Road.**AIRPORT REMARKS:** Attended SR to SS. CAUTION: Vehicular txc on roadway surrounding rwy. Deer on and invof arpt.

Rwy 18-36 width includes a full length 38' asph strip down the middle of the rwy. Rwy 18-36 thlds marked with 3 yellow tires/lgts each side. ACTIVATE LIRL Rwy 18-36—CTAF.

COMMUNICATIONS: CTAF 122.9

LA PORTE MUNI (PPO) 3 S UTC-6(-5DT) N41°34.35' W86°44.07'

CHICAGO

812 B S2 FUEL 100LL, JET A, MOGAS NOTAM FILE HUF

H-5E, 10F, L-281

RWY 02-20: H5000X75 (ASPH-GRVD) S-18 MIRL

IAP

RWY 02: REIL. PAPI(P2L)—GA 3.0° TCH 22'. Trees.

RWY 20: REIL. PAPI(P2L)—GA 3.45° TCH 27'. Trees.

RWY 14-32: H2800X60 (ASPH) 0.4% up NW

RWY 14: Thld dsplcd 200'. Road.

RWY 32: Thld dsplcd 200'. Road.

AIRPORT REMARKS: Attended Mon-Fri 1300-2300Z, Sat-Sun 1400-2200Z. For svc other hrs call 219-363-5109 or 219-608-4707. CAUTION: Farm equipment on or near acft ops area. ACTIVATE MIRL Rwy 02-20; REIL and PAPI Rwy 02-20—CTAF.

WEATHER DATA SOURCES: AWOS-3 119.825 (219) 326-6916.**COMMUNICATIONS:** CTAF/UNICOM 123.0

KNOX RCO 122.1R, 115.6T (TERRE HAUTE RADIO)

Ⓡ **SOUTH BEND APP/DEP CON** 132.05 (Sun-Fri 1030-0500Z, Sat 1030-0445Z), other times ctc Ⓡ **CHICAGO CENTER APP/DEP CON** 135.9


RADIO AIDS TO NAVIGATION: NOTAM FILE HUF.

KNOX (H) VOR/DME 115.6 OXI Chan 103 N41°19.32'

W86°38.96' 346° 15.5 NM to fld. 690/00E.

NDB (MHW) 356 IUL N41°29.94' W86°46.27' 024° 4.7 NM to fld. NDB unmonitored 0100-1300Z.

ILS 110.95 I-PPO Rwy 02. LOC only. LOC unmonitored 0100-1300Z.

**LAREZ** N39°47.19' W86°11.78' NOTAM FILE IND.

ST LOUIS

NDB (LOM) 349 FV 230° 6.2 NM to Indianapolis Intl.

LARSH (See COLFAX)**LEBANON****BOONE CO** (614) 2 SE UTC-5(-4DT) N40°00.44' W86°26.43'

CHICAGO

959 B S4 TPA-1900 (941) NOTAM FILE HUF

L-27D

RWY 18-36: H3600X30 (CONC) S-10.5 LIRL (NSTD)

RWY 18: Crops. RWY 36: Thld dsplcd 200'. Crops.

AIRPORT REMARKS: Attended 1300Z-dusk. Ultralights on and invof arpt.


Rwy 18-36 has loose gravel and cracks. Rwy 18-36 NSTD

LIRL-lights 24' from rwy edge. ACTIVATE LIRL Rwy 18-36-122.8.

COMMUNICATIONS: CTAF/UNICOM 122.8**RADIO AIDS TO NAVIGATION:** NOTAM FILE HUF.

BRICKYARD (H) VORTACW 116.3 VHP Chan 110 N39°48.88'

W86°22.05' 343° 12 NM to fld. 823/1E.

**LEE BOTTOM** (See HANOVER)**LINTON****MORRISON FLIGHT PARK ULTRALIGHT** (4U8) 2 SW UTC-5(-4DT) N39°01.30' W87°11.22'

ST. LOUIS

520 NOTAM FILE HUF

RWY 18U-36U: 1225X70 (TURF)

RWY 36U: Thld dsplcd 225'. Road.

AIRPORT REMARKS: Unattended. 400' twr 900' northwest of Rwy 36 and 390' twr ½ mile ENE of Rwy 36. Rwy 36 dsplcd thld marked with 2 yellow tires on each side of rwy.

COMMUNICATIONS: CTAF 122.9

LOGANSPOUT/CASS CO (GGP) 2S UTC-5(-4DT) N40°42.68' W86°22.49'

CHICAGO

738 B S4 FUEL 100LL JET A NOTAM FILE HUF

L-27D

RWY 09-27: H4477X75 (ASPH-GRVD) S-20 MIRL

IAP

RWY 09: PAPI(P2L)—GA 3.0° TCH 28'. Thld dsplcd 215'. Road.

RWY 27: PAPI(P2R)—GA 3.0° TCH 36'. Road.

RUNWAY DECLARED DISTANCE INFORMATION

RWY 09: TORA-4480 TODA-4480 ASDA-4480 LDA-4262

RWY 27: TORA-4262 TODA-4262 ASDA-4262 LDA-4262

AIRPORT REMARKS: Attended 1330Z±-dusk. Fuel self svc. CAUTION: Sanitary landfill 1 1/2 miles NE of arpt. MIRL Rwy 09-27 ops low ints, to increase ints—CTAF.**COMMUNICATIONS:** CTAF/UNICOM 122.8

KOKOMO RCO 122.1R 109.8T (TERRE HAUTE RADIO)


Ⓡ GRISSOM APP/DEP CON 121.05 (1200-0400Z±)

Ⓡ CHICAGO CENTER APP/DEP CON 121.05 (0400-1200Z±)

RADIO AIDS TO NAVIGATION: NOTAM FILE OKK.

KOKOMO (H) VORTAC 113.5 OKK Chan 82 N40°31.67'

W86°03.48' 307° 18.2 NM to fld. 830/00E.

**LOWELL** (C97) 5 SW UTC-6(-5DT) N41°13.81' W87°30.46'

CHICAGO

675 B FUEL 100LL NOTAM FILE HUF

L-28H

RWY 18-36: 3041X100 (TURF) LIRL 0.7% up N

IAP

RWY 18: Thld dsplcd 555'. Tree. Rgt tfc. RWY 36: Crops.


AIRPORT REMARKS: Attended 1300Z±-dusk. Deer on and invof arpt. Rwy 18-36 seasonal crops 75' E and 87' W of centerline. Snow removal and mowing with large tractor. Seasonal agriculture equipment along both sides of rwy and apch end Rwy 36. For rwy lgts and rotating bcn phone 219-696-9603. Rwy 18-36 thlds marked with white barrel halves and lgt fixtures.**COMMUNICATIONS:** CTAF 122.9

Ⓡ CHICAGO CENTER APP/DEP CON 132.95

RADIO AIDS TO NAVIGATION: NOTAM FILE IKK.

PEOTONE (L) VORTAC 113.2 EON Chan 79 N41°16.18'

W87°47.46' 098° 13 NM to fld. 690/2E.



MADISON MUNI (IMS) 4 W UTC-5(-4DT) N38°45.60' W85°27.88'

ST. LOUIS

819 B FUEL 100LL, JET A NOTAM FILE HUF

H-5E, 10F, L-26F, 27E

RWY 03-21: H5000X75 (ASPH) S-30 HIRL

IAP

RWY 03: MALSF. PAPI(P4L)—GA 3.5° TCH 42'. Thld dspcd 258'.

Trees.

RWY 21: REIL. PAPI(P2L)—GA 3.0° TCH 39'. Thld dspcd 318'.

Trees.

AIRPORT REMARKS: Attended SR-dusk. Arpt unattended Christmas Day.

Fuel self serve. IFR clearance not avbl when R-3403 is active.

ACTIVATE HIRL Rwy 03-21, MALSF Rwy 03, PAPI Rwy 03 and Rwy 21, REIL Rwy 21—CTAF.

WEATHER DATA SOURCES: AWOS-3 119.175 (812) 866-1798.**COMMUNICATIONS:** CTAF/UNICOM 123.0


⑧ LOUISVILLE APP/DEP CON 132.075 (East) 123.675 (West)

GCO 121.725 (STANDIFORD CLNC and FLIGHT SERVICES)

RADIO AIDS TO NAVIGATION: NOTAM FILE HUF.

NABB (L) VORTAC 112.4 ABB Chan 71 N38°35.33'

W85°38.16' 037° 13 NM to fld. 710/1E. HIWAS.

**MARION MUNI** (MZZ) 3 SW UTC-5(-4DT) N40°29.39' W85°40.78'

CHICAGO

859 B S4 FUEL 100LL, JET A OX 2, 4 NOTAM FILE HUF

H-5E, 10F, L-27D

RWY 04-22: H6000X100 (ASPH-GRVD) S-40, D-48, DT-70 HIRL

IAP

RWY 04: MALS. RWY 22: REIL. VASI(V2L). Trees.

RWY 15-33: H3596X100 (ASPH) S-22, D-32 HIRL

RWY 15: REIL. PAPI(P2L)—GA 3.25° TCH 37'. Trees.

RWY 33: REIL. PAPI(P2L)—GA 3.0° TCH 34'. Trees.

AIRPORT REMARKS: Attended Mon-Fri 1200-2300Z, Sat-Sun 1300-2200Z. Unattended on Christmas Day. Rwy 33, +8-12' ditch 200' left of centerline, +8-10 ground 230' left of centerline paralleling south half of rwy. HIRL Rwy 04-22 and MIRL Rwy 15-33 preset on low ints, to increase ints and ACTIVATE REIL Rwy 22, Rwy 15 and Rwy 33 and MALS Rwy 04—CTAF. PAPI Rwy 15 and Rwy 33 on during day, at night ACTIVATE—CTAF.

WEATHER DATA SOURCES: AWOS-3 108.6 MZZ (765) 674-1317.**COMMUNICATIONS:** CTAF/UNICOM 122.7

⑧ GRISSOM APP/DEP CON 121.05 (1200-0400Z) CLNC DEL 120.0


⑧ CHICAGO CENTER APP/DEP CON 121.05 (0400-1200Z)

RADIO AIDS TO NAVIGATION: NOTAM FILE HUF.

(L) VORW/DME 108.6 MZZ Chan 23 N40°29.60'

W85°40.76' at fld. 850/3W. AWOS-3.

ILS 111.7 I-MZZ Rwy 04. Unmonitored.

**MENTONE** (C92) 2 SW UTC-5(-4DT) N41°09.00' W86°03.75'

CHICAGO

860 FUEL 100LL NOTAM FILE HUF

RWY 18-36: H2521X40 (ASPH) S-10

RWY 18: Thld dspcd 395'. Trees.

RWY 36: Trees.

AIRPORT REMARKS: Attended Mon-Fri 1300-2200Z, Sat-Sun irregularly.**COMMUNICATIONS:** CTAF 122.9**METROPOLITAN** N39°56.26' W86°03.01'. NOTAM FILE HUF.

ST LOUIS

NDB (MHW) 338 UMP at Indianapolis Metropolitan. AWOS-3.

L-27D

METTEL FLD (See CONNERSVILLE)

MICHIGAN CITY MUNI (MGC) 3 E UTC-6(-5DT) N41°42.20' W86°49.27'

655 B FUEL 100LL, JET A NOTAM FILE HUF

RWY 02-20: H4100X75 (ASPH) MIRL 0.3% up S

RWY 02: PAPI(P2L)—GA 4.0° TCH 20'. Thld dsplcd 360'. Road.

RWY 20: REIL. PAPI(P2L). Thld dsplcd 183'. Trees.

AIRPORT REMARKS: Attended 1400-2300Z±. Birds and deer on and invof arpt. Apt lgts opr dusk-0400Z±. ACTIVATE MIRL Rwy 02-20 and REIL Rwy 20—CTAF.


COMMUNICATIONS: CTAF/UNICOM 122.7

Ⓡ **SOUTH BEND APP/DEP CON** 118.55 (Sun-Fri 1030-0500Z±, Sat 1030-0445Z±), other times ctc Ⓡ **CHICAGO CENTER APP/DEP CON** 127.55

SOUTH BEND CLNC DEL 134.8

RADIO AIDS TO NAVIGATION: NOTAM FILE LAN.

GIPPER (H) VORTACW 115.4 GJJ Chan 101 N41°46.12' W86°19.11' 260° 22.9 NM to fld. 804/00E. HIWAS.



CHICAGO
L-281
IAP

MILLER (See BLUFFTON)

MISHA N41°42.34' W86°13.14' NOTAM FILE SBN.

NDB (LOM) 341 SB 275° 4.4 NM to South Bend Rgnl. Unmonitored.

CHICAGO

MISHAWAKA PILOTS CLUB (See ELKHART)

MISSISSINewa RESERVOIR LANDING AREA SPB (See PERU)

MONROE CO (See BLOOMINGTON)

MONTICELLO WHITE CO

(MCX) 3 S UTC-5(-4DT) N40°42.53' W86°46.01'

676 B S4 FUEL 100LL, JET A NOTAM FILE HUF

RWY 18-36: H4002X60 (ASPH) S-22 MIRL

RWY 18: REIL. VASI(V2L)—GA 3.0° TCH 21'. Road.

RWY 36: REIL. VASI(V2L)—GA 4.0° TCH 24'. Trees.


AIRPORT REMARKS: Attended 1300-2200Z±. Arpt unattended all major holidays. Fuel self svc avbl 24 hours. Frequent aerial application tfc during months of Jun, Jul, Aug. Deer invof arpt. Frequent glider tfc 1500Z±-SS daily during Apr-mid Nov. Twy edge marked with 2' yellow cylinder reflectors.

COMMUNICATIONS: CTAF/UNICOM 122.8

Ⓡ **CHICAGO CENTER APP/DEP CON** 123.85

RADIO AIDS TO NAVIGATION: NOTAM FILE HUF.

BOILER (H) VORTACW 115.1 BVT Chan 98 N40°33.37' W87°04.16' 055° 16.6 NM to fld. 750/1E. HIWAS.



CHICAGO
L-27D
IAP

MORRISON FLIGHT PARK ULTRALIGHT (See LINTON)

MOUNT COMFORT (See INDIANAPOLIS)

MUNCIE**DELAWARE CO-JOHNSON FLD** (MIE) 3 NW UTC-5(-4DT) N40°14.55' W85°23.75'**CHICAGO**

937 B S2 FUEL 100LL, JET A OX 1, 3 TPA-1937(1000) Class IV, ARFF Index A

H-5E, 10F, L-27E

NOTAM FILE MIE

IAP, AD

RWY 14-32: H6500X150 (ASPH-GRVD) S-80, D-100, DT-125 HIRL**RWY 14:** REIL. VASI(V4L)—GA 3.0° TCH 50'. Trees.**RWY 32:** MALSR. Trees.**RWY 02-20:** H5197X100 (ASPH-GRVD) S-80, D-100,

DT-125 MIRL

RWY 02: REIL. PAPI(P4L)—GA 3.0° TCH 27'. Thld dsplcd 196'. Tree.**RWY 20:** REIL. PAPI(P4L)—GA 3.0° TCH 45'. Tree.**LAND AND HOLD SHORT OPERATIONS**


LANDING	HOLD SHORT POINT	DIST AVBL
RWY 14	02-20	4300
RWY 20	14-32	3500

RUNWAY DECLARED DISTANCE INFORMATION

RWY 02:	TORA-4998	TODA-4998	ASDA-4998	LDA-4998
RWY 14:	TORA-6500	TODA-6500	ASDA-6500	LDA-6500
RWY 20:	TORA-4998	TODA-4998	ASDA-4998	LDA-4998
RWY 32:	TORA-6500	TODA-6500	ASDA-6500	LDA-6500

AIRPORT REMARKS: Attended 1000-0400Z+. Parachute Jumping. Deer

on and invof arpt. Rwy 20 PAPI OTS indef. ACTIVATE MIRL Rwy 02-20; PAPI Rwy 02 and Rwy 20; REIL Rwy 14, Rwy 02 and Rwy 20 (with highest ints only); HIRL Rwy 14-32; MALSR Rwy 32; VASI Rwy 14-CTAF. Rwy 14-32 is preferred ldg rwy in calm winds. 48 hrs PPR for unscheduled air carrier ops with more than 30 passenger seats, call airport manager 765-747-5690. Rwy 14 REIL OTS indef.

WEATHER DATA SOURCES: ASOS 114.4 MIE (765) 288-9617. LAWRS.**COMMUNICATIONS:** CTAF 120.1 ATIS 133.25 UNICOM 122.95**MUNCIE RCO 122.1R 114.4T (TERRE HAUTE RADIO)**® **INDIANAPOLIS CENTER APP/DEP CON 120.65****MUNCIE TOWER 120.1 (1100-0300Z+) GND CON 121.9****AIRSPACE:** CLASS D svc 1100-0300Z+ other times CLASS G.**RADIO AIDS TO NAVIGATION:** NOTAM FILE MIE.**MUNCIE (L) VOR/DME 114.4** MIE Chan 91 N40°14.24' W85°23.64' at fld. 935/3W. ASOS.**BALLL NDB (LOM) 365** JN N40°10.85' W85°19.26' 320° 5.0 NM to fld.**ILS 109.1** I-JNK Rwy 32. Class IE. LOM BALLL NDB. ILS unmonitored when twr closed.**REESE** (712) 3 SE UTC-5(-4DT) N40°09.25' W85°19.00'**CHICAGO**

991 S2 FUEL 100LL, MOGAS TPA-1791(800) NOTAM FILE HUF

RWY 09-27: H2800X50 (ASPH) LIRL (NSTD)**RWY 09:** Crops. **RWY 27:** Road.

AIRPORT REMARKS: Attended dawn-dusk. Cracks on rwy. For LIRL Rwy 09-27 call 765-284-9611; 765-289-8753 or 765-286-9074. Rwy 09-27 NSTD LIRL, lghts are greater than 10' from rwy edge.

COMMUNICATIONS: CTAF/UNICOM 122.7**MUNCIE** N40°14.24' W85°23.64' NOTAM FILE MIE.**CHICAGO**(L) **VOR/DME 114.4** MIE Chan 91 at Delaware Co-Johnson Fld. 935/3W. ASOS.

L-27E

DME unusable 151°-287° byd 30 NM blo 3000'.

RCO 122.1R 114.4T (TERRE HAUTE RADIO)**NABB** N38°35.33' W85°38.16' NOTAM FILE HUF.**ST. LOUIS**(L) **VORTAC 112.4** ABB Chan 71 037° 13 NM to Madison Muni. 710/1E. HIWAS.

H-5E, 10F, L-27E

VOR portion unusable 178°-189° byd 20 NM.

DME portion unusable 250°-290° byd 20 NM blo 4000'.

RCO 122.1R 112.4T (TERRE HAUTE RADIO)

NAPPANEE MUNI (C03) 3 E UTC-5(-4DT) N41°26.77' W85°56.09'

CHICAGO

860 B S4 FUEL 100LL NOTAM FILE HUF

L-281

RWY 09-27: H3675X50 (ASPH) S-7 MIRL

IAP

RWY 09: Thld dsplcd 250'. Road.

RWY 27: Thld dsplcd 185'. Crops.

AIRPORT REMARKS: Attended 1300-2200Z±. First 670' Rwy 09 unlighted. ACTIVATE MIRL Rwy 09-27—CTAF.


COMMUNICATIONS: CTAF/UNICOM 122.8

GOSHEN RCO 122.1R 113.7T (TERRE HAUTE RADIO)

Ⓡ **SOUTH BEND APP/DEP CON** 132.05 (Sun-Fri 1030-0500Z±, Sat 1030-0445Z±), other times ctc Ⓡ **CHICAGO CENTER APP/DEP CON** 135.9

RADIO AIDS TO NAVIGATION: NOTAM FILE GSH.

GOSHEN (H) VORTAC 113.7 GSH Chan 84 N41°31.51' W86°01.68' 138° 6.3 NM to fld. 850/00E.



NEW CASTLE-HENRY CO MUNI (UWL) 4 SE UTC-5(-4DT) N39°52.55' W85°19.59'

ST. LOUIS

1088 B S2 FUEL 100LL, JET A NOTAM FILE HUF

L-27E

RWY 09-27: H4002X65 (ASPH) S-6 MIRL 0.3% up E

IAP

RWY 09: REIL. PAPI(P2L)—GA 3.0° TCH 40'. Thld dsplcd 89'. Road.

RWY 27: REIL. PAPI(P2L)—GA 3.0° TCH 40'. Thld dsplcd 322'. Crops.

AIRPORT REMARKS: Attended 1300-2300Z±. For fuel when arpt unattended phone 765-332-2969. MIRL Rwy 09-27 preset on low ints; to increase ints and ACTIVATE PAPI Rwys 09 and 27; REIL Rwys 09 and 27—CTAF.


COMMUNICATIONS: CTAF/UNICOM 123.05

Ⓡ **INDIANAPOLIS APP/DEP CON** 135.45

RADIO AIDS TO NAVIGATION: NOTAM FILE HUF.

RICHMOND (L) VORTAC 110.6 RID Chan 43 N39°45.30' W84°50.33' 291° 23.7 NM to fld. 1135/3W.

NDB (MHW) 385 UWL N39°52.80' W85°19.13' at fld. NDB unmonitored 0000-1300Z±.



NOBLESVILLE (I80) 4 SE UTC-5(-4DT) N40°00.21' W85°57.87'

CHICAGO

821 NOTAM FILE HUF

RWY 09-27: 3580X100 (TURF) LIRL

RWY 09: Thld dsplcd 465'. Road. Rgt tfc.

RWY 27: Thld dsplcd 110'. Tree.

AIRPORT REMARKS: Unattended. Rwy 09-27 no lights between rwy ends and dsplcd thlds. ACTIVATE LIRL Rwy 09-27—122.7.

COMMUNICATIONS: CTAF 122.9

NORTH VERNON (OVO) 2 NE UTC-5(-4DT) N39°02.72' W85°36.34'

ST. LOUIS

757 B S4 FUEL 100LL, JET A NOTAM FILE HUF

H-5E, 10F, L-27E

RWY 05-23: H5002X75 (ASPH) S-4 MIRL

IAP

RWY 05: PAPI(P4L)—GA 3.0° TCH 27'. Crops.

RWY 23: PAPI(P4L)—GA 3.0° TCH 27'. Road.

RWY 15-33: H2730X50 (ASPH) S-4

RWY 15: Road.

RWY 33: PAPI(P2L)—GA 3.5° TCH 27'. Trees.

AIRPORT REMARKS: Attended Mon-Fri 1300-2200Z, Sun

1300-2300Z. Fuel 24 hr self svc. Rwy 15-33 only avbl for use NW of intersection. Rwy 05-23 10' ASPH avbl outside painted boundary lines. ACTIVATE MIRL Rwy 05-23—CTAF. Ngt ops prohibited on Rwy 15-33.

WEATHER DATA SOURCES: AWOS-3 120.625 (812) 346-5041.

COMMUNICATIONS: CTAF/UNICOM 122.7

OSGOOD RCO 122.25 (TERRE HAUTE RADIO)


® INDIANAPOLIS CENTER APP/DEP CON 124.775

RADIO AIDS TO NAVIGATION: NOTAM FILE HUF.

NABB (L) VORTAC 112.4 ABB Chan 71 N38°35.33'

W85°38.16' 002° 27.4 NM to fld. 710/1E. HIWAS.

NDB (MHW) 374 OVO N39°02.99' W85°36.07' at fld. NDB unusable byd 15 NM. NDB unmonitored 0000-1300Z.

**ORLEANS** (714) 1 E UTC-5(-4DT) N38°39.50' W86°26.58'

ST. LOUIS

655 NOTAM FILE HUF

L-27D

RWY 06-24: H3456X30 (ASPH) LIRL (NSTD)

RWY 06: Thld dspld 291'. Crops.

RWY 24: Thld dspld 200'. Bldg.

AIRPORT REMARKS: Unattended. Rwy shoulder spalling. Fence;


occasional brush; trees within 126' of rwy centerline. Also 10' pole and 15' trees within 100' Rwy 06 thld. Rwy 06-24 numbers are smaller than standard. ACTIVATE NSTD LIRL Rwy 06-24—CTAF. Rwy 06-24 NSTD LIRL; only two thld lgts each side of rwy. No lights between rwy end and dspld thld both ends.

COMMUNICATIONS: CTAF/UNICOM 122.8

RADIO AIDS TO NAVIGATION: NOTAM FILE BMG.

HOOSIER (L) VORTAC 110.2 OOM Chan 39 N39°08.63'

W86°36.78' 167° 30.2 NM to fld. 845/2W.

**OSGOOD** N39°07.50' W85°18.88'

ST. LOUIS

RCO 122.25 (TERRE HAUTE RADIO)

L-27E

PAOLI MUNI (I42) 2 N UTC-5(-4DT) N38°35.00' W86°27.75'

ST. LOUIS

817 B S2 FUEL 100LL TPA-2417(1600) NOTAM FILE HUF

RWY 02-20: H2773X50 (ASPH) S-7 MIRL

RWY 02: PAPI(P2R)—GA 4.0° TCH 21'. Tree.

RWY 20: PAPI(P2L)—GA 4.0° TCH 25'. Trees.

AIRPORT REMARKS: Attended Mon-Sun 1300-2200Z. For service Mon, Tues, and after hrs, call 812-569-1811.

Snow removal winter months. ACTIVATE MIRL Rwy 02-20—CTAF.

COMMUNICATIONS: CTAF/UNICOM 122.8

PATOKA RESERVOIR LANDING AREA SPB (See FRENCH LICK)**PERRY CO MUNI** (See TELL CITY)

PERU

GRISSEM ARB (GUS) (KGUS) CIV/MIL 5 S UTC-5(-4DT) N40°38.89' W86°09.13'

CHICAGO

812 B S4 FUEL 100 NOTAM FILE HUF Not insp.

H-5E, 10F, L-27D

RWY 05-23: H12501X200 (ASPH) PCN 67 R/B/W/T HIRL

DIAP, AD

RWY 05: ALSF1. PAPI(P4L). **RWY 23:** ALSF1. PAPI(P4L).

RUNWAY DECLARED DISTANCE INFORMATION

RWY 05: TORA-12500 TODA-12500

RWY 23: TORA-12500 TODA-12500

MILITARY SERVICE: Rwy 05-23 apch lighting system NSTD configuration combined SSALR and ALSF-1. ALSF-1 used to determine TERPS minimums. **JASU** (A/M32A-86) (MD-3) (AM32-95) (MA-1A) **FUEL** Opr 1200-0300Z†

Mon-Fri, unit training weekend hrs Sat 1230-2130Z†, Sun 1200-2100Z†. **J8.** **FLUID** SP PRESAIR LHOX

OIL O-133-148-156 JOAP

TRAN ALERT Opr 1200-0400Z† except holidays. No priority basis, svc avbl by prior arrangement. No fleet svc avbl.

AIRPORT REMARKS: Attended 1200-0400Z†. CLOSED during federal holidays. Open to general aviation. Self serve 100LL and JET A. Bird Watch Condition I (Nov-Apr and Jun) indicates light bird activity. Phase II (May, Jul-Oct) indicates bird hazard heavy, bird activity normally associated with migratory season. Bird watch conditions avbl upon request and normally on ATIS. Uncontrolled vehicle on movement areas. Civilian pilot student training not authorized per joint use agreement. Civil acft not authorized on military ramp, rqr PPR. Expect delay when rwy ops suspended due to snow removal ops. PPR not required for acft ldg at civilian FBO, ctc Grissom twr. Acft using civilian FBO expect twr progressive taxi instructions. FBO located on east end of afld. During constant or heavy rain expect standing water up to 2/10th of an inch on rwy due to slow runoff. First 1000' Rwy 05-23 concrete. Approximately 300' from apch end Rwy 23 starts 1000' concrete, remaining rwy is asph. Afld lighting only avbl during hrs of ops (0700-2300 local).

MILITARY REMARKS: See FLIP AP/1 Supplementary Remarks. Expect delay when tactical arr/dep trng missions are in progress (heavy acft). **RSTD** PPR all acft utilizing Grissom military ramp 1200-0400Z†, ctc DSN 388-2254, C765-688-2254. All AMOPS inbound passenger/cargo acft must ctc Command Post no later than 30 min prior to ldg. Ltd transportation for passenger. AFRC acft can expect restrictions during bird watch condition moderate or higher, ops require OG/CC approval. No local IFR/VFR tfc pattern activity and severe (tfc and ldg prohibited without OG/CC approval). **CAUTION** Hvy and fighter jet training/traffic NW GUS and within 10 NM GUS. Special Use Airspace directly overhead and to the NW (fighter jet tfc). Potential for reduced braking action-following significant rain first 2000'-3000' Rwy 23. **MISC** Acft ldg GUS using military ramp request PPR ctc AM base ops 765-688-2254 or PTD. Full wx svc avbl 1200-0400Z† DSN 388-2203/2204, C765-688-2203/2204. Remote briefing svc avbl 24 hrs from 15 Opr Wx Squadron DSN 576-9755, C618-256-9755. Afld wx maintained by AN/FMQ-19 Automated Observing System and augmented by human observer as required.

COMMUNICATIONS: SFA ATIS 108.45 270.8 (1200-0400Z†) PTD 372.2

® APP/DEP CON 121.05 379.3 (1200-0400Z†)

® CHICAGO CENTER APP/DEP CON 121.05 351.1 (0400-1200Z†)

TOWER 133.7 290.45 (1200-0400Z†) **GND CON** 128.425 275.8 **CLNC DEL** 120.0 324.3

ARW COMD POST (BRICKYARD) 252.1 321.0 **PMSV METRO** 344.6 (Full svc 1200-0400Z†.)

AIRSPACE: CLASS D svc 1200-0400Z† other times CLASS G.

RADIO AIDS TO NAVIGATION: NOTAM FILE GUS. VHF/DF ctc App Con.

(T) **VORTACW** 108.45 GUS Chan 21(Y) N40°38.69' W86°09.10' at fld. 810/2W. Unmonitored 0400-1200Z†. No NOTAM MP Tue 1300-1500Z†.

VOR portion unusable:

195°-220° byd 15 NM

318°-340°

ILS 109.5 I-GUS Rwy 05. No NOTAM MP Thu 1300-1500Z†.

ILS 109.5 I-RSM Rwy 23. No NOTAM MP Thu 1300-1500Z†.

ASR/PAR No NOTAM preventative maintenance schedule Mon 1200-1400Z†. ASR apch svc 1200-0400Z† daily.

COMM/NAV/WEATHER REMARKS: Radar see Terminal FLIP for Radar Minima.

MISSISSINAWA RESERVOIR LANDING AREA SPB (43I) 6 SE UTC-5(-4DT) N40°42.22'

CHICAGO

W85°55.95'

737 NOTAM FILE HUF

WATERWAY NW-SE: 14500X1000 (WATER)

SEAPLANE REMARKS: Unattended. Seaplane ops prohibited between SS and SR. Lake use permit required. Call 765-473-6528.

COMMUNICATIONS: CTAF 122.9

PERU MUNI (I76) 4 NW UTC-5(-4DT) N40°47.15' W86°08.79'

CHICAGO

779 B S2 FUEL 100LL, JET A NOTAM FILE HUF

L-270

RWY 01-19: H4400X75 (ASPH) S-10 MIRL 0.3% up N

IAP

RWY 01: REIL. PAPI(P2L)—GA 3.0° TCH 36'. Road.

RWY 19: REIL. PAPI(P2L)—GA 3.0° TCH 40'. Road.

AIRPORT REMARKS: Attended Nov-Apr 1400-2300Z†, May-Oct 1400-0000Z†. ACTIVATE MIRL Rwy 01-19, PAPI and REIL Rwy 01 and 19—CTAF.

COMMUNICATIONS: CTAF/UNICOM 122.8

KOKOMO RCO 122.1R 109.8T (TERRE HAUTE RADIO)


Ⓡ GRISSOM APP/DEP CON 121.05 (1200-0400Z†)

Ⓡ CHICAGO CENTER APP/DEP CON 121.05 (0400-1200Z†)

RADIO AIDS TO NAVIGATION: NOTAM FILE OKK.

KOKOMO (H) VORTAC 113.5 OKK Chan 82 N40°31.67'

W86°03.48' 345° 16 NM to fld. 830/00E.



PLYMOUTH MUNI (C65) 2 N UTC-5(-4DT) N41°21.91' W86°18.03'

CHICAGO

800 B FUEL 100LL, JET A NOTAM FILE HUF

L-281

RWY 10-28: H4400X60 (ASPH) S-25, D-40 MIRL

IAP

RWY 10: REIL. VASI(V2L)—GA 3.0° TCH 37'. Tree.

RWY 28: REIL. VASI(V4L)—GA 3.3° TCH 30'. Thld dsplcd 300'.

Road.

AIRPORT REMARKS: Attended Mon-Fri 1300-2200Z†, Sat 1300-2100Z†, Sun 1500-1900Z†. Birds on and invof arpt. Snow removal ops during winter months; equipment operators will monitor CTAF when twr clsd. MIRL Rwy 10-28 preset low ints; to increase ints and ACTIVATE REIL and VASI Rwy 10 and Rwy 28—CTAF.

COMMUNICATIONS: CTAF/UNICOM 122.8


KNOX RCO 122.1R 115.6T (TERRE HAUTE RADIO)

Ⓡ SOUTH BEND APP/DEP CON 132.05 (Sun-Fri 1030-0500Z†, Sat 1030-0445Z†), other times ctc Ⓡ CHICAGO CENTER APP/DEP CON 135.9

RADIO AIDS TO NAVIGATION: NOTAM FILE HUF.

KNOX (H) VOR/DME 115.6 OXI Chan 103 N41°19.32'

W86°38.96' 081° 16 NM to fld. 690/00E.



PNTHR N39°46.61' W85°07.79' NOTAM FILE HUF.

NDB (LOM) 227 SQ 185° 4.7 NM to Mettel Fld.

POCKET CITY N37°55.70' W87°45.74'. NOTAM FILE HUF.

ST LOUIS

(H) VORTACW 113.3 PXV Chan 80 056° 12.8 NM to Evansville Rgnl. 384/3E. HIWAS.

H-5E, L-161

DME unusable beyond 30 NM below 2600'.

POPE FLD (See GREENFIELD)

PORTER CO MUNI (See VALPARAISO)

PORTLAND MUNI (PLD) 1 NW UTC-5(-4DT) N40°27.10' W84°59.34'

DETROIT

925 B S2 FUEL 100LL, JET A NOTAM FILE HUF

L-27E

RWY 09-27: H4002X75 (ASPH) S-12.5 MIRL 0.3% up E

IAP

RWY 09: REIL. PAPI (P2L)—GA 3.0° TCH 24'. Trees.

RWY 27: REIL. PAPI (P2L)—GA 3.0° TCH 24'. Antenna.

AIRPORT REMARKS: Attended Mon-Sat 1300-0000Z†, Sun 1400-0000Z†. MIRL Rwy 09-27 preset low ints, increase ints and ACTIVATE REIL Rwys 09 and 27—CTAF. PAPI Rwys 09 and 27 opr 24 hr. REIL.

WEATHER DATA SOURCES: AWOS-3 118.45 (260) 726-7882.


COMMUNICATIONS: CTAF/UNICOM 122.8

® **FORT WAYNE APP/DEP CON** 132.15 (SE/NE of active rwy) 127.2 (SW/NW of active rwy)

RADIO AIDS TO NAVIGATION: NOTAM FILE FWA.

FORT WAYNE (H) VORTACW 117.8 FWA Chan 125 N40°58.74' W85°11.28' 164° 32.9 NM to fld. 793/00E.

COMM/NAV/WEATHER REMARKS: APP CON sectorization based upon Fort Wayne rwy usage.



POSEYVILLE

RALPH E. KOCH (61Y) 2 N UTC-6(-5DT) N38°12.46' W87°46.46'

ST. LOUIS

450 FUEL 100LL NOTAM FILE HUF

RWY 04-22: 2960X100 (TURF)

RWY 22: Thld dsplcd 922'. Road.

RWY 18U-36U: 1125X100 (TURF)

RWY 18U: Thld dsplcd 300'. Road. RWY 36U: Thld dsplcd 200'. Crops.

AIRPORT REMARKS: Attended on call. For attendant call 812-874-3315. Rwy 18U-36U CLOSED indef. Rwy 04-22 marked with white collapsible metal triangles; dsplcd thld marked with white gravel rocks outboard of rwy. Rwy 18U-36U marked with white collapsible metal triangles; dsplcd thlds marked with white gravel rocks outboard of rwy.

COMMUNICATIONS: CTAF/UNICOM 122.7

POST-AIR (See INDIANAPOLIS)

PULLY N39°37.74' W86°25.10' NOTAM FILE IND.

ST. LOUIS

NDB (LOM) 266 IN 049° 7.8 NM to Indianapolis Intl.

PURDUE UNIVERSITY (See LAFAYETTE)

PUTNAM CO (See GREENCASTLE)

RALPH E. KOCH (See POSEYVILLE)

RANDOLPH CO (See WINCHESTER)

REESE (See MUNCIE)


ROCHESTER**FULTON CO** (RCR) 2 E UTC-5(-4DT) N41°03.93' W86°10.90'790 B **FUEL** 100LL, JET A NOTAM FILE HUF**RWY 11-29:** H5001X75 (ASPH-GRVD) S-9 MIRL**RWY 11:** REIL. PAPI(P2L)—GA 4.0° TCH 28'. Tree.**RWY 29:** REIL. PAPI(P2L)—GA 4.0° TCH 28'. Tree.**AIRPORT REMARKS:** Attended 1300-2300Z±. Acft landing Rwy 11 must back taxi. ACTIVATE MIRL Rwy 11-29, PAPI Rwy 11 and Rwy 29, REIL Rwy 11 and Rwy 29, and rotating bcn—CTAF.**WEATHER DATA SOURCES:** AWOS-3 118.775 (574) 223-3560.**COMMUNICATIONS:** CTAF/UNICOM 122.7

Ⓡ **SOUTH BEND APP/DEP CON** 132.05 (Sun-Fri 1030-0500Z±, Sat 1030-0445Z±), other times ctc Ⓡ **CHICAGO CENTER APP/DEP CON** 119.85

RADIO AIDS TO NAVIGATION: NOTAM FILE GUS.

GRISSEM (T) VORTACW 108.45 GUS Chan 21(Y) N40°38.69' W86°09.10' 359° 25.3 NM to fld. 810/2W. VORTAC unmonitored 0400-1200Z±.

CHICAGO
H-5E, 10F, L-27D
IAP

**SALEM MUNI** (I83) 2 W UTC-5(-4DT) N38°36.12' W86°08.40'**ST. LOUIS**822 B S2 **FUEL** 100LL NOTAM FILE HUF**RWY 10-28:** H2738X50 (ASPH) S-7 MIRL**RWY 10:** REIL. PAPI(P2L)—GA 4.0° TCH 20'. Trees.**RWY 28:** REIL. Thld dsplcd 238'. Bldg.

AIRPORT REMARKS: Attended Mon-Fri 2130Z±-dusk, Sat-Sun irregularly. Fuel avbl 24 hrs with credit card. Rwy 10 REIL OTS indef. MIRL Rwy 10-28 preset low in ints; to increase ints ACTIVATE—CTAF.

COMMUNICATIONS: CTAF/UNICOM 123.0**SCOTTSBURG** (3R8) 3 SW UTC-5(-4DT) N38°39.44' W85°47.42'**ST. LOUIS**600 S2 **FUEL** 100LL NOTAM FILE HUF Not insp.**RWY 02-20:** 2844X100 (TURF)**RWY 02:** Thld dsplcd 200'. Trees.**RWY 20:** Thld dsplcd 380'. Trees.

AIRPORT REMARKS: Attended irregularly. Arpt CLOSED Dec 1 to Apr 1. Rwy 02-20 marked by orange traffic cones. Trees all quadrants.

COMMUNICATIONS: CTAF 122.9**SEDLY** N41°27.07' W86°52.65' NOTAM FILE HUF.**CHICAGO**

NDB (MHW/LOM) 212 VP 274° 5.8 NM to Porter Co Muni. Unmonitored.

L-281

SEYMOUR**FREEMAN MUNI** (SER) 2 SW UTC-5(-4DT) N38°55.48' W85°54.50'

ST. LOUIS

H-5E, 10F, L-27D
IAP

583 B S2 FUEL 100LL, JET A NOTAM FILE HUF

RWY 14-32: H5502X100 (ASPH-GRVD) S-20, D-35, DT-50 MIRL

RWY 14: REIL. PAPI(P2L)—GA 3.0° TCH 21'. Crops.

RWY 32: REIL. PAPI(P2L)—GA 3.0° TCH 30'. Crops.

RWY 05-23: H5500X100 (ASPH-GRVD) S-20, D-35, DT-50 MIRL

RWY 05: ODALS. REIL. PAPI(2PL)—GA 3.0° TCH 29'.

RWY 23: ODALS. REIL. PAPI(P2L)—GA 3.0° TCH 28'.

RWY 18U-36U: 1200X100(TURF)

RWY 18U: Thld dsplcd 200'.

RWY 36U: Thld dsplcd 400'. Bldg. Rgt tfc.

RWY 09U-27U: 1000X100 (TURF)

RWY 09U: Thld dsplcd 120'. Bldg.

RWY 27U: Thld dsplcd 120'. P-line.

AIRPORT REMARKS: Attended 1300Z±-dusk. Radio control airplanes op on and invof arpt daily from Apr-Oct. Rwy 14-32 crops 210' both sides of centerline—entire length. Rwy 18U-36U cracking and loose gravel. Rwy 36U end unmarked. Rwy 27U crops 200' and 36' high power line 582' from east end. MIRL Rwy 05-23 and Rwy 14-32 preset on off; to ACTIVATE and increase ints REIL Rwy 05, Rwy 23, Rwy 14 and Rwy 32, ODALS Rwy 05 and Rwy 23, PAPI Rwy 05 and Rwy 23—CTAF.

WEATHER DATA SOURCES: AWOS-3 119.425 (812)522-4244, 1(888)782-3222.**COMMUNICATIONS:** CTAF/UNICOM 122.8


⑧ INDIANAPOLIS CENTER APP/DEP CON 124.775

RADIO AIDS TO NAVIGATION: NOTAM FILE HUF.

NABB (L) VORTAC 112.4 ABB Chan 71 N38°35.33' W85°38.16' 327° 23.8 NM to fld. 710/1E. HIWAS.

CAPTAIN NDB (MHW) 308 EQZ N38°52.05' W85°58.38' 043° 4.6 NM to fld. NDB unmonitored.

ILS 108.5 I-SER Rwy 05. LOC only. LOC unusable byd 30° right of course. LOC unmonitored.

**SHAWNEE FLD** (See BLOOMFIELD)**SHELBYVILLE MUNI** (GEZ) 4 NW UTC-5(-4DT) N39°34.99' W85°48.29'

ST. LOUIS

H-5E, 10F, L-27D
IAP

803 B S4 FUEL 100LL, JET A NOTAM FILE GEZ

RWY 01-19: H5000X100 (ASPH-GRVD) S-30, D-40 MIRL

RWY 01: REIL. PAPI(P2L)—GA 3.0° TCH 25'. Trees.

RWY 19: REIL. VASI(V4L)—GA 3.0° TCH 38'. Trees.

RWY 09-27: 2671X190 (TURF) 0.4% up E

RWY 09: Thld dsplcd 446'. Road.

RWY 27: Thld dsplcd 289'. Building.

AIRPORT REMARKS: Attended 1300Z±-sunset. Attended irregularly on Christmas, New Years; Easter and Thanksgiving. National Guard helipad and helicopter facility lctd W of arpt. Helicopter tfc all hrs. MIRL Rwy 01-19 preset on low ints; to increase ints and ACTIVATE PAPI Rwy 01 and VASI Rwy 19—CTAF. Rwy 27 begins at west side of Twy A; grass line marks rwy edges. Rwy 09-27 dspld thlds marked with yellow cones.

WEATHER DATA SOURCES: ASOS 121.55 (317)398-0246. HIWAS 112.0 SHB.

COMMUNICATIONS: CTAF/UNICOM 122.8


RCO 122.1R 112.0T (TERRE HAUTE RADIO)

⑧ INDIANAPOLIS APP/DEP CON 127.15

RADIO AIDS TO NAVIGATION: NOTAM FILE HUF.

(L) VORTAC 112.0 SHB Chan 57 N39°37.95' W85°49.46' 162° 3.1 NM to fld. 810/1E. HIWAS.

VOR portion unusable: Byd 25 NM blo 3000' 180°-277° byd 14 NM blo 6000'



SHERIDAN (514) 3 N UTC-5(-4DT) N40°10.66' W86°13.04'

936 B S4 FUEL 100LL NOTAM FILE HUF

RWY 05-23: H3760X50 (ASPH) LIRL (NSTD)

RWY 05: Thld dsplcd 650'. Crops.

RWY 23: TRCV (TRIL) Crops.

RWY 09-27: 3590X88 (TURF)

RWY 09: Building.

RWY 27: Thld dsplcd 250'. Crops.

AIRPORT REMARKS: Attended 1300Z±-dusk. After hours assistance 337-758-5471 or 317-501-4521. During winter months call arpt manager to verify rwy conditions—317-758-4161. ACTIVATE NSTD LIRL Rwy 05-23—CTAF. Rwy 05-23 NSTD LIRL; Rwy 23 NSTD thld lgts; only two lights.

COMMUNICATIONS: CTAF/UNICOM 123.075

KOKOMO RCO 122.1R 109.8T (TERRE HAUTE RADIO)

® INDIANAPOLIS APP/DEP CON 124.65


RADIO AIDS TO NAVIGATION: NOTAM FILE OKK.

KOKOMO (H) VORTAC 113.5 OKK Chan 82 N40°31.67' W86°03.48' 199° 22.2 NM to fld. 830/00E.

CHICAGO

L-27D

IAP



SKY KING (See TERRE HAUTE)

SKYLANE (See EVANSVILLE)

SMITH FLD (See FT WAYNE)

SOUTH BEND RGNL (SBN) 3 NW UTC-5(-4DT) N41°42.49' W86°19.04'
 799 B S4 FUEL 100LL, JET A TPA-1799(1000) Class I, ARFF Index B
 NOTAM FILE SBN

CHICAGO
 H-5E, 10F, L-281
 IAP, AD

RWY 09R-27L: H8414X150 (ASPH-GRVD) S-100, D-175, ST-175, DT-300 HIRL

RWY 09R: MALSF. PAPI(P4L)—GA 3.0° TCH 53'. Tree. 0.5% down.

RWY 27L: MALSR. PAPI(P4L)—GA 3.0° TCH 51'. Tree.

RWY 18-36: H7100X150 (ASPH-GRVD) S-100, D-175, ST-175, DT-300 MIRL 0.5% up S

RWY 18: PAPI(P4L)—GA 3.0° TCH 49'. Tree.

RWY 36: PAPI(P4L)—GA 3.0° TCH 50'. Tree.

RWY 09L-27R: H4300X75 (ASPH) D-60 MIRL S-45

RWY 09L: PAPI(P2L)—GA 3.0° TCH 40'. Tree.

RWY 27R: PAPI(P2L)—GA 3.0° TCH 38'. Tree.

LAND AND HOLD SHORT OPERATIONS

LANDING	HOLD SHORT POINT	DIST AVBL
RWY 27L	18-36	3950

RUNWAY DECLARED DISTANCE INFORMATION

RWY 09L: TORA-4300 TODA-4300 ASDA-4300 LDA-4300


RWY 09R: TORA-8414 TODA-8414 ASDA-8414 LDA-8414

RWY 18: TORA-7100 TODA-7100 ASDA-7100 LDA-7100

RWY 27L: TORA-8414 TODA-8414 ASDA-8414 LDA-8414

RWY 27R: TORA-4300 TODA-4300 ASDA-4300 LDA-4300

RWY 36: TORA-7100 TODA-7100 ASDA-7100 LDA-7100



AIRPORT REMARKS: Attended continuously. Birds on and in/ov arpt. High tension wires in vicinity of 27R apch. Be alert during rgt base to Rwy 27R. 92' high tension wires 2160' from Rwy 27R rwy end, 394' rgt of rwy centerline. Apch slope 21:1. Line-of-sight between intersecting rwys is restricted. Air carrier ramp clsd to General Aviation acft ops. Access to air carrier ramp area restricted to scheduled commercial acft and unscheduled commercial acft (diversions/charters) using large acft. Authorized ground equipment, ramp personnel and all General Aviation acft parking will be on FBO ramp. Rwy 09R-27L center 130' grooved. Rwy 18-36 grooved south of Rwy 09R-27L. Rwy 09L-27R weight restricted 45,000 single and 60,000 dual. Rwy 09L-27R and Twys J/J1/J2 and T not avbl to air carrier acft with more than 9 passenger seats. Twy B between B1 and B2 Twy restricted to acft larger than B757 or wingspan less than 125' and greater. When twr clsd HIRL Rwy 09R-27L preset med ints and Rwy 18-36 preset low ints, ACTIVATE MALSF Rwy 09R; MALSR Rwy 27L—CTAF.

WEATHER DATA SOURCES: ASOS (574) 233-2716.

COMMUNICATIONS: CTAF 118.9 ATIS 118.15 UNICOM 122.95

SOUTH BEND RCO 122.6 (TERRE HAUTE RADIO)

Ⓡ **SOUTH BEND APP/DEP CON** 118.55 (270-099°), 132.05 124.1 (100-269°) (Sun-Fri 1030-0500Z±, Sat 1030-0445Z±), other times ctc Ⓡ **CHICAGO CENTER APP/DEP CON** 118.55

SOUTH BEND TOWER 118.9 (Sun-Fri 1030-0500Z±, Sat 1030-0445Z±), **GND CON** 121.7 **CLNC DEL** 121.9

AIRSPACE: CLASS C svc (Sun-Fri 1030-0500Z±, Sat 1030-0445Z±) ctc **APP CON** other times CLASS E.

RADIO AIDS TO NAVIGATION: NOTAM FILE LAN.

GIPPER (H) VORTACW 115.4 **GIJ** Chan 101 N41°46.12' W86°19.11' 179° 3.6 NM to fld. 804/00E. HIWAS.

MISHA NDB (LOM) 341 **SB** N41°42.34' W86°13.14' 275° 4.4 NM to fld. Unmonitored. NOTAM FILE SBN.

ILS 109.3 I-SBN Rwy 27L. **LOM MISHA NDB.** LOC and LOM unmonitored when twr clsd.

ILS 109.3 I-UXW Rwy 09R. **ILS** unmonitored when twr clsd.

SOUTH BEND N41°42.25' W86°18.83'
RCO 122.6 (TERRE HAUTE RADIO)

CHICAGO
 L-281

STARKE CO (See KNOX)

SULLIVAN CO (SIV) 3 NW UTC-5(-4DT) N39°06.88' W87°26.90'

ST. LOUIS

540 B FUEL 100LL TPA-1340(800) NOTAM FILE HUF

L-27D

RWY 18-36: H4360X75 (ASPH-RFSC) S-27, D-35 MIRL

IAP

RWY 18: REIL. VASI(V2L)-GA 3.0° TCH 21'. Crops.

RWY 36: REIL. VASI(V2L)-GA 3.0° TCH 21'. Crops.

AIRPORT REMARKS: Attended 1300Z±-dusk. Unattended Thanksgiving; Christmas and New Years Day. Partial twy lghts, only on N end. Moored balloon, 2 miles east of arpt at 1600' and blo. ACTIVATE MIRL Rwy 18-36 and REIL Rwy 18 and Rwy 36-CTAF. Rotating bcn and VASI Rwy 18 and Rwy 36 on continuously.

COMMUNICATIONS: CTAF/UNICOM 122.8

Ⓡ HULMAN APP/DEP CON 119.25 (1100-0300Z±)

Ⓡ INDIANAPOLIS CENTER APP/DEP CON 132.2 (0300-1100Z±)


RADIO AIDS TO NAVIGATION: NOTAM FILE RSV.

ROBINSON (T) VORW/DME 108.4 RSV Chan 21 N39°01.06'

W87°38.93' 056° 11 NM to fld. 452/2E.

VOR unmonitored 0000-1300Z±.

NDB (MHW) 326 SIV N39°06.81' W87°26.81' at fld. NOTAM FILE HUF.



TELL CITY N38°00.85' W86°41.41' NOTAM FILE HUF.

ST. LOUIS

NDB (MHW) 206 TEL at Perry Co Muni. NDB unmonitored 0600-1200Z±.

L-27D

TELL CITY

PERRY CO MUNI (TEL) 6 NE UTC-6(-5DT) N38°01.13' W86°41.55'

ST. LOUIS

660 B FUEL 100LL, JET A NOTAM FILE HUF

L-27D

RWY 13-31: H4400X75 (ASPH) S-12 MIRL 1.2% up SE

IAP

RWY 13: REIL. PAPI(P4R)-GA 3.0° TCH 29'. Trees.

RWY 31: REIL. PAPI(P4R)-GA 3.25° TCH 28'. Trees.

AIRPORT REMARKS: Unattended. Fuel self serve. ACTIVATE MIRL Rwy 13-31 and REIL Rwy 13 and 31-CTAF. Rwy 13-31 PAPI on continuously.

COMMUNICATIONS: CTAF/UNICOM 122.7

Ⓡ EVANSVILLE APP/DEP CON 126.4 (1200-0500Z±)

Ⓡ INDIANAPOLIS CENTER APP/DEP CON 128.3 (0500-1200Z±)


RADIO AIDS TO NAVIGATION: NOTAM FILE HNB.

HUNTINGBURG (T) VORW/DME 109.2 HNB Chan 29 N38°15.03'

W86°57.37' 138° 18.7 NM to fld. 517/00E.

TELL CITY NDB (MHW) 206 TEL N38°00.85' W86°41.41' at fld.

NOTAM FILE HUF. NDB unmonitored 0600-1200Z±.



TERRE HAUTE N39°29.34' W87°14.94' NOTAM FILE HUF

ST LOUIS

(H) VORTACW 115.3 TTH Chan 100 228° 3.5 NM to Terre Haute Intl-Hulman Fld. 606/2E.

H-5E, L-27D

HIWAS.

DME unusable byd 27 NM blo 3500'.

TERRE HAUTE**SKY KING** (313) 5 N UTC-5(-4DT) N39°32.87' W87°22.64'

ST. LOUIS

496 B S4 **FUEL** 100LL NOTAM FILE HUF

L-27D

RWY: 08-26: H3557X50 (ASPH) LIRL (NSTD)

IAP

RWY 08: Trees. **RWY 26:** Thld dspcd 812'. Trees.**RWY 18-36:** H1978X50 (ASPH) LIRL (NSTD)**RWY 18:** Thld dspcd 50'. Crops.**RWY 36:** Thld dspcd 289'. Trees.

AIRPORT REMARKS: Attended 1200Z†-dusk. CAUTION: 50' elevation drop 60' from thld Rwy 08. ACTIVATE rotating bcn; NSTD LIRL
 Rwys 08-26 and 18-36—CTAF. Rwy 08-26 and Rwy 18-36 NSTD LIRL, lgts are 16' from rwy edge.


WEATHER DATA SOURCES: HIWAS 115.3 TTH.**COMMUNICATIONS:** CTAF/UNICOM 122.8

Ⓡ **HULMAN APP/DEP CON** 125.45 118.3 (1100-0300Z†)

Ⓡ **INDIANAPOLIS CENTER APP/DEP CON** 132.2 (0300-1100Z†)

RADIO AIDS TO NAVIGATION: NOTAM FILE HUF.

TERRE HAUTE (H) VORTACW 115.3 TTH Chan 100 N39°29.34' W87°14.94' 299° 6.9 NM to fld. 606/2E. **HIWAS.**



TERRE HAUTE INTL—HULMAN FLD (HUF) 5 E UTC-5(-4DT) N39°27.09' W87°18.46'

ST. LOUIS

589 B S4 FUEL 100LL, JET A

ARFF Index—See Remarks NOTAM FILE HUF

H-5E, L-27D

RWY 05-23: H9020X150 (ASPH-GRVD)

S-75, D-200, ST-175, DT-300, DDT-600 HIRL

IAP, AD

RWY 05: MALSR. PAPI(P4L)—GA 3.0° TCH 39'. Stack.

RWY 23: REIL. VASI(V4L)—GA 3.0° TCH 31'. Tree.

RWY 14-32: H7200X150 (ASPH-CONC-GRVD) S-75, D-200,

ST-175, DT-300 HIRL 0.3% up SE

RWY 14: REIL. PAPI(P4L)—GA 2.75° TCH 55'. Tree.

RWY 32: REIL. PAPI(P4L)—GA 3.0° TCH 50'.

RWY 18-36: H4000X150 (ASPH-CONC) S-75, D-140, ST-139,

DT-190 MIRL

RWY 18: REIL. PAPI(P2L)—GA 3.0° TCH 54'. Trees.

RWY 36: REIL. Tree.

LAND AND HOLD SHORT OPERATIONS

LANDING	HOLD SHORT POINT	DIST AVBL
RWY 05	18-36	4650
RWY 18	05-23	3300
RWY 23	18-36	3450
RWY 32	05-23	4237
RWY 36	14-32	3200

RUNWAY DECLARED DISTANCE INFORMATION

RWY 05:	TORA-9020	TODA-9020	ASDA-9020	LDA-9020
RWY 14:	TORA-7200	TODA-7200	ASDA-7200	LDA-7200
RWY 18:	TORA-4001	TODA-4001	ASDA-4001	LDA-4001
RWY 23:	TORA-9020	TODA-9020	ASDA-9020	LDA-9020
RWY 32:	TORA-7200	TODA-7200	ASDA-7200	LDA-7200
RWY 36:	TORA-4001	TODA-4001	ASDA-4001	LDA-4001

AIRPORT REMARKS: Attended continuously. Deer and birds on and in/ovf arpt. Class IV, ARFF index A. ARFF Index B avbl on req with PPR, cto airport manager 812-877-2252. Rwy 18-36 remains CLOSED

to air carrier ops with more than 30 passenger seats. Rwy 05-23 1000' paved blast pad SW end and 1325' paved blast pad NE end; Rwy 32 400' by 150' blast pad; not avbl for ASDA. Rwy 18 and 14 apch ends are closely aligned. Verify correct rwy and compass heading prior to departure. Ldg fee for civilian acft over 10,000 lbs. U.S. Customs user fee arpt. Customs avbl 24 hr notice 317-248-4060.

WEATHER DATA SOURCES: ASOS 127.5 (812) 877-9136. HIWAS 115.3 TTH.

COMMUNICATIONS: ATIS 127.5 UNICOM 122.95

TERRE HAUTE RCO 122.65 (TERRE HAUTE RADIO)

® APP/DEP CON 125.45 119.8 (1100-0300Z‡)

® INDIANAPOLIS CENTER APP/DEP CON 132.2 (0300-1100Z‡)

TOWER 118.3 GND CON 121.6

RADIO AIDS TO NAVIGATION: NOTAM FILE HUF.


TERRE HAUTE (H) VORTACW 115.3 TTH Chan 100 N39°29.34' W87°14.94' 228° 3.5 NM to fld. 606/2E.

HIWAS

YINNO NDB (MHW/LOM) 245 HU N39°23.27' W87°23.86' 050° 5.7 NM to fld. Umonitored when twr clsd.

ILS 109.7 I-HUF Rwy 05. Class IE. LOM YINNO NDB. LOM unmonitored when twr clsd. LOC BC unusable inbound 1.3 NM from thld to thld.

ASR

**TRI-STATE STEUBEN CO** (See ANGOLA)**UNION MILLS**

FLYING U RANCH (4C1) 3 SW UTC-6(-5DT) N41°27.24' W86°47.53'

CHICAGO

740 FUEL 100LL NOTAM FILE HUF

RWY 18-36: 2745X100 (TURF)

RWY 18: Thld dsplcd 400'. Crops.

RWY 36: Thld dsplcd 470'. Bldg.

AIRPORT REMARKS: Attended dalgt hrs. Deer and birds on and in/ovf arpt. Rwy 18-36 edges marked with tires painted white, dsplcd thlds marked with red highway cones and white boards. Unicom not regularly monitored.

COMMUNICATIONS: CTA/UNICOM 122.8

PORTER CO MUNI (VPZ) 1SE UTC-6(-5DT) N41°27.24' W87°00.43'

CHICAGO
H-5E, 10F, L-28I
IAP

RWY 09-27: H7001X150 (ASPH-GRVD) D-250, ST-175, DT-375 HIRL

RWY 27: MALSR. VASI(V4L)—GA 3.0° TCH 51'.

RWY 18-36: H4001X75 (ASPH-GRVD) S-30, D-45 MIRL

RWY 18: REIL. PAPI(P2L)—GA 3.0° TCH 24'. Trees.

RWY 36: REIL. PAPI(P2L)—GA 3.0° TCH 35'. Trees.

RUNWAY DECLARED DISTANCE INFORMATION

RWY 09: TORA-7000 TODA-7000 ASDA-7000 LDA-6500

RWY 27: TORA-6500 TODA-6500 ASDA-6500 LDA-6500

AIRPORT REMARKS: Attended Mon–Fri 1200–0400Z†, Sat–Sun 1300–0100Z†. Birds and deer on and in/ovt arpt. CLOSED to scheduled air carrier ops with greater than 9 passenger seats and unscheduled air carrier ops greater than 30 seats, 90–day PPR, call arpt manager 219–462–6508. HIRL Rwy 09–27 and MIRL Rwy 18–36 preset on low ints dusk–0500Z†; to increase ints after 0500Z† and ACTIVATE MALS Rwy 27; REIL Rwy 09; PAPI and REIL Rwy 18 and Rwy 36 —CTAF. VASI Rwy 09 and Rwy 27 ops 24 hours. Rwy 09–27 and 18–36 parallel twy have green centerline reflectors.

WEATHER DATA SOURCES: ASOS 125.875 (219) 531-1770.

COMMUNICATIONS: CTAF/UNICOM 122.725

CROWNPOINT RCO 123.65 (TERRE HAUTE RADIO)

® SOUTH BEND APP/DEP CON 132.05 (Sun–Fri 1030–0500Z†, Sat 1030–0445Z†), other times ctc ® CHICAGO CENTER
APP/DEP CON 135.9

SOUTH BEND CLNC DEL 120.525

RADIO AIDS TO NAVIGATION: NOTAM FILE HUF.

KNOX (H) VOR/DME 115.6 OXI Chan 103 N41°19.32' W86°38.96' 296° 18 NM to fld. 690/00E.

SEDLY NDB (MHW/LOM) 212 VP N41°27.07' W86°52.65' 274° 5.8 NM to fld. Unmonitored.

ILS 109.7 I-VPZ Rwy 27 Class IE. LOM SEDLY NDB.

ROBINSON

(8|1) 7 SW UTC-5(-4DT) N38°41.67' W85°11.90'

ST LOUIS

484 S2 TPA—1284(800) NOTAM FILE HUF

RWY 09-27: 1670X50 (TURF)

RWY 09: Thld dsplcd 150'. Road. **RWY 27:** Trees

AIRPORT REMARKS: Attended irregularly. Rwy 09-27 rough and rolling turf. Rwy 09-27 thlds marked with white tires; boundary marked with white tires and yellow oil jugs.

COMMUNICATIONS: CTAF 122.9

VICCI N38°07.60' W87°26.44'. NOTAM FILE EVV.

ST LOUIS

NDB (LOM) 219 EV 219° 6.8 NM to Evansville Dress Rgnl.

VIDEO N40°04.17' W85°30.64'. NOTAM FILE AID.

CHICAGO

NDB (MHW/LOM) 371 AI 299° 5.3 NM to Anderson Muni-Darlington Fld.

Unmonitored when Anderson Twr clsd.

VINCENNES N38°41.45' W87°33.35'. NOTAM FILE STL.

ST. LOUIS

NDB (MHW) 251 OEA 332° 5.0 NM to Lawrenceville–Vincennes Intl. Unmonitored.

L-27D

VIRGIL I. GRISSOM MUNI (See BEDFORD)

WABASH MUNI (IWH) 3 SE UTC-5(-4DT) N40°45.72' W85°47.93'

CHICAGO

796 B S8 FUEL 100LL, JET A NOTAM FILE HUF

L-27D

RWY 09-27: H4401X75 (ASPH) S-27 MIRL

IAP

RWY 09: REIL. PAPI(P2L)—GA 3.0° TCH 29'. Road.

RWY 27: REIL. PAPI(P2L)—GA 3.0° TCH 29'. Trees.

RWY 18-36: H1938X30 (ASPH) S-27 LIRL (NSTD)

RWY 18: Thld dsplcd 402'. Trees. RWY 36: Trees.

AIRPORT REMARKS: Attended 1300-2300Z†. Fuel available with credit card after hours. Ultralights fly rgt tfc pattern Rwy 09. Rwy 09-27 preset low ints, ACTIVATE higher ints and REIL Rwys 09 and 27—CTAF. Rwy 18-36 NSTD LIRL; lgts 110' each side of rwy centerline.

COMMUNICATIONS: CTAF/UNICOM 122.8

Ⓡ GRISSOM APP/DEP CON 121.05 (1200-0400Z‡)


Ⓡ CHICAGO CENTER APP/DEP CON 121.05 (0400-1200Z‡)

RADIO AIDS TO NAVIGATION: NOTAM FILE GUS.

GRISSOM (T) VORTACW 108.45 GUS Chan 21(Y) N40°38.69'

W86°09.10' 068° 17.6 NM to fld. 810/2W. VORTAC

unmonitored 0400-1200Z‡.



WALKER/ROWE WATERLOO (See WATERLOO)

WARSAW MUNI (ASW) 2 N UTC-5(-4DT) N41°16.48' W85°50.40'

CHICAGO

850 B S4 FUEL 100LL, JET A NOTAM FILE ASW

H-5E, 10F, L-28I

RWY 09-27: H6002X100 (ASPH-GRVD) S-46, D-60 HIRL

IAP

RWY 09: REIL. PAPI(P2L)—GA 3.0° TCH 24'. Pole.

RWY 27: REIL. PAPI(P4L)—GA 3.0° TCH 54'. Thld dsplcd 901'.

Tower.

RWY 18-36: H4012X75 (ASPH) S-15 MIRL

RWY 18: PAPI(P2L)—GA 3.5° TCH 41'. Road.

RWY 36: Road.

RUNWAY DECLARED DISTANCE INFORMATION

RWY 09: TORA-5100 TODA-5100 ASDA-5100 LDA-5100

RWY 27: TORA-6000 TODA-6000 ASDA-6000 LDA-5100

AIRPORT REMARKS: Attended Mon-Fri 1200-0000Z† and Sat-Sun

1300-2300Z†. After hrs svc available 574-267-3689. Deer and

birds on and in vof arpt. HIRL Rwy 09-27 preset on low ints to

increase ints and ACTIVATE MIRL Rwy 18-36, REIL Rwy 09 and

Rwy 27—CTAF. PAPI Rwy 18, Rwy 09 and Rwy 27 on 24 hrs.

WEATHER DATA SOURCES: AWOS-3 121.125 (574) 269-7035

COMMUNICATIONS: CTAF/UNICOM 122.7

GOSHEN RCO 122.1R 113.7T (TERRE HAUTE RADIO)


Ⓡ FORT WAYNE APP/DEP CON 127.2 CLNC DEL 134.05

RADIO AIDS TO NAVIGATION: NOTAM FILE GSH.

GOSHEN (H) VORTAC 113.7 GSH Chan 84 N41°31.51' W86°01.68' 150° 17.3 NM to fld. 850/00E.

WOLF LAKE (L) VORW 110.4 OLK N41°14.82' W85°29.84' 279° 15.6 NM to fld. NOTAM FILE HUF.

ILS/DME 111.55 I-ASW Chan 52Y Rwy 27.



WASHINGTON**DAVISS CO**

(DCY) 3 NE UTC-6(-5DT) N38°42.03' W87°07.78'

473 B S4 FUEL 100LL, JET A NOTAM FILE HUF

RWY 18-36: H4621X75 (ASPH) S-10, D-44 MIRL

RWY 18: REIL. PAPI(P2L). Thld dsplcd 315'. Road.

RWY 36: REIL. PAPI(P2L). Trees.

AIRPORT REMARKS: Attended Mon-Sat 1400-2300Z. Fuel self svc,
Rwy 36 REIL OTS indef. For MIRL Rwy 18-36 key 122.8 three times.

COMMUNICATIONS: CTAF/UNICOM 122.8

WASHINGTON RCO 122.2 (TERRE HAUTE RADIO)


Ⓡ EVANSVILLE APP/DEP CON 125.6 (1200-0500Z)

Ⓡ INDIANAPOLIS CENTER APP/DEP CON 128.3 (0500-1200Z)

RADIO AIDS TO NAVIGATION: NOTAM FILE LWV.

LAWRENCEVILLE (T) VORW/DME 108.8 LWV Chan 25 N38°46.19'
W87°36.23' 101° 22.6 NM to fld. 430/1W.

WASHINGTON NOB (MHW) 212 DCY N38°41.77' W87°07.95' at
fld. NOTAM FILE HUF. Unmonitored.



ST. LOUIS

L-27D

IAP

WASHINGTON NOTAM FILE HUF.

NOB (MHW) 212 DCY N38°41.77' W87°07.95' at Daviess Co. Unmonitored.

RCO 122.2 (TERRE HAUTE RADIO)

ST. LOUIS

L-27D

WATERLOO**WALKER/ROWE WATERLOO**

(4C2) 3 E UTC-5(-4DT) N41°25.87' W84°58.90'

900 S8 FUEL 100LL, MOGAS TPA-1700(800) NOTAM FILE HUF

RWY 09-27: 2340X100 (TURF)

RWY 09: Thld dsplcd 300'. Road.

RWY 27: Thld dsplcd 320'. Road.

AIRPORT REMARKS: Attended irregularly. Rwy 27 60' trees 1405' from rwy end and 160' factory silos 1990' from rwy end and 400' S. Rwy 09 38' trees 780' from rwy end. For scheduled maintenance call 260-837-4403 or 260-908-3275. For fuel call 260-837-4403. Rwy 09-27 3 white tires each side of centerline mark the dsplcd thlds, Rwy marked with grassline and white tires.

COMMUNICATIONS: CTAF/UNICOM 122.8

DETROIT

WESTFIELD (I72) 2W UTC-5(-4DT) N40°02.94' W86°09.47'

932 NOTAM FILE HUF

RWY 18-36: 3000X100 (TURF)

RWY 18: Crops.



RWY 36: Trees.

AIRPORT REMARKS: Attended irregularly. Rwy 18-36 S 200' CLOSED indef. No snow removal during winter months. Trees and bushes 100' W of centerline penetrate primary surface area. Rwy 18-36 thlds marked with yellow drums.

COMMUNICATIONS: CTAF 122.9.

CHICAGO

WHITE CO (See MONTICELLO)

WINAMAC**ARENS FLD** (RWN) 3 N UTC-6(-5DT) N41°05.54' W86°36.77'**CHICAGO**711 **FUEL** 100LL NOTAM FILE HUF**L-27D****RWY 09-27:** H4200X75 (ASPH) S-12 LIRL**IAP****RWY 09:** REIL. PAPI(P2L)—GA 3.0° TCH 21'. Road.**RWY 27:** REIL. PAPI(P2L)—GA 4.25° TCH 20'. Thld dsplcd 560'.
Antenna.**AIRPORT REMARKS:** Attended Mon-Sat 1500-2300Z±. Rwy 09 REIL OTS
indef. ACTIVATE LIRL Rwy 09-27—122.8.**COMMUNICATIONS:** CTAF/UNICOM 122.8**KNOX RCO** 122.1R, 115.6T (TERRE HAUTE RADIO)**(R) SOUTH BEND APP/DEP CON** 132.05 (Sun-Fri 1030-0500Z±, Sat
1030-0445Z±), other times ctc **(R) CHICAGO CENTER APP/DEP CON**
119.85**RADIO AIDS TO NAVIGATION:** NOTAM FILE HUF.**KNOX (H) VOR/DME** 115.6 OXI Chan 103 N41°19.32'
W86°38.96' 173° 13.9 NM to fld. 690/00E.**WINCHESTER****RANDOLPH CO** (I22) 3 E UTC-5(-4DT) N40°10.14' W84°55.54'**DETROIT**1119 B S2 **FUEL** 100LL, JET A TPA—1919(800) NOTAM FILE HUF**L-27E****RWY 07-25:** H3977X50 (ASPH) S-12 MIRL**IAP****RWY 07:** REIL. VASI(V2L)—GA 3.0° TCH 25'. Crops.**RWY 25:** REIL. VASI(V2L)—GA 3.0° TCH 21'. Thld dsplcd 194'.
Road.**RWY 09-27:** 1960X105 (TURF)**RWY 09:** Crops. **RWY 27:** Thld dsplcd 302'. Road.**AIRPORT REMARKS:** Attended 1300-2200Z±. Arpt CLOSEDThanksgiving and Christmas Day. MIRL Rwy 07-25 preset low
ints, to increase ints and ACTIVATE VASI and REIL Rwy 07 and
25—CTAF. Rwy 27 dsplcd thld marked with cones.**COMMUNICATIONS:** CTAF/UNICOM 123.0**(R) DAYTON APP/DEP CON** 134.45 (181°-359°)**RADIO AIDS TO NAVIGATION:** NOTAM FILE DAY.**DAYTON (L) VOR/DME** 114.5 DQN Chan 92 N40°00.99'
W84°23.81' 292° 26 NM to fld. 990/1W. HIWAS.**WOLF LAKE** N41°14.82' W85°29.84' NOTAM FILE HUF.**CHICAGO****(L) VORW** 110.4 OLK 279° 15.6 NM to Warsaw Muni.**L-28I****VOR** unusable 340°-360° byd 15 NM blo 3000' 168°-230°**YINNO** N39°23.27' W87°23.86' NOTAM FILE HUF.**ST. LOUIS****NDB (MHW/LOM)** 245 HU 050° 5.7 NM to Terre Haute Intl-Hulman Fld. Unmonitored when twr clsd.**L-27D****ZIONSVILLE** N39°56.38' W86°14.92' NOTAM FILE HUF.**CHICAGO****NDB (MHW)** 248 HZP 002° 5.5 NM to Indianapolis Executive. NDB unmonitored.**L-27D**

ABRAMS MUNI (See GRAND LEDGE)

ADRIAN N41°52.20' W84°04.65' NOTAM FILE ADG.
NDB (MHW) 278 ADG at Lenawee Co. Unmonitored.

DETROIT
L-28J

ADRIAN

LENAWEE CO (ADG) 3 SW UTC-5(-4DT) N41°52.06' W84°04.64'

798 B S4 FUEL 100LL, JET A NOTAM FILE ADG

RWY 05-23: H5001X100 (ASPH) S-20 HIRL

RWY 05: REIL. PAPI(P4L)—GA 3.0° TCH 32'. P-line.

RWY 23: PAPI(P4L)—GA 3.0° TCH 32'. Trees.

RWY 11-29: 1810X150 (TURF)

RWY 11: Trees.

RWY 29: Trees.

AIRPORT REMARKS: Attended 1300Z±-dusk. Arpt unattended major holidays except by prior arrangement; call arpt manager 517-265-2827, arpt manager nghts 517-442-8934. 24 hr self serve fuel (100LL only) with credit card. Rwy 11-29 CLOSED Dec-Apr and when snow covered. Snow removal Rwy 05-23 only. Taxi on hard surfaces only during spring thaw and wet conditions. Rwy 11-29 marked with 3' yellow cones. HIRL Rwy 05-23 preset low ints; to increase ints and ACTIVATE PAPI Rwy 05 and Rwy 23—CTAF. Ldg fee for commercial acft waived with fuel purchase.

WEATHER DATA SOURCES: ASOS 118.375 (517) 265-9089.

COMMUNICATIONS: CTAF/UNICOM 122.8

Ⓡ TOLEDO APP/DEP CON 134.35


RADIO AIDS TO NAVIGATION: NOTAM FILE JXN.

JACKSON (L) VOR/DME 109.6 JXN Chan 33 N42°15.55'

W84°27.51' 149° 29 NM to fld. 995/5W.

ADRIAN NDB (MHW) 278 ADG N41°52.20' W84°04.65' at fld. NOTAM FILE ADG. Unmonitored.

DETROIT
COPTER
H-10G, L-28J
IAP

**AERONUT PARK BALLOONPORT** (See HOWELL)**ALBERT J LINDBERG** (See HESSEL)**ALLEGAN**

PADGHAM FLD (35D) 1 E UTC-5(-4DT) N42°31.83' W85°49.42'

706 B S4 FUEL 100LL NOTAM FILE LAN

RWY 11-29: H4300X75 (ASPH) S-18 MIRL

RWY 11: REIL. PAPI(P4L)—GA 3.5° TCH 35'. Trees.

RWY 29: REIL. PAPI(P4L)—GA 3.5° TCH 30'. Trees.

RWY 15-33: 1598X150 (TURF)

RWY 15: Trees.

RWY 33: Trees.

AIRPORT REMARKS: Attended 1300Z±-dusk. Parachute Jumping. Rwy 15-33 surface rough. Rwy 15 marked with 3' yellow cones. Rwy 11 PAPI OTS indef. Rwy 29 PAPI OTS indef. ACTIVATE MIRL Rwy 11-29, PAPI Rwy 11 and Rwy 29, REIL Rwy 29—CTAF. Rwy 11-29 parallel twy marked with reflectors.

COMMUNICATIONS: CTAF/UNICOM 122.8

PULLMAN RCO 122.1R 112.1T (LANSING RADIO)

Ⓡ GRAND RAPIDS APP/DEP CON 128.4 (1030-0500Z±)


Ⓡ CHICAGO CENTER APP/DEP CON 128.5 (0500-1030Z±)

RADIO AIDS TO NAVIGATION: NOTAM FILE LAN.

PULLMAN (H) VOR/DME 112.1 PMM Chan 58 N42°27.96'

W86°06.29' 073° 13.1 NM to fld. 640/0E.

CHICAGO
L-28J
IAP



ALMA N43°19.40' W84°47.18' NOTAM FILE AMN.
NDB (MHW) 329 AMN 096° 4.3 NM to Gratiot Community

DETROIT
L-28J

ALMA**GRATIOT COMMUNITY** (AMN) 3 SW UTC-5(-4DT) N43°19.33' W84°41.28'**DETROIT**

754 B S4 FUEL 100LL, JET A OX 3 NOTAM FILE AMN

L-28J

RWY 09-27: H4999X75 (ASPH) S-40, D-65, ST-82 MIRL

IAP

RWY 09: REIL. VASI(V2L)—GA 3.0° TCH 45'.

RWY 27: REIL. VASI(V2L)—GA 3.0° TCH 53'.


RWY 18-36: H3197X75 (ASPH) S-26 MIRL

RWY 18: Trees. RWY 36: Trees.

AIRPORT REMARKS: Attended Mon-Fri 1300-2130Z \pm . Powered parachute activity on and in vof arpt. Animals on and in vof arpt. ACTIVATE MIRL Rwy 09-27 and 18-36; VASI Rwy 09 and 27; REIL Rwy 09 and 27—CTAF.

WEATHER DATA SOURCES: AWOS-3 124.175 (989) 463-3433**COMMUNICATIONS:** CTAF/UNICOM 122.8® **SAGINAW APP/DEP CON** 126.45 (1100-0400Z \pm) **CLNC DEL** 119.25**CLEVELAND CENTER APP/DEP CON** 127.7 (0400-1100Z \pm)**RADIO AIDS TO NAVIGATION:** NOTAM FILE MBS.**SAGINAW (L) VORW/DME** 112.9 MBS Chan 76 N43°31.90'W84°04.64' 248° 29.5 NM to fld. 663/3W. **HIWAS.****ALMA NDB (MWH)** 329 AMN N43°19.40' W84°47.18' 096° 4.3

NM to fld. NOTAM FILE AMN.

SDF 108.9 **GTX** Rwy 09.**ALMENA** (See PAW PAW)

ALPENA**ALPENA CO RGNL** (APN) 6 W UTC-5(-4DT) N45°04.69' W83°33.62'**LAKE HURON**
H-11A, L-31C
IAP

690 B S2 FUEL 100LL, JET A LRA Class I, ARFF Index A NOTAM FILE APN

RWY 01-19: H9001X150 (CONC-GRVD) S-65, D-95, DT-175 HIRL

RWY 01: MALSR. PAPI(P4L)—GA 3.0° TCH 52'. Tree.

RWY 19: REIL. PAPI(P4L)—GA 3.0° TCH 36'. Tree.

RWY 07-25: H5028X100 (CONC-GRVD) S-65, D-95, DT-175 MIRL

RWY 07: REIL. PAPI(P4L)—GA 3.0° TCH 40'. Trees.

RWY 25: REIL. PAPI(P4L)—GA 3.0° TCH 40'. Trees.

RUNWAY DECLARED DISTANCE INFORMATION

RWY 01: TORA-9001 TODA-9001 ASDA-9001 LDA-9001

RWY 07: TORA-5031 TODA-5031 ASDA-5031 LDA-5031

RWY 19: TORA-9001 TODA-9001 ASDA-9001 LDA-9001

RWY 25: TORA-5031 TODA-5031 ASDA-5031 LDA-5031

ARRESTING GEAR/SYSTEM

RWY 01 BAK 14 BAK-12A(B) (1500')

BAK 14 BAK-12A(B) (1500') RWY 19

AIRPORT REMARKS: Attended 1200-0000Z†. For svc after hrs call 989-920-7988. Birds and other wildlife on and invof arpt. Twy H, east of Rwy 01-19 avbl for military use only. Twy B not visible from twr. Twy A west of Twy C and Twy B rstd to military only. Be alert for uncontrolled vehicles on the twy. Twy to maintenance hangars unlit. 48 hrs PPR for air carrier ops with more than 30 passenger seats—call arpt manager 989-354-2907. ACTIVATE HIRL Rwy 01-19; MIRL Rwy 07-25; REIL Rwy 19, Rwy 07 and Rwy 25; and MALSR Rwy 01—CTAF. ANG-72 hr PPR; ctc Base OPS DSN 741-3226, C989-354-6226 for PPR number. ANG duty hrs Mon-Fri 1300-2130Z† except holidays.

WEATHER DATA SOURCES: ASOS 120.675 (989) 356-3662.

HIWAS 108.8 APN.

COMMUNICATIONS: CTAF 121.35 UNICOM 122.95

RCO 122.1R 108.8T (LANSING RADIO)

Ⓡ MINNEAPOLIS CENTER APP/DEP CON 125.475 (2100-1300Z†)

Ⓡ APP/DEP CON 128.425 (1300-2100Z†).

TOWER 121.35 (Weekdays 1300-2100Z† except holidays.) GND CON 121.9


AIRSPACE: CLASS D svc Weekdays 1300-2100Z† except holidays other times CLASS E.**RADIO AIDS TO NAVIGATION:** NOTAM FILE APN.

(L) VORTAC 108.8 APN Chan 25 N45°04.97' W83°33.42' at fld. 677/7W. HIWAS.

DME portion unusable 260°-280°, byd 30 NM blo 4000'.

FELPS NDB (LOM) 206 AP N44°57.65' W83°33.61' 007° 7 NM to fld.

ILS 109.7 I-APN Rwy 01. Class IE. LOM FELPS NDB. ILS unmonitored when twr closed.

**SILVER CITY AIRPARK** (53M) 4 N UTC-5(-4DT) N45°07.94' W83°26.88'**LAKE HURON**

680 TPA-1480 (800) NOTAM FILE LAN

RWY 08-26: 2400X100 (TURF)

RWY 08: Thld dsplcd 600'. Trees.

RWY 26: Thld dsplcd 400'. Trees.

AIRPORT REMARKS: Unattended. Arpt CLOSED Nov-Mar and when snow covered except for ski equipped acft. No snow removal. 300' antenna 1/5 mile N of arpt. 30' p-lines in Rwy 08 apch not marked. 35' p-line in Rwy 26 apch marked with orange balls. Rwy 08-26 and dsplcd thlds marked with 3' yellow cones.

COMMUNICATIONS: CTAF 122.9**ANDREWS UNIVERSITY AIRPARK** (See BERRIEN SPRINGS)

ANN ARBOR MUNI (ARB) 3 S UTC-5(-4DT) N42°13.38' W83°44.74'

839 B S4 FUEL 100LL, JET A OX 1, 2, 3, 4 NOTAM FILE ARB

RWY 06-24: H3505X75 (CONC-GRVD) S-20 MRL

RWY 06: REIL. PAPI(P4L). Trees.

RWY 24: ODALS. VASI(V2L)—GA 3.0° TCH 20'. Trees.

RWY 12-30: 2750X110 (TURF) 0.6% up NW

RWY 12: Trees.

RWY 30: Trees.

AIRPORT REMARKS: Attended Nov-Mar 1300-0100Z, Apr-Oct

1300-2300Z. Terminal open 1200Z-dusk. Birds on and invof arpt. Runup area to Rwy 24 and first 200' of parallel twy from the runup area of Rwy 24' not visible and uncontrolled by twr. When twr clsd, confirm snow removal ops and winter conditions—CTAF. No snow removal for Rwy 12-30. Rwy 12-30 marked with yellow cones. When twr clsd ACTIVATE ODALS Rwy 24—CTAF.

WEATHER DATA SOURCES: ASOS 134.55 (734) 668-7173.

LAWRS.

COMMUNICATIONS: CTAF 120.3 ATIS 134.55 UNICOM 123.0

Ⓡ DETROIT APP/DEP CON 118.95

TOWER 120.3 (1300-0100Z) GND CON 121.6 CLNC DEL 121.6


AIRSPACE: CLASS D svc 1300-0100Z other times CLASS G.

RADIO AIDS TO NAVIGATION: NOTAM FILE LAN.

SALEM (L) VORTAC 114.3 SVM Chan 90 N42°24.53'

W83°35.65' 214° 13 NM to fld. 950/3W.

DETROIT
COPTER
L-28J, A
IAP, AD



ANTRIM CO (See BELLAIRE)

ARCHER MEML FLD (See ST JOHNS)

ARNOLD FLD (See CROSWELL)

ARTDA N42°46.65' W84°29.86' NOTAM FILE LAN.

DETROIT

NDB (LOM) 393 LA 276° 3.9 NM to Capital City.

ATHELONE WILLIAMS MEML (See DAVISON)

ATLANTA MUNI (Y93) 1 SE UTC-5(-4DT) N45°00.00' W84°08.00'

LAKE HURON

875 FUEL 100LL NOTAM FILE LAN

L-31C

RWY 13-31: 3223X100 (TURF) LIRL

RWY 13: Thld dsplcd 758'. Trees.

RWY 31: Thld dsplcd 569'. Trees.

RWY 05-23: H3000X60 (ASPH) LIRL

RWY 05: Thld dsplcd 1230'. Trees.

RWY 23: PAPI(P2L)—GA 4.0° TCH 22'. Thld dsplcd 370'. Trees.

AIRPORT REMARKS: Attended on req. For winter condition/snow removal Rwy 05-23 confirm prior to use; call 989-785-4724; no snow removal Rwy 13-31. Rwy 13-31 CLOSED Nov-Apr and when snow covered. ACTIVATE LIRL Rwy 13-31 and Rwy 05-23 and PAPI Rwy 23—CTAF. Rwy 13-31 marked with 3' yellow cones. Rwy 13-31 LIRL ops Jun through Sep. OTS indefinitely.

COMMUNICATIONS: CTAF 122.9

RADIO AIDS TO NAVIGATION: NOTAM FILE APN.

ALPENA (L) VORTAC 108.8 APN Chan 25 N45°04.97' W83°33.42' 266° 25 NM to fld. 677/7W. HIWAS

AU SABLE N44°26.95' W83°23.66'. NOTAM FILE OSC.

LAKE HURON

(H) VORW/DME 116.1 ASP Chan 108 at Oscoda-Wurtsmith. 625/7W. AWOS-3.

H-11A, L-31C

VOR portion unusable 300°-360° byd 35 NM blo 2800'. DME unusable 300°-020° byd 35 NM blo 3000'.

AUSTN N42°07.86' W85°31.79'. NOTAM FILE AZO.

CHICAGO

NDB (LOM) 371 AZ 354° 6.3 NM to Kalamazoo Co. Unmonitored.

AVOCA (39G) 2 SE UTC-5(-4DT) N43°01.80' W82°40.16'

DETROIT

726 NOTAM FILE LAN

RWY 09-27: 2105X100 (TURF)

RWY 09: Thld dsplcd 267'. Road. Rgt tfc.

RWY 27: Trees.

AIRPORT REMARKS: Attended irregularly. Ultralight ops at arpt. Rwy 09-27 and Rwy 09 dsplcd thld marked with yellow cones.

COMMUNICATIONS: CTAF 122.9

TACKBERRY (07D) 2 W UTC-5(-4DT) N43°03.87' W82°43.43'

DETROIT

764 NOTAM FILE LAN

RWY 18-36: 2244X65 (TURF)

RWY 18: Brush.

RWY 36: Thld dsplcd 1000'. Trees.

AIRPORT REMARKS: Attended irregularly. Rwy 36 has 75' radio twr 200' from thld 130' left. Rwy 36 dsplcd thlds marked with 3 tires each side; Rwy 18-36 marked with tires. Rwy 18-36 NSTD LIRL; non-frangible mounting; variable spacing and NSTD lens. Lgts not for public use.

COMMUNICATIONS: CTAF 122.9

BAD AXE N43°47.02' W82°58.99'. NOTAM FILE BAX.

DETROIT

(T) VOR/DME 108.2 BAX Chan 19 at Huron Co Mem. 766/5W. AWOS-3.

L-281, 31C

RCO 122.65 (LANSING RADIO)

BAD AXE

HURON CO MEM (BAX) 1 S UTC-5(-4DT) N43°46.81' W82°59.13'

DETROIT

763 B FUEL 100LL, JET A NOTAM FILE BAX

H-11A, L-281, 31C

RWY 17-35: H5009X75 (ASPH) MIRL

IAP

RWY 17: REIL. PAPI(P4L). Trees.

RWY 35: REIL. PAPI(P4L). Trees.

RWY 04-22: H3495X75 (ASPH) S-16 MIRL (NSTD)

RWY 04: Thld dsplcd 300'. Railroad. **RWY 22:** Trees.

AIRPORT REMARKS: Attended 1330-2130Z. Arpt unattended major holidays and Easter. Birds on and in/ov arpt. Rwy 04-22 has numerous cracks. Twy A CLOSED winter months. MIRL Rwy 04-22 and MIRL Rwy 17-35 opr dusk-0230Z; to increase ints and after 0230Z. ACTIVATE—CTAF. ACTIVATE PAPI and REIL Rwy 17 and Rwy 35—CTAF. Rwy 04-22 NSTD MIRL; lgts last 2000' not split amber/white lens.

WEATHER DATA SOURCES: AWOS-3 108.2 BAX (989) 269-4137.

COMMUNICATIONS: CTAF/UNICOM 122.975


BAD AXE RCO 122.65 (LANSING RADIO)

Ⓡ CLEVELAND CENTER APP/DEP CON 127.7

RADIO AIDS TO NAVIGATION: NOTAM FILE BAX.

BAD AXE (T) VOR/DME 108.2 BAX Chan 19 N43°47.02'

W82°58.99' at fld. 766/5W. AWOS-3.



BALDWIN MUNI (7D3) 2 S UTC-5(-4DT) N43°52.53' W85°50.53'

CHICAGO

828 NOTAM FILE LAN

L-281

RWY 09-27: H3800X75 (ASPH) S-10 0.3% up E

IAP

RWY 09: Trees. **RWY 27:** Trees.

RWY 05-23: 2800X100 (TURF)

RWY 05: Thld dsplcd 800'. Trees.

RWY 23: Thld dsplcd 800'. Trees.

AIRPORT REMARKS: Unattended. Deer on and in/ov arpt. Arpt CLOSED Nov thru Apr; no snow removal. Rwy 09-27 sfc considerable pavement cracking with vegetation growing through cracks. Rwy 05-23 and dsplcd thlds marked with 3' yellow cones.


COMMUNICATIONS: CTAF 122.9

Ⓡ MINNEAPOLIS CENTER APP/DEP CON 120.85

RADIO AIDS TO NAVIGATION: NOTAM FILE LAN.

WHITE CLOUD (L) VOR/DME 117.6 HIC Chan 123 N43°34.49'

W85°42.97' 344° 18.9 NM to fld. 920/1W.



BANGU N45°00.88' W84°48.48'. NOTAM FILE GLR.

LAKE HURON

NDB (LOM) 375 GL 097° 4.4 NM to Gaylord Rgnl.

BARAGA (2P4) 4 W UTC-5(-4DT) N46°47.10' W88°34.67'

GREEN BAY

845 NOTAM FILE GRB

RWY 09-27: 2200X100 (TURF)

RWY 09: Thld dsplcd 700'. Trees.

RWY 27: Trees.

AIRPORT REMARKS: Unattended. Arpt CLOSED Nov-Apr except to ski equipped acft. 25' p-line 850' from thld Rwy 27.

Deer and birds on and invof arpt. Rwy 09-27 and dsplcd thld Rwy 09 marked with 3' yellow cones.

COMMUNICATIONS: CTAF 122.9**BATH****UNIVERSITY AIRPARK** (41G) 2 NW UTC-5(-4DT) N42°50.42' W84°28.75'

DETROIT

856 B S2 NOTAM FILE LAN

RWY 08-26: 1988X100 (TURF) LIRL

RWY 08: Bldg.

RWY 26: Tree.

AIRPORT REMARKS: Attended irregularly. Rwy 08-26 occasionally soft/wet areas E end during spring thaw and after heavy rain. ACTIVATE LIRL Rwy 08-26 and NSTD rotating bcn—122.85. NSTD flashing strobe and alternating white/red bcns. Rwy 08-26 marked with 3' yellow cones.**COMMUNICATIONS:** CTAF 122.9**BATOL** N42°21.72' W85°11.06' NOTAM FILE BTL.

CHICAGO

NDB (MHW/LOM) 272 BT 226° 4.4 NM to W K Kellogg.

L-281

BATTLE CREEK N42°18.59' W85°15.14' NOTAM FILE BTL.

CHICAGO

(T) VORTACW 109.4 BTL Chan 31 at W K Kellogg. 922/2W.

L-281

VOR portion unusable 095°-112° byd 16 NM; 125°-170° and 235°-260° blo 4000'.

RCO 122.2 (LANSING RADIO)

BATTLE CREEK**W K KELLOGG** (BTL) 3 W UTC-5(-4DT) N42°18.44' W85°15.09'

CHICAGO

952 B S4 FUEL 100LL, JET A OX 3 LRA Class IV, ARFF Index A

H-5E, 10F, L-281

NOTAM FILE BTL

IAP, AD

RWY 05-23: H1000X150 (ASPH-PFC) S-100, D-200, ST-175, DT-400, DDT-900 HIRL

RWY 05: REIL. VASI(V4L)—GA 3.0° TCH 49'. Tree. 0.4% down.

RWY 23: MALSR. PAPI(P4L). Pole.

RWY 13-31: H4835X100 (ASPH-GRVD) S-40, D-65, ST-82,

DT-100 MIRL

RWY 13: REIL. VASI(V4L)—GA 3.0° TCH 35'. Railroad.

RWY 31: REIL. VASI(V4L)—GA 3.0° TCH 56'. Road.

LAND AND HOLD SHORT OPERATIONS

LANDING	HOLD SHORT POINT	DIST AVBL
RWY 05	13-31	7000

RUNWAY DECLARED DISTANCE INFORMATION

RWY 05: TORA-10003 TODA-10003 ASDA-10003 LDA-10003

RWY 13: TORA-4835 TODA-4835 ASDA-4835 LDA-4835

RWY 23: TORA-10003 TODA-10003 ASDA-10003 LDA-10003

RWY 31: TORA-4835 TODA-4835 ASDA-4835 LDA-4835

AIRPORT REMARKS: Attended continuously. 48 hr PPR for unscheduled air carrier ops with more than 30 passenger seats call arpt manager 269-966-3470. Deer and birds on and invof arpt. Extensive pilot training within 25 NM of BTL VOR. When twr clsd HIRL Rwy 05-23 preset low ints. To increase ints and ACTIVATE MALSR Rwy 23, MIRL Rwy 13-31 and REIL Rwy 05, Rwy 13 and Rwy 31—CTAF. ARFF provided 24 hrs call 269-969-3349/3317. Index C ARFF avbl on request 48 hrs PPR call 269-966-3470. For customs call 269-965-3349.**WEATHER DATA SOURCES:** ASOS (269) 964-0283. LAWRS.**COMMUNICATIONS:** CTAF 126.825 ATIS 128.325 UNICOM 122.95

BATTLE CREEK RCO 122.2 (LANSING RADIO)

® KALAMAZOO APP/DEP CON 119.2 (1100-0400Z) ® CHICAGO CENTER APP/DEP CON 127.55 (0400-1100Z)

BATTLE CREEK TOWER 126.825 (1100-0300Z) GND CON 121.7


AIRSPACE: CLASS D svc effective 1100-0300Z other times CLASS G.**RADIO AIDS TO NAVIGATION:** NOTAM FILE BTL.

BATTLE CREEK (T) VORTACW 109.4 BTL Chan 31 N42°18.59' W85°15.14' at fld. 922/2W..

BATOL NDB (MHW/LOM) 272 BT N42°21.72' W85°11.06' 226° 4.4 NM to fld.

ILS 110.5 I-BTL Rwy 23. Class IB. LOM BATOL NDB. Unmonitored when twr clsd.

ASR (1100-0400Z)



BAY CITY**JAMES CLEMENTS MUNI** (3CM) 3 S UTC-5(-4DT) N43°32.82' W83°53.73'**DETROIT**
L-281, 31C
IAP

585 B S4 FUEL 100LL LRA NOTAM FILE LAN

RWY 18-36: H3798X75 (ASPH) MIRL

RWY 18: PAPI(P4L)—GA 4.0° TCH 27'. Trees.

RWY 36: PAPI(P4L)—GA 4.0° TCH 27'. Brush.

RWY 05-23: H2599X75 (ASPH) MIRL

RWY 05: Thld dsplcd 226'. Trees.

RWY 23: PAPI(P2L)—GA 4.0° TCH 27'. Thld dsplcd 159'. Road.

AIRPORT REMARKS: Attended 1300Z±—dusk. Occasional seaplane and agriculture ops; aerobatic maneuvers and skydiving activity at arpt. Ultralight activity on and in/ov arpt. Numerous sea gulls and deer on and in/ov arpt. Rwy 05 and Rwy 36, occasional +100' high ships traversing apch surfaces during navigable seasons 600–800' from thlds. Ship buoys in river channel. Rwy 05–23 twys marked with reflectors. ACTIVATE MIRL Rwy 18–36 and Rwy 05–23, PAPI Rws 23, 18, and 36—CTAF.

COMMUNICATIONS: CTAF/UNICOM 122.8

① SAGINAW APP/DEP CON 120.95 (1100–0400Z±)

CLEVELAND CENTER APP/DEP CON 127.7 (0400–1100Z±)

RADIO AIDS TO NAVIGATION: NOTAM FILE MBS.

SAGINAW (L) VORW/DME 112.9 MBS Chan 76 N43°31.90'


W84°04.64' 086° 8 NM to fld. 663/3W. HIWAS.

.....

WATERWAY 09-27: 3500X500 (WATER)

WATERWAY 18-36: 3500X500 (WATER)

WATERWAY 13-31: 2600X400 (WATER)

SEAPLANE REMARKS: No docks or ramps. Ship buoys in river channel.**BEAVER ISLAND****BEAVER ISLAND** (SJX) 4 SW UTC-5(-4DT) N45°41.54' W85°34.00'**GREEN BAY**
L-31B
IAP

669 B FUEL 100LL NOTAM FILE SJX

RWY 09-27: H4300X75 (ASPH) MIRL

RWY 09: REIL. PAPI(P4L)—GA 3.0° TCH 24'. Trees. RWY 27: REIL. PAPI(P4L)—GA 4.0° TCH 32'. Road.

RWY 14-32: 3300X120 (TURF)

RWY 14: Thld dsplcd 533'. Trees.

RWY 32: Thld dsplcd 600'. Trees.

RWY 05-23: 2130X120 (TURF)

RWY 05: Trees.

RWY 23: Thld dsplcd 794'. Trees.

AIRPORT REMARKS: Attended 1300–2200Z±. Rws 05–23 and 14–32 CLOSED Nov thru Apr and when snow covered.

Deer on and in/ov arpt. Rwy 09–27 quarry, dirt piles, equipment 165' N of rwy, 150' W of Rwy 17–35. Rwy 17–35, equipment parked along E side of rwy, S end. Rwy 17, – 20' drop off, N end of rwy. Rwy 05–23 and Rwy 14–32 marked with 3' cones; Rwy 23 and Rwy 14–32 dsplcd thlds marked with three 3' yellow cones each side. ACTIVATE MIRL Rwy 09–27—CTAF.

WEATHER DATA SOURCES: AWOS-3 118.075 (231) 448–3081.**COMMUNICATIONS:** CTAF/UNICOM 122.8

① MINNEAPOLIS CENTER APP/DEP CON 134.6

RADIO AIDS TO NAVIGATION: NOTAM FILE PLN.

PELLSTON (L) VORTACW 111.8 PLN Chan 55 N45°37.84' W84°39.85' 282° 38.2 NM to fld. 840/6W. HIWAS.

ST JAMES NDB (MHW) 382 SJX N45°41.60' W85°33.50' at fld. NOTAM FILE SJX. Unmonitored.

WELKE (6Y8) 2 S UTC-5(-4DT) N45°43.27' W85°31.22'**GREEN BAY**

664 S4 FUEL 100LL NOTAM FILE LAN

RWY 17-35: 3500X140 (TURF)

RWY 17: Tree. RWY 35: Thld dsplcd 1350'. Trees.

RWY 09-27: H2512X30 (ASPH)

RWY 09: Thld dsplcd 450'. Trees.

RWY 27: Thld dsplcd 240'. Trees.

AIRPORT REMARKS: Attended continuously. Deer on and in/ov arpt. Rwy 27 acft parked in primary sfc south side. Rwy 17 rolling terrain, rough with bare spots. LIRL Rwy 09–27 not for public use; without prior approval call 231-448-2071 or 231-448-2374. LIRL located 72' from pavement edge each side. Rwy 17–35 marked with 3' yellow cones; Rwy 35 dsplcd thld marked with yellow cones and reflectors each side.

COMMUNICATIONS: CTAF/UNICOM 122.8

BELLAIRE**ANTRIM CO** (ACB) 1 NE UTC-5(-4DT) N44°59.32' W85°11.90'623 B **FUEL** 100LL, JET A NOTAM FILE ACB**RWY 02-20:** H5000X100 (ASPH) S-38, D-55 MIRL**RWY 02:** REIL. PAPI(P4L)—GA 3.0° TCH 42'. Tree.**RWY 20:** REIL. PAPI(P2L)—GA 3.25° TCH 45'. Trees.

AIRPORT REMARKS: Attended Jun-Sep 1300-2300Z†, Oct-May 1200-2200Z†. For fuel other times call 231-536-7017. For acft maintenance repairs call 1-800-959-1829. Snow removal equipment on rwy and twy during winter months. Birds on and in/ovf arpt. MIRL Rwy 02-20 preset, to increase ints and ACTIVATE REIL Rwy 02-20—CTAF. Ldg fee applies to turbine and jet engine acft; waived with 100 gallon fuel purchase.

WEATHER DATA SOURCES: AWOS-3 119.275 (231) 533-8941.**COMMUNICATIONS:** CTAF/UNICOM 122.7

® MINNEAPOLIS CENTER APP/DEP CON 132.9

GCO 121.725 (MINNEAPOLIS CENTER CLNC and FLIGHT SERVICES)


RADIO AIDS TO NAVIGATION: NOTAM FILE TVC.**TRAVERSE CITY (H) VORTACW** 114.6 TVC Chan 93 N44°40.07'W85°33.00' 040° 24.4 NM to fld. 912/2W. **HIWAS.****CLAM LAKE NDB (MHW)** 251 CXK N44°53.96' W85°14.38'

023° 5.6 NM to fld. NOTAM FILE ACB. Unmonitored.

GREEN BAY

H-2K, L-31B

IAP

**BELLEVILLE****LARSEN AIR PARK** (43G) 3 SW UTC-5(-4DT) N42°10.60' W83°32.75'696 S4 **FUEL** 100LL NOTAM FILE LAN**RWY 15-33:** 2253X80 (TURF)**RWY 15:** Fence. Thld dsplcd 853'. Rgt tfc.**RWY 33:** Thld dsplcd 600'. Road.**RWY 18-36:** 2157X160 (TURF) (LOCAL USE ONLY)**RWY 18:** Trees. Rgt tfc.**RWY 36:** Road.

AIRPORT REMARKS: Attended 1300-2200Z†. Rwy 18-36 local use only—displacements not marked. Rwy soft during thawing season. Winter ops verify rwy/snow conditions. Rwy 15-33 thlds and dsplcd thlds marked with cones.

COMMUNICATIONS: CTAF 122.9**DETROIT**

COPTER

BENTON HARBOR**SOUTHWEST MICHIGAN RGNL** (BEH) 2 NE UTC-5(-4DT) N42°07.72' W86°25.71'**CHICAGO**643 B S4 FUEL 100LL, JET A1+ OX 3 NOTAM FILE BEH
RWY 09-27: H5107X100 (ASPH-GRVD) S-28, D-35 HIRL 0.3% up EH-5E, 10F, L-281
IAPRWY 09: REIL. VASI(V4L)—GA 3.0° TCH 44'.
RWY 27: MALSR. Thld dspcd 571'. Trees.
RWY 13-31: H3661X100 (ASPH) S-30, D-45 MIRL
RWY 13: REIL. VASI(V4L)—GA 3.5° TCH 45'.
RWY 31: REIL. VASI(V4L)—GA 4.0° TCH 41'. Trees.
RWY 18-36: H2498X100 (ASPH) S-16 MIRL**AIRPORT REMARKS:** Attended Sat-Sun 1200-2100Z, May-Oct Mon-Fri 1200-0100Z, Nov-Apr Mon-Fri 1200-2300Z. For attendant other times call 269-545-3535. 269-757-1634, Call-in fee. For svc after hrs call 269-325-7529. Call-in fee. Rwy 09 +38' lighted ILS antenna, 152' from rwy end, 300' right. Rwy 13 and Rwy 18 drop off begins 90' from paved sfc, Rwy 09 drop off begins 110' from thld. Birds and deer on and invof arpt. Snow removal ops in progress winter months; vehicle operators will monitor CTAF. Acft arriving/departing Benton Harbor announce intentions on CTAF. Rwy 18-36 pavement cracking. ACTIVATE HIRL Rwy 09-27, MIRL Rws 13-31 and 18-36; MALSR Rwy 27; REIL Rwy 09, Rwy 13 and Rwy 31-CTAF. Ldg fee for all multi-engine acft and commercial single engine acft waived with minimum fuel purchase.**WEATHER DATA SOURCES:** ASOS 121.55 (269) 925-9008**COMMUNICATIONS:** CTAF/UNICOM 123.0

KEELER RCO 122.1R 116.6T (LANSING RADIO)

① **SOUTH BEND APP/DEP CON** 118.55 (Sun-Fri 1030-0500Z, Sat 1030-0445Z), other times ctc① **CHICAGO CENTER APP/DEP CON** 127.55


SOUTH BEND CLNC DEL 119.7

AIRSPACE: CLASS E svc 1100-0430Z other times CLASS G.**RADIO AIDS TO NAVIGATION:** NOTAM FILE LAN.

KEELER (L) VOR/DME 116.6 ELX Chan 113 N42°08.66' W86°07.36' 266° 13.7 NM to fld. 795/00E.

MALLY NDB (LOM) 397 BE N42°07.61' W86°18.80' 274° 5.1 NM to fld. Unmonitored.

ILS 108.5 I-BEH Rwy 27. LOM MALLY NDB. Unmonitored. LOC unusable byd 20° left of course and byd 16 NM.

**BERRIEN SPRINGS** N41°57.10' W86°22.06'**CHICAGO**

RCO 121.625 (LANSING RADIO)

L-281

BERRIEN SPRINGS**ANDREWS UNIVERSITY AIRPARK** (C20) 2 W UTC-5(-4DT) N41°57.10' W86°22.06'**CHICAGO**

668 B S4 FUEL 100LL NOTAM FILE LAN

L-281

RWY 13-31: H4161X75 (ASPH) LIRL (NSTD)

IAP

RWY 13: Trees. Rgt tfc.

RWY 31: Thld dspcd 1140'. Trees.

RWY 03-21: 1944X115 (TURF) (LOCAL USE ONLY)

RWY 03: Thld dspcd 613'. Trees.

RWY 21: Thld dspcd 550'. Trees. Rgt tfc.

AIRPORT REMARKS: Attended Sun-Fri 1300-2200Z. Svcs avbl Sun-Fri only. Fuel 24 hour self svc. Rwy 31 NSTD LIRL due to dspcd thld not lighted. Last 3,021' is lighted. ACTIVATE LIRL Rwy 13-31-CTAF.**COMMUNICATIONS:** CTAF/UNICOM 122.7


BERRIEN SPRINGS RCO 121.625 (LANSING RADIO)

① **SOUTH BEND APP/DEP CON** 118.55 (Sun-Fri 1030-0500Z, Sat 1030-0445Z), other times ctc① **CHICAGO CENTER APP/DEP CON** 127.55**RADIO AIDS TO NAVIGATION:** NOTAM FILE LAN.

GIPPER (H) VORTACW 115.4 GIJ Chan 101 N41°46.12'

W86°19.11' 349° 11.2 NM to fld. 804/00E.

HIWAS.

**BETZ** (See BLISSFIELD)

BIG RAPIDS**ROBEN-HOOD** (RQB) 2 NW UTC-5(-4DT) N43°43.36' W85°30.24'**CHICAGO**

L-281

IAP


990 B FUEL 100LL NOTAM FILE RQB

RWY 09-27: H4300X75 (ASPH) S-20 MIRL 1.0% up W**RWY 09:** REIL PAPI(P2L)—GA 3.33° TCH 25'. Trees.**RWY 27:** REIL PAPI(P4R)—GA 3.08° TCH 25'. Tree.**RWY 14-32:** H2700X75 (ASPH) S-20 MIRL 0.3% up NW**RWY 14:** Trees. **RWY 32:** Tree.**AIRPORT REMARKS:** Attended Mon-Fri 1300-2200Z \pm . 24 hr self serve fuel. Call in fee charged. Deer on and in/ovf arpt. Extensiveultralight activity on and in/ovf arpt. **Rwy 09** REIL OTS indef.ACTIVATE MIRL **Rwy 09-27** and **Rwy 14-32**; PAPI **Rwy 09** and **Rwy**27; REIL **Rwy 09** and **Rwy 27**—CTAF.**WEATHER DATA SOURCES:** AWOS-3 121.125 (231) 796-0884.**COMMUNICATIONS:** CTAF/UNICOM 122.8

® MINNEAPOLIS CENTER APP/DEP CON 120.85

RADIO AIDS TO NAVIGATION: NOTAM FILE LAN.**WHITE CLOUD (L) VOR/DME** 117.6 HIC Chan 123 N43°34.49'

W85°42.97' 047° 12.8 NM to fld. 920/1W.

**BISHOP INTL** (See FLINT)**BLISSFIELD****BETZ** (44G) 2 N UTC-5(-4DT) N41°51.34' W83°52.25'**DETROIT****COPTER**

691 S2 FUEL 100LL NOTAM FILE LAN

RWY 09-27: 2602X92 (TURF)**RWY 09:** Thld dsplcd 415'. Road.**RWY 27:** Thld dsplcd 390'. Road.**AIRPORT REMARKS:** Attended irregularly. Fuel avbl by prior arrangement; phone 517-902-2292. **Rwy 09**—3' ditch 10' from thld. To confirm snow conditions winter months call 517-902-2292. Aft parked east end adjacent to rwy on north side. **Rwy 27** +20' p-line 375' from thld. **Rwy 09-27** NSTD LIRL on arpt not for public use; marked with white lgts. **Rwy 09-27** thlds and dsplcd thlds marked with cones.**COMMUNICATIONS:** CTAF 122.9**BOIS BLANC** (See POINTE AUX PINS)**BOYNE CITY MUNI** (N98) 1 SE UTC-5(-4DT) N45°12.50' W84°59.42'**GREEN BAY**

L-31B

657 FUEL 100LL NOTAM FILE LAN

RWY 09-27: H4000X75 (ASPH) MIRL**RWY 09:** PAPI(P2L)—GA 4.0° TCH 28'. Thld dsplcd 600'. Road.**RWY 27:** REIL. Trees.**AIRPORT REMARKS:** Unattended. Self svc fuel. Deer and birds on and in/ovf rws. +4' fence parallel to rwy, 84' south of rwy centerline, +6' fence 122' north of rwy centerline. ACTIVATE MIRL **Rwy 09-27**, PAPI **Rwy 09**, REIL **Rwy 27**—122.9.**COMMUNICATIONS:** CTAF/UNICOM 122.8**RADIO AIDS TO NAVIGATION:** NOTAM FILE PLN.**PELLSTON (L) VORTACW** 111.8 PLN Chan 55 N45°37.84' W84°39.85' 215° 28.9 NM to fld. 840/6W. **HIWAS**

BOYNE FALLS**BOYNE MOUNTAIN** (BFA) 1 W UTC-5(-4DT) N45°09.95' W84°55.45'

LAKE HURON

719 FUEL 100LL, JET A + NOTAM FILE LAN

H-2K, L-31B

RWY 17-35: H5187X60 (ASPH) LIRL(NSTD) 0.3% up S

IAP

RWY 17: REIL. Thld dsplcd 300'. Road.

RWY 35: REIL. Thld dsplcd 500'. Trees.

AIRPORT REMARKS: Unattended. For fuel call 231-549-6000. Deer and birds on and in/ov arpt. Rwy 17-35 extensive cracking. Rwy 17-35 NSTD LIRL, 80' from rwy edges. Rwy has reflectors summer months. ACTIVATE NSTD LIRL Rwy 17-35 and REIL Rws 17 and 35-122.85. Rwy 17-35 has 10' paved shoulder each side; last 4700' Rwy 35.

COMMUNICATIONS: CTAF/UNICOM 122.8


④ MINNEAPOLIS CENTER APP/DEP CON 134.6

RADIO AIDS TO NAVIGATION: NOTAM FILE PLN.

PELLSTON (L) VORTACW 111.8 PLN Chan 55

N45°37.84' W84°39.85' 208° 30 NM to fld.

840/6W. HIWAS.

**BOYNE MOUNTAIN** (See BOYNE FALLS)**BRANCH CO MEML** (See COLDWATER)**BRIGHTON** (45G) 3 N UTC-5(-4DT) N42°34.19' W83°46.71'

DETROIT

973 B NOTAM FILE LAN

COPTER

RWY 04-22: H3120X24 (ASPH) MIRL (NSTD)

L-28L, A

RWY 04: Thld dsplcd 195'. Trees.

RWY 22: PAPI(P4L)—GA 3.6° TCH 29'. Thld dsplcd 365'. Trees.

AIRPORT REMARKS: Attended irregularly. Rwy 04-22 NSTD MIRL located 50' from rwy edge, NSTD configuration for thld lghts. Rwy 22 NSTD PAPI (close) spacing of PAPI lgt boxes, NSTD—may only be visible on short final apch. For local use only. ACTIVATE rotating bcn, MIRL Rwy 04-22 and PAPI Rwy 22—key CTAF 5 times.

COMMUNICATIONS: CTAF 122.9

RADIO AIDS TO NAVIGATION: NOTAM FILE LAN.

SALEM (L) VORTAC 114.3 SVM Chan 90 N42°24.53' W83°35.65' 323° 12.7 NM to fld. 950/3W.

BROOKLYN**SHAMROCK FLD** (6G8) 1 SE UTC-5(-4DT) N42°05.70' W84°14.45'

DETROIT

995 S4 FUEL 100LL NOTAM FILE LAN

COPTER

RWY 01-19: 2822X100 (TURF) LIRL

RWY 01: Tree. Rgt tfc.

RWY 19: Thld dsplcd 613'. P-line.

AIRPORT REMARKS: Attended continuously. CAUTION: Deer on and in/ov arpt. 105' unlighted p-line and tower ¼ mile from thld extended left and right of centerline Rwy 19. ACTIVATE LIRL Rwy 01-19—CTAF. All tfc patterns conducted E of Rwy 01-19. Rwy 01-19 marked with 3' yellow cones; dsplcd thld marked with 3 cones each side.

COMMUNICATIONS: CTAF 122.9

BROOKS FLD (See MARSHALL)**BROWNE** N43°25.89' W83°51.49' NOTAM FILE LAN.

DETROIT

NDB (MHW) 385 HYX at Saginaw Co. H. W. Browne. Unmonitored.

L-28J

BUNCH'S HALF ACRE (See HARRIETTA)**CACKLEBERRY** (See DEXTER)**CADILLAC** N44°16.50' W85°24.86' NOTAM FILE CAD.

GREEN BAY

NDB (MHW) 269 CAD at Wexford Co.

L-31B

CADILLAC**WEXFORD CO** (CAD) 2 N UTC-5(-4DT) N44°16.52' W85°25.14'

1307 B S4 FUEL 100LL JET A NOTAM FILE CAD

RWY 07-25: H5000X100 (ASPH-PFC) S-30, D-45 MIRL**RWY 07:** REIL. MALSR. VASI(V2L)—GA 3.0° TCH 41'.**RWY 25:** REIL. PAPI(P4L)—GA 3.0° TCH 44'. Railroad.**RWY 18-36:** 2006X150 (TURF)**RWY 18:** Trees. **RWY 36:** Stack.

AIRPORT REMARKS: Attended Mon-Fri 1200-2200Z, Jun-Aug Sat-Sun 1200-2200Z, Sep-May Sat-Sun 1200-1800Z. After hrs attendance avbl on req 231-779-9211. Unattended New Years, Easter, Thanksgiving, Christmas. Fuel 24 hr self svc. Rwy 18-36 CLOSED Dec thru Mar and when snow covered except for ski equipped acft. Deer on and invof arpt. Glider activity on and invof arpt Apr-Nov. Ultralight activity on and invof arpt Apr-Nov. ACTIVATE MIRL Rwy 07-25; MALSR Rwy 07; REIL Rwy 07 and Rwy 25; VASI Rwy 07 and PAPI Rwy 25—CTAF. Ldg fee. Ldg fee for commercial ops waived with minimum fuel purchase. Rwy 18-36 marked with 18 inch yellow cones.

WEATHER DATA SOURCES: AWOS-3 128.325 (231) 779-9536.**COMMUNICATIONS:** CTAF/UNICOM 122.8

⑧ MINNEAPOLIS CENTER APP/DEP CON 132.9


GCO 121.725 (MINNEAPOLIS CENTER CLNC and LANSING FSS)

RADIO AIDS TO NAVIGATION: NOTAM FILE TVC.**TRAVERSE CITY (H) VORTACW** 114.6 TVC Chan 93 N44°40.07' W85°33.00' 169° 24.2 NM to fld. 912/2W.

HIWAS

CADILLAC NDB (MHW) 269 CAD N44°16.50' W85°24.86' at fld. NOTAM FILE CAD.**WEXOR NDB (LOM)** 336 MA N44°14.22' W85°32.84' 071° 6 NM to fld.

ILS/DME 108.55 I-MAY Chan 22(Y) Rwy 07. LOM WEXOR NDB.

**GREEN BAY**

H-2K, L-31B

IAP

CAGNEY (See CLIO)**CAIN FLD** (See STANWOOD)**CALKINS FLD** (see WAYLAND)**CALVIN CAMPBELL MUNI** (See INDIAN RIVER)**CANTON-PLYMOUTH-METTETAL** (See PLYMOUTH)**CAPITAL CITY** (See LANSING)**CARGL** N42°21.38' W82°57.26'. NOTAM FILE DET.**NDB (MHW/LOM)** 230 VQ 327° 4 NM to Coleman A. Young Muni.**DETROIT**

A

CARLETON N42°02.88' W83°27.45' NOTAM FILE LAN.**DETROIT**

(H) VORTAC 115.7 CRL Chan 104 028° 10.9 NM to Detroit Metropolitan Wayne Co. 629/3W.

H-10G, L-28J, A

HIWAS.

VOR portion unusable 360°-040° blo 5000'. DME unusable byd 35 NM blo 2500'.

RCO 122.1R 115.7T (LANSING RADIO)

CARLETON**WICKENHEISER** (W87) 3 S UTC-5(-4DT) N42°01.09' W83°22.63'**DETROIT**

610 S2 FUEL 100LL NOTAM FILE LAN

COPTER**RWY 18-36:** 2575X60 (TURF)**RWY 18:** Thld dsplcd 1000'. P-line. **RWY 36:** Trees.**RWY 09-27:** 1920X60 (TURF)**RWY 09:** Thld dsplcd 660'. P-line. **RWY 27:** Trees.

AIRPORT REMARKS: Attended irregularly. No snow removal. Acft maintenance by prior arrangement; call arpt manager on 734-654-6249. Rwy 09-27 thlds marked with tires; Rwy 09 dsplcd thld marked with 3 yellow tires each side. Rwy 18-36 marked with 3' yellow cones.

COMMUNICATIONS: CTAF 122.9

CARO**TUSCOLA AREA** (CFS) 3 SW UTC-5(-4DT) N43°27.53' W83°26.73'

701 B S4 FUEL 100LL, JET A NOTAM FILE CFS

RWY 05-23: H4300X75 (ASPH) MIRL 0.4% up NE.

RWY 05: REIL. PAPI (P4L)—GA 3.0° TCH 25'. Trees.

RWY 23: REIL. PAPI(P4L)—GA 4.0°. Trees.

RWY 12-30: 2300X110 (TURF)

RWY 12: Trees. RWY 30: Thld displcd 500'. Trees.

AIRPORT REMARKS: Attended irregularly. For fuel after hrs call 989-673-2849; if arpt manager is unavbl call 989-673-2849. Deer on arpt. ACTIVATE MIRL Rwy 05-23; REIL and PAPI Rwy 05 and 23—CTAF. Rwy 12-30 thlds and displcd thlds marked with cones.

WEATHER DATA SOURCES: AWOS-3 119.275 (989) 672-4182.**COMMUNICATIONS:** CTAF/UNICOM 123.0

① SAGINAW APP/DEP CON 120.95 (1100-0400Z‡)

CLEVELAND CENTER APP/DEP CON 127.7 (0400-1100Z‡)

RADIO AIDS TO NAVIGATION: NOTAM FILE MBS.


SAGINAW (L) VORV/DME 112.9 MBS Chan 76 N43°31.90'

W84°04.64' 102° 27.9 NM to fld. 663/3W. HIWAS.

DETROIT

L-281, 31C

IAP

**CARSONVILLE****CIRCLE U HELIPORT** (2F2) 5 SW UTC-5(-4DT) N43°29.49' W82°37.42'

729 NOTAM FILE LAN

HELIPAD H1: H47X17 (CONC)

HELIPORT REMARKS: Attended dusk-dawn. Apch departure routes 340°-020° and 115°-140°. Helipad H1 perimeter lgts. Perimeter lgts OTS indef.

COMMUNICATIONS: CTAF/UNICOM 123.05

DETROIT

CHARLEVOIX MUNI (CVX) 1 SW UTC-5(-4DT) N45°18.29' W85°16.52'

669 B S4 FUEL 100LL, JET A NOTAM FILE CVX

RWY 09-27: H4550X75 (ASPH) S-12.5 MIRL 0.6% up W

RWY 09: REIL. PAPI(P4R)—GA 3.0°. Tree.

RWY 27: REIL. PAPI(P4R)—GA 3.0° TCH 31'. Trees.

RWY 04-22: 1280X200 (TURF)

RWY 04: Trees. RWY 22: Tree.

AIRPORT REMARKS: Attended dawn-dusk. For fuel dawn-dusk call 231-547-2141. After hrs call 231-547-2058. Rwy 04-22 CLOSED Nov-Apr. Deer and birds on and invof arpt. Rwy 09 preferred rwy for ldg ngts, jets and turboprop acft. Rwy 27 preferred rwy for tkf ngts, jets and turboprop acft. Rwy 09-27 slopes up from E to W. -100' quarry/mine, 300' from Rwy 9 thld. ACTIVATE MIRL Rwy 09-27; REIL and PAPI Rwy 09 and Rwy 27—CTAF. Rwy 04-22 marked with 3' yellow cones. Landing fee. Landing fee waived with minimum fuel purchase.

WEATHER DATA SOURCES: AWOS-3 120 (231) 237-9703.**COMMUNICATIONS:** CTAF/UNICOM 122.8

① MINNEAPOLIS CENTER APP/DEP CON 134.6 GCO 121.725

(MINNEAPOLIS CENTER and FLIGHT SERVICES)

RADIO AIDS TO NAVIGATION: NOTAM FILE PLN.

PELLSTON (L) VORTACW 111.8 PLN Chan 55 N45°37.84'

W84°39.85' 239° 32.4 NM to fld. 840/6W. HIWAS


NDB (MHW) 392 CVX N45°18.11' W85°15.20' at fld. NOTAM FILE CVX. Unmonitored. NDB unusable byd 15 NM.

COMM/NAV/WEATHER REMARKS: GCO OTS indef.

GREEN BAY

L-31B

IAP



CHARLOTTE**FITCH H BEACH** (FPK) 2 NE UTC-5(-4DT) N42°34.47' W84°48.69'

DETROIT

891 B S4 FUEL 100LL NOTAM FILE FPK

L-28J

RWY 02-20: H3500X75 (CONC) S-26 MIRL 0.3% up S

IAP

RWY 02: REIL. PAPI(P4L)—GA 4.0° TCH 40'. Trees.

RWY 20: REIL. PAPI(P4L)—GA 4.0° TCH 40'. Pole.

RWY 14-32: 2318X100 (TURF)

RWY 14: Thld dsplcd 575'. Tree.

RWY 32: Thld dsplcd 189'. Trees.

AIRPORT REMARKS: Attended 1300Z†—dusk. Military helicopter ops on and invof arpt, particularly at ngt. Be alert occasional deer on rwys. Rwy 14-32 CLOSED Dec-Mar and when snow covered. Rwy 14-32 thlds and dsplcd thlds marked with 3' yellow cones.

ACTIVATE MIRL Rwy 02-20; REIL and PAPI Rwy 02 and 20—CTAF.


WEATHER DATA SOURCES: AWOS-3 118.075 (517) 543-2288.**COMMUNICATIONS:** CTAF/UNICOM 123.0

Ⓡ LANSING APP/DEP CON 118.65

RADIO AIDS TO NAVIGATION: NOTAM FILE LAN.

LANSING (L) VORTACW 110.8 LAN Chan 45 N42°43.04'

W84°41.85' 216° 9.9 NM to fld. 887/5W.

**WEND VALLEY** (49G) 3 NW UTC-5(-4DT) N42°34.75' W84°54.50'

DETROIT

859 NOTAM FILE LAN

RWY 18-36: 1800X100 (TURF)

RWY 18: Building.

RWY 36: Fence.

AIRPORT REMARKS: Attended irregularly. No snow removal on Rwy 18-36. Arpt CLOSED Dec-Mar and when snow covered. Ultralight activity on and invof arpt. +30' p-line north end rwy. Rwy 18-36 marked with 3' yellow cones.

COMMUNICATIONS: CTAF 122.9**CHEBOYGAN****CHEBOYGAN CO** (SLH) 2 W UTC-5(-4DT) N45°39.22' W84°31.16'

LAKE HURON

639 B S4 FUEL 100LL, JET A NOTAM FILE SLH

L-31C

RWY 09-27: H4000X75 (ASPH) S-23, D-34, DT-60 MIRL 0.3% up W

IAP

RWY 09: REIL. PAPI(P2L)—GA 4.0° TCH 25'. Road.

RWY 27: REIL. PAPI(P2L)—GA 4.0° TCH 25'. Trees.

RWY 16-34: 1500X75 (TURF)

RWY 34: Thld dsplcd 500'.

AIRPORT REMARKS: Attended 1300-2200Z†. 100LL 24 hr self-serve.

For Jet A after hrs call 231-627-7921, 231-420-0334. Deer and birds on and invof arpt. Rwy 16-34 CLOSED Dec-Mar and when snow covered. Rwy 16-34 soft when wet. Rwy 16 rwy and dsplcd thld marked with 3' yellow cones. ACTIVATE MIRL Rwy 09-27, PAPI Rwy 09 and Rwy 27 and REIL Rwy 09 and Rwy 27—122.5.


WEATHER DATA SOURCES: AWOS-3 118.175 (231) 627-4671.**COMMUNICATIONS:** CTAF/UNICOM 122.8

Ⓡ MINNEAPOLIS CENTER APP/DEP CON 134.6

RADIO AIDS TO NAVIGATION: NOTAM FILE PLN.

PELLSTON (L) VORTACW 111.8 PLN Chan 55 N45°37.84'

W84°39.85' 083° 6.3 NM to fld. 840/6W. HIWAS

**HOFFMAN'S BLACK MOUNTAIN AERODROME** (2M7) 11 SE UTC-5(-4DT)

LAKE HURON

N45°31.92' W84°18.48'

677 S4 NOTAM FILE LAN

RWY 15-33: 2800X90 (TURF)

RWY 15: Thld dsplcd 1200'. Trees.

RWY 33: Thld dsplcd 900'. Trees.

AIRPORT REMARKS: Attended irregularly. Rwy 15-33 ditch on both sides of rwy. Rwy 15-33 soft when wet. Call 231-627-2418 to confirm rwy conditions. Rwy rough, uneven, tire ruts. Rwy 15-33 edges and dsplcd thlds are marked with yellow cones.

COMMUNICATIONS: CTAF/UNICOM 122.8

CHERRY CAPITAL (See TRAVERSE CITY)**CHESANING****HOWARD NIXON MEML** (50G) 1 W UTC-5(-4DT) N43°11.00' W84°08.00'

DETROIT

644 NOTAM FILE LAN

RWY 09-27: 2800X150 (TURF)

RWY 09: Trees. RWY 27: Thld dsplcd 600'. Tree.

RWY 18-36: 2200X150 (TURF) LIRL

RWY 18: Thld dsplcd 400'. Trees. RWY 36: Thld dsplcd 414'. Tree.

AIRPORT REMARKS: Attended irregularly. No winter snow removal. Rwy soft in Spring. Rwy 18-36 marked with 3' yellow cones including dsplcd thlds. Rwy 09-27 marked with 3' cones including dsplcd thlds. ACTIVATE LIRL Rwy 18-36—CTAF.

COMMUNICATIONS: CTAF 122.9

CHIPPEWA CO INTL (See SAULT STE MARIE)**CIRCLE U HELIPORT** (See CARSONVILLE)**CLAM LAKE** N44°53.96' W85°14.38' NOTAM FILE ACB.

GREEN BAY

NDB (MHW) 251 CXK 023° 5.6 NM to Antrim Co. Unmonitored.

L-31B

CLARE MUNI (48D) 1 E UTC-5(-4DT) N43°50.07' W84°44.41'

DETROIT

857 B FUEL 100LL NOTAM FILE LAN

L-28J, 31C

RWY 04-22: H3500X75 (ASPH) MIRL 0.9% up NE

IAP

RWY 04: REIL. PAPI(P4L)—GA 4.0° TCH 35'. Trees.

RWY 22: REIL. PAPI(P2L)—GA 3.0° TCH 25'. Trees.

RWY 09-27: H2500X75 (ASPH) S-20 MIRL

RWY 09: Trees. RWY 27: Fence.

AIRPORT REMARKS: Attended irregularly. 24 hour self serve fuel avbl with credit card. Deer on and invof arpt. Rwy 22 REIL OTS indef. ACTIVATE MIRL Rwy 04-22, Rwy 09-27, REIL Rwy 04 and Rwy 22 and PAPI Rwy 04 and Rwy 22—CTAF.

COMMUNICATIONS: CTAF/UNICOM 122.8

⑧ SAGINAW APP/DEP CON 126.45 (1130-0400Z‡)


CLEVELAND CENTER APP/DEP CON 127.7 (0400-1130Z‡)

RADIO AIDS TO NAVIGATION: NOTAM FILE LAN.

MOUNT PLEASANT (L) VORW/DME 110.6 MOP Chan

43 N43°37.37' W84°44.24' 004° 12.7 NM to fld.

752/5W.

**CLARE CO** (See HARRISON)**CLINTON****HONEY ACRES** (7N4) 1 W UTC-5(-4DT) N42°04.67' W83°59.16'

DETROIT

820 NOTAM FILE LAN

COPTER

RWY 18-36: 3800X90 (TURF)

RWY 18: Thld dsplcd 600'. Tree. RWY 36: Thld dsplcd 600'. Bldg.

AIRPORT REMARKS: Attended irregularly. Rwy 36, +18' p-line 430' from thld marked with orange balls. Rwy 18-36 thlds and dsplcd thlds marked with 3' yellow cones.

COMMUNICATIONS: CTAF 122.9

CLIO**CAGNEY** (51G) 3 SW UTC-5(-4DT) N43°08.58' W83°47.75'

DETROIT

722 S4 TPA-1722(1000) NOTAM FILE LAN

RWY 03-21: 1933X100 (TURF)**RWY 03:** Trees. **RWY 21:** Tree.**RWY 14-32:** 1895X140 (TURF)**RWY 14:** Tree. **RWY 32:** Trees.**RWY 18-36:** 1802X100 (TURF)**RWY 18:** Thld dsplcd 500'. Trees. **RWY 36:** Thld dsplcd 358'. Trees.**AIRPORT REMARKS:** Attended continuously. Deer on and in/ovf arpt. Rwy 03-21, Rwy 14-32 and Rwy 18-36 rough.

Glider ops left and rgt t/c to all rwys. Rwy 32 apch end wet in spring after rain. Rwy 18-36 marked with yellow cones. Rwy 03-21 and Rwy 14-32 irregularly defined by mowing. Rwsy 03-21 and 14-32 local use only. Check NOTAMS for rwy condition winter months-no snow removal.

COMMUNICATIONS: CTAF 122.9**COBO HALL HELIPORT**

(See DETROIT)

COLDWATER**BRANCH CO MEML** (OEB) 3 W UTC-5(-4DT) N41°56.01' W85°03.14'

CHICAGO

H-5E, 10F, L-28I

IAP

959 B S4 FUEL 100LL, JET A NOTAM FILE OEB

RWY 07-25: H5350X75 (ASPH) S-20 MIRL**RWY 07:** PAPI(P2L)-GA 3.0° TCH 32'. Trees.**RWY 25:** REIL. PAPI(P2L)-GA 3.0° TCH 40'. Road.**RWY 04-22:** H3500X75 (ASPH) S-18 MIRL**RWY 04:** Tree. **RWY 22:** Tree.**RWY 16-34:** 2400X190 (TURF)**RWY 16:** Thld dsplcd 595'. Trees. **RWY 34:** Trees.**AIRPORT REMARKS:** Attended irregularly. Deer on and in/ovf arpt. 24 hr self svc fuel with major credit card. Rwy 04-22 and Rwy 07-25 plowed winter months. Call arpt manager at 517-278-7145 for conditions. Preferred calm wind Rwy 25. ACTIVATE MIRL Rwy 04-22 and Rwy 07-25 and REIL Rwy 25-CTAF. Rwy 16 dsplcd thld marked with 3' yellow cones.**WEATHER DATA SOURCES:** AWOS-3 118.125 (517) 279-1810.**COMMUNICATIONS:** CTAF/UNICOM 122.7

LITCHFIELD RCO 122.1R 111.2T (LANSING RADIO)


® KALAMAZOO APP/DEP CON 121.2 (1100-0400Z†)

® CHICAGO CENTER APP/DEP CON 127.55 (0400-1100Z†)

GCO 121.725 (KALAMAZOO CLNC and LANSING FSS)

RADIO AIDS TO NAVIGATION: NOTAM FILE LAN.

LITCHFIELD (L) VOR/DME 111.2 LFD Chan 49 N42°03.75' W84°45.91' 244° 15 NM to fld. 1040/05W.

**COLEMAN A. YOUNG MUNI**

(See DETROIT)

COWLEY FLD

(See SANDUSKY)

CROSWELL**ARNOLD FLD** (55G) 2 NE UTC-5(-4DT) N43°17.87' W82°36.40'

DETROIT

780 NOTAM FILE LAN

RWY 18-36: 2585X140 (TURF)**RWY 18:** Thld dsplcd 500'. Trees. **RWY 36:** Thld dsplcd 470'. P-line.**RWY 07-25:** 2570X75 (TURF)**RWY 07:** Thld dsplcd 540'. P-line. **RWY 25:** Tree.**AIRPORT REMARKS:** Unattended. Arpt CLOSED Nov-Mar. Winter ops skis only. Rwy 18-36 marked with cones, dsplcd thld marked three 12 inch yellow cones each side. Rwy 07 dsplcd thld marked with 3' boards, Rwy 07-25 thlds defined by mowing.**COMMUNICATIONS:** CTAF/UNICOM 122.8

CRYSTAL FALLS**IRON CO** (50D) 6 SE UTC-6(-5DT) N46°00.55' W88°16.43'


1340 B NOTAM FILE GRB

RWY 12-30: H3700X50 (ASPH) MIRL (NSTD)**RWY 12:** Trees **RWY 30:** Trees**RWY 02-20:** 2700X145 (TURF)**RWY 02:** Trees **RWY 20:** Trees

AIRPORT REMARKS: Unattended. No snow removal. Deer on and in/ovf arpt. Rwy 12-30 has crumbled, has numerous cracks and vegetation in pavement. Rwy 12-30 numerous cracks in pavement. Rwy 02-20 MIRL NSTD; 36' from rwy edge. Rwy 02 also 92' tree; 2300' distance; apch ratio 25:1, based on straight out. ACTIVATE NSTD MIRL Rwy 12-30—121.7. Rwy 02-20 marked with 3' yellow cones. Rwy paint markings have failed.

COMMUNICATIONS: CTAF 122.9**RADIO AIDS TO NAVIGATION:** NOTAM FILE IMT.

IRON MOUNTAIN (L) VOR/DME 111.2 IMT Chan 49 N45°48.96' W88°06.73' 330° 13.8 NM to fld. 1128/2W.

**GREEN BAY**
L-31A**CUSTER** (See MONROE)**DALTON** (See FLUSHING)**DAVID'S LANDING** (See ST CLAIR)**DAVISON****ATHELONE WILLIAMS MEML** (6G0) 1 W UTC-5(-4DT) N43°01.75' W83°31.78'

780 NOTAM FILE LAN

RWY 08-26: H3469X40 (ASPH) MIRL (NSTD)**RWY 08:** Thld dsplcd 170'. P-line.**RWY 26:** Thld dsplcd 368'. P-line.

AIRPORT REMARKS: Unattended. Rwy 08-26 surface cracked, peeling, rough and has loose asphalt. Rwy 08-26-4' drainage ditch 60' left and right of rwy centerline along entire length. Rwy 08-26 NSTD MIRL; lgts located 20' from rwy edge.


COMMUNICATIONS: CTAF 122.9**FLINT RCO** 122.3 (LANSING RADIO)

Ⓡ **FLINT APP/DEP CON** 128.55 (N/W of active rwy) 118.8 (E/S of active rwy) (1045-0430Z)

CLEVELAND CENTER APP/DEP CON 126.75 (0430-1045Z)**RADIO AIDS TO NAVIGATION:** NOTAM FILE FNT.**FLINT (H) VORTACW** 116.9 FNT Chan 116 N42°58.01'

W83°44.82' 075° 10.3 NM to fld. 772/6W.

COMM/NAV/WEATHER REMARKS: APP CON sectorization based upon Flint rwy usage

**DETROIT**
L-28J
IAP**DAY FIELD** (see NAPOLEON)**DECKERVILLE****INDIAN CREEK RANCH** (56G) 5 NE UTC-5(-4DT) N43°34.66' W82°38.86'

745 NOTAM FILE LAN

RWY 09-27: 3569X100 (TURF)**RWY 09:** Tank. **RWY 27:** P-line.**RWY 18-36:** 2390X100 (TURF)**RWY 18:** Trees. **RWY 36:** Road.

AIRPORT REMARKS: Unattended. Arpt CLOSED Nov 1 to Apr 1. Rwy soft in spring. Numerous deer on and in/ovf arpt. Rwy 09-27 and Rwy 18-36 surface rough with irregular mowing.

COMMUNICATIONS: CTAF 122.9**DETROIT**

DELTA CO (See ESCANABA)

DETROIT

COBO HALL HELIPORT (84G) 0 N UTC-5(-4DT) N42°19.55' W83°02.88'

650 NOTAM FILE LAN

HELIPAD H1: H30X24 (ASPH)

HELIPORT REMARKS: Unattended. Heliport CLOSED indef. For arpt attendant call Cobo Hall contact person at 313-852-6400. Call 313-267-6400 for Cobo Hall combination. Touchdown surface elevated approximately 2' abv the roof top surface. Rwy H1 NSTD markings; red H with white background. Ldg fee. Helipad H1 loose bricks and asph on ldg surface. UNICOM unmonitored. Helipad H1 perimeter lgts. ACTIVATE Perimeter lgts—CTAF.

COMMUNICATIONS: CTAF/UNICOM 123.05DETROIT
COPTER**COLEMAN A. YOUNG MUNI** (DET) 5 NE UTC-5(-4DT) N42°24.55' W83°00.59'

626 B S4 FUEL 100LL, JET A OX 1, 2, 3 AOE NOTAM FILE DET

RWY 15-33: H5090X100 (ASPH - GRVD) S-75, D-135, ST-120 HIRL**RWY 15:** REIL. VASI(V2R)—GA 3.0° TCH 56'. Trees.**RWY 33:** REIL. PAPI(P4L)—GA 3.0° TCH 49'. Trees.**RWY 07-25:** H4025X100 (ASPH) S-12.5 MIRL**RWY 07:** Thld dsplcd 715'. Railroad.**RWY 25:** PAPI(P4L)—GA 4.0° TCH 40'. Thld dsplcd 716'. Pole.**LAND AND HOLD SHORT OPERATIONS**

LANDING	HOLD SHORT POINT	DIST AVBL
RWY 15	07-25	4900


AIRPORT REMARKS: Attended continuously. Birds on and invof arpt. Unlighted twr 275' AGL 1 mile WSW. Loading/Unloading Class A explosives or poisons not permitted. PPR for Class B and C explosives. Due to noise abatement requirements jets and acft over 12,500 lbs must use Rwy 15-33 except when winds exceed 25 knots, then Rwy 07-25 avbl. Twy D1 clsd indef. Ldg fee for acft 6000 lbs or more. Rwy 33 REIL OTS indef. HIRL Rwy 15-33 step five OTS indef. Rwy 15 VASI OTS indef. Flight Notification Service (ADCUS) avbl.

WEATHER DATA SOURCES: ASOS (313) 371-9696.**COMMUNICATIONS:** ATIS 124.875 UNICOM 122.95

RCO 122.2 122.55 (LANSING RADIO)

® DETROIT APP/DEP CON 126.85

TOWER 121.3 GND CON 121.85

RADIO AIDS TO NAVIGATION: NOTAM FILE YQG.**WINDSOR ONT VOR/DME** 113.8 YQG Chan 85 N42°14.99' W82°49.73' 326° 12.5 NM to fld. 620/6W.**MADDS NDB (LOM)** 338 DE N42°29.69' W83°05.60' 149°6.3 NM to fld. Unmonitored.**CARGL NDB (MHW/LOM)** 230 VQ N42°21.38' W82°57.26' 327° 4 NM to fld. NOTAM FILE DET.**ILS 111.3** I-DET Rwy 15. LOM MADDS NDB.**ILS 111.3** I-VQM Rwy 33. LOM CARGL NDB.DETROIT
COPTER
H-106, L-28J, A
IAP, AD

DETROIT METROPOLITAN WAYNE CO

(DTW) 15 S UTC-5(-4DT) N42°12.75' W83°21.20'

DETROIT

645 B S2 FUEL 100LL, JET A OX 1, 3 AOE Class I, ARFF Index E NOTAM FILE DTW

COPTER

RWY 04R-22L: H12003X200 (CONC-GRVD) S-100, D-185, ST-175, DT-350 HIRL CL

H-106, L-281, A

RWY 04R: ALSF2. TDZL. Tree.

RWY 22L: MALSR. Railroad.

IAP, AD

RWY 03R-21L: H10001X150 (CONC-GRVD) S-100, D-200, ST-175,

DT-350, DDT-750 HIRL CL

RWY 03R: ALSF2. TDZL. PAPI(P4R)—GA 3.0° TCH 54'. Trees.

RWY 21L: MALSR. PAPI(P4L)—GA 3.0° TCH 55'. Berm.

RWY 04L-22R: H10000X150 (CONC-GRVD) S-100, D-200,

ST-175, DT-350, DDT-750 HIRL CL

RWY 04L: ALSF2. TDZ. Pole.

RWY 22R: MALSR. Antenna.

RWY 09L-27R: H8708X200 (ASPH-CONC-GRVD) S-100, D-185,

ST-175, DT-350 HIRL

RWY 09L: REIL. Antenna.

RWY 27R: MALSR. PAPI(P4L)—GA 3.0° TCH 50'.

RWY 03L-21R: H8501X200 (ASPH-CONC-GRVD) S-100, D-185,

ST-175, DT-350 HIRL CL

RWY 03L: REIL. PAPI(P4R)—GA 3.0° TCH 60'. Pole.

RWY 21R: REIL. PAPI(P4L)—GA 3.0° TCH 59'. Pole.

RWY 09R-27L: H8500X150 (CONC-GRVD) S-100, D-185, ST-175,

DT-350 HIRL CL


RWY 09R: REIL.

RWY 27L: MALSR. PAPI(P4L)—GA 3.0° TCH 55'.

AIRPORT REMARKS: Attended continuously. Be alert birds, waterfowl on and in/ovf arpt. Rwy 21R departures be alert for optical illusion, acft taxiing on Twy T may appear as though crossing Rwy 21R centerline. Rwy 22L departures be alert for optical illusion, acft taxiing on Twy Q may appear as though crossing Rwy 22L centerline. Brightly lgt'd parking lot 2.6 NM SW of arpt. ASDE-X surveillance system in use: pilots should operate transponders with mode C on all twys and rwys. Rwy 03R ALSF2 req when RVR/visibility is 6000/1 mile or less. SSALR ops when RVR/visibility is 6000/1 mile. Rwy 03L-21R touchdown and rollout rwy visual range avbl. Rwy 04L-22R touchdown, midfield and rollout rwy visual range avbl. Rwy 09L rwy visual range midfield avbl. Rwy 27L touchdown rwy visual range avbl. Acft on Twy F and Twy V do not block fire station exits. Twy G N of Twy V is a non-movement area. Ldg fee. Flight Notification Service (ADCUS) available.

WEATHER DATA SOURCES: ASOS (734) 941-7848. LLWAS. TDWR.**COMMUNICATIONS:** D-ATIS 133.675 734-941-5363 **UNICOM** 122.95**CARLETON RCO** 122.1R 115.7T (LANSING RADIO)① **APP CON** 125.15 118.575 (EAST) 124.05 (WEST) 124.975 124.25② **DEP CON** 132.025 (TURBOJETS-EAST) 134.3 (TURBOPROPS-EAST) 125.525 (TURBOJETS-WEST) 118.95 (TURBOPROP-WEST) 118.575 (EAST)**METRO TOWER** 135.0 (WEST) 118.4 (EAST)**GND CON** 121.8 (NORTHWEST) 132.72 (SOUTHWEST) 119.25 (SOUTHEAST) 119.45 (NORTHEAST)**CLNC DEL** 120.65 **PRE TAXI CLNC** 120.65**AIRSPACE:** CLASS B: See VFR Terminal Area Chart.**RADIO AIDS TO NAVIGATION:** NOTAM FILE LAN.**CARLETON (H) VORTAC** 115.7 CRL Chan 104 N42°02.88' W83°27.45' 028° 10.9 NM to fld. 629/3W. **HIWAS.**(H) **VORW/DME** 113.4 DXO Chan 81 N42°12.79' W83°22.00' at fld. 638/6W. NOTAM FILE DTW. DME unusable byd 30 NM below 2900'.**REVUP NDB (LOM)** 388 DT N42°07.21' W83°25.90' 038° 6.6 NM to fld. Unmonitored. **SHUTDOWN.****SPENC NDB (LOM)** 223 DM N42°13.20' W83°12.20' 272° 6.7 NM to fld.**ILS/DME** 111.95 I-HJT Chan 56Y Rwy 04L. Class IIIE. DME also serves Rwy 22R.**ILS/DME** 110.7 I-DTW Chan 44 Rwy 04R. LOM REVUP NDB. OM unmonitored. LOM **SHUTDOWN.****ILS/DME** 110.7 I-DWC Chan 44 Rwy 22L. Class IE.**ILS/DME** 111.95 I-JKI Chan 56Y Rwy 22R. Class IE. DME also serves Rwy 04R.**ILS/DME** 111.5 I-HUU Chan 52 Rwy 03R.**ILS/DME** 111.5 I-EJR Chan 52 Rwy 21L.**ILS** 108.5 I-DMI Rwy 27R. LOM SPENC NDB.**ILS** 110.15 I-EPA Rwy 27L. Class IE.**COMM/NAV/WEATHER REMARKS:** Dual VHF communications required for Simultaneous Close Parallel ILS PRM

Approaches. Rwy 04L and Rwy 22R Monitor 127.05, Rwy 04R and Rwy 22L Monitor 135.775 and Rwy 03R and Rwy 21L Monitor 128.35.



WILLOW RUN (YIP) 24 SW UTC-5(-4DT) N42°14.26' W83°31.81'

DETROIT

716 B S4 FUEL 100LL, JET A OX 1, 3 LRA ARFF Index—See Remarks NOTAM FILE YIP **COPTER**

RWY 05R-23L: H7526X150 (ASPH) S-55, D-70, ST-89, DT-120 HIRL

H-106, L-28J, A

RWY 05R: MALSR. Tree.

IAP, AD

RWY 23L: MALSR. VASI(V4L)—GA 3.0° TCH 56'.

RWY 09L-27R: H7294X160 (ASPH-GRVD) S-55, D-70, ST-89, DT-120 MIRL

RWY 09L: Thld dsplcd 574'. Railroad.

RWY 09R-27L: H6511X160 (ASPH-GRVD) S-35, D-45, DT-90 MIRL

RWY 09R: Trees.

RWY 27L: REIL. VASI(V4L)—GA 3.0° TCH 52'. Tree.

RWY 14-32: H6312X160 (ASPH-GRVD) S-35, D-45, DT-90 MIRL

RWY 14: Antenna.

RWY 32: REIL. PAPI(P4L)—GA 3.5° TCH 45'. Thld dsplcd 525'. Ground.

RWY 05L-23R: H5995X160 (ASPH-GRVD) S-35, D-45, DT-90 MIRL

RWY 05L: Trees.

RWY 23R: Trees.

RUNWAY DECLARED DISTANCE INFORMATION

RWY 05L: TORA-5995 TODA-5995 ASDA-5995 LDA-5995

RWY 23R: TORA-5995 TODA-5995 ASDA-5995 LDA-5995

AIRPORT REMARKS: Attended continuously. Birds on and invof arpt.

Class IV, ARFF Index A. ARFF Index E svc avbl on req call 734-485-6660. Rws 09L-27R and 09R-27L, only the 80' center portion is grvd. 48 hr PPR for unscheduled air carrier ops with more than 30 passenger seats call arpt manager 734-485-6670. Flight Notification Service (ADCUS) avbl call 734-942-9000. Customs avbl 24 hrs, Mon-Fri and on call from Detroit Metropolitan Wayne Co arpt on weekend. U.S. customs user fee arpt. All billing thru Wayne Co. Arpt Authority; For customs clearance 1 hr minimum advance notification rqr. Pilots must ctc U.S. customs on 313-226-3140. Req for customs svc by FAA flight plan is not accepted. Ldg fee. Ldg fee is based on acft gross weight.

WEATHER DATA SOURCES: ASOS 132.350 (734) 485-9056. LAWRS.

COMMUNICATIONS: ATIS 127.425 (734) 482-6590

® **DETROIT APP/DEP CON** 118.95

TOWER 125.275 **GND CON** 121.75

RADIO AIDS TO NAVIGATION: NOTAM FILE DTW.


DETROIT (H) VORW/DME 113.4 DXO Chan 81 N42°12.79' W83°22.00' 287° 7.4 NM to fld. 638/6W.

YIPPS NDB (LOM) 359 YI N42°10.45' W83°37.29' 053° 5.6 NM to fld. Unmonitored.

ILS/DME 109.5 I-YIP Chan 32 Rwy 05R. Class IE. LOM YIPPS NDB.

ILS/DME 109.5 I-LSW Chan 32 Rwy 23L. Class IE.

COMM/NAV/WEATHER REMARKS: Emerg frequencies not avbl at twr.



DETROIT/GROSSE ILE**GROSSE ILE MUNI** (ONZ) 2 S UTC-5(-4DT) N42°05.94' W83°09.69'

591 B S4 FUEL 100LL, JET A TPA-1591(1000) NOTAM FILE ONZ

RWY 04-22: H4846X100 (CONC) S-66, D-83, DT-105 MIRL 0.3% up NE

RWY 04: REIL. PAPI(P4L)—GA 3.0° TCH 38'. Rgt tfc.

RWY 22: REIL. PAPI(P4L)—GA 3.0° TCH 38'. Trees.

RWY 17-35: H4425X75 (CONC) S-40, D-55, DT-90 MIRL

RWY 17: PAPI(P4L)—GA 3.0° TCH 26'. Thld dsplcd 675'. Trees.

RWY 35: PAPI(P4L)—GA 3.0° TCH 20'. Fence. Rgt tfc.

AIRPORT REMARKS: Attended Mon-Fri 1300-2300Z±, Sat-Sat 1300-2200Z±. Birds and deer on and infov arpt. Arpt CLOSED to air carrier ops with more than 30 passenger seats except PPR, call arpt manager 734-675-0155. Rwy 04 PAPI OTS indef. Rwy 04 REIL OTS indef. MIRL Rws 04-22 and 17-35 preset low ints dusk-0400Z±; to increase ints and ACTIVATE after 0400Z±—CTAF. ACTIVATE REIL Rwy 04 and PAPI Rwy 17 and Rwy 35 and Rwy 22 and Rwy 04—CTAF.

WEATHER DATA SOURCES: AWOS-3 119.675 (734) 692-9686**COMMUNICATIONS:** CTAF/UNICOM 123.0

CARLETON RCO 122.1R 115.7T (LANSING RADIO)

Ⓡ **DETROIT APP/DEP CON** 134.3 GCO 121.725 (DETROIT CLNC and LANSING FSS)


RADIO AIDS TO NAVIGATION: NOTAM FILE LAN.

CARLETON (H) VORTAC 115.7 CRL Chan 104 N42°02.88'

W83°27.45' 080° 13.6 NM to fld. 629/3W.

HIWAS.

NDB (MHW) 419 RYS N42°06.07' W83°09.18' at fld. NOTAM FILE ONZ.



**DETROIT
COPTER**
L-281, A
IAP

DEXTER**CACKLEBERRY** (2E8) 5 NW UTC-5(-4DT) N42°25.50' W83°52.16'

890 NOTAM FILE LAN

RWY 06-24: 2113X100 (TURF)

RWY 06: Thld dsplcd 315'. Trees.

RWY 24: Thld dsplcd 300'. Tree.

AIRPORT REMARKS: Attended irregularly. Snow removal limited, check rwy condition prior to use winter months. Rwy 06-24 marked with cones; dsplcd thlds marked with two cones each side. Rwy 06-24 NSTD LIRL due to color and configuration; not for public use.

COMMUNICATIONS: CTAF 122.9

**DETROIT
COPTER**

DOUBLE JJ RESORT RANCH (See ROTHBURY)**DOWAGIAC MUNI** (C91) 1 NW UTC-5(-4DT) N41°59.58' W86°07.70'

747 B FUEL 100LL TPA-1548(800) NOTAM FILE LAN

RWY 09-27: H4700X100 (ASPH) S-30, D-60 MIRL

RWY 09: REIL. VASI(V4L)—GA 3.0° TCH 35'. Trees.

RWY 27: REIL. PAPI(P4L)—GA 3.0° TCH 35'. Trees. Rgt tfc.

RWY 04-22: 2176X100 (TURF)

RWY 04: Trees.

RWY 22: Thld dsplcd 388'. Tree. Rgt tfc.

AIRPORT REMARKS: Attended 1300Z±-dusk. Self svc fuel avbl 24 hrs.

Numerous ultralights and acft with no radio on and infov arpt.

Deer on and infov arpt. Model radio ctl acft opr E side of Rwy

04-22. Rwy 09-27 numerous cracks in pavement. ACTIVATE MIRL

Rwy 09-27; VASI Rwy 09 and PAPI Rwy 27; and REIL Rws 09 and

27-122.8. Rwy 04-22 and dspl thld marked with 3' yellow

cones.

COMMUNICATIONS: CTAF/UNICOM 122.8

KEELER RCO 122.1R116.6T (LANSING RADIO)


Ⓡ **SOUTH BEND APP/DEP CON** 118.55 (Sun-Fri 1030-0500Z, Sat 1030-0445Z), other times etc Ⓡ **CHICAGO CENTER APP/DEP CON** 127.55

RADIO AIDS TO NAVIGATION: NOTAM FILE LAN.

KEELER (L) VOR/DME 116.6 ELX Chan 113 N42°08.66'

W86°07.36' 182° 9.1 NM to fld. 795/00E.

**CHICAGO
L-281
IAP**



DRUMMOND ISLAND (DRM) 1 SW UTC-5(-4DT) N46°00.56' W83°44.64'

LAKE HURON

668 B S4 FUEL 100LL, JET A, MOGAS OX 1, 3 LRA NOTAM FILE DRM

L-31C

RWY 08-26: H4000X75 (ASPH) MIRL

IAP

RWY 08: PAPI(P2L)—GA 3.0° TCH 35'. Thld dsplcd 650'. Trees.

RWY 26: PAPI(P2L)—GA 3.0° TCH 25'. Thld dsplcd 170'. Road.

RWY 18-36: 2500X150 (TURF)

RWY 18: Trees.

RWY 36: Trees.

AIRPORT REMARKS: Attended Mon-Sat 1300-2200Z±. Birds and deer invof arpt. Occasional golf carts and pedestrians crossing Rwy 08-26 due to golf course on both sides. Rwy 18-36 marked with 3' yellow cones. Rwy 18-36 center 20' portion of rwy from intersection Rwy 18-36 N to the hangar line is asph; remainder of rwy turf. ACTIVATE MIRL Rwy 08-26 and PAPI Rwy 08 and 26—CTAF. Flight Notification Service (ADCUS) available.

WEATHER DATA SOURCES: AWOS-3 118.325 (906) 493-6410.

COMMUNICATIONS: CTAF/UNICOM 122.8

® **TORONTO CENTER APP/DEP CON** 132.65

GCO 121.725 (FLIGHT SERVICES)


RADIO AIDS TO NAVIGATION: NOTAM FILE CIU.

SAULT STE MARIE (H) VOR/DME 112.2 SSM Chan 59 N46°24.73'

W84°18.89' 139° 33.9 NM to fld. 687/4W.

NDB (MHW) 218 DRM N46°00.44' W83°44.53' at fld. NOTAM

FILE DRM. Unmonitored.



DUFORD FLD (See GENESSEE)

DUPONT-LAPEER (See LAPEER)

EAST JORDAN CITY (Y94) 2 SE UTC-5(-4DT) N45°07.81' W85°06.40'

GREEN BAY

642 NOTAM FILE LAN

L-31B

RWY 09-27: H3250X50 (ASPH) MIRL

RWY 09: Road.

RWY 27: VASI(V2L)—GA 4.0° TCH 32'. Thld dsplcd 125'. Road.

RWY 18-36: 1800X120 (TURF)

RWY 18: Trees.

RWY 36: Trees.

AIRPORT REMARKS: Unattended. Birds and deer on and invof arpt. Rwy 18-36 CLOSED indef. 1670' MSL tower 3 NM NE. ACTIVATE MIRL Rwy 9-27 and VASI Rwy 27—122.8. Rwy 18-36 marked with 3' yellow cones. Rwy 18-36 surface rough with bare spots.

COMMUNICATIONS: CTAF 122.9

GAYLORD RCO 122.55 (LANSING RADIO)

RADIO AIDS TO NAVIGATION: NOTAM FILE LAN.

GAYLORD (L) VOR/DME 109.2 GLR Chan 29 N45°00.75' W84°42.26' 299° 18.5 NM to fld. 1318/4W.

EAST TAWAS

IOSCO CO (6D9) 3 NE UTC-5(-4DT) N44°18.77' W83°25.34'

LAKE HURON

606 B S4 FUEL 100LL NOTAM FILE LAN

L-31C

RWY 08-26: H4802X75 (ASPH) S-12 MIRL

IAP

RWY 08: REIL. PAPI(P2L)—GA 3.0° TCH 33'. Tree.

RWY 26: REIL. PAPI(P2L)—GA 3.0° TCH 33'. Trees.

AIRPORT REMARKS: Attended Mon-Fri 1400-2300Z±, Sundays on call 989-362-4515. Parachute Jumping. Numerous deer on and invof arpt. ACTIVATE MIRL Rwy 08-26—122.85.


COMMUNICATIONS: CTAF/UNICOM 122.8

® **MINNEAPOLIS CENTER APP/DEP CON** 118.525

RADIO AIDS TO NAVIGATION: NOTAM FILE OSC.

AU SABLE (H) VOR/DME 116.1 ASP Chan 108 N44°26.95'

W83°23.66' 195° 8.3 NM to fld. 625/7W.



EASTPORT**TORCHPORT** (59M) 3 S UTC-5(-4DT) N45°03.35' W85°21.36'

GREEN BAY

640 NOTAM FILE LAN

RWY 09-27: 3300X100 (TURF)

RWY 09: Trees. RWY 27: Thld dsplcd 1200'. Trees.

RWY 04-22: 2600X100 (TURF)

RWY 04: Tree. RWY 22: Thld dsplcd 600'. Road.

AIRPORT REMARKS: Unattended. No snow removal; 110 V outlets for ski equipped acft. Rwy 09-27 and Rwy 04-22 dsplcd thlds marked with cones. Rwy 09-27 uneven rolling terrain.

COMMUNICATIONS: CTAF: 122.9**EATON RAPIDS****SKYWAY ESTATES** (60G) 4 N UTC-5(-4DT) N42°35.02' W84°39.08'

DETROIT

931 B NOTAM FILE LAN

L-28J

RWY 08-26: 2653X100 (TURF) MIRL

IAP

RWY 08: Thld dsplcd 685'. Trees.

RWY 26: Thld dsplcd 200'. Trees.

AIRPORT REMARKS: Unattended. Verify arpt condition during winter and spring; call 517-663-2471. Aerobatic box N of Rwy 08-26.

Aerobatic practice area in 3 NM radius of arpt during dalgst hrs;

1500' AGL to 6000' MSL. Check with Lansing twr. Rwy 26 also,

apch ratio 12:1 over 28' tree, 345' distance, 15' left. ACTIVATE

MIRL Rwy 08-26—CTAF. Rwy 08-26 and dsplcd thlds marked with

3' yellow cones. NOTE: See Special Notices Section.


COMMUNICATIONS: CTAF 122.9

LANSING APP/DEP CON 118.65

RADIO AIDS TO NAVIGATION: NOTAM FILE LAN.

LANSING (L) VORTACW 110.8 LAN Chan 45 N42°43.04'

W84°41.85' 171° 8.3 NM to fld. 887/5W.

**EDWARD F JOHNSON** (See ISHPMEMING)**ELK RAPIDS****YUBA** (34U) 4 S UTC-5(-4DT) N44°50.33' W85°25.87'

GREEN BAY

645 NOTAM FILE LAN

RWY 18-36: 2975X100 (TURF)

RWY 18: Trees. RWY 36: P-line.

AIRPORT REMARKS: Unattended. Arpt CLOSED Nov thru Apr. Orchard/crops both sides of rwy. Rwy slopes down from S to N.

COMMUNICATIONS: CTAF 122.9**ELWELL****HAMP** (68R) 3 W UTC-5(-4DT) N43°23.97' W84°48.05'

DETROIT

825 S4 NOTAM FILE LAN

RWY 09-27: 2580X100 (TURF)

RWY 09: Thld dsplcd 1180'. Pole. RWY 27: Trees.

AIRPORT REMARKS: Attended continuously. Rwy 09-27 rolling terrain. Rwy 09-27 and dsplcd thlds marked with 3' yellow cones. NSTD rwy lighting, for local use only.

COMMUNICATIONS: CTAF 122.9**EMMETT****SHARPE'S STRIP** (2E2) 2 N UTC-5(-4DT) N42°57.10' W82°46.56'

DETROIT

810 NOTAM FILE LAN

RWY 18-36: 2700X90 (TURF)

RWY 18: Thld dsplcd 700'. P-line. RWY 36: Trees.

AIRPORT REMARKS: Attended irregularly. Deer and turkeys invof arpt. Rwy 18 and Rwy 36 and dsplcd thld marked with yellow cones.

COMMUNICATIONS: CTAF 122.9

EMPIRE (Y87) 3 SE UTC-5(-4DT) N44°47.25' W86°00.26'

GREEN BAY

944 NOTAM FILE LAN

RWY 17-35: H2600X50 (ASPH) S-12.5 LIRL

RWY 17: Thld dsplcd 718'. Trees.

RWY 35: Thld dsplcd 182'. Trees.

RWY 09-27: 2275X150 (TURF)

RWY 09: Thld dsplcd 200'. Trees.

RWY 27: Thld dsplcd 280'. Road.

AIRPORT REMARKS: Unattended. Rwy 09-27 CLOSED Dec thru Mar and when snow covered, no snow removal.

Ultralight and radio control activity on and in/ov arpt. Rwy 17-35 loose stones on rwy. Rwy 09-27 uneven rolling terrain. Campground adjacent to arpt; call 231-326-5285. Rwy 09-27 and dsplcd thlds marked with 3' yellow cones. Rwy 35 windsock 110' E of rwy centerline. LIRL Rwy 17-35 inoperative Nov-May. ACTIVATE LIRL Rwy 17-35 Jun-Oct-CTAF.

COMMUNICATIONS: CTAF 122.9

ERIE AERODROME (M84) 1 SW UTC-5(-4DT) N41°46.96' W83°31.07'

DETROIT

605 FUEL MOGAS NOTAM FILE LAN

COPTER

RWY 18-36: 2670X80 (TURF)

RWY 18: Trees.

RWY 36: Thld dsplcd 760. P-line.

AIRPORT REMARKS: Attended irregularly. -5' ditch N of Rwy 18; 55' left and right of centerline. Rwy 36, +34' power line 50' distance, marked with orange balls. Rwy 18 and Rwy 36 thlds and Rwy 36 dsplcd thld marked with 3' cones.

COMMUNICATIONS: CTAF 122.9

ESCANABA N45°43.36' W87°05.38' NOTAM FILE ESC.

GREEN BAY

(L) VORW/DME 110.8 ESC Chan 45 at Delta Co. 594/00E. HIWAS.

L-31B

RCO 122.3 (GREEN BAY RADIO)

ESCANABA

DELTA CO (ESC) 2 SW UTC-5(-4DT) N45°43.36' W87°05.62'

GREEN BAY

609 B S2 FUEL 100LL, JET A Class I, ARFF Index A NOTAM FILE ESC

H-21, L-31B

RWY 09-27: H6498X150 (ASPH-PFC) S-80, D-120, ST-152, DT-210 HIRL

IAP

RWY 09: MALSR. Trees.

RWY 27: REIL. VASI(V4R)—GA 3.0° TCH 53'. Trees.

RWY 18-36: H5015X100 (ASPH-PFC) S-40, D-60 MIRL

0.3% up N

RWY 18: PAPI(P4L)—GA 3.0° TCH 42'. Trees.

RWY 36: REIL. PAPI(P4L)—GA 3.0° TCH 27'. Trees.

RUNWAY DECLARED DISTANCE INFORMATION

RWY 09: TORA-6498 TODA-6498 ASDA-6498 LDA-6498

RWY 18: TORA-5015 TODA-5015 ASDA-5015 LDA-5015

RWY 27: TORA-6498 TODA-6498 ASDA-6498 LDA-6498

RWY 36: TORA-5015 TODA-5015 ASDA-5015 LDA-5015

AIRPORT REMARKS: Attended 1100-0400Z+. PPR other times call 906-420-1591. Arpt CLOSED to unscheduled air carrier ops with more than 30 passenger seats except PPR call arpt manager 906-786-4902. Air carrier ops involving acft with more than 30 passenger seats are not authorized in excess of 15 minutes before or after scheduled arrival/dep times without prior coordination with arpt manager and confirmation that ARFF is avbl prior to landing or txf. Waterfowl and birds on and in/ov arpt. Deer on and in/ov arpt. ACTIVATE HIRL Rwy 09-27; MIRL Rwy 18-36; PAPI Rwy 18 and 36; REIL Rwy 36 and MALSR Rwy 09-CTAF. Fee for multi engine acft.

WEATHER DATA SOURCES: AWOS-3 121.425 (906) 786-9001.

HIWAS 110.8 ESC.

COMMUNICATIONS: CTAF/UNICOM 122.8

ESCANABA RCO 122.3 (GREEN BAY RADIO)

Ⓐ MINNEAPOLIS CENTER APP/DEP CON 127.65

RADIO AIDS TO NAVIGATION: NOTAM FILE ESC.

ESCANABA (L) VORW/DME 110.8 ESC Chan 45 N45°43.36' W87°05.38' at fld. 594/00E. HIWAS.

PIKLE NDB (LOM) 344 ES N45°43.36' W87°13.49' 087° 5.5 NM to fld.

ILS 109.3 I-ESC Rwy 09. Class IE. LOM PIKLE NDB.



EVART MUNI (9C8) 1 SW UTC-5(-4DT) N43°53.75' W85°16.75'

CHICAGO

1018 NOTAM FILE LAN

L-281, 31B

RWY 06-24: H3800X75 (ASPH) MIRL

RWY 06: REIL. PAPI(P2L)—GA 3.0° TCH 25'. Trees.

RWY 24: REIL. PAPI(P2L)—GA 4.0° TCH 25'. Thld dspcd 880'.
Trees.

AIRPORT REMARKS: Unattended. Rwy 24 overrun 384'. ACTIVATE MIRL


Rwy 06-24; PAPI and REIL Rwys 06 and 24—CTAF.

COMMUNICATIONS: CTAF 122.9

RADIO AIDS TO NAVIGATION: NOTAM FILE LAN.

WHITE CLOUD (L) VOR/DME 117.6 HIC Chan 123 N43°34.49'

W85°42.97' 045° 27.1 NM to fld. 920/1W.



FELPS N44°57.65' W83°33.61' NOTAM FILE APN.

LAKE HURON

NDB (LOM) 206 AP 007° 7 NM to Alpena Co Rgnl.

FIELD OF DREAMS (See HALE)

FIFE LAKE SPB (M47) 1 E UTC-5(-4DT) N44°34.05' W85°20.65'

GREEN BAY

1020 FUEL 100LL, MOGAS NOTAM FILE LAN

WATERWAY NW-SE: 6000X500 (WATER)

WATERWAY N-S: 5500X500 (WATER)

WATERWAY E-W: 5500X500 (WATER)

SEAPLANE REMARKS: Unattended. Fuel avbl with 3 day prior notice, 231-313-6794.

COMMUNICATIONS: CTAF 122.9

FITCH H BEACH (See CHARLOTTE)

FLINT N42°58.01' W83°44.82' NOTAM FILE FNT.

DETROIT

(H) VORTACW 116.9 FNT Chan 116 at Bishop Intl. 772/6W.

H-106, 11A, L-281

VOR portion unusable byd 30 NM blo 3000'. DME unusable byd 30 NM blo 3000'.


RCO 122.3 (LANSING RADIO)

FLINT**BISHOP INTL** (FNT) 3 SW UTC-5(-4DT) N42°57.93' W83°44.62'782 B S4 FUEL 100LL, JET A TPA—See Remarks AOE Class I, ARFF Index B
NOTAM FILE FNT**DETROIT**H-10G, 11A, L-28J
IAP, AD**RWY 18-36:** H7848X150 (ASPH-PFC) S-100, D-169, ST-175, DT-270 HIRL**RWY 18:** VASI(V4L)—GA 3.0° TCH 41'. Thld dsplcd 200'. Tree.**RWY 36:** VASI(V4L)—GA 3.0° TCH 54'. Tree.**RWY 09-27:** H7200X150 (ASPH-PFC) S-100, D-169, ST-175,
DT-235 HIRL**RWY 09:** MALSR. Trees.**RWY 27:** MALSR. VASI(V4L)—GA 3.0°
TCH 56'. Trees.**LAND AND HOLD SHORT OPERATIONS**

LANDING	HOLD SHORT POINT	DIST AVBL
RWY 09	18-36	4100
RWY 36	09-27	6300

RUNWAY DECLARED DISTANCE INFORMATION**RWY 18:** TORA-7849 TODA-7849 ASDA-7849 LDA-7649**RWY 36:** TORA-7849 TODA-7849 ASDA-7649 LDA-7649**AIRPORT REMARKS:** Attended continuously. Birds and deer on and invov
arpt. TPA-1582(800) single-engine, 1982(1200) multi-engine
acft. ACTIVATE MALSR Rwy 09-27—CTAF. Rwy lgts preset—no ints
change avbl when twr clsd.**WEATHER DATA SOURCES:** ASOS (810) 232-4477.**COMMUNICATIONS:** CTAF 126.3 ATIS 133.15 UNICOM 122.95

FLINT RCO 122.3 (LANSING RADIO)

⑧ **FLINT APP CON** 128.55 (N/W of active rwy) 118.8 (E/S of active rwy) 133.8 (1045-0430Z‡)**CLEVELAND CENTER APP/DEP CON** 126.75 (0430-1045Z‡)**FLINT TOWER** 126.3 (1045-0430Z‡) **GND CON** 121.9 **CLNC DEL** 121.75**AIRSPACE:** CLASS C svc 1045-0430Z‡ ctc **APP CON** 128.55 (N/W of active rwy) 118.8 (E/S of active rwy) other times
CLASS E.**RADIO AIDS TO NAVIGATION:** NOTAM FILE FNT.**FLINT (H) VORTACW** 116.9 FNT Chan 116 N42°58.01' W83°44.82' at fld. 772/6W.**PETLI NDB (LOM)** 269 FN N42°58.09' W83°53.41' 097° 6.5 NM to fld.**ILS 109.9** I-FNT Rwy 09. **LOM PETLI NDB.****ILS 109.9** I-TUN Rwy 27. Class IB.**ASR** (1045-0430Z‡)**COMM/NAV/WEATHER REMARKS:** Emerg frequencies not avbl at twr. ILS Rwys 09, 27 and NDB unmonitored when twr clsd.**FLUSHING****DALTON** (3DA) 2 E UTC-5(-4DT) N43°03.15' W83°48.29'**DETROIT**

733 B FUEL: 100LL NOTAM FILE LAN

RWY 18-36: H2510X50 (ASPH) LIRL**RWY 18:** Thld dsplcd 771'. Tree. **RWY 36:** Thld dsplcd 771'. Trees.**RWY 09-27:** 1633X130 (TURF)**RWY 09:** Tree. **RWY 27:** Thld dsplcd 293'. Road.**AIRPORT REMARKS:** Attended irregularly. Fuel available by credit card. Rwy 09-27 CLOSED Oct through Mar. Rwy
09-27 CLOSED to transient acft permanently. Rwy 09-27 marked with 3' yellow cones. ACTIVATE LIRL Rwy
18-36—CTAF.**COMMUNICATIONS:** CTAF/UNICOM 122.8**FLYING-A-RANCH** (See FRUITPORT)**FLYING M RANCH** (See LINCOLN)**FORD** (See IRON MOUNTAIN/KINGSFORD)

FOWLerville**MAPLE GROVE** (65G) 3 N UTC-5(-4DT) N42°43.04' W84°03.75'**DETROIT
COPTER**

908 S4 FUEL 100LL NOTAM FILE LAN

RWY 09-27: 3050X110 (TURF) LIRL

RWY 09: Thld dsplcd 200'. Ground.

RWY 27: Thld dsplcd 300'. Road.

RWY 18-36: 2000X113 (TURF)

RWY 18: Thld dsplcd 550'. P-line.

RWY 36: Thld dsplcd 275'. Road.

AIRPORT REMARKS: Attended irregularly. Parachute Jumping. Maple Grove Arpt is collocated with Maple Grove Heliport, be alert for rotary wing acft. Extensive acft training, two-way radio communications rgr. ACTIVATE LIRL Rwy 09-27—CTAF. Rwy 09-27 marked with 8 by 12 inch reflective cylinders and 3' cones; dsplcd thld marked with three 3' yellow cones. Rwy 09-27 and Rwy 18-36 and dsplcd thlds marked with cones.

COMMUNICATIONS: CTAF/UNICOM 122.8**MAPLE GROVE HELIPORT** (E66) 4 N UTC-5(-4DT) N42°43.03' W84°03.72'**DETROIT
COPTER**

908 S4 NOTAM FILE LAN

HELIPAD H1: H32X32 (TURF)

HELIPAD H2: H12X12 (CONC)

HELIPAD H3: H20X20 (MATS)

HELIPORT REMARKS: Attended 1400-2200Z±. Maple Grove Heliport is collocated with Maple Grove Arpt, be alert for fixed wing acft. Extensive aircraft training, two-way communications required. Helipad H2 marked with cones. H1 gnd level helipad. H2 gnd level helipad. H3 raised level helipad. Max gross weight 3000 lbs. ACTIVATE H2 and H3 perimeter lgts and NSTD TRCV-123.025. H1, H2 and H3 FATO 70'x70'. Helipad H2 TRCV shines E. Helipad H3 TRCV shine N. Helipad H1 perimeter lgts. Helipad H2 and Helipad H3 NSTD TRCV.

COMMUNICATIONS: CTAF 122.8**FRANKENMUTH****WM "TINY" ZEHNDER FLD** (66G) 2 SE UTC-5(-4DT) N43°18.84' W83°42.58'**DETROIT**

645 NOTAM FILE LAN

RWY 09-27: 2530X100 (TURF)

RWY 09: Thld dsplcd 400'. Road.

RWY 27: P-line.

AIRPORT REMARKS: Attended irregularly. Snow removal intermittent; verify condition call 989-652-3652 or 989-652-9371. Rwy 09-27 soft in spring and after heavy rain. Rwy 09, 7' ditch 60' from thld. Rwy 09-27 marked with 3' yellow cones including Rwy 09 dsplcd thld. Rwy 09-27 LIRL not for public use.

COMMUNICATIONS: CTAF 122.9**FRANKFORT DOW MEMORIAL FIELD** (FKS) 2 SE UTC-5(-4DT) N44°37.51' W86°12.05'**GREEN BAY
L-31B
IAP**

633 B FUEL 100LL NOTAM FILE LAN

RWY 15-33: H4050X75 (ASPH) S-25 MIRL 0.7% up NW

RWY 15: Thld dsplcd 1094'. Road.

RWY 33: REIL. PAPI(P2R)—GA 3.0° TCH 25'. Thld dsplcd 111'. Trees.

AIRPORT REMARKS: Unattended. Fuel self-service with major credit card. Extensive soaring activity and glider towing ops W of rwy. Radio controlled model acft opr W of rwy. Deer and birds on and invof arpt. Arpt bcn located on hill 1.25 miles NW of arpt.

ACTIVATE MIRL Rwy 15-33; REIL Rwy 33; PAPI Rwy 33—CTAF.

WEATHER DATA SOURCES: AWOS-3 118.325 (231) 352-7573.**COMMUNICATIONS:** CTAF/UNICOM 123.05


® MINNEAPOLIS CENTER APP/DEP CON 132.9

GCO 121.725 (MINNEAPOLIS CENTER and FLIGHT SERVICES)

RADIO AIDS TO NAVIGATION: NOTAM FILE MBL.

MANISTEE (L) VOR/DME 111.4 MBL Chan 51 N44°16.24'

W86°15.24' 011° 21.4 NM to fld. 618/5W.

COMM/NAV/WEATHER REMARKS: AWOS-3 wind unreliable.

FREMONT MUNI (FFX) 3 SW UTC-5(-4DT) N43°26.36' W85°59.69'

CHICAGO

772 B S4 FUEL 100LL, JET A NOTAM FILE LAN

H-2K, 10F, L-28I

RWY 18-36: H6498X100 (ASPH) S-30 MIRL

IAP

RWY 18: REIL. PAPI(P4L)—GA 3.0° TCH 25'. P-line.

RWY 36: REIL. VASI(V2L)—GA 3.0° TCH 45'. Tree.

RWY 09-27: H3502X75 (ASPH) S-16 MIRL

RWY 27: PAPI(P4L)—GA 3.5° TCH 25'. Trees.

AIRPORT REMARKS: Attended 1300Z†-dusk. For svc after hrs call

231-821-0494. Parachute Jumping. Skydiving activity summer

months, weekends SR-SS, occasional weekdays noon-SS.

Seaplane activity on adjacent lake .5 mile NE of arpt. Glider and ultralight activity on and invof arpt. PAPI Rwy 18 OTS indef.

ACTIVATE MIRL Rwy 09-27 and Rwy 18-36, REIL Rwy 18 and Rwy 36, VASI Rwy 36 and PAPI Rwy 18 and Rwy 27—CTAF.

WEATHER DATA SOURCES: AWOS-3 118.775 (231) 928-0715.

COMMUNICATIONS: CTAF/UNICOM 123.0


Ⓡ MUSKEGON APP/DEP CON 119.8 (1100-0400Z†) CLNC DEL 118.25

Ⓡ CHICAGO CENTER APP/DEP CON 128.5 (0400-1100Z†)

RADIO AIDS TO NAVIGATION: NOTAM FILE MKG.

MUSKEGON (L) VORTACW 115.2 MKG Chan 99 N43°10.16'

W86°02.36' 008° 16.3 NM to fld. 659/1W. HIWAS.



FRUITPORT

FLYING-A-RANCH (39Z) 2 SE UTC-5(-4DT) N43°06.30' W86°07.42'

CHICAGO

630 S4 TPA-1430(800) NOTAM FILE LAN

RWY 09-27: 1925X70 (TURF)

RWY 09: Thld dspcd 327'. Trees.

RWY 27: Trees. Rgt tfc.

AIRPORT REMARKS: Unattended, Arpt is CLOSED Nov-Mar. No snow removal. Fuel avbl for emerg use only. Rwy 09-27 and dspcd thld marked with 3' yellow cones. Rwy 09-27 LIRL not for public use.

COMMUNICATIONS: CTAF 122.9

GALEY N47°06.94' W88°24.07' NOTAM FILE CMX.

GREEN BAY

NDB (MHW/LOM) 275 CM 313° 4.8 NM to Houghton Co Mem. Unmonitored.

L-14J

GARLAND (See LEWISTON)

GAVAGAN FLD (See YALE)

GAYLORD N45°00.75' W84°42.26' NOTAM FILE LAN.

LAKE HURON

(L) VORW/DME 109.2 GLR Chan 29 at Gaylord Rgnl. 1318/4W.

L-31C

VOR portion unusable 182°-195°. DME unusable byd 30 NM blo 3500'.

RCD 122.55 (LANSING RADIO)

GAYLORD RGNL (GLR) 1 SW UTC-5(-4DT) N45°00.82' W84°42.22'

LAKE HURON

1328 B S4 FUEL 100LL, JET A NOTAM FILE GLR

H-2K, L-31C

RWY 09-27: H6578X150 (ASPH) D-100, ST-127 HIRL

IAP

RWY 09: MALSR. PAPI(P4L)—GA 3.0° TCH 25'. Trees.

RWY 27: REIL. PAPI(P4L)—GA 3.0° TCH 25'. Trees.

RWY 18-36: H3319X75 (ASPH) S-12.5 MIREL

RWY 18: PAPI(P4L)—GA 4.0° TCH 41'. Trees.

RWY 36: PAPI(P4L)—GA 4.0° TCH 41'. Trees.

AIRPORT REMARKS: Attended Mon-Fri 1200-0100Z, Sat-Sun 1300-0100Z. For attendant call 989-732-4218; after hrs call 989-390-1178 (manager cell). After hours call-in fee.

Unattended Thanksgiving, Christmas and New Years Day. Deer and birds on and in/ov arpt. Rwy 18-36 extensive cracking in pavement. Landing fee for turbines, jets and twins. Landing fee waived with minimum fuel purchase. Overnight parking fee.

Military training activity in/ov arpt associated with Restricted Area R4201A/B. ACTIVATE HIRL Rwy 09-27 and MIREL Rwy 18-36; REIL Rwy 27 and MALSR Rwy 09—CTAF.

WEATHER DATA SOURCES: ASOS 118.375 (989) 732-1571.

COMMUNICATIONS: CTAF/UNICOM 122.8

GAYLORD RCO 122.55 (LANSING RADIO)


Ⓡ MINNEAPOLIS CENTER APP/DEP CON 134.6

RADIO AIDS TO NAVIGATION: NOTAM FILE LAN.

GAYLORD (L) VORW/DME 109.2 GLR Chan 29 N45°00.75' W84°42.26' at fld. 1318/4W.

BANGU NDB (LOM) 375 GL N45°00.88' W84°48.48' 097° 4.4 NM to fld.

ILS 111.1 I-GLR Rwy 09. Class IE. LOM BANGU NDB Unmonitored.



LAKES OF THE NORTH (4Y4) 11 SW UTC-5(-4DT) N44°54.75' W84°52.59'

LAKE HURON

1286 B NOTAM FILE LAN

L-31B

RWY 05-23: H4285X40 (ASPH) LIRL

RWY 05: Thld dsplcd 400'. Road.

RWY 23: Thld dsplcd 450'. Road.


AIRPORT REMARKS: Attended 1400-2200Z, Sat 1400-1800Z. Deer on and in/ov arpt. Rwy 05-23 sfc rough and uneven, extensive cracks in pavement. Rwy slopes upward from E to W. West end approximately 20' higher than E end. Acft parking in primary sfc, N side, E end. ACTIVATE LIRL Rwy 05-23—CTAF.

COMMUNICATIONS: CTAF 122.9

GAYLORD RCO 122.55 (LANSING RADIO)

RADIO AIDS TO NAVIGATION: NOTAM FILE LAN.

GAYLORD (L) VORW/DME 109.2 GLR Chan 29 N45°00.75' W84°42.26' 237° 9.5 NM to fld. 1318/4W.



GENESSEE

DUFORD FLD (68G) 1 NW UTC-5(-4DT) N43°07.50' W83°37.58'

DETROIT

773 NOTAM FILE LAN

RWY 18-36: 3068X100 (TURF)

RWY 18: Thld dsplcd 200'. Trees.

RWY 36: Thld dsplcd 1020'. Tree.

AIRPORT REMARKS: Attended irregularly. Rwy 18-36 sfc rough with irregular mowing. Rwy 18-36 marked with 3' yellow cones.

COMMUNICATIONS: CTAF 122.9

GERALD R FORD INTL (See GRAND RAPIDS)

GIPPER N41°46.12' W86°19.11'. NOTAM FILE LAN.

CHICAGO

(H) VORTACW 115.4 GIJ Chan 101 179° 3.6 NM to South Bend Rgnl.

H-5E, 10F, L-281

804/OE. HIWAS.

VOR portion unusable 199°-219° blo 17,500' and between 25 and 36 NM.

GLADWIN ZETTEL MEML (GDW) 1 SE UTC-5(-4DT) N43°58.24' W84°28.50'**DETROIT**

776 B FUEL 100LL, JET A TPA-1776(1000) NOTAM FILE LAN

L-28J, 31C

RWY 09-27: H4700X75 (ASPH) S-44, D-60, DT-90 MIRL

IAP

RWY 09: REIL. PAPI(P2L)—GA 3.0°. Trees.

RWY 27: REIL. PAPI(P2L). Trees.

RWY 15-33: 2500X150 (TURF)

RWY 15: Trees.

RWY 33: Trees.

AIRPORT REMARKS: Attended 1400-2200Z†. Except Christmas; New Years; Thanksgiving and Easter; for attendant and after hrs call 517-426-9008. Rwy 15-33 CLOSED when snow covered except ski-equipped acft. Rwy 15-33 marked with 3' yellow cones. Deer activity on and in/ov arpt. Radio Control acft ops near W side of Rwy 15-33. Rwy 09 REIL OTS indef. ACTIVATE MIRL Rwy 09-27; PAPI and REIL Rwy 09 and Rwy 27—CTAF.

COMMUNICATIONS: CTAF/UNICOM 122.8

® SAGINAW APP/DEP CON 126.45 (1100-0400Z‡)

CLEVELAND CENTER APP/DEP CON 127.7 (0400-1100Z‡)


RADIO AIDS TO NAVIGATION: NOTAM FILE MBS.

SAGINAW (L) VORW/DME 112.9 MBS Chan 76 N43°31.90'

W84°04.64' 330° 31.5 NM to fld. 663/3W. HIWAS.

WIGGINS NDB (MHW) 209 GDW N43°58.20' W84°28.50' at fld.

NOTAM FILE LAN.

**GLOWACKI** (See ST JOHNS)**GOGEBIC-IRON CO** (See IRONWOOD)**GRADOLPH FLD** (See PETERSBURG)**GRAND HAVEN MEML AIRPARK** (3GM) 2 SE UTC-5(-4DT) N43°02.04' W86°11.89'**CHICAGO**

604 B S4 FUEL 100LL, JET A OX 1, 2, 3, 4 NOTAM FILE LAN

L-28J

RWY 09-27: H3752X75 (ASPH) S-8 MIRL 0.3% up W

IAP

RWY 09: REIL. PAPI(P2L)—GA 3.0° TCH 32'. Tree.

RWY 27: REIL. PAPI(P2L)—GA 4.0° TCH 54'. Trees.

RWY 18-36: H2058X60 (ASPH) S-8 MIRL

RWY 18: Road.

RWY 36: Tree.

AIRPORT REMARKS: Attended 1300Z†-dusk. Radio control acft flying area NW side of Rwy 18. ACTIVATE MIRL Rwy 09-27 and 18-36; REIL and PAPI Rwy 09 and 27—CTAF.

COMMUNICATIONS: CTAF/UNICOM 122.7

® MUSKEGON APP/DEP CON 119.8 (1100-0400Z‡)

® CHICAGO CENTER APP/DEP CON 128.5 (0400-1100Z‡)


GCO 121.725 (MUSKEGON CLNC and FLIGHT SERVICES)

RADIO AIDS TO NAVIGATION: NOTAM FILE MKG.

MUSKEGON (L) VORTACW 115.2 MKG Chan 99 N43°10.16'

W86°02.36' 222° 10.7 NM to fld. 659/1W.

HIWAS.



GRAND LEDGE**ABRAMS MUNI** (4D0) P (ARNG) 2 N UTC-5(-4DT) N42°46.45' W84°43.99'

DETROIT

842 B S4 FUEL 100LL TPA-See Remarks NOTAM FILE LAN

L-28J

RWY 09-27: H3200X75 (ASPH) MIRL 0.3% up E

IAP, DIAP

RWY 09: PAPI(P4L)-GA 3.0° TCH 25'. Tree.

RWY 27: REIL. PAPI(P2L)-GA 4.0° TCH 25'. Tree.

RWY 18-36: 2580X120 (TURF)

RWY 18: Thld dsplcd 400'. Trees.

RWY 36: Thld dsplcd 397'. Road.

MILITARY SERVICE: FUEL 100LL, J4. PPR, ctc OPS DSN 623-0671/2/3, C517-483-5671/2/3.

AIRPORT REMARKS: Attended 1300Z†-dusk. Rwy 18-36 CLOSED to fixed wing acft Nov-Apr, soft in spring. Intensive National Guard helicopter training on and in/ovf arpt. Rwy 18-36 and dsplcd thld marked with 3' yellow cones. Rwy 36 dsplcd thld marked with 3 yellow cones. Exit Rwy 18-36 only at twys. TPA-For helicopters 1700 (858) fixed wing TPA-1900(1058). ACTIVATE MIRL Rwy 09-27; REIL Rwy 27-CTAF.


MILITARY REMARKS: CAUTION Avoid over flight of Grand Ledge blo 2000'. Night training conducted using night vision devices.

COMMUNICATIONS: CTAF/UNICOM 122.7

Ⓡ LANSING APP/DEP CON 118.65 226.4 ARNG OPS 41.85 122.7 241.0

RADIO AIDS TO NAVIGATION: NOTAM FILE LAN.

LANSING (L) VORTACW 110.8 LAN Chan 45 N42°43.04' W84°41.85' 340° 3.8 NM to fld. 887/5W.

**GRAND MARAIS** (Y98) 3 SE UTC-5(-4DT) N46°37.25' W85°55.01'

GREEN BAY

838 NOTAM FILE GRB

RWY 14-32: 2800X100 (TURF)

RWY 14: Trees. RWY 32: Trees.

RWY 05-23: 2600X150 (TURF)

RWY 05: Trees. RWY 23: Trees.

AIRPORT REMARKS: Unattended. Arpt CLOSED Oct 15-May 15. Rwy not plowed winters. Rwy 05-23 marked with 3' yellow cones. Rwy 14-32 marked with 3' yellow cones. Rwy 05-23 and Rwy 14-32 surface rough.

COMMUNICATIONS: CTAF/UNICOM 122.7

GRAND RAPIDS N42°47.20' W85°29.82' NOTAM FILE GRR.

CHICAGO

(H) VOR/DME 115.95 GRR Chan 106(Y) 353° 5.8 NM to Gerald R Ford Intl. 803/4W.

H-5E, 10F, L-28J

DME unmonitored.

DME unusable byd 30 NM blo 3000'.

RCO 122.1R 115.95T (LANSING RADIO)

GRAND RAPIDS**GERALD R FORD INTL** (GRR) 6 SE UTC-5(-4DT) N42°52.85' W85°31.37'**CHICAGO**794 B S4 FUEL 100LL, JET A OX 1, 3 LRA Class I, ARFF Index C NOTAM FILE GRR H-5E, 10F, L-28I
RWY 08R-26L: H10000X150 (CONC-GRVD) D-190, DT-350 HIRL IAP, AD

RWY 08R: MALSR.

RWY 26L: MALSR. PAPI(P4L)—GA 3.0' TCH 73'.

RWY 17-35: H8501X150 (CONC-GRVD) D-190, ST-175, DT-350 HIRL

RWY 17: REIL. VASI(V4L)—GA 3.0° TCH 38'.

RWY 35: MALSR. PAPI(P4R)—GA 3.0' TCH 74'.

RWY 08L-26R: H5000X100 (CONC-GRVD) S-52, D-60 MIRL

RWY 08L: REIL. VASI(V4L)—GA 3.0° TCH 33'.

RWY 26R: REIL. VASI(V4L)—GA 3.0° TCH 33'.

AIRPORT REMARKS: Attended continuously. PPR for acft with 171'

wingspan or larger. Multiple cranes up to 953' MSL (155' AGL) NW and invof terminal bldg. Birds on and invof arpt. The following areas are not visible from twr; from ½ mile west of the AER 08R clockwise to ¼ mile north AER 17; portions of Rwy 08L and Twy J. Noise abatement procedures: Rwy 08R depart on rwy heading until reaching the highway E of arpt; Rwy 26L on apch to arpt turn final at highway E of arpt. Rwy 08L-26R for apch Cat C acft, wingspan must be less than 79'. Apch Cat D and E acft prohibited. Pushback advisories on the terminal ramp are not provided by ATC. When twr closed ACTIVATE HIRL Rwy 08R-26L; Rwy 17-35; MIRL Rwys 08L-26R; VASI Rwy 08L; Rwy 17 and Rwy 26R; PAPI Rwy 26L and Rwy 35; REIL Rwy 08L; Rwy 17 and Rwy 26R and MALSR Rwy 08R; 26L and 35—CTAF. Twy Y north of Twy D, Twy Z north of Twy D and Twy N are non-movement areas. Twy F north of Twy V, Twy J btn Twy F and Twy J3 and Twy G clsd to acft over 100000 lbs; Twy F, Twy G, and Twy J clsd to acft over 47000 lbs; Twy Y 400' north of Twy D clsd to acft over 100,000 lbs; Twy R north of Twy D clsd to acft over 175000 lbs. Rwy 08R and 26L touchdown and rollout runway visual range avbl. Rwy 35 touchdown runway visual range avbl. Snow removal personnel will monitor CTAF when twr is clsd. LRA: Mon-Fri 2 hours PPR for customs call 616-942-5245, pager 616-249-5380. Call prior to 2100Z† on preceding Friday for after hours service.

WEATHER DATA SOURCES: ASOS (616) 956-3224. WSP.**COMMUNICATIONS:** CTAF 135.65 ATIS 127.1 616-336-4755 UNICOM 122.95

GRAND RAPIDS RCO 122.1R 115.95T (LANSING RADIO)

® GRAND RAPIDS APP/DEP CON 124.6 (North) 128.4 (South) (1030-0500Z†)

® CHICAGO CENTER APP/DEP CON 128.4 (0500-1030Z†)

GRAND RAPIDS TOWER 135.65 (1030-0500Z†) GND CON 121.8 CLNC DEL 119.3

AIRSPACE: CLASS C svc 1030-0500Z† ctc APP CON other times CLASS E.**RADIO AIDS TO NAVIGATION:** NOTAM FILE GRR.GRAND RAPIDS (H) VOR/DME 115.95 GRR Chan 106(Y) N42°47.20' W85°29.82' 353° 5.8 NM to fld.
803/4W. DME unmonitored.


KNOBS NDB (LOM) 263 GR N42°53.74' W85°22.71' 266° 6.4 NM to fld.

ILS 109.7 I-GRR Rwy 26L. Class IB. LOM KNOBS NDB. Unmonitored when twr clsd.

ILS 108.3 I-CYZ Rwy 08R. Unmonitored when twr clsd.

ILS 111.9 I-DVS Rwy 35. ILS unmonitored when twr clsd.

ASR (1030-0500Z†)

**GRANT** (Ø1C) 2 NE UTC-5(-4DT) N43°20.50' W85°46.50'**CHICAGO**

815 NOTAM FILE LAN

RWY 09-27: 2517X120 (TURF) LIRL

RWY 09: Thld dsplcd 387'. Trees. RWY 27: Thld dsplcd 580'. Trees.

AIRPORT REMARKS: Attended irregularly. 100LL fuel avbl for emergencies only. Rwy 09-27 and dsplcd thlds marked with 3' yellow cones. Arpt lgts opr dusk-0500Z†. ACTIVATE LIRL Rwy 09-27—CTAF.**COMMUNICATIONS:** CTAF/UNICOM 122.8**GRATIOT COMMUNITY** (See ALMA)

GRAYLING AAF (GOV)(KGOV) CIV/MIL 1 NW UTC-5(-4DT) N44°40.82' W84°43.73'**LAKE HURON**

1158 B TPA—See Remarks NOTAM FILE GOV

H-2K, L-31C

RWY 05-23: H5000X150 (CONC) PCN 10 R/C/W/T MIRL


IAP

RWY 05: REIL. PAPI(P4L)—GA 4.0° TCH 41'. Trees.**RWY 23:** REIL. PAPI(P4L)—GA 3.0° TCH 30'. Trees.**RWY 14-32:** H5000X150 (ASPH) PCN 65 F/B/W/T MIRL**RWY 14:** REIL. PAPI(P4L)—GA 3.0° TCH 30'. Tree.**RWY 32:** REIL. PAPI(P4L)—GA 3.5° TCH 34'. Thld dsplcd 300'. Trees.**AIRPORT REMARKS:** Attended dawn-dusk. Wildlife on and in/ov arpt.

Extensive military helicopter t/c Jun thru Aug. ACTIVATE MIRL Rwy 14-32 and Rwy 05-23, REIL Rwy 05, Rwy 23, Rwy 14 and Rwy 32—CTAF. Rwy 05-23, Twy A, Twy D and Twy E CLOSED winter months, no snow removal.

MILITARY REMARKS: TFC PAT—Rotary wing 2000(842), fixed wing 2200(1042). MISC Ctc Base OPS DSN 623-3301, C989-344-4301 or C517-648-5339.**WEATHER DATA SOURCES:** AWOS-3 119.075 (989) 348-3127.**COMMUNICATIONS:** CTAF/UNICOM 122.8**MINNEAPOLIS CENTER APP/DEP CON** 132.9 338.3**TOWER** 126.2 241.0 (by NOTAM) **GND CON** 121.9**RADIO AIDS TO NAVIGATION:** NOTAM FILE TVC.**TRAVERSE CITY (H) VORTACW** 114.6 TVC Chan 93 N44°40.07' W85°33.00' 091° 35.2 NM to fld. 912/2W.**HIWAS.****(T) VORW** 109.8 CGG N44°40.90' W84°43.74'. at fld. NOTAM FILE GOV. Unmonitored.

VOR unusable 360°-015° byd 18 NM, 016°-060°.

NDB (MHW) 359 GYG N44°45.00' W84°49.70' 140° 6 NM to fld. NOTAM FILE GOV.**GREEN LAKE** (See INTERLOCHEN)**GREENVILLE MUNI** (6D6) 3 S UTC-5(-4DT) N43°08.53' W85°15.23'**CHICAGO**

855 B S4 FUEL 100LL NOTAM FILE LAN

L-281

RWY 10-28: H4199X75 (ASPH) S-23 MIRL 0.4% up W

IAP


RWY 10: PAPI(P4L)—GA 3.5° TCH 27'. Trees.**RWY 28:** REIL. PAPI(P4L)—GA 3.0° TCH 32'. Trees.**RWY 18-36:** 1730X200 (TURF)**RWY 18:** Trees.**RWY 36:** Thld dsplcd 378'. Trees.**AIRPORT REMARKS:** Attended Apr-Oct 1300-2200Z†, Nov-Mar

1300-0000Z†. Deer on and in/ov arpt. Snow removal Rwy 10-28 only. Rwy 18-36 no plowing, verify conditions prior to landing. Rwy 18-36 and dsplcd thld marked with 3' yellow cones. MIRL Rwy 10-28 preset on low ints dusk-0400Z†; to increase ints and after 0400Z† and ACTIVATE PAPI Rwy 10 and Rwy 28 and REIL Rwy 28—CTAF.

COMMUNICATIONS: CTAF/UNICOM 122.8Ⓡ **GRAND RAPIDS APP/DEP CON** 124.6 (1030-0500Z†)Ⓡ **CHICAGO CENTER/APP DEP CON** 124.6 (0500-1030Z†)**RADIO AIDS TO NAVIGATION:** NOTAM FILE GRR.**GRAND RAPIDS (H) VOR/DME** 115.95 GRR Chan

106(Y) N42°47.20' W85°29.82' 031° 23.9 NM to fld.

803/4W. DME unmonitored.



GREGORY**RICHMOND FLD** (69G) 2 SE UTC-5(-4DT) N42°26.50' W84°04.00'**DETROIT
COPTER**

921 NOTAM FILE LAN

RWY 18-36: 2471X100 (TURF)**RWY 18:** Thld dsplcd 800'. P-line.**RWY 36:** Trees.**AIRPORT REMARKS:** Attended Apr-Nov, Wed, irregularly, Apr-Nov Sat-Sun dalgt hrs. Extensive glider ops on and invof arpt. Rwy not plowed winters. Gliders also use the turf area W of Rwy 18-36. Rwy 18-36 marked with 2' cones.

Rwy 18 dsplcd thld marked with 2' cones.

COMMUNICATIONS: CTAF 122.9**COMM/NAV/WEATHER REMARKS:** Glider frequency 123.5.**GROSS** (See PINCONNING)**GROSSE ILE MUNI** (See DETROIT/GROSSE ILE)**GWENN** N44°44.07' W85°25.76' NOTAM FILE TVC.**GREEN BAY
L-31B****NDB (MH/LOM)** 365 TV 279° 6.6 NM to Cherry Capital.

Unmonitored when twr clsd.

HALE**FIELD OF DREAMS** (H8Ø) 3 SE UTC-5(-4DT) N44°21.88' W83°45.76'**LAKE HURON**

830 NOTAM FILE LAN

RWY 08-26: 2400X90 (TURF)**RWY 08:** Thld dsplcd 1000'. Tree.**RWY 26:** Tree.**AIRPORT REMARKS:** Unattended. Arpt CLOSED Nov-Apr. Large hay bales along south edge of rwy. +30' bldg 72' south of rwy centerline, +60' tree 96' north of rwy centerline. Low level military jets opr near arpt, arpt lies within Pike West Military Operation Area and 3 miles from Military Training Route VR 1624. Farm equipment parked in Rwy 26 apch. Rwy 08-26 and dsplcd thld Rwy 08 marked with 3' cones. Electric perimeter fence. Rwy may be soft in spring west end. Verify conditions.**COMMUNICATIONS:** CTAF 122.9**HAMP** (See ELWELL)**HANCOCK** N47°10.11' W88°29.34'**GREEN BAY
H-2J, L-14J****RCO** 123.65 122.525 (GREEN BAY RADIO)

HANCOCK**HOUGHTON CO MEM** (CMX) 4 NE UTC-5(-4DT) N47°10.11' W88°29.34'**GREEN BAY**

1095 B S4 FUEL 100LL, JET A Class I, ARFF Index A NOTAM FILE CMX

H-21, L-14J

RWY 13-31: H6501X150 (ASPH-GRVD) S-70, D-100, ST-127, DT-185 HIRL 0.5% up NW IAP

RWY 13: REIL. PAPI(P4L)—GA 3.0° TCH 44'. Trees.

RWY 31: MALSR. PAPI(P4L)—GA 3.0° TCH 45'.

RWY 07-25: H5196X100 (ASPH-PFC) S-35, D-50 MIRL
0.3% up NE

RWY 07: REIL. PAPI(P2L)—GA 3.0° TCH 30'. Trees.

RWY 25: REIL. PAPI(P4L)—GA 3.0° TCH 41'. Trees.

RUNWAY DECLARED DISTANCE INFORMATION

RWY 07: TORA-5196 TODA-5196 ASDA-5196 LDA-5196

RWY 13: TORA-6501 TODA-6501 ASDA-6501 LDA-6501

RWY 25: TORA-5196 TODA-5196 ASDA-5196 LDA-5196

RWY 31: TORA-6501 TODA-6501 ASDA-6501 LDA-6501

AIRPORT REMARKS: Attended 0900-0500Z. PAEW on aprt monitor
CTAF. Frequent snow removal ops in progress various times
Nov-Apr monitor CTAF. Airframe and power plant repairs avbl Apr
15 thru Nov 15. Arpt CLOSED to unscheduled air carrier ops with
more than 30 passenger seats except PPR call aprt manager
906-482-3970. Deer and gulls on and in/ov aprt. General
aviation acft parking permitted in front of air carrier terminal
building. Contact Unicom for permission to park in front of
terminal. General aviation acft parking on aprons lctd N and S of terminal building. ACTIVATE HIRL Rwy 13-31;
MALSR Rwy 31; REIL Rws 13 and 25—CTAF. For MIRL Rwy 07-25 and Twy B radio request through UNICOM.
Rwy 13 and Rwy 25 PAPI radio controlled. Airfield guidance signs snow covered in winter. Ldg fee waived with
fuel purchase for multi-engine acft only.

WEATHER DATA SOURCES: ASOS 125.675 (906) 482-4248. HIWAS 112.8 CMX.**COMMUNICATIONS:** CTAF/UNICOM 122.7

HANCOCK RCO 123.65 122.525 (GREEN BAY RADIO)


② MINNEAPOLIS CENTER APP/DEP CON 127.2

AIRSPACE: CLASS E svc continuous.**RADIO AIDS TO NAVIGATION:** NOTAM FILE CMX.

(L) VORW/DME 112.8 CMX Chan 75 N47°10.22' W88°29.12' at fld. 1072/2W. HIWAS.

DME unusable 315°-035° byd 30 NM blo 3500'.

GALEY NDB (MHW/LDM) 275 CM N47°06.94' W88°24.07' 313° 4.8 NM to fld. Unmonitored.

ILS/DME 110.3 I-CMX Chan 40 Rwy 31. Class IT. LOM GALEY NDB. LOC BC unusable byd 13° left
and right of course. LOC BC and BC DME unusable byd 10 NM blo 2600'.**HANLEY FLD** (See MUNISING)**HARBOR SPRINGS** (MGN) 3 E UTC-5(-4DT) N45°25.53' W84°54.80'**LAKE HURON**

686 B FUEL 100LL, JET A NOTAM FILE MGN

L-31B

RWY 10-28: H4157X75 (ASPH) S-22, D-30 MIRL

IAP

RWY 10: PAPI(P4R)—GA 3.5° TCH 25. Thld dsplcd 445'. Trees.

RWY 28: PAPI(P4L)—GA 4.0° TCH 35. Thld dsplcd 445'. Trees.

AIRPORT REMARKS: Attended 1300-dusk. Parachute Jumping. Birds and
deer on and in/ov aprt. Rwy 28 +46' antenna 186' from dsplcd
thld 234' right. Noise abatement procedures; no turbojet/turbofan
acft departures from 0400 to 1200Z, no low flight over
surrounding community, all acft departing to the W turn S over the
water as soon as practical. ACTIVATE MIRL Rwy 10-28—CTAF.
Landing fee waived with minimum fuel purchase.

WEATHER DATA SOURCES: AWOS-3 119.925 (231) 347-5231.**COMMUNICATIONS:** CTAF/UNICOM 122.8

② MINNEAPOLIS CENTER APP/DEP CON 134.6

RADIO AIDS TO NAVIGATION: NOTAM FILE PLN.

PELLSTON (L) VORTACW 111.8 PLN Chan 55 N45°37.84'

W84°39.85' 227° 16.2 NM to fld. 840/6W.

HIWAS.

COMM/NAV/WEATHER REMARKS: AWOS-3 Wind unreliable btn 260°-280°.

HARRIETTA**BUNCH'S HALF ACRE** (4Y9) 3 W UTC-5(-4DT) N44°18.50' W85°46.34'

GREEN BAY

1010 NOTAM FILE LAN

RWY 08-26: 2400X100 (TURF)**RWY 08:** Trees. **RWY 26:** Trees.

AIRPORT REMARKS: Attended irregularly. Arpt CLOSED when snow covered. Large depression NE of Rwy 26 end. Rwy 08-26 marked with 3' yellow cones. 50' trees both sides of Rwy 08-26 primary surface 100' fm rwy centerline. Rwy 08-26 rough and uneven.

COMMUNICATIONS: CTAF 122.9**HARRISON****CLARE CO** (80D) 2 NW UTC-5(-4DT) N44°03.17' W84°48.75'

LAKE HURON

1142 B NOTAM FILE LAN

RWY 18-36: H2978X50 (ASPH) LIRL (NSTD)**RWY 18:** Thld dsplcd 473'. Trees. **RWY 36:** Thld dsplcd 1152'. Trees.**RWY 09-27:** 2437X100 (TURF)**RWY 09:** Thld dsplcd 1218'. Trees. **RWY 27:** Thld dsplcd 882'. Trees.

AIRPORT REMARKS: Attended irregularly. Rwy 09-27 CLOSED winter months. Deer on and invof arpt. Rwy 27, 22' p-line, 308' distant, apch ratio 14:1. P-line marked with orange balls. Radio control model acft and ultralight activity on and invof arpt. Rwy 09-27 surface rough. Rwy 18-36 NSTD LIRL 30' from rwy edge and no rwy end lgts. ACTIVATE lgts-122.8. Rwy 09-27 marked with 3' yellow cones.

COMMUNICATIONS: CTAF/UNICOM 122.8**HARRISVILLE** (5Y0) 1 NW UTC-5(-4DT) N44°40.09' W83°18.31'

LAKE HURON

675 NOTAM FILE LAN

RWY 03-21: 2140X60 (TURF)**RWY 03:** Thld dsplcd 1000'. Trees. **RWY 21:** Thld dsplcd 600'. Trees.

AIRPORT REMARKS: Unattended. Deer and turkeys occasionally on rwy. +15-45' trees in primary sfc east side 30' from Rwy 03-21 centerline. Rwy 03-21 and dsplcd thlds marked with 3' yellow cones.

COMMUNICATIONS: CTAF 122.9**HARSENS ISLAND** (Z92) 0N UTC-5(-4DT) N42°35.37' W82°34.54'

DETROIT

578 NOTAM FILE LAN

RWY 04-22: 2225X100 (TURF)**RWY 04:** Thld dsplcd 371'. Trees. **RWY 22:** Thld dsplcd 230'. Road.

AIRPORT REMARKS: Arpt CLOSED indef. CAUTION: For ops during high water and wet spring condition. No snow removal. Avoid fit over state wildlife refuge areas S and W of arpt. Rwy 04-22 not mowed.

COMMUNICATIONS: CTAF 122.9**HART/SHELBY****OCEANA CO** (C04) 4 SE UTC-5(-4DT) N43°38.51' W86°19.78'

CHICAGO

910 S4 FUEL 100LL TPA-1710(800) NOTAM FILE LAN

L-281

RWY 09-27: H3500X75 (ASPH) S-12.5 MIRL**RWY 09:** PAPI(P2L)-GA 4.0° TCH 25'. Road. **RWY 27:** PAPI(P2L)-GA 4.0° TCH 25'.**RWY 15-33:** 2240X100 (TURF)**RWY 15:** Thld dsplcd 375'. Road. **RWY 33:** Thld dsplcd 564'. Trees.

AIRPORT REMARKS: Attended irregularly. Fuel 24 hr self serve. Rwy 15-33 rough and soft when wet. Radio controlled model acft ops on field daily. Rwy 15-33 dsplcd thld marked with 3' yellow cones. ACTIVATE MIRL Rwy 09-27 and PAPI Rwy 09 and Rwy 27-CTAF.

WEATHER DATA SOURCES: AWOS-A 122.7 (231) 861- 7415.**COMMUNICATIONS:** CTAF/UNICOM 122.7**RADIO AIDS TO NAVIGATION:** NOTAM FILE LAN.

WHITECLOUD VOR/DME 117.6 HIC Chan 123 N43°34.49' W 85°42.97' 280° 27 NM to fld. 920/1W.

HASTINGS (9D9) 3 W UTC-5(-4DT) N42°39.82' W85°20.78'

CHICAGO

801 B S4 FUEL 100LL TPA-1601(800) NOTAM FILE LAN

L-281

RWY 12-30: H3900X75 (ASPH) S-20 MIRL

IAP

RWY 12: REIL. VASI(V2L)—GA 3.75°. Trees.

RWY 30: REIL. Tree.

RWY 18-36: 2567X200 (TURF)

RWY 18: Thld dsplcd 600'. Trees.

RWY 36: Tree.

RWY 09-27: 2400X170 (TURF)

RWY 09: Thld dsplcd 185'. Trees.

RWY 27: Thld dsplcd 393'. Trees.

AIRPORT REMARKS: Attended Mon-Sat 1400-2300Z+. Numerous birds on and in/ov arpt. ACTIVATE MIRL Rwy 12-30; REILs Rwy 12 and Rwy 30 and VASI Rwy 12—CTAF. Rwy 09-27 and Rwy 18-36 marked with yellow cones. Rwy 18 and Rwy 09-27 dsplcd thld marked with cones each side.

COMMUNICATIONS: CTAF/UNICOM 123.075.

Ⓡ GRAND RAPIDS APP/DEP CON 128.4 (1030-0500Z+)


Ⓡ CHICAGO CENTER APP/DEP CON 128.5 (0500-1030Z+)

RADIO AIDS TO NAVIGATION: NOTAM FILE GRR.

GRAND RAPIDS (H) VOR/DME 115.95 GRR Chan

106(Y) N42°47.20' W 85°29.82' 142° 10 NM to fld.

803/4W. DME unmonitored.



HAT FIELD (See NUNICA)

HESSEL

ALBERT J. LINDBERG (5Y1) 2 N UTC-5(-4DT) N46°02.15' W84°25.19'

LAKE HURON

760 B NOTAM FILE GRB

L-31B

RWY 09-27: H3700X60 (ASPH) MIRL

RWY 09: PAPI(P2L)—GA 4.0° TCH 40'. Thld dsplcd 200'. Trees.

RWY 27: PAPI(P2L)—3.5° TCH 25'. Trees.


AIRPORT REMARKS: Attended Mon-Fri 1400-2200Z+. Arpt manager after hour 1-906-298-0566. ACTIVATE MIRL Rwy 09-27 and PAPI Rwy 09 and 27—CTAF.

COMMUNICATIONS: CTAF 122.9

RADIO AIDS TO NAVIGATION: NOTAM FILE PLN.

PELLSTON (L) VORTACW 111.8 PLN Chan 55 N45°37.84'

W84°39.85' 029° 26.4 NM to fld. 840/6W. HIWAS.



HIGHLAND

PONDEROSA HELIPORT (13D) 2W UTC-5(4DT) N42°37.75' W83°40.99'

DETROIT

1017 NOTAM FILE LAN

COPTER

HELIPAD H1: H18X18(CONC)

HELIPORT REMARKS: Unattended. Helipad H1 perimeter lgts. ACTIVATE H1 perimeter lgts and VASI—123.025.

COMMUNICATIONS: CTAF 122.9

HILLMAN (Y95) 2 NW UTC-5(-4DT) N45°04.98' W83°56.04'

LAKE HURON

850 NOTAM FILE LAN

L-31C

RWY 04-22: H3400X60 (ASPH) MIRL

RWY 04: Trees. RWY 22: Thld displcd 760'. Trees.

RWY 18-36: 2800X150 (TURF)

RWY 18: Thld displcd 1400'. Trees. RWY 36: Tree.

AIRPORT REMARKS: Attended irregularly. Rwy 18-36 surface rough and moderately rolling, not mowed. Snow removal second priority, confirm arpt condition before arrival. Rwy 18-36 marked with 3' yellow cones. ACTIVATE MIRL Rwy 04-22—CTAF.


COMMUNICATIONS: CTAF 122.9

RADIO AIDS TO NAVIGATION: NOTAM FILE APN.

ALPENA (L) VORTAC 108.8 APN Chan 25 N45°04.97'

W83°33.42' 277° 16.0 NM to fld. 677/7W. HIWAS.

Rwy 18-36: 2800 X 150



HILLSDALE MUNI (JYM) 3 E UTC-5(-4DT) N41°55.28' W84°35.15'

DETROIT

1182 B S4 FUEL 100LL, JET A NOTAM FILE JYM

L-28J

RWY 10-28: H4000X75 (ASPH) S-16 MIRL 0.5% up E

RWY 10: Tree.

RWY 28: REIL. PAPI(P4L)—GA 3.0° TCH 34'. Trees.

AIRPORT REMARKS: Attended Nov-Mar 1300-2300Z†, Apr-Oct 1300-0200Z†. Rwy 28 PAPI OTS indef.

WEATHER DATA SOURCES: AWOS-3 121.025 (517) 437-5638.

COMMUNICATIONS: CTAF/UNICOM 122.8

LITCHFIELD RCO 122.1R, 111.2T (LANSING RADIO)


® TOLEDO APP/DEP CON 134.35

RADIO AIDS TO NAVIGATIONS: NOTAM FILE LAN.

LITCHFIELD (L) VOR/DME 111.2 LFD Chan 49 N42°03.75'

W84°45.91' 141° 11.7 NM to fld. 1040/05W.

IAP



HIRAM CURE (See SUNFIELD)

HOFFMAN'S BLACK MOUNTAIN AERODROME (See Cheboygan)

HOLLAND N42°47.79' W86°09.45'. NOTAM FILE LAN.

CHICAGO

NDB (MHW) 233 HLM at Park Township. NDB unusable byd 5.5 NM.

L-28I

HOLLAND**PARK TOWNSHIP** (HLM) 3 NW UTC-5(-4DT) N42°47.76' W86°09.72'

CHICAGO

603 B FUEL 100LL TPA-1403(800) NOTAM FILE LAN

RWY 05-23: H2999X50 (ASPH) MIRL (NSTD)

RWY 05: Thld dsplcd 725'. Road.

RWY 23: Thld dsplcd 1142'. Trees.

RWY 12-30: 2245X90 (TURF)

RWY 12: Thld dsplcd 1019'. Trees.

RWY 30: Thld dsplcd 820'. Trees.


AIRPORT REMARKS: Attended irregularly. Rwy 12-30 CLOSED Nov 1 thru Mar 31 and when snow covered. Departure procedure: Rws 05 and 23 climb straight-out to 1200' MSL before turning. Rwy 12-30 and dsplcd thlds marked with 3' yellow cones. ACTIVATE NSTD MIRL Rwy 05-23—CTAF. Rwy 05-23 NSTD MIRL; lgts 24' from rwy edge.

COMMUNICATIONS: CTAF/UNICOM 122.8

PULLMAN RCO 122.1R 112.1T (LANSING RADIO)

RADIO AIDS TO NAVIGATION

HOLLAND NDB 233 HLM N42°47.79' W86°09.45' at fld.

**TULIP CITY** (BIV) 2 S UTC-5(-4DT) N42°44.57' W86°06.47'

CHICAGO

698 B S4 FUEL 100LL, JET A OX 1, 2 NOTAM FILE BIV

H-5E, 10F, L-281

RWY 08-26: H6002X100 (ASPH-GRVD) S-75, D-160, DT-175 HIRL

IAP

RWY 08: REIL. PAPI (P4L)—GA 3.0° TCH 40'. Rgt tfc.

RWY 26: REIL. MALSR. PAPI (P4L)—GA 3.0° TCH 33'. Trees.

AIRPORT REMARKS: Attended Mon-Fri 1100-0300Z, Sat and Sun 1200-0200Z. For arpt attendant other hrs and during emerg call 616-392-7831. Deer and birds on and invof arpt. Ldg fee. Ldg fee waived with minimum fuel purchase. HIRL Rwy 08-26 preselect low ints; to increase inst and ACTIVATE MALSR Rwy 26; REIL Rwy 08; PAPI Rwy 08 and Rwy 26—CTAF.

WEATHER DATA SOURCES: ASOS 119.025 (616) 394-0190**COMMUNICATIONS:** CTAF/UNICOM 123.05

PULLMAN RCO 122.1R, 112.1T (LANSING RADIO)

① MUSKOGON APP/DEP CON 119.8 (1100-0400Z)

MUSKOGON CLNC DEL 123.95


② CHICAGO CENTER APP/DEP CON 128.5 (0400-1100Z)

RADIO AIDS TO NAVIGATION: NOTAM FILE LAN.

PULLMAN (H) VOR/DME 112.1 PMM Chan 58 N42°27.96'

W86°06.29' 360° 16.6 NM to fld. 640/00E.

ILS/DME 110.55 I-BIV Chan 42Y Rwy 26.

**HOME ACRES SKY RANCH** (See LAKE CITY)**HONEY ACRES** (See CLINTON)**HOUGHTON CO MEM** (See HANCOCK)**HOUGHTON LAKE HEIGHTS****HOUGHTON LAKE STATE** (5Y2) 1 W UTC-5(-4DT) N44°19.75' W84°47.50'

LAKE HURON

1165 NOTAM FILE LAN

RWY 16-34: 2750X104 (TURF)

RWY 16: Thld dsplcd 550'. Brush.

RWY 34: Thld dsplcd 900'. Trees.

AIRPORT REMARKS: Attended irregularly. Snow removal irregular—confirm condition with arpt manager on 517-422-3913. Rwy 16 has 35' p-line on centerline 315' from thld. Rwy 16 marked with yellow cones.

COMMUNICATIONS: CTAF 122.9**HOUGHTON LAKE** N44°21.53' W84°39.94' NOTAM FILE HTL.

LAKE HURON

(T) VOR/DME 111.6 HTL Chan 53 at Roscommon Co-Blodgett Meml. 1145/5W. ASOS.

L-31C

VOR/DME unmonitored dusk to 1300Z.

HOUGHTON LAKE**ROSCOMMON CO—BLODGETT MEML** (HTL) 5 NE UTC-5(-4DT) N44°21.59' W84°40.27'

LAKE HURON

1150 B S4 FUEL 100LL, JET A NOTAM FILE HTL

L-31C

RWY 09-27: H4000X75 (ASPH) S-24 HIRL

IAF

RWY 09: REIL. PAPI(P4L)—GA 4.0° TCH 32'. Trees.

RWY 27: REIL. PAPI(P4R)—GA 3.5° TCH 32'. Trees.

RWY 18-36: 2200X100 (TURF)

RWY 18: Thld displcd 200'. Trees.

RWY 36: Thld displcd 200'. Trees.

AIRPORT REMARKS: Attended 1300-2230Z†. Arpt unattended

Christmas and Thanksgiving. Rwy 18-36 CLOSED when snow covered except for ski-equipped acft. Animals on and invof arpt. Rwy 18-36 marked with 3' yellow cones. HIRL Rwy 09-27 preset on low ints dusk-0200Z†; after 0200Z† ACTIVATE—CTAF. To increase ints and ACTIVATE REIL and PAPI Rwy 09 and 27—CTAF. 2203' MSL (883' AGL) twr 4.2 NM southwest of arpt.


WEATHER DATA SOURCES: ASOS 111.6 HTL (989) 366-4825.**COMMUNICATIONS:** CTAF/UNICOM 122.8

WEST BRANCH RCO 122.35 (LANSING RADIO)

® MINNEAPOLIS CENTER APP/DEP CON 132.9

RADIO AIDS TO NAVIGATION: NOTAM FILE HTL.

HOUGHTON LAKE (T) VORW/DME 111.6 HTL Chan 53 N44°21.53' W84°39.94' at fld. 1145/5W. ASOS.

**HOUGHTON LAKE STATE** (See HOUGHTON LAKE HEIGHTS)**HOWARD NIXON MEML** (See CHESANING)**HOWELL** N42°38.03' W83°59.26'. NOTAM FILE OZW.

DETROIT

NDB (MHW) 243 OZW at Livingston Co Spencer J. Hardy.

L-28J

HOWELL**AERONUT PARK BALLOON** (13M) 4 E UTC-5(-4DT) N42°36.25' W83°51.52'

DETROIT

980 NOTAM FILE LAN

Not insp.

RWY 81: 900X250 (TURF)

AIRPORT REMARKS: Attended irregularly. Contact owner at 517-552-1236 when using for first time. Acft in the vicinity using Rwy 09-27 adjacent to the S at McKenzie's Landing (1MI5). No snow removal. Support vehicles be alert when driving on grass in spring and fall when wet due to possible soft areas.

COMMUNICATIONS: CTAF 122.9**LIVINGSTON CO SPENCER J. HARDY** (OZW) 3 NW UTC-5(-4DT) N42°37.77' W83°58.93'

DETROIT

962 B S4 FUEL 100LL, JET A TPA-2001(1039) NOTAM FILE OZW

COPTER

RWY 13-31: H5002X100 (CONC-GRVD) S-30 HIRL 0.4% up NW

H-10G, L-28J

RWY 13: MALSR. PAPI(P4L)—GA 3.0° TCH 47'. Trees.

IAF

RWY 31: REIL. PAPI(P4L)—GA 3.0° TCH 30'. Trees.

AIRPORT REMARKS: Attended Mon-Fri 1200-0100Z†, Sat-Sun 1300-0100Z†. For fuel after hrs phone 517-548-4945. Deer and birds on and invof arpt. Rwy 13 PAPI OTS indef. HIRL Rwy 13-31 ops low ints dusk-0300Z†; to increase ints and ACTIVATE after 0300Z†—CTAF. ACTIVATE REIL Rwy 31 and MALSR Rwy 13—CTAF. PAPI Rwy 13 and Rwy 31 ops dawn-dusk, thereafter—CTAF.

WEATHER DATA SOURCES: AWOS-3 118.875 (517) 546-4450.**COMMUNICATIONS:** CTAF/UNICOM 123.0

® DETROIT APP/DEP CON 127.5 CLNC DEL 121.725

GCO 121.725 (DETROIT METRO CLNC and FLIGHT SERVICES)

RADIO AIDS TO NAVIGATION: NOTAM FILE LAN.


SALEM (L) VORTAC 114.3 SVM Chan 90 N42°24.53'

W83°35.65' 311° 21.7 NM to fld. 950/3W.

HOWELL NDB (MHW) 243 OZW N42°38.03' W83°59.26' at fld. NOTAM FILE OZW.

ILS/DME 108.55 I-OGO Chan 22Y Rwy 13. ILS/DME unmonitored.

COMM/NAV/WEATHER REMARKS: For CLNC DEL key frequency 121.725 4 times. To contact FSS key frequency 121.725 6 times; one second on/one second off; monitor 121.725 while electronic equipment dials Detroit CLNC DEL/Lansing FSS.



RAETHER (4Y1) 6 SE UTC-5(-4DT) N42°33.92' W83°51.39'

DETROIT

982 NOTAM FILE LAN

COPTER

RWY 17-35: 2206X60 (TURF)

RWY 17: Thld dsplcd 440'. Trees.

RWY 35: Thld dsplcd 553'. Trees.

AIRPORT REMARKS: Attended irregularly. Deer on and invof rwy. Ultralight activity on and invof arpt. Heavy equipment adjacent to W side of Rwy 35. Rwy 17-35 thld and dsplcd thlds marked with 3' cones.

COMMUNICATIONS: CTAF 122.9

HURON CO MEM (See BAD AXE)

INDIAN CREEK RANCH (See DECKERVILLE)

INDIAN RIVER

CALVIN CAMPBELL MUNI (Y65) 1 E UTC-5(-4DT) N45°24.50' W84°36.00'

LAKE HURON

602 FUEL 100LL NOTAM FILE LAN

L-31C

RWY 10-28: H3006X50 (ASPH) LIRL

RWY 10: Trees.

RWY 28: Thld dsplcd 600'. Trees.

AIRPORT REMARKS: Attended irregularly. Snow removal intermittent; to verify condition call 231-238-8614. Deer and birds on and invof arpt. ACTIVATE LIRL Rwy 10-28—CTAF.

COMMUNICATIONS: CTAF 122.9

RADIO AIDS TO NAVIGATION: NOTAM FILE PLN.

PELLSTON (L) VORTACW 111.8 PLN Chan 55 N45°37.84' W84°39.85' 175° 13.6 NM to fld. 840/6W.

HIWAS.

INTERLOCHEN

GREEN LAKE (Y88) 3 S UTC-5(-4DT) N44°36.37' W85°45.51'

GREEN BAY

866 NOTAM FILE LAN

RWY 05-23: 2800X170 (TURF)

RWY 05: Trees.

RWY 23: Thld dsplcd 600'. Trees.

RWY 16-34: 1700X170 (TURF)

RWY 16: Thld dsplcd 200'. Trees.

RWY 34: Thld dsplcd 380'. Trees.

AIRPORT REMARKS: Unattended. CLOSED Nov-Mar. Remote control model acft opr area south of Rwy 34 end. 460' antenna 1.25 NM N of arpt. Noise sensitive area one mile N of arpt. Athletic fids on centerline N end Rwy 16-34; Do not use rwy when in use. Rwy 05-23 and Rwy 16-34 and dsplcd thlds marked with 3' yellow cones.

COMMUNICATIONS: CTAF 122.9

IONIA CO (Y70) 3 S UTC-5(-4DT) N42°56.28' W85°03.63'

CHICAGO

818 B S4 FUEL 100LL NOTAM FILE LAN

L-281

RWY 09-27: H4300X75 (ASPH) S-19 MIRL 0.3% up W

IAP

RWY 09: PAPI(P4L)—GA 3.0° TCH 25'. Tree.

RWY 27: REIL. PAPI(P4L)—GA 3.0° TCH 22'. Trees.

RWY 18-36: 4290X340 (TURF) 0.3% up S

RWY 18: Trees.

RWY 36: Tree.

AIRPORT REMARKS: Attended 1400-2200Z+. Rwy 18-36 CLOSED 15 Nov-15 Apr. Glider ops conducted S of Rwy 09-27 and W of Rwy 18-36 use freq 123.3 in practice area. Gliders use 122.8 in tfc pattern. ACTIVATE rotating bcn—122.8. ACTIVATE MIRL Rwy 09-27, PAPI and REIL Rwy 27—122.8. Rwy 18-36 ends marked with 3' yellow cones; rwy edges defined by mowing. Acft parked adjacent to Rwy 18-36 and 09-27 during glider operations.

COMMUNICATIONS: CTAF/UNICOM 122.8

GRAND RAPIDS RCO 122.1R 115.95 (LANSING RADIO)


® **LANSING APP/DEP CON** 118.65

GCO 121.725 (GRAND RAPIDS CLNC and FLIGHT SERVICES)

RADIO AIDS TO NAVIGATION: NOTAM FILE LAN.

LANSING (L) VORTACW 110.8 LAN Chan 45 N42°43.04'

W84°41.85' 315° 20.8 NM to fld. 887/5W.



IOSCO CO (See EAST TAWAS)

IRON CO (See CRYSTAL FALLS)

IRON MOUNTAIN N45°48.96' W88°06.73' NOTAM FILE IMT.

GREEN BAY

(L) VOR/DME 111.2 IMT Chan 49 at Ford. 1128/2W.

L-31A

DME unusable 141°-220° byd 20 NM blo 2900'; 221°-315° byd 15 NM blo 4000'; 316°-019° byd 20 NM blo 5000'; 020°-140° blo 10000'.

RCO 122.1R 111.2T (GREEN BAY RADIO)

IRON MOUNTAIN/KINGSFORD**FORD** (IMT) 3 W UTC-6(-5DT) N45°49.10' W88°06.87'

GREEN BAY

1182 B S4 FUEL 100LL, JET A OX 4 TPA—See Remarks

Class II, ARFF Index A

H-21, L-31A

NOTAM FILE IMT

IAP

RWY 01-19: H6501X150 (ASPH-PFC) S-100, D-100, ST-127, DT-190 HIRL 0.8% up N

RWY 01: MALSR. Trees.

RWY 19: REIL. VASI(V4L)—GA 3.0° TCH 42'.

RWY 13-31: H3809X75 (ASPH) S-30, D-50, DT-80 MIRL

RWY 13: Trees.

RWY 31: REIL. VASI(V4L)—GA 4.0° TCH 40'. Trees.

AIRPORT REMARKS: Attended 1130-0530Z†. Ldg fee, Deer; coyotes and birds on and invof arpt. 48 hr PPR for unscheduled air carrier ops with more than 30 passenger seats call 906-774-4830. Air carrier ops involving acft with more than 9 passenger seats are not authorized in excess of 15 minutes before or after scheduled arrival/dep times without prior coordination with arpt manager and confirmation that ARFF is avbl prior to tkg or landing. ARFF crews will be monitoring UNICOM/CTAF during all air carrier ops. Snow removal crew will be monitoring CTAF/UNICOM during all air carrier ops to pass along updated sfc condition reports. ACTIVATE HIRL Rwy 01-19, MIRL Rwy 13-31, VASI Rwy 19 and 31; REIL Rwy 19 and 31; MALSR Rwy 01—CTAF. TPA—1982(800) Jet/Turbo-Jet/Prop over 12,500 lbs 2682(1500).

WEATHER DATA SOURCES: ASOS 119.025 (906) 774-1999.**COMMUNICATIONS:** CTAF/UNICOM 122.8

IRON MOUNTAIN RCO 122.1R 111.2T (GREEN BAY RADIO)


MINNEAPOLIS CENTER APP/DEP CON 121.25

AIRSPACE: CLASS E svc Mon-Fri 1200-0400Z†, Sat 1500-0100Z†, Sun 1500-0400Z† other times CLASS G.**RADIO AIDS TO NAVIGATION:** NOTAM FILE IMT.

IRON MOUNTAIN (L) VOR/DME 111.2 IMT Chan 49 N45°48.96' W88°06.73' at fld. 1128/2W.

KORDS NDB (LOM) 255 IM N45°43.63' W088°07.96' 010° 5.5 NM to fld.

ILS 111.5 I-IMT Rwy 01. Class IC. LOM KORDS NDB.

COMM/NAV/WEATHER REMARKS: UNICOM monitored part-time.**IRON RIVER****STAMBAUGH** (Y73) 1 SE UTC-6(-5DT) N46°04.73' W88°38.13'

GREEN BAY

1622 TPA—2622(1000) NOTAM FILE GRB

RWY 17-35: H2000X40 (ASPH) LIRL (NSTD)

RWY 17: Trees.

AIRPORT REMARKS: Unattended. Deer on and invof arpt. 100' drop off at each rwy end. Rwy 17-35 slopes down from S to N. ACTIVATE LIRL Rwy 17-35—121.9. Rwy 17-35 NSTD LIRL 26' from rwy edge. Rwy 17-35 NSTD basic marking; does not start at pavement edge. Rwy 17-35 numerous cracks in rwy.

COMMUNICATIONS: CTAF 122.9**IRONWOOD** N46°31.94' W90°07.55' NOTAM FILE IWD.

GREEN BAY

(L) VORTACW 108.8 IWD Chan 25 at Gogebic-Iron Co. 1230/1E. HIWAS.

L-141

RCO 122.3 (GREEN BAY RADIO)

IRONWOOD**GOGEBIC—IRON CO**

(IWD) 7 NE UTC-6(-5DT) N46°31.65' W90°07.88'

1230 B FUEL 100LL, JET A Class II, ARFF Index A NOTAM FILE IWD

RWY 09-27: H6501X130 (ASPH-GRVD) S-85, D-150, ST-175, DT-280 HIRL

RWY 09: REIL. VASI(V4L)—GA 3.0° TCH 47'. Trees.

RWY 27: MALSR. Trees.

RUNWAY DECLARED DISTANCE INFORMATION

RWY 09: TORA-6501 TODA-6501 ASDA-6501 LDA-6501

RWY 27: TORA-6501 TODA-6501 ASDA-6501 LDA-6501

AIRPORT REMARKS: Attended 1400-0200Z†. Be alert for PAEW during

snow removal. Arpt signs may be snow covered during winter

months. Arpt CLOSED to unscheduled air carrier ops with more

than 30 passenger seats except 48 hr PPR call arpt manager

906-932-3121. Various wildlife on and in/ov arpt. Rwy 09 REIL

OTS indef. ACTIVATE HIRL Rwy 09-27; REIL Rwy 09; MALSR Rwy

27—CTAF. Ldg fee. Landing fees waived if fuel purchased.

Firefighting personnel will be monitoring CTAF during all scheduled

air carrier ops. Arpt will be monitoring CTAF during all scheduled

air carrier ops to convey latest rwy conditions during winter wx.

WEATHER DATA SOURCES: AWOS-3 125.175 (906) 932-4039.

HIWAS 108.8 IWD.

COMMUNICATIONS: CTAF/UNICOM 122.8


IRONWOOD RCO 122.3 (GREEN BAY RADIO)

® MINNEAPOLIS CENTER APP/DEP 133.55

RADIO AIDS TO NAVIGATION: NOTAM FILE IWD.

IRONWOOD (L) VORTACW 108.8 IWD Chan 25 N46°31.94' W90°07.55' at fld. 1230/1E. HIWAS.

ILS 111.5 I-IWD Rwy 27. Class IT. Unmonitored.



GREEN BAY

H-2J, L-14I

IAP

ISHPEMING**EDWARD F JOHNSON**

(M61) 10 S UTC-5(-4DT) N46°20.71' W87°47.31'

1446 NOTAM FILE GRB

RWY 18-36: 2200X100 (TURF)

RWY 18: Trees.

RWY 36: Thld displcd 200'. Trees.

AIRPORT REMARKS: Unattended. CLOSED winter months Dec-Apr and when snow covered. Rwy 18-36 rough with

sandy areas. Lgtd 419' AGL twr located 6100' south of arpt and 600' right of extended centerline Rwy 18-36.

Rwy 18 marked with 3' yellow cones.

COMMUNICATIONS: CTAF 122.9

GREEN BAY

JABLONSKI

(See NUNICA)

JACK BARSTOW

(See MIDLAND)

JACKSON CO-REYNOLDS FLD (JXN) 2 W UTC-5(-4DT) N42°15.63' W84°27.63'

DETROIT

1000 B S4 FUEL 100LL, JET A NOTAM FILE JXN

H-106, L-28J

RWY 06-24: H5349X150 (ASPH - GRVD) S-44, D-60, DT-90 HIRL

IAP, AD

RWY 06: VASI(V4L)—GA 3.0° TCH 27'. Thld dsplcd 440'. Railroad.

RWY 24: MALSR. Trees.

RWY 14-32: H4000X100 (ASPH) S-30, D-30 MIRL 0.3% up SW

RWY 14: PAPI(P4L). Trees.

RWY 32: REIL. VASI (V4L)—GA 3.75° TCH 45'. Road.

LAND AND HOLD SHORT OPERATIONS

LANDING	HOLD SHORT POINT	DIST AVBL
RWY 24	14-32	3406

AIRPORT REMARKS: Attended Apr-Oct Mon-Fri 1200-0100Z±, Nov-Mar Mon-Fri 1200-0000Z±. CAUTION: Deer and birds on and in/ovf arpt. Low altitude acft ops prohibited in/ovf prison 4 mi NE. When twr closed ACTIVATE HIRL Rwy 06-24 and MIRL Rwy 14-32; VASI Rwy 06 and Rwy 32; REIL Rwy 32; MALSR Rwy 24—CTAF.

WEATHER DATA SOURCES: ASOS (517) 768-7506.**COMMUNICATIONS:** CTAF 128.475 ATIS 125.725

UNICOM 122.95

RCO 122.2 (LANSING RADIO)

® LANSING APP/DEP CON 127.3

TOWER 128.475 (1200-0200Z±) GND CON 121.9

CLNC DEL 121.9


AIRSPACE: CLASS D svc 1200-0200Z± other times CLASS E.**RADIO AIDS TO NAVIGATION:** NOTAM FILE JXN.

(L) VORW/DME 109.6 JXN Chan 33 N42°15.55' W84°27.51' at fld. 995/5W.

VOR portion unusable 250°-310° byd 20 NM. DME portion unusable 075°-225° byd 10 NM blo 3000'.

JAKSO NDB (LOM) 212 JX N42°19.07' W84°21.93' 236° 5.5 NM to fld.

ILS 109.1 I-JXN Rwy 24 LOM JAKSO NDB. ILS and LOM unmonitored when twr clsd.

**JAKSO** N42°19.07' W84°21.93' NOTAM FILE JXN.

DETROIT

NDB (LOM) 212 JX 236° 5.5 NM to Jackson Co-Reynolds Fld. LOM unmonitored when twr clsd.

JAMES CLEMENTS MUNI (See BAY CITY)**JENISON****RIVERVIEW** (Ø8C) 3 NW UTC-5(-4DT) N42°56.15' W85°48.30'

CHICAGO

603 B FUEL 100LL NOTAM FILE LAN

L-281

RWY 14-32: H3920X49 (ASPH) MIRL

RWY 14: Trees. RWY 32: Thld dsplcd 1196'. Trees.


AIRPORT REMARKS: Attended Mon-Fri 1300-2200Z±, Sat-Sun irregularly. Fuel 24 hr self serve. Deer and birds on and in/ovf arpt. Rwy 14-32 trees and shrubs in transition zone both sides.

ACTIVATE MIRL Rwy 14-32—CTAF.

COMMUNICATIONS: CTAF 122.9 UNICOM 123.0**RADIO AIDS TO NAVIGATION:** NOTAM FILE MKG.

MUSKEGON (L) VORTACW 115.2 MKG Chan 99 N43°10.16'

W86°02.36' 144° 17.4 NM to fld. 659/1W. HIWAS.

**JERRY TYLER MEML** (See NILES)

KALAMAZOO**KALAMAZOO/BATTLE CREEK INTL** (AZO) 3 SE UTC-5(-4DT) N42°14.06' W85°33.09'**CHICAGO**

874 B S4 FUEL 100LL, JET A OX 1, 3 TPA-1674(800) NOTAM FILE AZO

H-5E, 10F, L-281

LRA Class I, ARFF Index B

IAP, AD

RWY 17-35: H6502X150 (ASPH-GRVD) S-85, D-121, ST-153, DT-240 HIRL**RWY 17:** REIL. PAPI(P4L)—TCH 45'. Trees.**RWY 35:** MALSR. PAPI(P4L)—GA 3.0° TCH 53'. Railroad.**RWY 05-23:** H3438X100 (ASPH-GRVD) S-30, D-45, DT-60 MIRL 0.7% up SW**RWY 05:** REIL. PAPI(P4L)—GA 3.0° TCH 28'. Pole.**RWY 23:** REIL. PAPI(P4L)—GA 3.5° TCH 34'. Tree.**RWY 09-27:** H2800X60 (ASPH) S-30, D-60 MIRL 0.4% up W**RWY 09:** Tree.**RWY 27:** Railroad.

AIRPORT REMARKS: Attended continuously. Rwy 05-23 avbl for air carrier twy only and Rwy 09-27 not avbl for air carrier ops with more than 10 passenger seats. Migratory water fowl roosting area 5500' apch end Rwy 35. Birds on and invof arpt. PPR for unscheduled air carrier ops with more than 30 passenger seats call arpt manager 269-388-3668. Rwy 09 and Rwy 05 apch ends are closely aligned. Verify correct rwy and compass heading prior to departure. When twr clsd HIRL Rwy 17-35 preset on low ints; to increase ints and ACTIVATE MIRL Rwy 05-23 and Rwy 09-27; MALSR Rwy 35; PAPI Rwy 05, Rwy 23, Rwy 17, and Rwy 35; REIL Rwy 05, Rwy 23 and Rwy 17—CTAF. FAR PART 36 noise limits in effect 0400-1130Z†. For customs call 269-965-3349. Twys F and G east of Rwy 17-35 restricted acft less than 12,500 lbs.

WEATHER DATA SOURCES: ASOS (269) 384-5729. LAWRS.**COMMUNICATIONS:** CTAF 118.3 ATIS 127.25 UNICOM 122.95

RCO 122.1R 109.0T (LANSING RADIO)

① APP/DEP CON 121.2 (175°-353°) 119.2 (354°-174°) 123.8 (1100-0400Z‡)

① CHICAGO CENTER APP/DEP CON 127.55 (0400-1100Z‡)

TOWER 118.3 (1100-0400Z‡) GND CON 121.9 CLNC DEL 121.75


AIRSPACE: CLASS D svc 1100-0400Z‡ other times CLASS G.

TRSA svc etc APP CON

RADIO AIDS TO NAVIGATION: NOTAM FILE AZO.

(L) VOR/DME 109.0 AZO Chan 27 N42°14.22' W85°33.19' at fld. 870/1W.

DME portion unusable byd 35 NM blo 2500'.

AUSTN NDB (LOM) 371 AZ N42°07.86' W85°31.79' 354° 6.3 NM to fld. Unmonitored when twr clsd.**ILS** 110.9 I-AZO Rwy 35. LOM AUSTN NDB. LOC BC unusable byd 10° left and right of course. LOC BC unusable byd 10 NM. LOC and GS unmonitored when twr closed.**ASR** (1100-0400Z‡)**NEWMAN'S** (4NØ) 7 W UTC-5(-4DT) N42°17.34' W85°45.00'**CHICAGO**

840 NOTAM FILE LAN

RWY 18-36: 2697X125 (TURF) LIRL**RWY 18:** Thld dspcd 191'. Trees. **RWY 36:** Thld dspcd 385'. Tree.**AIRPORT REMARKS:** Attended irregularly. Deer invof rwy. Rwy 18-36 and dspcd thlds marked with 3' yellow cones.

ACTIVATE LIRL Rwy 18-36—122.9.

COMMUNICATIONS: CTAF: 122.9**KALKASKA CITY** (Y89) 1 SW UTC-5(-4DT) N44°43.51' W85°12.19'**GREEN BAY**

1030 NOTAM FILE LAN

L-31B

RWY 10-28: H3500X75 (ASPH) MIRL**RWY 10:** PAPI(P2L)—GA 3.0° TCH 24'. Trees.**RWY 28:** PAPI(P2L)—GA 4.0° TCH 32'. Trees.**AIRPORT REMARKS:** Unattended. Deer and birds on and invof arpt. ACTIVATE MIRL Rwy 10-28 and PAPI Rwy 10 and Rwy 28—CTAF.**COMMUNICATIONS:** CTAF 122.9**RADIO AIDS TO NAVIGATION:** NOTAM FILE TVC.**TRAVERSE CITY (H) VORTACW** 114.6 TVC Chan 93 N44°40.07' W85°33.00' 079° 15.2 NM to fld. 912/2W.

HIWAS

KEELER N42°08.66' W86°07.36' NOTAM FILE LAN.**CHICAGO**

(L) VOR/DME 116.6 ELX Chan 113 182° 9.1 NM to Dowagiac Muni. 795/00E.

H-5E, 10F, L-281

RCO 122.1R 116.6T (LANSING RADIO)

KENT CITY**WILDERNESS AIRPARK** (24M) 3 NE UTC-5(-4DT) N43°14.69' W85°42.70'

CHICAGO

785 NOTAM FILE LAN

RWY 09-27: 2543X100 (TURF)**RWY 09:** Thld dsplcd 537'. Trees.**RWY 27:** Thld dsplcd 335'. Road.**AIRPORT REMARKS:** Attended irregularly. Rwy 09-27 aerobotic practice area over arpt, 200' AGL to 2500' MSL. Rwy 09-27 and dspl thlds marked with 3' yellow cones.**COMMUNICATIONS:** CTAF 122.9**KINGSFORD** (See IRON MOUNTAIN/KINGSFORD)**KIRSCH MUNI** (See STURGIS)**KNOBS** N42°53.74' W85°22.72' NOTAM FILE GRR.

CHICAGO

NDB (LOM) 263 GR 266° 6.4 NM to Gerald R Ford Intl. LOM OTS indef.**KOLOE** N46°19.93' W84°32.53' NOTAM FILE CIU.

LAKE HURON

NDB (MH/LOM) 400 CI 155° 5.7 NM to Chippewa Co Intl. NDB unmonitored.

L-31B

KORDS N45°43.63' W088°07.96' NOTAM FILE IMT.**NDB (LOM)** 255 IM 010° 5.5 NM to Ford.**LAKE CITY****HOME ACRES SKY RANCH** (Y91) 2 E UTC-5(-4DT) N44°19.22' W85°10.27'

GREEN BAY

1247 B TPA-2047(800) NOTAM FILE LAN

RWY 09-27: 3830X160 (TURF) LIRL**RWY 09:** Thld dsplcd 376'. Road.**RWY 27:** Thld dsplcd 1164'. Trees.**RWY 18-36:** 2550X150 (TURF) LIRL**RWY 18:** Thld dsplcd 257'. Road.**RWY 36:** Thld dsplcd 396'. Road.**AIRPORT REMARKS:** Attended irregularly. No snow removal. Deer and birds on and invof arpt. Tall trees along both rwys and at the intersection of Rwy 09-27 and Rwy 18-36 blocking the view of intersecting rwy. ACTIVATE LIRL Rwys 09-27 and 18-36-CTAF. Rwy 09-27 and Rwy 18-36 marked with 3' yellow cones. For airframe and power plant repairs call 231-839-4009.**COMMUNICATIONS:** CTAF/UNICOM 123.0**COMM/NAV/WEATHER REMARKS:** UNICOM unmonitored.**LAKE ISABELLA AIRPARK** (D15) 1 E UTC-5(-4DT) N43°38.67' W84°58.92'

DETROIT

886 NOTAM FILE LAN

RWY 11-29: H2582X50 (ASPH)**RWY 11:** Thld dsplcd 1089' Tree.**RWY 29:** Thld dsplcd 717'. Trees.**AIRPORT REMARKS:** Unattended. Snow removal irregular, for arpt conditions call 898-644-8654.**COMMUNICATIONS:** CTAF/UNICOM 122.8**LAKES OF THE NORTH** (See GAYLORD)

LAKEVIEW ARPT—GRIFFITH FLD (13C) 1 NE UTC-5(-4DT) N43°27.13' W85°15.89'

CHICAGO

969 B S4 FUEL 100LL NOTAM FILE LAN

L-281

RWY 09-27: H3500X75 (ASPH) S-12 MIRL

IAP

RWY 09: REIL. PAPI(P2L)-GA 3.0° TCH 40'. Trees.

RWY 27: REIL. PAPI(P2L)-GA 3.0° TCH 50'. Trees.

AIRPORT REMARKS: Attended 1300Z†-dusk. For service after hrs call assistant arpt manager on 616-527-0915. ACTIVATE MIRL Rwy 09-27; PAPI and REIL Rwsy 09 and 27—CTAF. Agricultural and Helicopter ops on grass area N of Rwy 09-27.

COMMUNICATIONS: CTAF/UNICOM 122.8


① GRAND RAPIDS APP/DEP CON 124.6 (1030-0500Z†)

① CHICAGO CENTER APP/DEP CON 128.5 (0500-1030Z†)

RADIO AIDS TO NAVIGATION: NOTAM FILE LAN.

WHITE CLOUD (L) VOR/DME 117.6 HIC Chan 123 N43°34.49'

W85°42.97' 111° 21 NM to fld. 920/1W.

**LAMBERTVILLE****TOLEDO SUBURBAN** (DUH) 2 SW UTC-5(-4DT) N41°44.15' W83°39.35'

DETROIT

669 B S4 FUEL 100LL, JET A NOTAM FILE DUH

L-281

RWY 09-27: H4851X50 (ASPH) MIRL

IAP

RWY 09: Thld dsplcd 1298'. Trees.

RWY 27: Thld dsplcd 1017'. Road.

AIRPORT REMARKS: Attended May-Sept 1300-0100Z†, Oct-Apr 1300-2300Z†. Deer on and invof arpt. Parallel twy CLOSED indef. 4' fence 110' N side of rwy. Crops 50' S side of rwy in primary surface. ACTIVATE NSTD MIRL Rwy 09-27—CTAF.

WEATHER DATA SOURCES: AWOS-3 119.175 (734) 856-1563.**COMMUNICATIONS:** CTAF/UNICOM 122.7


WATERVILLE RCO 122.1R 113.1T (CLEVELAND RADIO)

① TOLEDO APP/DEP CON 134.35

RADIO AIDS TO NAVIGATION: NOTAM FILE CLE.

WATERVILLE (L) VOR/DME 113.1 VVW Chan 78 N41°27.09'

W83°38.32' 359° 17.1 NM to fld. 660/2W.

**LANSING** N42°43.05' W84°41.86' NOTAM FILE LAN.

DETROIT

(L) VORTACW 110.8 LAN Chan 45 340° 3.8 NM to Abrams Muni. 887/5W.

H-5E, 10G, L-28J

VOR unusable 102°-158° blo 5000'.

RCO 122.2 (LANSING RADIO)

LANSING

CAPITAL CITY (LAN) 3 NW UTC-5(-4DT) N42°46.72' W84°35.20'

861 B S4 FUEL 100LL, JET A OX 1 AOE ARFF Index—See Remarks
NOTAM FILE LANDETROIT
H-5E, 10G, L-28J
IAP, AD

RWY 10R-28L: H8002X150 (ASPH-GRVD) S-100, D-175, ST-175, DT-300 HIRL

RWY 10R: MALSR. RWY 28L: MALSR. Thld dsplcd 751'.

RWY 06-24: H5002X120 (ASPH) S-45, D-65, ST-82,
DT-100 MIRL

RWY 06: REIL. PAPI(P4L)—GA 3.0° TCH 40'. Road.

RWY 24: REIL. PAPI(P4L)—GA 3.0° TCH 42'. Trees.

RWY 10L-28R: H3601X75 (ASPH) S-12 MIRL

RWY 10L: Trees. RWY 28R: Road.

RUNWAY DECLARED DISTANCE INFORMATION

RWY 10R: TORA-8001 TODA-8001 ASDA-7251 LDA-7251

RWY 28L: TORA-8001 TODA-8001 ASDA-8001 LDA-7251

AIRPORT REMARKS: Attended continuously. Birds on and invof arpt.

Class I, ARFF Index B. ARFF index C avbl on request; call arpt manager 517-321-6121. Rwy 10L-28R not avbl to air carrier acft with more than 9 passenger seats. Twy A N of Rwy 28; Twys E and G not avbl to air carrier acft with more than 9 passenger seats. Ldg fee. Acft blo 6500 lbs exempt from ldg fee. Intl arrivals accepted up to 20 passenger seats. Flight Notification Service (ADCUS) avbl.

WEATHER DATA SOURCES: ASOS (517) 886-0015. LLWAS.

COMMUNICATIONS: ATIS 119.75 UNICOM 122.95

LANSING FSS (LAN) on arpt.

LANSING RCO 122.2 (LANSING RADIO)

① LANSING APP/DEP CON 133.475 (North) 118.65 (South)

LANSING TOWER 119.9 GND CON 121.9 CLNC DEL 123.675

AIRSPACE: CLASS C svc continuous ctc APP CON

RADIO AIDS TO NAVIGATION: NOTAM FILE LAN.


LANSING (L) VORTACW 110.8 LAN Chan 45 N42°43.04' W84°41.85' 058° 6.1 NM to fld. 887/5W.

ARTDA NDB (LOM) 393 LA N42°46.64' W84°29.86' 276° 3.9 NM to fld.

ILS 110.1 I-LAN Rwy 28L LOM ARTDA NDB.

ILS 111.7 I-CPQ Rwy 10R. Class ID.

ASR



LAPEER

DUPONT-LAPEER (D95) 2 NE UTC-5(-4DT) N43°03.99' W83°16.32'

DETROIT
L-28J
IAP

834 B S4 FUEL 100LL NOTAM FILE LAN

RWY 18-36: H3800X75 (ASPH) MIRL

RWY 18: REIL. PAPI(P4L)—GA 4.0° TCH 36'. Road.

RWY 36: REIL. PAPI (P2L)—GA 4.0° TCH 33'. P-line.

RWY 09-27: 1900X150 (TURF)

RWY 09: Thld dsplcd 500'. Bldg. RWY 27: Trees.

AIRPORT REMARKS: Attended Apr-Oct 1300-0100Z. Nov-Mar

1300-2300Z. Arpt unattended Christmas, New Year's, Easter Sun and Thanksgiving day. Rwy 09-27 CLOSED Nov thru Apr. Two center and S twy connectors clsd indef. Rwy 09-27 and dsplcd thld marked with 3' yellow cones. Rotating bcn opr dusk-0400Z. For rotating bcn after 0400Z. ACTIVATE—CTAF. ACTIVATE MIRL Rwy 18-36, PAPI Rwy 18 and Rwy 36 and REIL Rwy 18 and Rwy 36—CTAF.

COMMUNICATIONS: CTAF/UNICOM 123.0

FLINT RCO 122.3 (LANSING RADIO)

① FLINT APP/DEP CON 128.55 (N/W of active rwy) 118.8 (E/S of active rwy) (1045-0430Z)


CLEVELAND CENTER APP/DEP CON 127.7 (0430-1045Z)

RADIO AIDS TO NAVIGATION: NOTAM FILE FNT.

FLINT (H) VORTACW 116.9 FNT Chan 116 N42°58.01'

W83°44.82' 080° 21.7 NM to fld. 772/6W.

COMM/NAV/WEATHER REMARKS: APP CON sectorization based upon Flint rwy usage. APP/DEP CON and CLNC DEL not available on the ground.



LARSEN AIR PARK (See BELLEVILLE)

LENAWEE CO (See ADRIAN)

LEO E. GOETZ CO (See ONAWAY)

LEWISTON
GARLAND (8M8) 5 SE UTC-5(-4DT) N44°48.39' W84°16.57'

LAKE HURON
H-2K, 11A, L-31C

1218 B NOTAM FILE LAN

RWY 18-36: H5047X75 (ASPH) S-15 MIRL

RWY 18: Trees. RWY 36: PAPI(P2L)—GA 3.0° TCH 41'. Thld dsplcd 400'. Tree.

AIRPORT REMARKS: Unattended. Rwy 18-36 sfc large cracks in pavement. Non-aviation related cargo ops on north ramp. No acft parking. Acft use west ramp. Fence around arpt—keep gate clsd. ACTIVATE MIRL Rwy 18-36—CTAF. Landing fee.

COMMUNICATIONS: CTAF/UNICOM 122.8**RADIO AIDS TO NAVIGATION:** NOTAM FILE LAN.

GAYLORD (L) VORW/DME 109.2 GLR Chan 29 N45°00.75' W84°42.26' 130° 22NM to fld. 1318/4W.

LINCOLN
FLYING M RANCH (3L7) 3 NE UTC-5(-4DT) N44°44.30' W83°22.78'
LAKE HURON

830 NOTAM FILE LAN

RWY 09-27: 2200X90 (TURF)

RWY 09: Thld dsplcd 600'. P-line. RWY 27: Trees.

AIRPORT REMARKS: Attended May-Oct irregularly. Arpt CLOSED Nov-Apr and when snow covered. No snow removal. Occasional deer on rwy. Rwy 09-27 surface slightly rough and irregular on rolling terrain. Rwy slopes down from west to east. Rwy soft in spring. Rwy 09 p-line marked with orange balls.

COMMUNICATIONS: CTAF/UNICOM 123.0

LINDEN
PRICES (9G2) 1 S UTC-5(-4DT) N42°48.46' W83°46.20'

DETROIT
COPTER
L-28J
IAP

920 B S2 FUEL 100LL NOTAM FILE LAN

RWY 09-27: H4000X75 (ASPH) MIRL 0.3% up W

RWY 09: REIL. Thld dsplcd 268'. Trees.

RWY 27: Thld dsplcd 800'. Trees.

AIRPORT REMARKS: Attended irregularly. Deer and birds on and in/ovf arpt. Airframe repairs: prior arrangement. ACTIVATE MIRL Rwy 09-27 and REIL Rwy 09—CTAF.

COMMUNICATIONS: CTAF/UNICOM 123.0

FLINT RCO 122.3 (LANSING RADIO)

Ⓡ **FLINT APP/DEP CON** 128.55 (N/W of active rwy) 118.8 (E/S of active rwy) (1045-0430Z±)


CLEVELAND CENTER APP/DEP CON 126.75 (0430-1045Z±)

RADIO AIDS TO NAVIGATION: NOTAM FILE FNT.

FLINT (H) VORTACW 116.9 FNT Chan 116 N42°58.01'

W83°44.82' 193° 9.6 NM to fld. 772/6W.

COMM/NAV/WEATHER REMARKS: APP CON sectorization based upon Flint rwy usage.



LITCHFIELD N42°03.75' W84°45.91' NOTAM FILE LAN.

DETROIT
H-5E, 10G, L-28J

(L) VOR/DME 111.2 LFD Chan 49 141° 11.7 NM to Hillsdale Muni. 1040/05W.

DME unusable 110°-165° byd 35 NM below 3000'.

RCO 122.1R 111.2T (LANSING RADIO)

LIVINGSTON CO SPENCER J. HARDY (See HOWELL)

LOST CREEK (See LUZERNE)

LOWELL CITY (24C) 1 N UTC-5(-4DT) N42°57.24' W85°20.64'

CHICAGO

681 S4 FUEL 100LL NOTAM FILE LAN

RWY 06-24: 2700X100 (TURF)

RWY 06: Thld dsplcd 1100'. Trees.

RWY 24: Thld dsplcd 1200'. Trees.

RWY 12-30: H2394X48 (ASPH) LIRL

RWY 12: Thld dsplcd 603'. Tree.

RWY 30: Thld dsplcd 597'. Tree.

RWY 15-33: 1940X100 (TURF)

RWY 15: Thld dsplcd 582'. Tree.

RWY 33: Thld dsplcd 388'. Tree.

AIRPORT REMARKS: Attended Apr-Oct Mon-Fri 1230-2200Z, Nov-Mar Mon-Fri 1300-2100Z. Snow removal Rwy 12-30 only. Rwy 12-30 extensive cracking length rwy. ACTIVATE LIRL Rwy 12-30-CTAF. Rwy 15-33 and dsplcd thlds marked with three 3' yellow cones. Rwy 06-24 and dsplcd thlds marked with 3' yellow cones.

COMMUNICATIONS: CTAF/UNICOM 123.0

LUCE CO (See NEWBERRY)

LUDINGTON N43°57.77' W86°24.57' NOTAM FILE LDM.

CHICAGO

NDB (MHW) 341 LDM at Mason Co.

L-281

RCO 122.45 (LANSING RADIO)

LUDINGTON

MASON CO (LDM) 2 NE UTC-5(-4DT) N43°57.75' W86°24.48'

CHICAGO

646 B S4 FUEL 100LL, JET A NOTAM FILE LDM

H-2K, L-281

RWY 08-26: H5003X75 (ASPH-PFC) S-25 MIRL

IAP

RWY 08: PAPI(P2L)—GA 3.0° TCH 28'. Trees.

RWY 26: REIL. PAPI(P4L)—GA 3.0° TCH 43'. Trees.

RWY 01-19: H3503X75 (ASPH-PFC) S-19 MIRL

RWY 01: PAPI(P2L).

RWY 19: PAPI(P2L). Trees.

AIRPORT REMARKS: Attended Apr-Sep 1300-2200Z, Oct-Mar 1400-2200Z. Birds and deer on and in/ovf arpt. ACTIVATE MIRL Rwy 08-26 and Rwy 01-19 PAPI Rwy 08, Rwy 26, Rwy 01 and Rwy 19, and REIL Rwy 26-CTAF.

WEATHER DATA SOURCES: AWOS-3 119.925 (231) 843-0459.

COMMUNICATIONS: CTAF/UNICOM 123.0

MANISTEE RCO 122.1R 111.4T (LANSING RADIO)

LUDINGTON RCO 122.45 (LANSING RADIO)


MINNEAPOLIS CENTER APP/DEP CON 120.85

RADIO AIDS TO NAVIGATION: NOTAM FILE MBL.

MANISTEE (L) VOR/DME 111.4 MBL Chan 51 N44°16.24'

W86°15.24' 205° 19.6 NM to fld. 618/5W.

LUDINGTON NDB (MHW) 341 LDM N43°57.77' W86°24.57' at fld. NOTAM FILE LDM.



LUZERNE

LOST CREEK (5Y4) 3 NE UTC-5(-4DT) N44°39.60' W84°14.25'

LAKE HURON

1051 NOTAM FILE LAN

RWY 18-36: 2600X100 (TURF)

RWY 18: Thld dsplcd 440'. Trees.

RWY 36: Thld dsplcd 715'. Trees.

RWY 05-23: 2200X100 (TURF)

RWY 05: Thld dsplcd 200'. Trees.

RWY 23: Thld dsplcd 415'. Trees.

AIRPORT REMARKS: Attended May-Nov irregularly. Arpt CLOSED Dec through Apr. Remote ctl model acft ops S end Rwy 05-23. Deer on and in/ovf arpt. Rwy 36 first 200' soft sand. Rwy 05-23 and Rwy 18-36 and dsplcd thlds marked with 3' yellow cones.

COMMUNICATIONS: CTAF 122.9

MACKINAC CO (See ST IGNACE)

MACKINAC ISLAND (MCD) 1 NW UTC-5(-4DT) N45°51.90' W84°38.24'

LAKE HURON

739 B TPA-1900 (1159) NOTAM FILE MCD

L-31B

RWY 08-26: H3500X75 (ASPH) S-13 MRL 0.4% up NE

IAP

RWY 08: REIL. PAPI(P4L)—GA 3.0° TCH 25'. Tree.

RWY 26: REIL. PAPI(P4L)—GA 3.5° TCH 34'. Trees.

AIRPORT REMARKS: Attended Jun-Oct 1300-2300Z; Jan-May 1230-2230Z; Nov-Dec 1300-2200Z. Noise abatement procedures: Tfc pattern altitude 1900' MSL; climb to 1900' MSL before turning; avoid flight over shore and town; no touch and go lds. Birds on and in/ov arpt. Ldg fee. ACTIVATE MRL Rwy 08-26 and PAPI Rwy 08 and 26 and REIL Rwy 08 and 26-122.8.


WEATHER DATA SOURCES: AWOS-3 118.275 (906) 847-3778.**COMMUNICATIONS:** CTAF/UNICOM 122.7

① MINNEAPOLIS CENTER APP/DEP CON 134.6

RADIO AIDS TO NAVIGATION: NOTAM FILE PLN.

PELLSTON (L) VORTACW 111.8 PLN Chan 55 N45°37.84'

W84°39.85' 011° 14.1 NM to fld. 840/6W. HIWAS.

COMM/NAV/WEATHER REMARKS: AWOS-3 visibility unreliable.**MACKINAC ISLAND** N45°53.48' W84°44.09'

LAKE HURON

RCO 122.35 (GREEN BAY RADIO) at Mackinac Co.

L-31B

MADDS N42°29.69' W83°05.60' NOTAM FILE DET.

DETROIT

NDB (LOM) 338 DE 149° 6.3 NM to Coleman A. Young Muni. Unmonitored.

MAIDENS (See WILLIAMSTON)**MALLY** N42°07.61' W86°18.80' NOTAM FILE BEH.

CHICAGO

NDB (LOM) 397 BE 274° 5.1 NM to Southwest Michigan Rgnl. Unmonitored.

MANCERLONA MUNI (D90) 2 N UTC-5(-4DT) N44°55.50' W85°04.00'

GREEN BAY

1133 NOTAM FILE LAN

RWY 18-36: 3400X140 (TURF)

RWY 18: Trees. RWY 36: Tree.

RWY 10-28: 2050X120 (TURF)

RWY 10: Thld dsplcd 830'. Trees. RWY 28: Thld dsplcd 200'. Tree.

AIRPORT REMARKS: Unattended. Arpt CLOSED when snow covered and Nov thru Apr 15 rwy not plowed. Rwy 18-36 marked with 3' yellow cones. Rwy 10-28 marked with tires.

COMMUNICATIONS: CTAF 122.9**MANCHESTER****ROSSETTIE** (75G) 3 N UTC-5(-4DT) N42°11.70' W84°01.85'

DETROIT

1005 FUEL 100LL, MOGAS NOTAM FILE LAN

COPTER

RWY 18-36: 2480X100 (TURF) LIRL (NSTD)

RWY 18: Trees. RWY 36: Thld dsplcd 665'. Tree. Rgt tfc.

AIRPORT REMARKS: Attended irregularly. Extensive glider ops on and in/ov arpt. Glider stage on the rwy. Glider instruction-123.3. Field gets muddy in spring. Rwy on rolling terrain. Rwy 18-36 NSTD LIRL due to spacing.

Rwy 18-36 marked with 2' yellow cones and painted tires.

COMMUNICATIONS: CTAF 122.9**MANISTEE** N44°16.24' W86°15.24'. NOTAM FILE MBL.

GREEN BAY

(L) VOR/DME 111.4 MBL Chan 51 at Manistee Co-Blacker. 618/5W. AWOS-3.

L-281, 31B

VOR unusable 140°-165° byd 20 NM below 5000'. DME unusable 320°-070° byd 20 NM below 3000'.

RCO 122.1R 111.4T (LANSING RADIO)

MANISTEE CO—BLACKER (MBL) 3 NE UTC-5(-4DT) N44°16.35' W86°14.81'

GREEN BAY

621 B S4 FUEL 100LL, JET A Class III, ARFF Index A NOTAM FILE MBL

H-2K, L-281, 31B

RWY 09-27: H5500X100 (ASPH) S-26, D-31 HIRL

IAP

RWY 09: REIL. PAPI(P4L)—GA 3.0° TCH 30'. Tree.

RWY 27: MALSR. PAPI(P4L)—GA 3.0° TCH 45'. Trees.

RWY 18-36: H2721X75 (ASPH) S-12.5 MIRL

RWY 18: PAPI(P2L)—GA 4.0° TCH 30'. Trees.

RWY 36: PAPI(P2L)—GA 4.0° TCH 26'. Tree.

AIRPORT REMARKS: Attended Apr-Oct 1300-0100Z† Nov-Mar 1300-2200Z†. Deer and birds on and in/ovf arpt. ARFF unavbl exc air carrier, others 24 hr PPR 231-723-4351. ARFF monitoring CTAF during air carrier ops. Part 139 certified for scheduled air carriers 10-30 seats only. Unscheduled air carriers over 30 seats not authorized. Maintenance personnel monitoring CTAF during work on twys and rwys. Twys marked with reflectors. ACTIVATE HIRL Rwy 09-27 and MIRL Rwy 18-36, REIL Rwy 09, PAPI Rwys 09, 18, 27 and 36—CTAF.

WEATHER DATA SOURCES: AWOS-3 111.4 MBL (231) 723-6073.**COMMUNICATIONS:** CTAF/UNICOM 122.8

RCO 122.1R 111.4T (LANSING RADIO)


RADIO AIDS TO NAVIGATION: NOTAM FILE MBL.

(L) VOR/DME 111.4 MBL Chan 51 N44°16.24'

W86°15.24' at fld. 618/5W. AWOS-3.

JEPOT NDB (LOM) 254 MB N44°16.25' W86°08.57' 276° 4.5NM to fld.

ILS 108.35 I-MBL Rwy 27. LOM JEPOT NDB. Unmonitored 0100-1300Z†.

**MANISTIQUE****SCHOOLCRAFT CO** (ISQ) 3 NE UTC-5(-4DT) N45°58.48' W86°10.31'

GREEN BAY

684 B FUEL 100LL, JET A NOTAM FILE ISQ

H-2K, L-31B

RWY 10-28: H5001X100 (ASPH) S-26 D-45 MIRL

IAP

RWY 10: PAPI(P2L)—GA 3.0° TCH 35'. Trees.

RWY 28: REIL. PAPI(P2L)—GA 3.0° TCH 38'. Trees.

RWY 01-19: H2501X50 (ASPH) S-26, D-45

RWY 01: Trees.

RWY 19: Trees.

AIRPORT REMARKS: Attended Mon-Fri 1200-2200Z†, Sat-Sun 1330-2300Z†. For arpt attendance call 906-341-5522 during attendance hrs; or 906-341-0515 after hours (manager residence). Birds and deer on and in/ovf arpt. Rwy 19 +100' unmarked p-line 1 mile north of rwy end. Rwy 10 PAPI OTS indef. ACTIVATE MIRL Rwy 10-28 and PAPI Rwy 10 and Rwy 28 and REIL Rwy 28—CTAF. Rwy 28 south side REIL OTS indef.


WEATHER DATA SOURCES: AWOS-3 110.4 ISQ (906) 341-8585.**COMMUNICATIONS:** CTAF/UNICOM 122.8

RCO 122.25 (GREEN BAY RADIO)


RADIO AIDS TO NAVIGATION: NOTAM FILE ISQ.

(L) VOR/DME 110.4 ISQ Chan 41 N45°58.58'

W86°10.41' at fld. 680/5W. AWOS-3.


**MAPLE GROVE** (See FOWLERVILLE)**MARE GROVE HELIPORT** (See FOWLERVILLE)

MARINE CITY (76G) 4 W UTC-5(-4DT) N42°43.25' W82°35.75'
 613 B S4 FUEL 100LL, JET A TPA-1413(800) NOTAM FILE LAN
RWY 04-22: H3100X60 (ASPH) MIRL (NSTD)
RWY 04: REIL. PAPI(P2L)—GA 4.0° TCH 25'. P-line.
RWY 22: PAPI(P2L)—GA 4.0° TCH 25'. Thld dsplcd 295'. Brush.
AIRPORT REMARKS: Attended continuously. Rwy 04-22 NSTD MIRL lctd 23' from rwy edge.
COMMUNICATIONS: CTAF/UNICOM 123.0
RADIO AIDS TO NAVIGATION: NOTAM FILE LAN.
PECK (H) VORTAC 114.0 ECK Chan 87 N43°15.36'
 W82°43.08' 177° 32.5 NM to fld. 810/7W. HIWAS.



DETROIT
L-30F

MARLETTE (77G) 1 SW UTC-5(-4DT) N43°18.71' W83°05.46'
 895 B S4 FUEL 100LL NOTAM FILE LAN
RWY 09-27: H3796X75 (ASPH) MIRL (NSTD)
RWY 09: PAPI(P4R)—GA 3.0° TCH 20'. Trees.
RWY 27: REIL. PAPI(P4R)—GA 3.0° TCH 20'. Trees.
RWY 01-19: H3497X75 (ASPH) MIRL 0.7% up N
RWY 01: PAPI(P4L)—GA 3.0° TCH 20'.
RWY 19: PAPI(P4L)—GA 3.0° TCH 20'. Trees.
AIRPORT REMARKS: Attended Mon-Fri 1300-2200Z†. Glider ops on and invof arpt. Rwy 09-27 NSTD MIRL; lgts last 2000' not split amber/white lens. ACTIVATE MIRL Rwy 01-19 and Rwy 09-27; PAPI and REIL Rwy 27—CTAF.
COMMUNICATIONS: CTAF/UNICOM 122.8
PECK RCO 122.1R 114.0T (LANSING RADIO)
 Ⓡ CLEVELAND CENTER APP/DEP CON 127.7
RADIO AIDS TO NAVIGATION: NOTAM FILE LAN.
PECK (H) VORTAC 114.0 ECK Chan 87 N43°15.35'
 W82°43.08' 289° 16.7 NM to fld. 810/7W. HIWAS.



DETROIT
L-28J
IAP

MARQUETTE**SAWYER INTL** (SAW) 17 S UTC-5(-4DT) N46°21.22' W87°23.72'**GREEN BAY**

1221 B S4 FUEL 100LL, JET A OX 1,2 LRA ARFF Index—See Remarks

NOTAM FILE SAW

H-21, L-31A

RWY 01-19: H12366X150 (ASPH-CONC-GRVD) S-75, D-175, ST-175, DT-490

HIRL

IAP, AD

RWY 01: MALSR. PAPI(P4L)—GA 3.0° TCH 66'.**RWY 19:** REIL. PAPI(P4L)—GA 3.0° TCH 62'. 0.4% down.**RUNWAY DECLARED DISTANCE INFORMATION****RWY 01:** TORA-12366 TODA-12366 ASDA-12366 LDA-12366**RWY 19:** TORA-12366 TODA-12366 ASDA-12366 LDA-12366**AIRPORT REMARKS:** Attended 1000-0100Z†. For svc after hrs call

906-222-3062 (pager). Fuel avbl 24 hrs with credit card,

multi-svc and av card. Self svc fuel located adjacent FBO ramp.

FBO svc after hrs contact 906-222-3062. Birds and deer on and

invoft arpt. PAEW on arpt monitor 119.975 (CTAF). Class I, ARFF

Index D avbl. Call arpt mgr at 906-458-6336 to confirm

availability of personnel and equipment. Air carrier ops involving

acft with more than 30 passenger seats are not authorized in

excess of 15 minutes before or after scheduled arrival/dep times

without prior coordination with arpt manager. 48 hrs prior to

unscheduled air carrier operations with more than 30 passenger

seats call arpt manager 906-458-6336. General aviation and

charter acft parking avbl at general aviation terminal only, lctd SE

corner of arpt. North entrance to air carrier ramp, south of

ARFF/SRE building, closed Nov-Mar. S half of air carrier terminal ramp not plowed Oct-Apr. Frequent snow

removal ops in progress various times Oct-Apr. Monitor CTAF. Twy A north of Twy C clsd

15 Nov-15 Apr. Twy B clsd 15 Nov-15 Apr. Twy G clsd 15 Nov-15 Apr. North air carrier ramp entrance/exit clsd


15 Nov-15 Apr. ACTIVATE HIRL Rwy 01-19, MALSR Rwy 01 and REIL Rwy 19—119.975. All lighting pilot

controlled CTAF 119.975 when ATCT closed. Rwy 01-19 75' paved shoulders each side. Ramp fees in effect.

Ramp fees may be waived with fuel purchase. FBO svc after hrs ctc 906-222-3062 (pager).

WEATHER DATA SOURCES: AWOS-3 118.375 (906) 346-5126.**COMMUNICATIONS:** CTAF 119.975 UNICOM 122.7**SAWYER RCO** 123.6 (GREEN BAY RADIO)**® MINNEAPOLIS CENTER APP/DEP CON** 119.1**SAWYER TOWER** 119.975 (1100-0300Z†) **GND CON** 121.65**AIRSPACE:** CLASS D svc 1100-0300Z† other times CLASS E.**RADIO AIDS TO NAVIGATION:** NOTAM FILE SAW.**(H) VORW/DME** 117.1 SAW Chan 118 N46°21.54' W87°23.83' at fld. 1220/4W.

VOR portion unusable 330°-090° byd 10 NM blo 8000'. DME unusable 250°-090° byd 30 NM blo 4500'.

SUOMI NDB (LOM) 410 SO N46°15.73' W87°24.97' 013° 5.6NM to fld.**ILS** 110.1 I-SOU Rwy 01. Class IE. LOM SOUMI NDB. ILS unmonitored.**COMM/NAV/WEATHER REMARKS:** No emergency frequencies at twr.

MARSHALL**BROOKS FLD** (RMY) 1 S UTC-5(-4DT) N42°15.07' W84°57.33'

DETROIT

941 B FUEL 100LL, TPA-1941(1000) NOTAM FILE RMY

L-28J

RWY 10-28: H3501X75 (ASPH) S-20 MIRL

IAP

RWY 10: PAPI (P4L)—GA 4.0° TCH 25'. Tree.

RWY 28: PAPI (P4R)—GA 4.0° TCH 36'. Trees.

AIRPORT REMARKS: Attended 1300Z†—dusk except major holidays.

Parachute activity on and in/ovf arpt. Snow removal in progress 15 Nov-15 Apr. Vehicle operators monitor CTAF. Noise abatement procedures in effect ctc arpt manager 269-781-5183 extension 1150. CAUTION: Deer on and in/ovf arpt. Extensive glider and ultralight activity on and in/ovf arpt. Ultralight acft ops south of Rwy 10-28. Ultralight acft fly left hand pattern 500' AGL, S of Rwy 10-28. MIRL Rwy 10-28 and H1 perimeter lgts preset low ints, to increase ints ACTIVATE—CTAF.

WEATHER DATA SOURCES: AWOS-3 120.025 (269) 781-9070.**COMMUNICATIONS:** CTAF/UNICOM 122.8

BATTLE CREEK RCO 122.2 (LANSING RADIO)

Ⓡ KALAMAZOO APP/DEP CON 119.2 (1100-0400Z†)


Ⓡ CHICAGO CENTER APP/DEP CON 127.55 (0400-1100Z†)

RADIO AIDS TO NAVIGATION: NOTAM FILE BTL.

BATTLE CREEK (T) VORTACW 109.4 BTL Chan 31 N42°18.59'
W85°15.14' 107° 13.7 NM to fld. 922/2W.

HELIPAD H1: H50X50 (CONC) S-12.5 PERIMETER LGTS

HELIPAD H1: Pole.

HELIPORT REMARKS: 150' lgtd water twr 3000' south of pad. 21' lgtd pole 195' northeast of pad. No snow removal.**MASON JEWETT FLD** (TEW) 1 SE UTC-5(-4DT) N42°33.95' W84°25.39'

DETROIT

920 B FUEL 100LL, JET A NOTAM FILE TEW

L-28J

RWY 10-28: H4000X75 (ASPH) S-12.5 MIRL

IAP

RWY 10: REIL. PAPI(P4L)—GA 4.0° TCH 35'. Antenna. Rgt tfc.

RWY 28: REIL. PAPI(P4L)—GA 3.0° TCH 25'. Road.


AIRPORT REMARKS: Unattended. Hangar space as avbl; confirm by prior arrangement. Deer and birds on and in/ovf arpt. MIRL Rwy 10-28; PAPI and REIL Rws 10 and 28 and rotating bcn ops SS-0500Z†, after 0500Z† ACTIVATE—CTAF. Rwy 28 PAPI unusable byd 7° right and left of centerline.

WEATHER DATA SOURCES: AWOS-3 119.425 (517) 676-5607.**COMMUNICATIONS:** CTAF/UNICOM 122.7

Ⓡ LANSING APP/DEP CON 118.65

RADIO AIDS TO NAVIGATION: NOTAM FILE LAN.

LANSING (L) VORTACW 110.8 LAN Chan 45 N42°43.04'
W84°41.85' 132° 15.2 NM to fld. 887/5W.

**MASON CO** (See LUDINGTON)**MBS INTL** (See SAGINAW)**MECOSTA MORTON** (27C) 2 W UTC-5(-4DT) N43°37.75' W85°15.75'

CHICAGO

1022 NOTAM FILE LAN

RWY 09-27: 2027X100 (TURF)

RWY 09: Thld dsplcd 546'. Road.

RWY 27: Tree.

RWY 03-21: 2010X100 (TURF)

RWY 03: Thld dsplcd 760'. Trees.

RWY 21: Thld dsplcd 460'. Trees.

AIRPORT REMARKS: Unattended. Arpt CLOSED when rws are snow covered or with standing water. No winter snow removal. Model aircraft area east of Rwy 03-21 intersection. Rwy 03-21 and dsplcd thld marked with 18 inch yellow cones. Rwy 09-27 and dsplcd thld marked with 18 inch yellow cones.

COMMUNICATIONS: CTAF 122.9

MENOMINEE—MARINETTE TWIN CO (MNM) 1 NW UTC-6(-5DT)

GREEN BAY

H-21, L-31B

IAP

N45°07.60' W87°38.31'

625 B S2 FUEL 100LL, JET A NOTAM FILE MNM

RWY 03-21: H6000X100(ASPH) S-80, D-100, ST-127,
DT-175 HIRL

RWY 03: MALSR. RWY 21: PAPI(P4L)—GA 3.0° TCH 43'.

RWY 14-32: H5100X100 (ASPH-PFC) S-30, D-35,

DT-60 MIRL 0.3% up NW

RWY 14: VASI(V4L)—GA 3.0° TCH 41'. Trees.

RWY 32: VASI(V4L)—GA 3.0° TCH 42'. Tree.

AIRPORT REMARKS: Attended Mon-Fri 1400-2300Z†, Sat

1400-1800Z†, for attendant after hrs call 906-282-0260 or
715-938-2006. 24 hr self-serve 100LL with major credit card.
Deer and gulls on and in/ovf arpt. Avoid over flight of noise
sensitive area lctd 7 miles S of arpt. 48 hr PPR for unscheduled
air carrier ops with more than 30 passenger seats call
906-863-8408. ACTIVATE HIRL Rwy 03-21, MIRL Rwy 14-32;
PAPI Rwy 21; MALSR Rwy 03—CTAF.

WEATHER DATA SOURCES: AWOS-3 109.6 MNM (906) 863-8801.

COMMUNICATIONS: CTAF/UNICOM 122.8

RCO 122.1R 109.6T (GREEN BAY RADIO)

GREEN BAY APP/DEP CON 119.5 (1130-0530Z†)


® MINNEAPOLIS CENTER APP/DEP CON 125.55 (0530-1130Z†)

RADIO AIDS TO NAVIGATION: NOTAM FILE MNM.

(L) VOR/DME 109.6 MNM Chan 33 N45°10.81' W87°38.83' 173° 3.2 NM to fld. 650/00E. AWOS-3.

TRIBE NDB (LOM) 239 TN N45°03.70' W87°41.76' 035° 4.6 NW to fld.

ILS 108.7 I-TNQ Rwy 03. Class IB. LOM TRIBE NDB. ILS unmonitored.

**MERRILLAT** (See TECUMSEH)**MEYERS—DIVER'S** (See TECUMSEH)**MIDLAND****JACK BARSTOW** (IKW) 3 NW UTC-5(-4DT) N43°39.78' W84°15.68'

DETROIT

L-281, 31C

IAP

635 B S4 FUEL 100LL, JET A NOTAM FILE LAN

RWY 06-24: H3801X75 (ASPH) S-24 MIRL 0.4% up NE

RWY 06: REIL. PAPI(P2L). Brush.

RWY 24: REIL. PAPI(P2L). Trees.

RWY 18-36: H3001X75 (ASPH) S-24 MIRL

RWY 18: REIL. PAPI(P2L). Trees.

RWY 36: REIL. PAPI(P2L). Trees.

AIRPORT REMARKS: Attended Mon-Fri 1300-2300Z†, Sat-Sun

1300-2100Z†. Arpt unattended major holidays. Deer on and in/ovf
arpt. Occasional ultralight activity. Noise sensitive area S of arpt;
use preferred Rwy 06-24. MIRL Rwy 06-24 and Rwy 18-36 preset
on low ints dusk-0400Z†. After 0400Z† ACTIVATE—CTAF. To
increase ints and ACTIVATE PAPI and REIL Rwy 06, 24, 18 and
36—CTAF.

WEATHER DATA SOURCES: AWOS-3 119.525 (989) 835-5841.

COMMUNICATIONS: CTAF/UNICOM 122.8

® SAGINAW APP/DEP CON 126.45 (1100-0400Z†)

® CLEVELAND CENTER APP/DEP CON 127.7 (0400-1100Z†)


GCO 121.725 (SAGINAW CLNC and FLIGHT SERVICES)

RADIO AIDS TO NAVIGATION: NOTAM FILE MBS.

SAGINAW (L) VOR/DME 112.9 MBS Chan 76 N43°31.90'

W84°04.64' 318° 11.2 NM to fld. 663/3W. HIWAS.

COMM/NAV/WEATHER REMARKS: GCO OTS indef.



MIO**OSCODA CO** (51M) 2N UTC-5(-4DT) N44°40.83' W84°07.50'

LAKE HURON

1050 NOTAM FILE LAN

RWY 09-27: 2800X90 (DIRT) LIRL**RWY 09:** Thld dsplcd 978'. Trees.**RWY 27:** Thld dsplcd 784'. Trees.**AIRPORT REMARKS:** Attended May-Nov irregularly. Arpt CLOSED Dec thru Apr except PPR; confirm rwy condition. Rwy 09-27 sfc rough with large areas of soft sand on rwy. Rwy 09-27 marked with 3' yellow cones. ACTIVATE LIRL Rwy 09-27—CTAF.**COMMUNICATION:** CTAF 122.9**MONROE****CUSTER** (TTF) 2NW UTC-5(-4DT) N41°56.39' W83°26.08'

DETROIT

616 B S4 FUEL 100LL, JET A OX 1 NOTAM FILE TTF

COPTER

RWY 03-21: H4997X100 (ASPH) S-60, D-80 MIRL

L-28J


RWY 03: VASI(V2L)—GA 4.0° TCH 49'. Trees.

IAP

RWY 21: REIL. PAPI(P2L)—GA 3.5° TCH 42'. Trees.**AIRPORT REMARKS:** Attended 1300Z±-dusk. ACTIVATE MIRL Rwy 03-21, REIL Rwy 21, VASI Rwy 03 and PAPI Rwy 21—CTAF.**WEATHER DATA SOURCES:** AWOS-3 119.075 (734) 384-0259.**COMMUNICATIONS:** CTAF/UNICOM 122.7**CARLETON RCO** 122.1R 115.7T (LANSING RADIO)® **DETROIT APP/DEP CON** 134.3**GCO** 121.725 (DETROIT METRO CLNC and FLIGHT SERVICES)**RADIO AIDS TO NAVIGATION:** NOTAM FILE LAN.**CARLETON (H) VORTAC** 115.7 CRL Chan 104 N42°02.88'

W83°27.45' 174° 6.6 NM to fld. 629/3W.

HIWAS.

**MOORESTOWN AIRPARK** (6YØ) 1SE UTC-5(-4DT) N44°27.75' W84°59.75'

LAKE HURON

1213 NOTAM FILE LAN

RWY 03-21: 2797X100 (TURF)**RWY 03:** Thld dsplcd 799'. Tree.**RWY 21:** Thld dsplcd 998'. Trees.**RWY 09-27:** 2599X100 (TURF)**RWY 09:** Thld dsplcd 399'. Trees.**RWY 27:** Thld dsplcd 429'. Road.**AIRPORT REMARKS:** Attended Apr-Nov dawn-dusk. No snow removal in winter. Open winter months to ski equipped acft only. Rwy 03-21 marked with 3' yellow cones. Rwy 09-27 marked with 3' yellow cones.**COMMUNICATIONS:** CTAF/UNICOM 122.8

MOUNT PLEASANT MUNI (MOP) 2 NE UTC-5(-4DT) N43°37.30' W84°44.24'

DETROIT

755 B S4 FUEL 100LL, JET A NOTAM FILE MOP

H-2K, 10F, L-28J

RWY 09-27: H5001X100 (ASPH) S-50, D-65, ST-82, DT-118 MIRL

IAP

RWY 09: Trees.

RWY 27: REIL. PAPI(P4L)—GA 3.0° TCH 35'.

RWY 05-23: 2500X160 (TURF)

RWY 05: Tree.

RWY 23: Trees.

AIRPORT REMARKS: Attended 1300Z±-dusk. Deer and birds on and invof arpt. Parachute Jumping. Rwy 27 noise abatement: climb to 1500' AGL before turning over city. Rwy 05-23 marked with 3' yellow cones. ACTIVATE MIRL Rwy 09-27, REIL Rwy 27 and PAPI Rwy 27—CTAF.

WEATHER DATA SOURCES: AWOS-3 110.6 MOP (989) 773-2885.

COMMUNICATIONS: CTAF/UNICOM 123.0

RCO 122.6 (LANSING RADIO)

® SAGINAW APP/DEP CON 126.45 (1100-0400Z±)


CLEVELAND CENTER APP/DEP CON 127.7 (0400-1100Z±)

RADIO AIDS TO NAVIGATION: NOTAM FILE LAN.

(L) VORW/DME 110.6 MOP Chan 43 N43°37.37'

W84°44.24' at fld. 752/5W. AWOS-3.

DME portion unusable byd 33 NM blo 4000'.



MUNISING

HANLEY FLD (5Y7) 3 SE UTC-5(-4DT) N46°21.25' W86°37.26'

GREEN BAY

984 B NOTAM FILE GRB

RWY 18-36: 4000X120 (TURF)

RWY 18: Trees.

RWY 36: Trees.

AIRPORT REMARKS: Attended irregularly May-Nov. Arpt CLOSED Nov-May 14. Rwy 18-36 sfc rough. Birds and deer on and invof arpt. Rwy 18-36 marked with cones.

COMMUNICATIONS: CTAF 122.9

MUSKEGON CO (MKG) 4 S UTC-5(-4DT) N43°10.13' W86°14.26'**CHICAGO**

629 B S4 FUEL 100LL, JET A OX 2 Class I, ARFF Index A NOTAM FILE MKG

H-5E, 10F, L-281

RWY 06-24: H6501X150 (ASPH-PFC) S-100, D-160, ST-175, DT-300 HIRL

IAP, AD

RWY 06: REIL. VASI(V4L)—GA 3.0° TCH 45'. Trees.

RWY 24: MALSR. VASI(V4L)—GA 3.0° TCH 51'. Tree.

RWY 14-32: H6100X150 (ASPH-PFC) S-80, D-120, ST-165, DT-210 HIRL

RWY 14: REIL. PAPI(P4L)—GA 3.0° TCH 45'.

RWY 32: MALSR. Tree.

RUNWAY DECLARED DISTANCE INFORMATION

RWY 06: TORA-6501 TODA-6501 ASDA-6501 LDA-6501

RWY 24: TORA-6501 TODA-6501 ASDA-6501 LDA-6501

AIRPORT REMARKS: Attended 1100-0200Z†, other hrs call

231-798-2126. Deer and birds on and in/ov of arpt. 24 hr PPR

for unscheduled air carrier ops with more than 30 passenger

seats between 0400-1100Z†, call airport manager

231-798-4596. After hours 231-798-1329. When twr clsd,

ACTIVATE HIRL Rwy 06-24 and Rwy 14-32; REIL's Rwy 06 and

Rwy 14, MALSR Rwy 24 and Rwy 32—CTAF. Ldg fee.

WEATHER DATA SOURCES: ASOS (231) 798-1317. HIWAS 115.2 MKG.**COMMUNICATIONS:** CTAF 126.25 ATIS 124.3 UNICOM 122.95

RCO 122.5 (LANSING RADIO)

(R) APP/DEP CON 118.2 North of V-2. 119.8 South of V-2.

(R) CHICAGO CENTER APP/DEP CON 132.27 (0400-1100Z†)

TOWER 126.25 (1100-0400Z†) GND CON 121.6

AIRSPACE: CLASS D svc 1100-0400Z† other times CLASS E.

TRSA svc ctc APP CON within 20 NM.

RADIO AIDS TO NAVIGATION: NOTAM FILE MKG.


(L) VORTACW 115.2 MKG Chan 99 N43°10.16' W86°02.36' 271° 8.7 NM to fld. 659/1W. HIWAS.

MUSKO NDB (LOM) 219 MK N43°07.27' W86°10.12' 316° 4.2 NM to fld. Unmonitored. LOM unusable byd 10 NM.

ILS 109.9 I-MKG Rwy 32. Class IE. LOM MUSKO NDB. LOM unusable byd 10 NM. LOC BC unusable byd 12° left of course byd 20° right of course. Unmonitored when twr clsd.

ILS/DME 109.5 I-CJH Chan 32 Rwy 24. Class IB. LOC only. Unmonitored when twr clsd.

ASR (1100-0400Z†)

**MUSKO** N43°07.27' W86°10.12' NOTAM FILE MKG.**CHICAGO**

NDB (LOM) 219 MK 316° 4.2 NM to Muskegon Co. Unmonitored. Unusable byd 10 NM.

L-281

NAPOLEON**DAY FLD** (6H4) 5W UTC-5(-4DT) N42°09.39' W84°20.06'**DETROIT**

980 NOTAM FILE LAN

RWY 09-27: 2105X55 (TURF) LIRL (NSTD)

RWY 09: Trees. RWY 27: P-line.

AIRPORT REMARKS: Attended continuously. Rwy 09-27 marked with yellow tires. For NSTD LIRL Rwy 09-27 call 517-764-4193. Rwy 09-27 LIRL NSTD. Thld lgts all white; lgts unevenly spaced.**COMMUNICATIONS:** CTAF 122.9**NAPOLEON** (3NP) 1 NW UTC-5(-4DT) N42°10.25' W84°15.58'**DETROIT**

963 S2 NOTAM FILE LAN

RWY 09-27: 2740X200 (TURF)

RWY 09: Thld dspcd 1200'. Road.

RWY 27: Trees.

RWY 15-33: 2500X160 (TURF)

RWY 15: Thld dspcd 290'. Road.

RWY 33: Thld dspcd 550'. Trees.

AIRPORT REMARKS: Attended irregularly. For svc phone 517-536-5353. Oil tanks S of arpt. Ultralight ops in grass W of Rwy 15-33. Rwy 33+11' parked vehicles at the thld and buildings 150' distance. Rwy 09-27 marked with 3' yellow cones; dspcd Rwy 09 marked with three 3' cones each side of rwy. Rwy 15-33 marked with 3' yellow cones; dspcd thlds marked with three 3' yellow cones each side of rwy.**COMMUNICATIONS:** CTAF 122.9**NARTRON FLD** (See REED CITY)

NEWBERRY N46°18.77' W85°27.86' NOTAM FILE ERY.

GREEN BAY

(T) VOR/DME 108.2 ERY Chan 19 at Luce Co. 871/6W. AWOS-3.

L-31B

VOR/DME unmonitored Mon-Fri 2130-1230Z† and unmonitored Sat-Sun.

RCO 122.4 (GREEN BAY RADIO)

NEWBERRY

LUCE CO

(ERY) 3 SE UTC-5(-4DT) N46°18.66' W85°27.43'

GREEN BAY

869 B FUEL 100LL NOTAM FILE ERY

L-31B

Rwy 11-29: H4304X75 (ASPH) S-8 MIRL 0.5% up W

IAP

Rwy 11: REIL. PAPI(P4L)—GA 3.0° TCH 25. Trees.

Rwy 29: REIL. PAPI(P4L)—GA 3.0° TCH 35'. Trees.

Rwy 04-22: 2856X150 (TURF)

Rwy 04: Thld dsplcd 936'. Trees.

Rwy 22: Trees.

AIRPORT REMARKS: Attended Mon-Fri 1330-2100Z†. For svcs other times call 906-293-3703. Rwy 04-22 CLOSED Nov-Mar and when snow covered. Rwy 04-22 marked with 3' yellow cones. ACTIVATE MIRL Rwy 11-29; REIL Rwy 11 and Rwy 29; PAPI Rwy 11 and Rwy 29 and windcone—CTAF.

WEATHER DATA SOURCES: AWOS-3 108.2 ERY (906) 293-2979.

COMMUNICATIONS: CTAF/UNICOM 122.8


NEWBERRY RCO 122.4 (GREEN BAY RADIO)

RADIO AIDS TO NAVIGATION: NOTAM FILE ERY.

NEWBERRY (T) VOR/DME 108.2 ERY Chan 19 N46°18.77'

W85°27.86' at fld. 871/6W. AWOS-3.

VOR/DME unmonitored Mon-Fri 2130-1230Z† and unmonitored Sat-Sun.



NEW HUDSON

OAKLAND SOUTHWEST

(Y47) 1 SW UTC-5(-4DT) N42°30.19' W83°37.42'

DETROIT

926 B S4 FUEL 100LL NOTAM FILE LAN

COPTER

Rwy 08-26: H3128X40 (ASPH) LIRL

L-28J, A

Rwy 08: VASI(V2R)—GA 3.0°. Thld dsplcd 1266'. Brush.

IAP

Rwy 26: VASI(V2L)—GA 3.0°. Thld dsplcd 864'. Trees.

AIRPORT REMARKS: Attended 1330Z†-dusk. Occasional 4"-6" drop off on rwy and twy shoulders. Trees and brush in primary surface 70'-120' left and right.


COMMUNICATIONS: CTAF/UNICOM 122.7

® DETROIT APP/DEP CON 127.5

RADIO AIDS TO NAVIGATION: NOTAM FILE LAN.

SALEM (L) VORTAC 114.3 SVM Chan 90 N42°24.53'

W83°35.65' 350° 5.8 NM to fld. 950/3W.



NEWMAN'S (See KALAMAZOO)

NILES

JERRY TYLER MEMORIAL (3TR) 2 NE UTC-5(-4DT) N41°50.15' W86°13.51'

CHICAGO

750 B S4 FUEL 100LL, JET A TPA—See Remarks. NOTAM FILE LAN

L-281

RWY 14-32: H4100X75 (ASPH) S-25 MIRL

IAP

RWY 14: REIL. Thld dsplcd 300'. Road.

RWY 32: REIL. Trees.

RWY 03-21: H3315X50 (ASPH) S-8

RWY 03: Thld dsplcd 900'. Road.

RWY 21: Thld dsplcd 750'. Trees.

AIRPORT REMARKS: Attended 1400-2200Z. Arpt unattended major holidays. Obstruction lgt poles, in Rwy 14 transition zone. Trees between Rwy 03 and Rwy 32 and between Rwy 32 and Rwy 21 obstruct view of Rwy ends. Rwy 03-21 pavement cracked and broken. TPA piston acct 1750(1000), turbine acct 2250(1500).

ACTIVATE MIRL Rwy 14-32, REILS Rwy 14 and Rwy 32—CTAF.

COMMUNICATIONS: CTAF/UNICOM 122.8


Ⓡ SOUTH BEND APP/DEP CON 118.55 (Sun-Fri 1030-0500Z, Sat 1030-0445Z), other times ctc Ⓡ CHICAGO CENTER APP/DEP CON 127.55

GCO 121.725 (SOUTH BEND CLNC and FLIGHT SERVICES)

RADIO AIDS TO NAVIGATION: NOTAM FILE LAN.

GIPPER (H) VORTACW 115.4 GUJ Chan 101 N41°46.12'

W86°19.11' 046° 5.8 NM to fld. 804/00E. HIWAS



NORTHPORT

WOOLSEY MEMORIAL (5D5) 3 NE UTC-5(-4DT) N45°09.90' W85°34.31'

GREEN BAY

628 NOTAM FILE LAN

RWY 09-27: 3663X120 (TURF) LIRL

RWY 09: Thld dsplcd 266'. Road.

RWY 27: Trees.

RWY 16-34: 2670X150 (TURF)

RWY 16: Thld dsplcd 800'. Trees.

RWY 34: Thld dsplcd 269'. Trees.

AIRPORT REMARKS: Unattended. Arpt CLOSED Nov-Mar and when snow covered. Birds and deer on and invof arpt. Rwy 09-27 slopes up E to W, and Rwy 16-34 slopes up N to S. Rwy 09-27 and Rwy 16-34 and dsplcd thlds marked with 3' yellow cones. ACTIVATE LIRL Rwy 09-27—122.9.

COMMUNICATIONS: CTAF 122.9

NUNICA

HAT FIELD (5N7) 2 NW UTC-5(-4DT) N43°05.83' W86°05.68'

CHICAGO

625 S4 NOTAM FILE LAN.

Not insp

RWY 08-26: 3600X100 (TURF)

RWY 08: Thld dsplcd 600'. Trees.

RWY 26: Thld dsplcd 1200'. Tree.

AIRPORT REMARKS: Attended irregularly. Arpt CLOSED Nov thru Mar. Deer and birds on and invof arpt. Rwy 08-26 and dsplcd thlds marked with 3' yellow cones.

COMMUNICATIONS: CTAF 122.9

JABLONSKI (33C) 1 W UTC-5(-4DT) N43°04.94' W86°05.69'

CHICAGO

634 NOTAM FILE LAN

RWY 09-27: 2995X100 (TURF) LIRL

RWY 09: Thld dsplcd 998'. Tree.

RWY 27: Thld dsplcd 796'. Trees.

AIRPORT REMARKS: Attended irregularly. Deer on and invof rwys. For LIRL Rwy 09-27 call arpt manager 616-837-6282. Rwy 09-27 and dsplcd thlds marked with 3' yellow cones.

COMMUNICATIONS: CTAF 122.9

OAKLAND CO INTL (See PONTIAC)

OAKLAND SOUTHWEST (See NEW HUDSON)

OAKLAND/TROY (See TROY)

OCEANA CO (See HART/SHELBY)

OJIBWA AIRPARK (See WEIDMAN)

OLSTE N43°27.69' W84°10.79' NOTAM FILE MBS.

DETROIT

NDB (LOM) 257 MB 050° 6.1 NM to MBS Intl. Unmonitored. Unusable byd 10 NM and between 150°-180°.

ONAWAY**LEO E. GOETZ CO** (Y96) 1 N UTC-5(-4DT) N45°22.25' W84°13.50'

LAKE HURON

830 B NOTAM FILE LAN

RWY 15-33: H2600X60 (ASPH) MIRL**RWY 15:** Road. **RWY 33:** Trees.**RWY 03-21:** 1400X100 (TURF)**RWY 03:** Trees. **RWY 21:** Trees.**AIRPORT REMARKS:** Unattended. Confirm snow removal and winter conditions phone 989-734-2216; or arpt manager residence 989-734-4309. 11' p-line 750' from thld 125' R of centerline. Rwy 03-21 marked with 3' yellow cones.**COMMUNICATIONS:** CTAF 122.9**ONTONAGON CO—SCHUSTER FLD** (OGM) 3 W UTC-5(-4DT) N46°50.73' W89°22.03'

GREEN BAY

669 B **FUEL** 100LL NOTAM FILE GRB


L-14J

RWY 17-35: H3500X75 (ASPH-AFSC) S-12 MIRL 0.7% up S

IAP

RWY 17: REIL. PAPI(P2L) — GA 3.45° TCH 25'. Trees.**RWY 35:** REIL. PAPI(P2L) — GA 3.45° TCH 25'. Trees.**AIRPORT REMARKS:** Unattended. 24 hr self serve fuel with VISA or Master Charge. Deer on and invof arpt. MIRL Rwy 17-35 and PAPI Rwy 17 and Rwy 35 dusk-0400Z; after 0400Z† ACTIVATE—CTAF.**COMMUNICATIONS:** CTAF 122.9Ⓡ **MINNEAPOLIS CENTER APP/DEP CON** 127.2**RADIO AIDS TO NAVIGATION:** NOTAM FILE IWD.**IRONWOOD (L) VORTACW** 108.8 IWD Chan 25 N46°31.94'W90°07.55' 058° 36.6 NM to fld. 1230/1E. **HIWAS.****NDB (MHW)** 375 OGM N46°51.01' W89°21.91' at fld.

Unmonitored. NOTAM FILE GRB.

**OSCODA CO** (See MIO)**OSCODA—WURTSMITH** (OSC) 3 NW UTC-5(-4DT) N44°27.09' W83°23.65'

LAKE HURON


633 B S4 **FUEL** 100LL, JET A OX 2 NOTAM FILE OSC

H-11A, L-31C

RWY 06-24: H11800X200 (ASPH-GRVD) S-155, D-330, ST-175,

IAP

DT-550 HIRL

RWY 06: PAPI(P4L)—GA 3.0° TCH 75'. Tree.**RWY 24:** MALSR. PAPI(P4L)—GA 3.0° TCH 72'.**AIRPORT REMARKS:** Attended Mon-Fri dawn-dusk. During dalgt hrs tailwinds may exist over approach ends Rwy 06 and Rwy 24 simultaneously. Seagulls and migratory birds on and invof arpt. Be alert for potential jet blast on Twy A invof losco ramp. ACTIVATE HIRL Rwy 06-24, PAPI Rwy 06 and Rwy 24 and MALSR Rwy 24—CTAF.**WEATHER DATA SOURCES:** AWOS-3 116.1 ASP (989) 739-1111**COMMUNICATIONS:** CTAF/UNICOM 123.0**MINNEAPOLIS CENTER APP/DEP CON** 118.525**RADIO AIDS TO NAVIGATION:** NOTAM FILE OSC.**AU SABLE (H) VORW/DME** 116.1 ASP Chan 108 N44°26.95'W83°23.66' at fld. 625/7W. **AWOS-3.****ILS** 108.5 I-LJU Rwy 24. LOC and Glide Slope unmonitored.**OTTAWA EXECUTIVE** (See ZEELAND)

OWOSSO COMMUNITY (RNP) 2 E UTC-5(-4DT) N42°59.58' W84°08.31'

DETROIT

736 B S4 FUEL 100LL NOTAM FILE RNP

L-28J

RWY 10-28: H4300X100 (ASPH) S-18 MRL

IAP

RWY 10: REIL. PAPI(P4L)—GA 3.0° TCH 20'. Trees.

RWY 28: REIL. PAPI(P4L)—GA 4.0° TCH 20'. Trees.

RWY 18-36: 2599X260 (TURF)

RWY 18: Thld dspcd 396'. Bldg.

RWY 36: Thld dspcd 990'. Trees.

RWY 06-24: 2483X130 (TURF)

RWY 06: Thld dspcd 1057'. Trees.

RWY 24: Pole.

AIRPORT REMARKS: Attended 1400-2200Z†. Rwy 06-24 and Rwy

18-36 CLOSED Dec 1 thru Mar 31 and when snow covered. Deer

and birds on and invof arpt. Rwy 10-28 has numerous cracks.

Rwy 06-24 and Rwy 18-36 marked with cones; Rwy 06; Rwy 18;

Rwy 36 dspcd thlds marked with 3 cones each side. ACTIVATE

MRL Rwy 10-28, PAPI Rwy 10 and 28 and REIL Rwy 10 and Rwy

28—CTAF.

WEATHER DATA SOURCES: AWOS-3 118.025 (989)729-2967.

COMMUNICATIONS: CTAF/UNICOM 123.0

FLINT RCO 122.3 (LANSING RADIO)

Ⓡ FLINT APP/DEP CON 128.55 (N/W of active rwy) 118.8 (E/S of active rwy) (1045-0430Z†)


CLEVELAND CENTER APP/DEP CON 126.75 (0430-1045Z†)

GCO 121.725 (FLINT CLNC and FLIGHT SERVICES)

RADIO AIDS TO NAVIGATION: NOTAM FILE FNT.

FLINT (H) VORTACW 116.9 FNT Chan 116 N42°58.01' W83°44.82' 281° 17.3 NM to fld. 772/6W.

COMM/NAV/WEATHER REMARKS: APP CON sectorization based upon Flint rwy usage.

**PADGHAM FLD** (See ALLEGAN)**PARCHMENT****TRIPLE H** (2H4) 3N UTC-5(-4DT) N42°21.92' W85°33.35'

CHICAGO

785 NOTAM FILE LAN

RWY 01-19: 2400X100 (TURF)

RWY 01: Thld dspcd 400'. Tree. Rgt tfc.

RWY 19: Thld dspcd 968'. Trees.

RWY 09-27: 2600X100 (TURF)

RWY 09: Trees. Rgt tfc.

RWY 27: Thld dspcd 1200'. Trees.

AIRPORT REMARKS: Attended irregularly. Deer invof arpt. Rwy 09-27, 80' trees along both rwy edges. Rwy 09-27

fence at west end. Rwy 01-19 and dspcd thlds marked with 3' yellow cones. Rwy 09-27 and dspcd thld

marked with yellow cones. Rwy 01-19 NSTD LIRL not for public use.

COMMUNICATIONS: CTAF: 122.9

PARK TOWNSHIP (See HOLLAND)**PAUL C. MILLER-SPARTA** (See SPARTA)**PAW PAW****ALMENA** (2C5) 3 NE UTC-5(-4DT) N42°15.15' W85°51.02'

CHICAGO

740 NOTAM FILE LAN

RWY 09-27: 3300X100 (TURF)

RWY 09: Thld dspcd 1085'. Trees.

RWY 27: Thld dspcd 1159'. Trees.

AIRPORT REMARKS: Attended irregularly. Occasional deer on rwy. Rwy 09-27 and dspcd thlds marked with 3' yellow

cones; dspcd thlds marked with three 3' yellow cones on each side of rwy.

COMMUNICATIONS: CTAF 122.9

PBEAAYE (See TOPINABEE)**PECK** N43°15.35' W82°43.08' NOTAM FILE LAN.

DETROIT

(H) VORTAC 114.0 ECK Chan 87 289° 16.7 NM to Marlette. 810/7W. HIWAS.

H-106, 11A, L-28J

RCO 122.1R 114.0T (LANSING RADIO)

PELLSTON RGNL ARPT OF EMMET CO (PLN) 1 NW UTC-5(-4DT)

LAKE HURON

H-2K, L-31B

IAP

N45°34.26' W84°47.80'

721 B S4 FUEL 100LL, JET A Class I, ARFF Index A NOTAM FILE PLN

RWY 14-32: H6513X150 (ASPH-GRVD) D-65, ST-82, DT-120,

DDT-200 HIRL

RWY 14: REIL. VASI(V4L)—GA 3.0° TCH 52'. Trees.**RWY 32:** MALSR. Tree.**RWY 05-23:** H5401X150 (ASPH-GRVD) D-65, ST-82, DT-120,

DDT-200 MIRL

RWY 05: REIL. VASI(V4R)—GA 3.0° TCH 48'. Trees.**RWY 23:** REIL. VASI(V4L)—GA 3.0° TCH 45'. Road.**RUNWAY DECLARED DISTANCE INFORMATION****RWY 05:** TORA-5395 TODA-5395 ASDA-5395 LDA-5395**RWY 14:** TORA-6512 TODA-6512 ASDA-6512 LDA-6512**RWY 23:** TORA-5395 TODA-5395 ASDA-5395 LDA-5395**RWY 32:** TORA-6512 TODA-6512 ASDA-6512 LDA-6512

AIRPORT REMARKS: Attended 1100-0400Z+. Arpt CLOSED to unscheduled air carriers with more than 30 passenger seats except by 24 hr PPR. Deer and gulls occasionally on and in/ov arpt. Be alert for snow removal equipment and activity on and in/ov rws during winter months. Twy B1 and E1 CLOSED 1 Nov thru 15 Apr. MIRL Rwy 05-23 and HIRL Rwy 14-32; REIL Rws 05 and 14 and 23 and MALSR Rwy 32 preset low ints 0530-1000Z+, after 1000Z+ to increase ints and ACTIVATE—CTAF. Rwy 05 and Rwy 23 REIL lctd 100' from their respective apch ends. Ldg fee (waived with fuel purchase).

WEATHER DATA SOURCES: ASOS 119.025 (231) 539-7700. HIWAS 111.8 PLN.**COMMUNICATIONS:** CTAF/UNICOM 123.0

RCO 122.3 (LANSING RADIO) RCO 123.6 122.2 (LANSING RADIO)


MINNEAPOLIS CENTER APP/DEP CON 134.6

RADIO AIDS TO NAVIGATION: NOTAM FILE PLN.

(L) VORTACW 111.8 PLN Chan 55 N45°37.84' W84°39.85' 243° 6.6 NM to fld. 840/6W. HIWAS.

VOR unusable 301°-339°.

ILS 111.3 I-PLN Rwy 32. Class IE.

**PETERSBURG****GRADOLPH FLD** (88G) 2 NW UTC-5(-4DT) N41°55.19' W83°44.10'

DETROIT

673 B S4 NOTAM FILE LAN

COPTER

RWY 09-27: 2306X110 (TURF) LIRL (NSTD)**RWY 09:** Thld dspcd 310'. Trees.**RWY 27:** Thld dspcd 230'. P-line.

AIRPORT REMARKS: Attended continuously. For LIRL Rwy 09-27 and rotating bcn call 734-279-1679. Rwy 09-27 and dspcd thlds marked with yellow cones. Rwy 09-27 NSTD LIRL due to lens color and configuration. Rotating bcn OTS indef.

COMMUNICATIONS: CTAF 122.9**PETLI** N42°58.09' W83°53.41' NOTAM FILE FNT.

DETROIT

NDB (LOM) 269 FN 097° 6.5 NM to Bishop Intl. Unmonitored when twr clsd.**PHURN** N42°50.58' W82°35.80'. NOTAM FILE PHN.

DETROIT

NDB (LOM) 332 PH 043° 5.1 NM to St Clair Co Intl.**PIKLE** N45°43.36' W87°13.49' NOTAM FILE ESC.**NDB (LOM)** 344 ES 087° 5.5 NM to Delta Co.**PINCONNING****GROSS** (52I) 3 W UTC-5(-4DT) N43°50.81' W84°00.68'

DETROIT

615 NOTAM FILE LAN

RWY 09-27: 2565X100 (TURF) LIRL**RWY 09:** Trees.**RWY 27:** Thld dspcd 442'. Road.

AIRPORT REMARKS: Attended phone req—call 517-879-9915. Fuel avbl emerg only. For snow removal call 989-708-7583. Buildings in primary surface east end, 70' N; 93' S of centerline; also 4' fence along rwy edge, first 140', S side; +15'-45' trees 95' S of centerline west end. Rwy 09-27 marked with 3' yellow cones. Rwy 09-6' ditch, 15' from thld, 5' left/right. ACTIVATE LIRL Rwy 09-27—CTAF.

COMMUNICATIONS: CTAF 122.9

PLAINWELL MUNI (61D) 2 N UTC-5(-4DT) N42°28.07' W85°38.88'

CHICAGO

722 S4 FUEL 100LL NOTAM FILE LAN

RWY 09-27: H2650X50 (ASPH) LIRL

RWY 09: Thld dsplcd 191'. Expressway.

RWY 27: Thld dsplcd 775'. Trees.

RWY 01-19: 2550X150 (TURF)

RWY 01: Thld dsplcd 268'. Tree.

RWY 19: Thld dsplcd 980'. Trees.

AIRPORT REMARKS: Attended irregularly. Rwy 09-27 sfc extensive cracking. For LIRL Rwy 09-27 key 122.8 five times on. Rwy 01-19 and dsplcd thlds marked with yellow cones.

COMMUNICATIONS: CTAF/UNICOM 122.8

PLYMOUTH

CANTON-PLYMOUTH-METTETAL (1D2) 2 S UTC-5(-4DT) N42°20.89' W83°27.38'

DETROIT

696 B S4 FUEL 100LL TPA-1696(1000) NOTAM FILE LAN

COPTER

RWY 18-36: H2303X75 (ASPH-GRVD) S-12.5 MIRL 0.5% up N

L-28J, A

RWY 18: PAPI(P2L)—GA 4.0° TCH 25'. Road.

IAP

RWY 36: PAPI (P4R)—GA 3.0° TCH 25'. Trees.

AIRPORT REMARKS: Attended 1300Z±-dusk. Noise sensitive areas N and S of arpt. Ctc arpt manager 734-459-0012 for noise abatement procedures. ACTIVATE MIRL Rwy 18-36, PAPI Rwy 18 and Rwy 36—CTAF.


COMMUNICATIONS: CTAF/UNICOM 122.7

Ⓡ DETROIT APP/DEP CON 118.95

RADIO AIDS TO NAVIGATION: NOTAM FILE LAN.

SALEM (L) VORTAC 114.3 SVM Chan 90 N42°24.53'

W83°35.65' 124° 7.1 NM to fld. 950/3W.



POINTE AUX PINS

BOIS BLANC (6Y1) 3 NW UTC-5(-4DT) N45°45.98' W84°30.23'

LAKE HURON

664 B NOTAM FILE LAN

L-31C

RWY 10-28: H3500X75 (ASPH) MIRL

RWY 10: Thld dsplcd 90'. Trees.

Rwy 28: REIL. PAPI(P4L)—GA 4.0° TCH 33'. Trees.

AIRPORT REMARKS: Unattended. Deer and birds on and invof arpt. ACTIVATE MIRL Rwy 10-28—CTAF.

COMMUNICATIONS: CTAF 122.9

RADIO AIDS TO NAVIGATION: NOTAM FILE PLN.

PELLSTON (L) VORTACW 111.8 PLN Chan 55 N45°37.84' W84°39.85' 046° 10.6 NM to fld.

840/6W. HIWAS.

PONDEROSA HELIPORT (See HIGHLAND)

PONTIAC N42°42.05' W83°31.97' NOTAM FILE PTK.

DETROIT

(L) VORTAC 111.0 PSI Chan 47 116° 5.4 NM to Oakland Co Intl. 1148/3W.

VOR unusable 170°-210°.

L-28J, A

RCO 122.15R 111.0T (LANSING RADIO)

PONTIAC**OAKLAND CO INTL** (PTK) 5 W UTC-5(-4DT) N42°39.94' W83°25.17'**DETROIT**

980 B S4 FUEL 100LL, JET A OX 1 LRA Class IV, ARFF Index A NOTAM FILE PTK

COPTER**RWY 09R-27L:** H6200X150 (ASPH-PFC) S-90, D-200, ST-175, DT-280 HIRL**H-106, L-28J, A****RWY 09R:** MALSR: PAPI (P4L)—GA 3.0°.**RWY 27L:** REIL: VASI(V4L)—GA 3.0° TCH 45'. Trees.**IAP, AD****RWY 09L-27R:** H5000X100 (ASPH-PFC) S-38, D-60, DT-65

MIRL

RWY 09L: REIL.**RWY 27R:** REIL.**RWY 17-35:** H2585X75 (ASPH)**RWY 17:** PAPI(P2L)—GA 3.0°.**RWY 35:** PAPI(P2L)—GA 3.0°.**RUNWAY DECLARED DISTANCE INFORMATION****RWY 09L:** TORA-5000 TODA-5000 ASDA-5000 LDA-5000**RWY 09R:** TORA-6200 TODA-6200 ASDA-6200 LDA-6200**RWY 27L:** TORA-6200 TODA-6200 ASDA-6200 LDA-6200**RWY 27R:** TORA-5000 TODA-5000 ASDA-5000 LDA-5000**AIRPORT REMARKS:** Attended continuously. Air carrier ops with more

than 30 passenger seats req PPR call arpt manager

248-666-3900. Seaplane Idgs and tkfs on Lake Angelus 4.5

miles ENE is prohibited by local ordinances. Birds and deer on

and invof arpt. Rwy 17 PAPI OTS indef. When twr clsd HIRL Rwy

09R-27L preset on med ints, to increase ints radio req on

Unicom. ACTIVATE MALSR Rwy 09R, PAPI Rwy 09R and Rwy 35

and VASI Rwy 27L—CTAF. ACTIVATE REIL Rwy 09L, Rwy 27R and


Rwy 27L ctc twr. Ldg fee for acft over 12500 lbs. Control twr unable to see more than 200' S of Rwy 35 thld.

Twy H unlighted north of Rwy 09R-27L. US Customs user fee arpt. Contact U.S. Customs 1200-0100Z† Mon-Fri

on 248-666-7717; other times minimum 3 hrs advance notification on 734-942-9000.

WEATHER DATA SOURCES: ASOS (248) 666-1818. LAWRS.**COMMUNICATIONS:** CTAF 120.5 ATIS 125.025 248-666-2621

UNICOM 122.95

PONTIAC RCO 122.15R 111.0T (LANSING RADIO)® **DETROIT APP/DEP CON** 127.5**PONTIAC TOWER** 120.5 123.7 (1100-0500Z†) **GND CON** 121.9 121.65 **CLNC DEL** 118.25**AIRSPACE:** CLASS D svc 1100-0500Z† other times CLASS G.**RADIO AIDS TO NAVIGATION:** NOTAM FILE PTK.**PONTIAC (L) VORTAC** 111.0 PSI Chan 47 N42°42.05' W83°31.97' 116° 5.4 NM to fld. 1148/3W.**ILS** 111.1 I-PTK Rwy 09R. Class IE. Unmonitored when twr clsd. LOC BC unusable byd 14 NM blo 3300'.

PORT HURON

ST CLAIR CO INTL (PHN) 5 SW UTC-5(-4DT) N42°54.66' W82°31.73'
 650 B S4 FUEL 100LL, JET A TPA-1650 (1000) LRA NOTAM FILE PHN
 RWY 04-22: H5104X100 (ASPH-GRVD) S-40, D-55, DT-90 HIRL

DETROIT
 H-10G, 11A, L-30F
 IAP

RWY 04: MALSR. PAPI(P4L)—GA 3.0° TCH 31'. Trees.
 RWY 22: REIL. PAPI(P4L)—GA 3.0° TCH 30'. Trees.
 RWY 10-28: H4000X75 (ASPH) S-16 MIRL
 RWY 10: REIL. PAPI (P4L). GA 3.0° TCH 25'. Trees.
 RWY 28: REIL. PAPI (P4L). GA 3.5° TCH 31'. Trees.

AIRPORT REMARKS: Attended 1300Z†-dusk. Arpt unattended Easter; Thanksgiving and Christmas. Deer and gulls on and invof arpt. Rwy 10 REIL OTS indef. Rwy 28 REIL OTS indef. HIRL Rwy 04-22 and MIRL Rwy 10-28 preset on low ints; to increase ints and ACTIVATE REIL Rwy 22; 10 and 28 and MALSR Rwy 04—CTAF. Ldg fee for commercial and corporate acft. Trans Atlantic flights will have to notify U.S. Customs at 810-985-9541 one hr prior to entry into the U.S. Notify U.S. Dept of Agriculture at 810-985-6126 and arpt manager at 810-364-6890 24 hrs in advance for disposal of acft international trash. Flight Notification Service (ADCUS) avbl.

WEATHER DATA SOURCES: AWOS-3 118.375 (810) 364-7787.


COMMUNICATIONS: CTAF/UNICOM 123.05

Ⓡ **SELFRIIDGE APP/DEP CON** 119.6 (1230-0400Z†) clsd hol, other times uncontrolled for DHS, ARNG, USCG or emergency ops.

Ⓡ **CLEVELAND CENTER APP/DEP CON** 127.7 (0400-1230Z†)

RADIO AIDS TO NAVIGATION: NOTAM FILE LAN.

PECK (H) VORTAC 114.0 ECK Chan 87 N43°15.35' W82°43.08' 165° 22.3 NM to fld. 810/7W. HIWAS.
 PHURN NDB (LOM) 332 PH N42°50.57' W82°35.80' 043° 5.1 NM to fld.
 ILS 110.9 I-PHN Rwy 04. LOM PHURN NDB.



PRESQUE ISLE CO (See ROGERS CITY)

PRICES (See LINDEN)

PRICKETT-GROOMS FLD (See SIDNAW)

PULLMAN N42°27.96' W86°06.29' NOTAM FILE LAN.
 (H) VOR/DME 112.1 PMM Chan 58 072° 13.0 NM to Padgham Fld. 640/00E.
 DME unusable byd 30 NM blo 3000'.
 RCO 122.1R 112.1T (LANSING RADIO)

CHICAGO
 H-5E, 10F, L-281

RAETHER (See HOWELL)

RANDOLPH'S LANDING AREA (See ST JOHNS)

RAY COMMUNITY (57D) 2 SE UTC-5(-4DT) N42°44.25' W82°53.41'

DETROIT
 COPTER

632 B S4 FUEL 100LL NOTAM FILE LAN

RWY 09-27: H2500X60 (ASPH) MIRL

RWY 09: REIL. PAPI(P2L)—GA 3.0° TCH 40'. Trees.

RWY 27: PAPI(P2L). Thld dsplcd 210'. Trees.

RWY 18-36: 2187X123 (ASPH-TURF)

RWY 18: Thld dsplcd 140'. Trees.

RWY 36: Trees.

AIRPORT REMARKS: Attended irregularly. Ultralight ops. Rwy 18-36 asph peeling and cracking. Rwy 18-36 north 900' asph, asph 28' wide. Rwy 18-36 marked with cones. ACTIVATE rotating bcn, MIRL Rwy 09-27 and PAPI Rwy 09 and Rwy 27—CTAF.

COMMUNICATIONS: CTAF/UNICOM 122.7

REED CITY**NARTRON FLD** (RCT) 2 N UTC-5(-4DT) N43°54.00' W85°31.00'**CHICAGO**
L-28I, 31B


1055 NOTAM FILE LAN

RWY 17-35: H4506X100 (ASPH) S-11**RWY 17:** Trees. **RWY 35:** Tree.

AIRPORT REMARKS: Unattended. Arpt CLOSED Nov thru Mar and when snow covered. Rwy 17-25 -15' drop off/pond, 201' distance, 100' left. 26' buildings 195' east of Rwy 35, +50' building 235' east of extended centerline, south end of the rwy. Rwy 17-35 surface rough; cracks in rwy; considerable amount of loose stones, vegetation, and sand on pavement. 40' trees in primary and transition surfaces Rwy 17-35, west side.

COMMUNICATIONS: CTAF 122.9**RADIO AIDS TO NAVIGATION:** NOTAM FILE LAN.

WHITE CLOUD (L) VOR/DME 117.6 HIC Chan 123 N43°34.49'
W85°42.97' 025° 21.4 NM to fld. 920/1W.

**REVUP** N42°07.21' W83°25.90' NOTAM FILE DTW.**DETROIT**
A**NDB (LOM)** 388 DT 038° 6.6 NM to Detroit Metropolitan Wayne Co. SHUTDOWN.**RICHMOND FLD** (See GREGORY)**RIVERVIEW** (See JENISON)**ROBEN-HOOD** (See BIG RAPIDS)**ROCKFORD****WELLS** (35C) 3 NE UTC-5(-4DT) N43°07.70' W85°30.32'**CHICAGO**

890 NOTAM FILE LAN

RWY 18-36: 2200X100 (TURF)**RWY 18:** Tree. **RWY 36:** Thld dsplcd 400'. Tree.

AIRPORT REMARKS: Attended May-Nov dalg't hrs. CLOSED Dec to Apr. Rwy 18-36 and dsplcd thld marked with 3' yellow cones.

COMMUNICATIONS: CTAF 122.9**ROGERS CITY** N45°24.28' W83°49.22' NOTAM FILE LAN**LAKE HURON**
L-31C**NDB (MHW)** 215 PZQ At Presque Isle Co.

ROGERS CITY**PRESQUE ISLE CO** (PZQ) 1 S UTC-5(-4DT) N45°24.43' W83°48.77'**LAKE HURON**

670 B NOTAM FILE LAN

L-31C**RWY 09-27:** H4105X75 (ASPH) S-22 MIRL**IAP****RWY 09:** REIL. PAPI(P4L)—GA 3.0° TCH 35'. Thld dspcd 220'.

Trees.

RWY 27: REIL. PAPI(P4L)—GA 3.0° TCH 34'. Thld dspcd 380'.

P-line.

AIRPORT REMARKS: Unattended. Deer and birds on and invof arpt.

Confirm snow removal and winter conditions; phone


989-734-2216 or arpt manager 989-734-4309. ACTIVATE MIRL

Rwy 09-27, PAPI Rwy 09 and Rwy 27, REIL Rwy 09 and Rwy

27—CTAF.

WEATHER DATA SOURCES: AWOS-3 118.125 (989) 734-7419.**COMMUNICATIONS:** CTAF 122.9**ALPENA RCO 122.1R 108.8T** (LANSING RADIO)Ⓡ **ALPENA APP/DEP CON 128.425** (Weekdays 1300-2100Z†)Ⓡ **MINNEAPOLIS CENTER APP/DEP CON 128.425** (2100-1300Z†)**RADIO AIDS TO NAVIGATION:** NOTAM FILE APN.**ALPENA (L) VORTAC 108.8** APN Chan 25 N45°04.97'W83°33.42' 338° 22.3 NM to fld. 677/7W. **HIWAS.****ROGERS CITY NDB (MHW) 215** PZQ N45°24.28' W83°49.22' at fld.

NOTAM FILE LAN.


**ROMEO STATE** (D98) 2 E UTC-5(-4DT) N42°47.78' W82°58.46'**DETROIT**739 B S4 **FUEL 100LL, JET A** NOTAM FILE LAN**COPTER****RWY 18-36:** H4000X75 (ASPH) MIRL**L-28J****RWY 18:** REIL. PAPI(P4L)—GA 3.0° TCH 20'. Thld dspcd 470'. Trees.**IAP****RWY 36:** REIL. PAPI(P4L)—GA 3.0° TCH 22'. Road.**AIRPORT REMARKS:** Attended Jun-Sep 1400Z†-dusk, Oct-May

1400-2300Z†. Deer on and invof rwy. ACTIVATE MIRL Rwy 18-36,

PAPI Rwy 18 and Rwy 36 and REIL Rwy 18 and Rwy 36—CTAF.

COMMUNICATIONS: CTAF/UNICOM 122.8**PONTIAC RCO 122.15R 111.0T** (LANSING RADIO)Ⓡ **SELFREDGE APP/DEP CON 119.6** (1230-0400Z†) clsd hol, other times
uncontrolled for DHS, ARNG, USCG or emergency ops.Ⓡ **CLEVELAND CENTER APP/DEP CON 127.7** (0400-1230Z†)**RADIO AIDS TO NAVIGATION:** NOTAM FILE PTK.**PONTIAC (L) VORTAC 111.0** PSI Chan 47 N42°42.05'

W83°31.97' 080° 25.3 NM to fld. 1148/3W.



ROSCOMMON CONSERVATION (3RC) 2 SE UTC-5(-4DT) N44°28.40' W84°34.01'

LAKE HURON

L-31C


1156 NOTAM FILE LAN

RWY 09-27: H3552X75 (ASPH) LIRL (NSTD)**RWY 09:** REIL (NSTD). Thld dspcd 165'. Trees.**RWY 27:** REIL (NSTD). Trees.**RWY 18-36:** 2160X100 (TURF)**RWY 18:** Trees.**RWY 36:** Thld dspcd 600'. Trees.

AIRPORT REMARKS: Attended irregularly. Rwy 18-36. CLOSED Nov-Apr and when snow covered. Rwy 18-36 surface rough with patches of grvl. Deer on and invof arpt. Rwy 09-27 NSTD LIRL located 20' from rwy edge with 30 inch risers. Rwy 18-36 marked with 3' yellow cones. ACTIVATE NSTD LIRL Rwy 09-27-122.7. Rwy 09-27 REIL non-flashing.

COMMUNICATIONS: CTAF 122.9**RADIO AIDS TO NAVIGATION:** NOTAM FILE TVC.

HOUGHTON LAKE (T) VORW/DME 111.6 HTL Chan 53 N44°21.53' W84°39.94' 037° 8.1 NM to fld. 1145/5W.

**ROSCOMMON CO-BLODGETT MEML** (See HOUGHTON LAKE)**ROSSETTIE** (See MANCHESTER)**ROTHBURY****DOUBLE JJ RESORT RANCH** (42N) 2 NW UTC-5(-4DT) N43°31.02' W86°22.40'

CHICAGO

689 NOTAM FILE LAN

RWY 09-27: 3600X100 (TURF)**RWY 09:** Thld dspcd 406'. Trees.**RWY 27:** Thld dspcd 1000'. Trees.

AIRPORT REMARKS: Attended Apr-Oct 1300Z+—dusk. Arpt CLOSED Nov-Mar. Powered parachute training area. Rwy 09-27 and dspcd thlds marked with 3' yellow cones. Horse residue on rwy.

COMMUNICATIONS: CTAF 122.9**SAGINAW** N43°31.90' W84°04.64' NOTAM FILE MBS.

DETROIT


(L) VORW/DME 112.9 MBS Chan 76 at MBS Intl. 663/3W. HIWAS.

H-10G, 11A, L-28J

VOR unusable 192°-200°. DME unusable 192°-200°.

RCO 122.4 122.2 (LANSING RADIO)

SAGINAW CO H.W. BROWNE (See SAGINAW)

SAGINAW**MBS INTL** (MBS) 9 NW UTC-5(-4DT) N43°31.98' W84°04.78'668 B S2 FUEL 100LL, JET A OX 1, 3 LRA ARFF Index—See Remarks
NOTAM FILE MBS**RWY 05-23:** H8002X150 (ASPH-GRVD) S-135, D-160, ST-175, DT-265 HIRL**RWY 05:** MALSR.**RWY 23:** MALSR. PAPI(P4L)—GA 3.0° TCH 54'. 0.3% up.**RWY 14-32:** H6399X150 (ASPH-GRVD) S-135, D-160, ST-175, DT-265 HIRL**RWY 14:** REIL. VASI(V4L)—GA 3.0° TCH 42'. Trees.**RWY 32:** REIL. PAPI(P4L)—GA 3.0° TCH 50'. Trees.**RUNWAY DECLARED DISTANCE INFORMATION****RWY 05:** TORA-8002 TODA-8002 ASDA-8002 LDA-8002**RWY 14:** TORA-6400 TODA-6400 ASDA-6400 LDA-6400**RWY 23:** TORA-8002 TODA-8002 ASDA-8002 LDA-8002**RWY 32:** TORA-6400 TODA-6400 ASDA-6400 LDA-6400**AIRPORT REMARKS:** Attended 1000-0600Z†. For svc after hrs call 989-695-2554. Birds on and in/ovf arpt. When twr clsd HIRL Rwy 05-23 and 14-32 are preset med ints. ACTIVATE MALSR Rwy 05 and 23—CTAF. Class I, ARFF Index B. Index C ARFF svc available upon req. Ldg fee. Ldg fee waived in lieu of fuel purchase.**WEATHER DATA SOURCES:** ASOS (989) 695-2488. **HIWAS** 112.9 MBS.**LAWRS** (1100-0400Z†)**COMMUNICATIONS:** CTAF 120.1 ATIS 125.925 **UNICOM** 122.95**SAGINAW RCO** 122.4 122.2 (LANSING RADIO)Ⓡ **SAGINAW APP/DEP CON** 126.45 (230°-049°), 120.95 (050°-229°)(1100-0400Z†).**CLEVELAND CENTER APP/DEP CON** 127.7 (0400-1100Z†).**SAGINAW TOWER** 120.1 (1100-0400Z†) **GND CON** 121.7**CLNC DEL** 121.85**AIRSPACE:** CLASS D svc 1100-0400Z† other times CLASS E.**TRSA** svc ctc **APP CON** within 20 NM.**RADIO AIDS TO NAVIGATION:** NOTAM FILE MBS.**SAGINAW (L) VORW/DME** 112.9 MBS Chan 76 N43°31.90' W84°04.64' at fld. 663/3W. **HIWAS**.**OLSTE NDB (LOM)** 257 MB N43°27.69' W84°10.79' 050° 6.1 NM to fld. Unmonitored.**ILS** 108.7 I-MBS Rwy 05. Class IE. LOM OLSTE NDB. ILS unmonitored when twr clsd.**ILS** 108.7 I-TQR Rwy 23. Class ID. ILS unmonitored when twr clsd.**ASR** (1100-0500Z†)**COMM/NAV/WEATHER REMARKS:** Emerg frequency, 121.5 not available at twr. OLSTE NDB unusable by 10 NM and between 150°-180°.

DETROIT

H-106, 11A, L-28J

IAP, AD

SAGINAW CO H.W. BROWNE (HYX) 4 E UTC-5(-4DT) N43°26.01' W83°51.74'

DETROIT

601 B S4 FUEL 100LL, JET A NOTAM FILE HYX

H-10G, 11A, L-28J

RWY 09-27: H5000X100 (ASPH) S-60, D-72, DT-101 MIRL

IAP

RWY 09: REIL. PAPI(P2L)—GA 3.0° TCH 30'. P-line.

RWY 27: MALSR. PAPI(P2L)—GA 3.0° TCH 30'.

RWY 05-23: H2951X60 (ASPH) S-12.5 MIRL

RWY 05: PAPI(P2L)—GA 3.0° TCH 25'. Thld dsplcd 120'. Fence.

RWY 23: PAPI(P2R)—GA 3.0° TCH 25'. Thld dsplcd 130'. Road.

AIRPORT REMARKS: Attended Mon-Fri 1230-2300Z†, Sat-Sun

1300-2030Z†. Arprt unattended holidays. 24 hr self serve fuel.

Parachute Jumping. Birds on and invof arprt. Rwy 23 has 2' high

concrete culvert, 120' left, 20' from rwy end and ditch 15' deep

across the apch end, 120' left to 21' right, 20' to 197' from rwy

end. Rwy 05-23 sfc numerous transverse and longitudinal cracks.

ACTIVATE MALSR Rwy 27, MIRL Rwy 05-23 and Rwy 09-27, REIL

Rwy 09 and PAPI Rwy 05, Rwy 23, Rwy 09 and Rwy 27—CTAF.

WEATHER DATA SOURCES: AWOS-3 118.325 (989) 752-3408. HIWAS

112.9 MBS.

COMMUNICATIONS: CTAF/UNICOM 122.8

SAGINAW RCO 122.4 122.2 (LANSING RADIO)

⑧ SAGINAW APP/DEP CON 120.95 (1100-0400Z‡)

CLEVELAND CENTER APP/DEP CON 127.7 (0400-1100Z‡)

GCO 121.725 (SAGINAW CLNC and FLIGHT SERVICES)


RADIO AIDS TO NAVIGATION: NOTAM FILE MBS.

SAGINAW (L) VORW/DME 112.9 MBS Chan 76 N43°31.90' W84°04.64' 125° 11.1 NM to fld. 663/3W.

HIWAS.

BROWNE NDB (MHW) 385 HYX N43°25.89' W83°51.49' at fld. NOTAM FILE LAN. Unmonitored.

ILS/DME 111.35 I-HQW Chan 50(Y) Rwy 27.



ST CLAIR

DAVID'S LANDING (5Y5) 3 SW UTC-5(-4DT) N42°47.87' W82°32.19'

DETROIT

615 NOTAM FILE LAN

RWY 18-36: 2500X100 (TURF)

RWY 18: Thld dsplcd 1100'. P-line.

RWY 36: Trees.

AIRPORT REMARKS: Attended irregularly. Arprt CLOSED Dec-Mar and when snow covered. 100' p-line 5/8 mile S of Rwy

36. Rwy 18-36 soft in spring and when wet. Rwy 18-36 -4' ditch 10' W of Rwy. Rwy 18-36 and dsplcd thld

marked with 3' yellow cones.

COMMUNICATIONS: CTAF 122.9

ST CLAIR CO INTL (See PORT HURON)

ST HELEN (6Y6) 1SE UTC-5(-4DT) N44°22.00' W84°24.00'

LAKE HURON

1198 NOTAM FILE LAN

RWY 12-30: 2600X120 (TURF)

RWY 12: Thld dsplcd 830'. Trees.

RWY 30: Thld dsplcd 800'. Trees.

RWY 18-36: 2600X110 (TURF)

RWY 18: Thld dsplcd 825'. Trees.

RWY 36: Thld dsplcd 620'. Road.

AIRPORT REMARKS: Unattended. CLOSED Dec thru Mar and when snow covered. Hangars located 135' west of

centerline Rwy 18-36. Rwy 12-30 and Rwy 18-36 dsplcd thlds marked with cones.

COMMUNICATIONS: CTAF 122.9

ST IGNACE**MACKINAC CO** (83D) 2 NW UTC-5(-4DT) N45°53.49' W84°44.29'

LAKE HURON

624 B S4 FUEL 100LL NOTAM FILE GRB

L-31B

RWY 07-25: H3800X75 (CONC) S-24 MIRL 0.4% up SW

IAP

RWY 07: REIL. PAPI(P4L)—GA 4.0° TCH 33'. Trees.

RWY 25: REIL. PAPI(P4L)—GA 3.0° TCH 21'. Road.

AIRPORT REMARKS: Attended dawn-dusk. After hours 906-643-7161

(manager residence). Deer and birds on and invof arpt. ACTIVATE MIRL Rwy 07-25 and PAPI Rwys 07 and 25 and REIL Rwys 07 and 25 and ramp lgts—CTAF.

COMMUNICATIONS: CTAF/UNICOM 122.7


MACKINAC ISLAND RCO 122.35 (GREEN BAY RADIO)

® MINNEAPOLIS CENTER APP/DEP CON 134.6

RADIO AIDS TO NAVIGATION: NOTAM FILE PLN.

PELLSTON (L) VORTACW 111.8 PLN Chan 55 N45°37.84'

W84°39.85' 355° 16.0 NM to fld. 840/6W. HIWAS.

COMM/NAV/WEATHER REMARKS: Mackinac Island (MCD) AWOS 118.27 can be received on the ground.**ST JAMES** N45°41.60' W85°33.52' NOTAM FILE SJX.

GREEN BAY

NDB (MHW) 382 SJX at Beaver Island. Unmonitored.

L-31B

ST JOHNS**ARCHER MEML FLD** (2S3) 7 SE UTC-5(4DT) N42°54.42' W84°28.33'

DETROIT

794 TPA-1600(806) NOTAM FILE LAN

RWY 17-35: 2496X110 (TURF)

RWY 35: Thld dsplcd 1145'.

AIRPORT REMARKS: Attended May-Nov irregularly. No snow removal. Rwy 17 thld may be obstructed by 8' corn during growing season. Rwy 17-35 marked with 3' yellow cones.**COMMUNICATIONS:** CTAF 122.9**GLOWACKI** (97G) 2 W UTC-5(4DT) N43°00.00' W84°35.75'

DETROIT

775 NOTAM FILE LAN

RWY 09-27: 1528X100 (TURF)

RWY 09: Trees.

RWY 27: Building.

AIRPORT REMARKS: Attended irregularly. 15' tree N side of rwy on rwy edge, 132' E of Rwy 09. Rwy 27 terrain slopes downward E to W; Rwy soft in spring. Radio control acct ops on arpt. Rwy 09-27 marked with 3' yellow cones.**COMMUNICATIONS:** CTAF 122.9**RANDOLPH'S LANDING AREA** (61G) 7 NE UTC-5(-4DT) N43°06.75' W84°31.25'

DETROIT

700 NOTAM FILE LAN

RWY 05-23: 2175X100 (TURF)

RWY 05: Thld dsplcd 767'. Road.

AIRPORT REMARKS: Attended irregularly. Deer on and invof arpt. Rwy 23 3' fence L side 65' from centerline. Rwy 05-23 and dsplcd thlds marked with yellow tires; Rwy 05 dsplcd thld marked with 6 yellow tires 3 each side.**COMMUNICATIONS:** CTAF 122.9**SCHIFFER ACRES** (3S5) 4 E UTC-5(-4DT) N43°02.15' W84°26.03'

DETROIT

735 S4 NOTAM FILE LAN

RWY 07-25: 2777X120 (TURF)

RWY 07: Rgt tfc. Trees.

RWY 25: Thld dsplcd 798'. Trees.

AIRPORT REMARKS: Attended irregularly. Power plant repairs are for emerg use only. Extensive summer agricultural ops. Deer and turkeys on and invof rwy. Rwy 07-25 LIRL not for public use. Rwy 25 displaced thld marked by 3 yellow tires each side of rwy. Rwy defined by mowing.**COMMUNICATIONS:** CTAF 122.9

TRIPP CREEK (39T) 6 NE UTC-5(-4DT) N43°03.89' W84°29.35'

DETROIT

717 S2 NOTAM FILE LAN

RWY 09-27: 2509X50 (TURF)

RWY 09: Thld dsplcd 280'. Road.

RWY 27: Thld dsplcd 425'. Road.

AIRPORT REMARKS: Attended 1300Z±-dusk. Snow removal irregular, confirm arpt condition with arpt manager, call 989-862-4413. For minor airframe and powerplant repairs, call 989-862-4413. Deer on and invof arpt. Rwy 09-27 and dsplcd thlds marked with 3' yellow cones. NSTD rotating bcn red flashing lgt. LIRL Rwy 09-27 not for public use.

COMMUNICATIONS: CTAF 122.9

SALEM N42°24.53' W83°35.65' NOTAM FILE LAN.

DETROIT

(L) VORTAC 114.3 SVM Chan 90 350° 5.8 NM to Oakland Southwest. 950/3W.

H-106, L-281, A

RC0 122.1R 114.3T (LANSING RADIO)

SANDUSKY

COWLEY FLD (96G) 3 S UTC-5(-4DT) N43°22.59' W82°48.87'

DETROIT

770 NOTAM FILE LAN

RWY 09-27: 2465X50 (TURF)

RWY 09: Tree.

AIRPORT REMARKS: Attended irregularly. Snow removal irregular; verify condition, call 810-648-2352. Deer and turkeys on and invof arpt. Be alert for close proximity of power poles along twy on west end. Rwy 09-27 marked with cones.

COMMUNICATIONS: CTAF 122.9

SANDUSKY CITY (Y83) 3 N UTC-5(-4DT) N43°27.32' W82°50.48'

DETROIT
L-281, 31C

776 B S4 FUEL 100LL NOTAM FILE LAN

RWY 09-27: H3105X75 (ASPH) S-16 MIRL

RWY 09: REIL. PAPI(P2L)—GA 3.0° TCH 31'. Tree.

RWY 27: PAPI(P2L)—GA 3.0° TCH 39'. Road.

RWY 18-36: 2300X150 (TURF)

RWY 18: Ground. **RWY 36:** Thld dsplcd 383'. Road.


AIRPORT REMARKS: Attended irregularly. Birds and deer on and invof arpt. For fuel call 810-414-3009. +3' embankment 50' from Rwy 36 thld. ACTIVATE MIRL Rwy 09-27—CTAF. Rwy 18-36 marked with yellow cones.

COMMUNICATIONS: CTAF/UNICOM 122.8

RADIO AIDS TO NAVIGATION: NOTAM FILE LAN.

PECK (H) VORTAC 114.0 ECK Chan 87 N43°15.35'

W82°43.08' 343° 13.1 NM to fld. 810/7W. HIWAS.



SAULT STE MARIE N46°24.73' W84°18.89' NOTAM FILE CIU.

LAKE HURON

(H) VOR/DME 112.2 SSM Chan 59 218° 11.7 NM to Chippewa Co Intl. 687/4W.

H-2K, 11A, L-31B

RC0 122.1R 112.2T (GREEN BAY RADIO)

SAULT STE MARIE**CHIPPEWA CO INTL** (CIU) 15 S UTC-5(-4DT) N46°15.05' W84°28.34'

LAKE HURON

800 B FUEL 100LL, JET A TPA-1600(800) AOE Class I, ARFF Index A NOTAM FILE CIU H-2K, L-31B

RWY 16-34: H7200X200 (CONC-GRVD) S-155, D-330, ST-175, DT-600 HIRL IAP, AD

RWY 16: MALSR. PAPI(P4L)—GA 3.0° TCH 58'. Rgt tfe.

RWY 34: REIL. PAPI(P4L)—GA 3.0° TCH 40'.

RWY 09-27: H4999X75 (ASPH-GRVD) S-30, D-30 MIRL

RWY 09: REIL. PAPI(P4L)—GA 3.0° TCH 40'. Trees.

RWY 27: REIL. PAPI(P4L)—GA 3.0° TCH 40'. Trees.

AIRPORT REMARKS: Attended 1100-2300Z. After hrs call

906-495-5532. Birds on and invof arpt. 24 hours PPR for

unscheduled air carrier ops with more than 9 passenger seats;

call arpt manager on 906-495-5631. Airfield sfc condition

unmonitored 2100-1300Z. Expect snow removal activity daily

Dec-Mar. All twys closed except A, C and D from Dec to Apr.

Check NOTAMS for specific schedule or ctc arpt manager

906-495-5631. Vehicle testing in progress during winter months

on sections of closed/abandoned parallel twy, SE of apch end

Rwy 34. Area may be plowed to bare surface but is not avbl for

acft arrivals or departures. ACTIVATE HIRL Rwy 16-34, MIRL Rwy

09-27, PAPI Rwy 16, Rwy 09 and Rwy 27, REIL Rwy 09, Rwy 27

and MALSR Rwy 16 and PAPI and REIL Rwy 34 Apr-Nov—CTAF.

Rwy 34 PAPI and REIL opr continuously Dec-Mar. ARFF coverage

provided scheduled FAR 121 acft only, other times by prior arrangement with airport manager. Flight Notification

Service (ADCUS) available.

WEATHER DATA SOURCES: AWOS-3 127.575 (906) 495-7134.**COMMUNICATIONS:** CTAF/UNICOM 123.0

CHIPPEWA RCO 123.65 (GREEN BAY RADIO)

SAULT STE MARIE RCO 122.1R 112.2T (GREEN BAY RADIO)

TORONTO CENTER APP/DEP CON 132.65 (SAULT ENROUTE)

RADIO AIDS TO NAVIGATION: NOTAM FILE CIU.

SAULT STE MARIE (H) VOR/DME 112.2 SSM Chan 59 N46°24.73' W84°18.89' 218° 11.7 NM to fld. 687/4W.


KOLOE NDB (MH/LOM) 400 CI N46°19.93' W84°32.53' 155° 5.7 NM to fld.

NDB unmonitored.

ILS 110.3 I-CIU Rwy 16. Class IA. LOM KOLOE NDB. ILS unmonitored 0430Z Sun-1000Z Mon,

0430-1000Z Mon-Fri, 0430Z Fri-1145Z Sat and 1715Z Sat-1600Z Sun. ILS unusable MM inbound.

Glide slope unusable blo 1012'.

**SAULT STE MARIE MUNI/SANDERSON FLD** (ANJ) 1SW UTC-5(-4DT) N46°28.75' W84°22.10'

LAKE HURON

716 FUEL 100LL, JET A NOTAM FILE ANJ

H-2K, 11A, L-31B

RWY 14-32: H5234X100 (ASPH) MIRL (NSTD) 0.4% up SE

RWY 14: REIL. PAPI (P2L)—GA 3.0° TCH 40'. Thld dsplcd 180'.

RWY 32: REIL. PAPI (P2L)—GA 3.0° TCH 29'. Thld dsplcd 178'. Road. Rgt tfe.

AIRPORT REMARKS: Attended 1400-2200Z. Fuel after hrs self svc with credit card. Deer and birds on and invof arpt.

50' drop off, north end, 200' from rwy end. ACTIVATE MIRL Rwy 14-32, PAPI Rws 14, Rwy 32 and REIL Rws 14

and Rwy 32—CTAF-122.7. US customs on req call 906-632-2631.

WEATHER DATA SOURCES: ASOS 118.375 (906) 632-8501.**COMMUNICATIONS:** CTAF/UNICOM 122.7

TORONTO CENTER APP/DEP CON 132.65

GCO 135.075 (GREEN BAY FSS)

RADIO AIDS TO NAVIGATION: NOTAM FILE CIU.

SAULT STE MARIE (H) VOR/DME 112.2 SSM Chan 59 N46°24.73' W84°18.89' 335° 4.6 NM to fld. 687/4W.

COMM/NAV/WEATHER REMARKS: Acft operating within Sault Ste Marie. Ontario Arpt traffic area maintain communications

with Sault Ste Marie Ontario twr on frequency 118.8. Pilots operating in Canadian/US Class D Airspace are

required to establish and maintain two-way communication and obtain ATC clearance from Sault Ste Marie Twr

(SOO TOWER 118.8) prior to operating in the Class D Airspace. Traffic Advisory Service (118.8) is avbl in the US

Class E Surface Extension 1200-0100Z.

SAWYER INTL (See MARQUETTE)**SCHIFFER ACRES** (See ST JOHNS)**SCHOOLCRAFT CO** (See MANISTIQUE)

SEBEWAING (98G) OW UTC-5(-4DT) N43°43.75' W83°27.75'

DETROIT

584 **FUEL** 100LL NOTAM FILE LAN

RWY 18-36: H2178X50 (ASPH) S-10 LIRL

RWY 18: Trees. **RWY 36:** Thld dsplcd 245'. Railroad.

RWY 06-24: 2150X130 (TURF)

RWY 06: Brush. **RWY 24:** Thld dsplcd 483'. Railroad.

AIRPORT REMARKS: Attended irregularly. For fuel call 989-883-3787 or 989-550-1145. Rwy 06-24 not plowed winter months, may be wet or unusable during spring thaw. Seagulls and deer on and invof rws. Rwy 06-24 marked with 3' cones. Rwy 18-36 numerous cracks, vegetation and deterioration. **ACTIVATE** LIRL Rwy 18-36—CTAF.

COMMUNICATIONS: CTAF/UNICOM 122.8

SELFRIDGE ANGB (MTC)(KMTC) ANG (ARNG) 2 NE UTC-5(-4DT)

DETROIT

N42°36.50' W82°50.13'

COPTER

580 B TPA—See Remarks NOTAM FILE MTC Not insp.

H-106, L-28J, A

RWY 01-19: H9000X150 (PEM) PCN 54 R/B/W/T HIRL

DIAP, AD

RWY 01: SALS. REIL. PAPI(P4L). Rgt tfc. **RWY 19:** ALSF1. REIL. PAPI(P4L). Rgt tfc.

ARRESTING GEAR/SYSTEM

RWY 01—HOOK BAK-12A(B) (1260')

HOOK BAK-12A(B) (1250')→**RWY 19**

MILITARY SERVICE: LGT When twr clsd **ACTIVATE** arpt lgt freq 120.15. **A-GEAR** BAK-12A emerg use only. PPR for acft that rqr engagement for wet rwy.

JASU 1(M32A-60) 1(A/M32A-86D) 1(MC-11) **FUEL** J8. Avbl Mon-Fri 1200-0300Z, Sat-Sun 1430-2100Z, closed holidays. **FLUID** SP PRESAIR LPOX LOX HPOX **OIL** O-128-133-148 SOAP. SOAP Mon-Fri

1215-2100Z, other times DSN 273-5777. **TRAN ALERT** Opr 1230-0130Z clsd hol. Ltd fleet scv avbl prior notice required ctc DSN 273-5640 or C586-239-5640.

MILITARY REMARKS: Opr 1230-0400Z, clsd hol. Other times uncontrolled for Department of Homeland Security,

ARNG, USCG or emergency ops. See FLIP AP/1 Supplementary Arpt Remark. **RSTD** Tran acft avoid ctc with

BAK-12 during touch and go or stop and go ldg. Helipad on Twy B day VFR only. PPR all acft, DSN

273-5322/4402. **CAUTION** Moderate bird activity common. Twy B btn Twy H and 500' north of Twy J not visible

from twr. **TFC PAT** TPA—Fighter rectangular and clsd 2200(1620), all others 1700(1120). **MISC** VIP acft ctc PTD 30

minutes prior to arrival with firm chock time. Base OPS DSN 273-5322, C586-307-5322, fax DSN 273-5814,

C586-239-5814; NOTAM DSN 273-4069, C586-239-4069. Snow removal accomplished 1215-2100Z

weekdays. Tran acft req use of Selfridge ANGB Drop Zones (DZs). Rwy 01-19 transversely grooved. Rwy 01-19 S

1500' concrete, center 5700' asphalt, N 1800' concrete. Rwy 01-19 S overrun hardened may be used for tkr,

day VFR condition only.

COMMUNICATIONS: ATIS 125.325 270.1 **PTD** 134.85 372.2

Ⓡ **APP CON** 119.6 318.2 (1230-0400Z), clsd hol, other times uncontrolled for DHS, ARNG, USCG or emergency ops, other times ctc Ⓡ **CLEVELAND CENTER APP CON** 127.7 308.7.

TOWER 120.15 225.4 **GND CON** 128.3 275.8 **CLNC DEL** 119.0 259.95

Ⓡ **DEP CON** 119.6 391.9 (1230-0400Z), clsd hol, other times uncontrolled for DHS, ARNG, USCG or emergency ops, other times ctc

CLEVELAND CENTER DEP CON 127.7 290.425.

PMSV METRO 342.5 (Full svc avbl 1000-0400Z, clsd hol.)

WING COMD POST (QUARTERBACK Control) 311.0 321.0

SELFRIDGE 120.15 **USCG DETROIT AIR** 381.8X 5692X

AIRSPACE: CLASS D svc continuous.

RADIO AIDS TO NAVIGATION: NOTAM FILE MTC.

(L) **TACAN** Chan 64 MTC (133.7) N42°36.78' W82°49.91' at fld. 580/6W. No NOTAM MP Thu

1300-1500Z (1500/3).

TACAN unusable:

020-345° byd 20 NM blo 3,000' 345°-020° byd 30 NM blo 3,000'

ILS 110.1 I-RFB Rwy 01. **ILS** BC unusable. No NOTAM MP **ILS** Tue 1300-1500Z (1500/3), **Glide Slope** Wed 1300-1700Z (1500/3).

ILS 110.1 I-MTC Rwy 19. **ILS** BC unusable. No NOTAM MP **ILS** Tue 1300-1500Z (1500/3), **Glide**

Slope Wed 1300-1700Z (1500/3).

COMM/NAV/WEATHER REMARKS: VFR ARR contact Selfridge App Con 30 NM out 119.6 318.2.

SHAMROCK FLD (See BROOKLYN)

SHARPE'S STRIP (See EMMETT)

SIDNAW**PRICKETT—GROOMS FLD** (6Y9) 1 NE UTC-5(-4DT) N46°31.00' W88°42.01'**GREEN BAY**

1372 NOTAM FILE GRB

RWY 10-28: 2000X100 (TURF)**RWY 10:** Thld dsplcd 300'. Trees. **RWY 28:** Trees.**AIRPORT REMARKS:** Unattended. Rwy's not plowed. Arpt CLOSED Nov-Apr and when snow covered. Rwy 10-28 sfc soft when wet, call 906-355-2257 to verify condition. Camping and cabins adjacent, 906-355-2257. Rwy 10-28 marked with 3' yellow cones.**COMMUNICATIONS:** CTAF 122.9**SILVER CITY AIRPARK** (See ALPENA)**SKYWAY ESTATES** (See EATON RAPIDS)**SOUTH HAVEN AREA RGNL** (LWA) 3 S UTC-5(-4DT) N42°21.07' W86°15.34'**CHICAGO**

666 B S4 FUEL 100LL, JET A NOTAM FILE LAN

L-281**RWY 04-22:** H4801X75 (ASPH) S-12 MIRL 0.3% up NE**IAP****RWY 04:** REIL. PAPI (P4L)—GA 3.5° TCH 33'. Trees.**RWY 22:** REIL. PAPI (P4L)—GA 4.0° TCH 28'. Thld dsplcd 500'. Tree.**RWY 14-32:** 3275X190 (TURF)**RWY 14:** Thld dsplcd 963'. Trees.**RWY 32:** Thld dsplcd 762'. Tree.**AIRPORT REMARKS:** Attended 1400-2200Z±. Deer on and invof arpt. Rwy 14 and Rwy 32 dsplcd thlds marked with three 3' yellow cones. MIRL Rwy 04-22 preset low ints; dusk-0400Z±; to increase ints and ACTIVATE REIL and PAPI Rwy 04 and Rwy 22—CTAF. After 0400Z± ACTIVATE CTAF.**WEATHER DATA SOURCES:** AWOS-3 118.025 (269)637-7016.**COMMUNICATIONS:** CTAF/UNICOM 122.8**PULLMAN RCO 122.1R, 112.1T** (LANSING RADIO)**SOUTH BEND APP/DEP CON 118.55** (Sun-Fri 1030-0500Z±, Sat 1030-0445Z±, other times ctc)**CHICAGO CENTER APP/DEP CON 128.5****GCO 121.725** (FLIGHT SERVICES)**RADIO AIDS TO NAVIGATION:** NOTAM FILE LAN.**PULLMAN (H) VOR/DME 112.1 PMM** Chan 58 N42°27.96' W86°06.29' 224° 9.6 NM to fld. 640/00E.**SOUTHWEST MICHIGAN RGNL** (See BENTON HARBOR)**SPARTA****PAUL C. MILLER—SPARTA** (8D4) 3 SE UTC-5(-4DT) N43°07.63' W85°40.70'**CHICAGO**

775 B S4 FUEL 100LL, MOGAS NOTAM FILE LAN

L-281**RWY 07-25:** H4033X75 (ASPH) S-24 MIRL**IAP****RWY 07:** REIL. PAPI (P2L)—GA 3.5° TCH 22'. Trees.**RWY 25:** REIL. PAPI (P2R)—GA 3.5° TCH 27'. Trees.**AIRPORT REMARKS:** Attended irregularly. Powered parachute ops north side of rwy. Deer on and invof arpt. ACTIVATE MIRL Rwy 07-25 and PAPI Rwy 07-25—CTAF.**COMMUNICATIONS:** CTAF/UNICOM 122.8**(R) GRAND RAPIDS APP/DEP CON 124.6** (1030-0500Z±)**CHICAGO CENTER APP/DEP CON 128.5** (0500-1030Z±)**RADIO AIDS TO NAVIGATION:** NOTAM FILE MKG.**MUSKEGON (L) VORTACW 115.2 MKG** Chan 99 N43°10.16' W86°02.36' 100° 16.1 NM to fld. 659/1W.**HIWAS.****SPENC** N42°13.20' W83°12.20' NOTAM FILE DTW.**DETROIT****NDB (LOM) 223 DM** 272° 6.7 NM to Detroit Metropolitan Wayne Co.**A****STAMBAUGH** (See IRON RIVER)**STANWOOD****CAIN FLD** (38C) 2 SE UTC-5(-4DT) N43°36.00' W85°29.59'**CHICAGO**

889 S4 NOTAM FILE LAN

RWY 18-36: 3450X100 (TURF)**RWY 18:** Thld dsplcd 486'. Trees.**RWY 36:** Thld dsplcd 384'. Tree.**AIRPORT REMARKS:** Attended irregularly. Fuel avbl for emergencies only. Radio control acft activity on and invof arpt. Occasional deer activity on and invof arpt. Rwy 18-36 and dsplcd thlds marked with 3' yellow cones.**COMMUNICATIONS:** CTAF 122.9**STURGIS** N41°48.79' W85°26.03' NOTAM FILE IRS.**CHICAGO****NDB (MHW) 382 IRS** at Kirsch Muni.**L-281**

STURGIS**KIRSCH MUNI** (IRS) 2 NW UTC-5(-4DT) N41°48.80' W85°26.34'

924 B S4 FUEL 100LL, JET A1 + OX 4 TPA-1924(1000) NOTAM FILE IRS

CHICAGO
H-5E, 10F, L-28I
IAP

RWY 18-36: H5200X100 (ASPH) S-47, D-57.5 DT-90 MIRL

RWY 18: REIL. PAPI(P4L)—GA 3.0° TCH 27'. Tree.

RWY 36: REIL. PAPI(P4L)—GA 3.0° TCH 25'.

RWY 06-24: H3451X75 (ASPH) S-19, D-25, DT-58 MIRL
0.3% up NE.

RWY 06: Trees.

RWY 24: REIL. PAPI(P2L)—GA 4.0° TCH 22'. Trees.

AIRPORT REMARKS: Attended 1300Z±-dusk. Rwy 18-36 MIRL OTS
indef. ACTIVATE MIRL Rwy 06-24 and Rwy 18-36, REIL Rwy 18
and Rwy 24, PAPI Rwy 24, Rwy 18, and Rwy 36—CTAF.**WEATHER DATA SOURCES:** AWOS-3 121.325 (269) 659-8715.**COMMUNICATIONS:** CTAF/UNICOM 123.05

Ⓡ KALAMAZOO APP/DEP CON 121.2 (1100-0400Z±)

KALAMAZOO CLNC DEL 133.55

Ⓡ CHICAGO CENTER APP/DEP CON 127.55 (0400-1100Z±)


RADIO AIDS TO NAVIGATION: NOTAM FILE AZO.

KALAMAZOO (L) VOR/DME 109.0 AZO Chan 27 N42°14.22'

W85°33.19' 170° 25.9 NM to fld. 870/1W.

STURGIS NDB (MHW) 382 IRS N41°48.79' W85°26.03' at fld.

NOTAM FILE IRS.

**SUGAR LOAF RESORT** (See TRAVERSE CITY)**SUNFIELD****HIRAM CURE** (C43) 2 NE UTC-5(-4DT) N42°46.20' W84°57.90'**DETROIT**

853 NOTAM FILE LAN

RWY 09-27: 2314X100 (TURF)

RWY 09: Tree.

AIRPORT REMARKS: Attended irregularly. Arpt CLOSED Dec thru Mar and when snow covered. Rwy 09-27 soft when
wet. Deer invof rwy. Crops adjacent to rwy. Rwy 09-27 marked with 3' yellow cones.**COMMUNICATIONS:** CTAF 122.9**SUOMI** N46°15.73' W87°24.97' NOTAM FILE SAW.**GREEN BAY**

NDB (LOM) 410 SO 009° 5.6 NM to Sawyer Intl.

TACKABERRY (See AVOCA)**TECUMSEH****MEYERS-DIVER'S** (3TE) 2 N UTC-5(-4DT) N42°01.51' W83°56.35'**DETROIT**

815 B S3 FUEL 100LL NOTAM FILE LAN

COPTER

RWY 18-36: H2660X75 (ASPH) S-6 LIRL 0.6% up N

L-28J

RWY 18: Thld dsplcd 780'. Trees.

RWY 36: Thld dsplcd 500'. Trees. Rgt tfc.

IAP

RWY 09-27: 1820X100 (TURF)

RWY 09: Trees.

RWY 27: Post.

AIRPORT REMARKS: Attended 1300-2300Z±. Fuel avbl Mon-Sat 1300-2230Z±. Parachute Jumping. Skydiving activity.
Rwy 18-36 pavement cracking. Rwy 09-27 not plowed after winter storms. Maintenance for Meyers acft only.
Rwy 18-36 acft Ind/tkof adjacent W of asph rwy. Area not marked to delineate area being used. Rwy 09-27
marked with tires; Rwy 09 dsplcd thld marked with three tires each side. ACTIVATE LIRL Rwy 18-36—CTAF.**COMMUNICATIONS:** CTAF 122.9

Ⓡ DETROIT APP/DEP CON 118.95

RADIO AIDS TO NAVIGATION: NOTAM FILE LAN.

CARLETON (H) VORTAC 115.7 CRL Chan 104 N42°02.88' W83°27.45' 270° 21.6 NM to fld. 629/3W.

HIWAS.

MERRILLAT (34G) 3 SE UTC-5(-4DT) N41°58.50' W83°55.51'

DETROIT

820 B S4 FUEL 100LL NOTAM FILE LAN

COPTER

RWY 18-36: 3608X100 (TURF) LIRL**RWY 18:** Thld dsplcd 261'. Trees.**RWY 36:** Thld dplcd 486'. Fence.

AIRPORT REMARKS: Attended 1400-2200Z. Ultralight activity on and invof arpt. Rwy 18-36 opposite rwy not visible from thld. Rwy 18-36 LIRL not for public use. Airframe and power plant repairs by prior arrangement, call arpt attendant 517-423-7600. Rwy 18-36 marked with cones; dsplcd thld marked with three 3' yellow cones each side. ACTIVATE rotating bcn—CTAF.

COMMUNICATIONS: CTAF/UNICOM 122.8

VAN CAMP'S HELIPORT (2T7) 5 NE UTC-5(-4DT) N42°01.15' W83°50.92'

DETROIT

740 S4 NOTAM FILE LAN

COPTER

HELIPAD H1: 90X50 (TURF)

HELIPORT REMARKS: Attended irregularly. Helipad H1 marked with cones. 35' tree 102' from heliport at 180°, apch ratio 2:1. 60' tree 80' from heliport at 270° apch ratio 2:1.

COMMUNICATIONS: CTAF 122.9

THOMPSONVILLE (7Y2) 2 W UTC-5(-4DT) N44°31.00' W85°58.51'

GREEN BAY

793 B NOTAM FILE LAN

RWY 09-27: H2900X75 (ASPH) D-12.5 LIRL**RWY 09:** Thld dsplcd 50'. Road. Rgt tfc.**RWY 27:** PAPI(P2L)—GA 4.0° TCH 20'. Trees.**RWY 17-35:** H2475X150 (TURF)**RWY 17:** Thld dsplcd 1220'. Trees.**RWY 35:** Thld dsplcd 1100'. Trees. Rgt tfc.

AIRPORT REMARKS: Unattended. Rwy 17-35 CLOSED Nov thru Mar and when snow covered. Rwsy not plowed. Rwy 17-35 surface rough. +450' unlighted ski hill ½ mile west of arpt. Radio controlled model acft, ultralight and glider activity. Arpt rotating bcn on ski hill 450' above arpt elevation 1.0 miles northwest. ACTIVATE LIRL Rwy 09-27 and PAPI Rwy 27—CTAF. Rwy 17-35 and dsplcd thlds marked with 3' yellow cones.

COMMUNICATIONS: CTAF 122.9

THREE RIVERS MUNI DR HAINES (HAI) 2 NE UTC-5(-4DT) N41°57.59' W85°35.60'

CHICAGO

824 B S4 FUEL 100LL, JET A TPA-1824(1000) NOTAM FILE LAN

L-281

RWY 09-27: H4000X75 (ASPH) S-26, D-30 MIRL

IAP

RWY 09: REIL. PAPI(P4L)—GA 3.5° TCH 25'.**RWY 27:** REIL. PAPI(P4L)—GA 3.5° TCH 29'. Trees.**RWY 05-23:** H2729X60 (ASPH) S-16 MIRL**RWY 05:** Road.**RWY 23:** Road.

AIRPORT REMARKS: Attended 1300Z-dusk. Rwy 05-23 PAEW. Possibility of crop irrigation equipment ops in NE apch to Rwy 23. MIRL Rwsy 09-27 and 05-23 and PAPI Rwy 09 and 27 preset low ints dusk-0300Z; after 0300Z ACTIVATE—CTAF. Radio controlled airplanes opr S of apch end Rwy 27.

WEATHER DATA SOURCES: AWOS-3 119.975 (269) 273-6705.**COMMUNICATIONS:** CTAF/UNICOM 122.8

Ⓡ KALAMAZOO APP/DEP CON 121.2 (1100-0400Z)

Ⓡ CHICAGO CENTER APP/DEP CON 127.55 (0400-1100Z)

GCO 121.725 (KALAMAZOO CLNC and FLIGHT SERVICES)

RADIO AIDS TO NAVIGATION: NOTAM FILE AZO.

KALAMAZOO (L) VOR/DME 109.0 AZO Chan 27 N42°14.22' W85°33.19' 187° 16.7 NM to fld. 870/1W.

NDB (MHW) 407 HAI N41°57.50' W85°35.50' on fld. NOTAM FILE LAN. OTS indef.

TOLEDO SUBURBAN (See LAMBERTVILLE)

TOPINABEE
PBEAAYE (Y3Ø) 3 NE UTC-5(-4DT) N45°31.87' W84°33.42'

LAKE HURON

690 NOTAM FILE LAN

RWY 01-19: 2470X90 (TURF)**RWY 01:** Thld dsplcd 450'. Trees.**RWY 19:** Thld dsplcd 800'. Trees.

AIRPORT REMARKS: Attended irregularly. Deer and birds invof arpt. Winter ops skis only. Trees in primary sfc; all quadrants. Rwy 01-19 rwy sfc rolling terrain, rough. Rwy 01-19 and dsplcd thlds marked with cones. +60' windsock located at north end.

COMMUNICATIONS: CTAF 122.9

TORCHPORT (See EASTPORT)

TRAVERSE CITY N44°40.07' W85°33.00' NOTAM FILE TVC.

GREEN BAY

(H) **VORTACW** 114.6 TVC Chan 93

H-2K, L-31B

345° 4.6 NM to Cherry Capital. 912/2W. **HIWAS.**

VOR portion unusable 276°–334° byd 20 NM blo 5000'. VOR portion unusable 063°–157° byd 16 NM blo 2600; 063°–157° byd 27 NM blo 5000'.

DME portion unusable 020°–335° byd 30 NM blo 3500'.

RCO 122.65 122.2 (LANSING RADIO)

TRAVERSE CITY

CHERRY CAPITAL (TVC) 2 S UTC–5(–4DT) N44°44.50' W85°34.94'

GREEN BAY

624 B S4 **FUEL** 100LL, JET A LRA Class I, ARFF Index B NOTAM FILE TVC

H-2K, L-31B

RWY 10–28: H6500X150 (ASPH-PFC) S–90, D–130, ST–165, DT–240 **HIRL**

IAP, AD

RWY 10: VASI(V4L)—GA 3.0° TCH 46'. Tree.

RWY 28: MALSR. PAPI(P4L)—GA 2.9° TCH 52'. Tower.

RWY 18–36: H5378X150 (ASPH-PFC) S–70, D–110, ST–140, DT–190 **MIRL**

RWY 18: VASI(V4L)—GA 3.0° TCH 50'. Thld dsplcd 270'. Trees.

RWY 36: REIL. VASI(V4L)—GA 3.0° TCH 50'. Tree.

LAND AND HOLD SHORT OPERATIONS

LANDING	HOLD SHORT POINT	DIST AVBL
RWY 18	10–28	2850
RWY 28	18–36	5500

RUNWAY DECLARED DISTANCE INFORMATION

RWY 10:	TORA–6500	TODA–6500	ASDA–6500	LDA–6500
RWY 18:	TORA–5379	TODA–5379	ASDA–5109	LDA–4839
RWY 28:	TORA–6500	TODA–6500	ASDA–6500	LDA–6500
RWY 36:	TORA–5379	TODA–5379	ASDA–5109	LDA–5109

AIRPORT REMARKS:

Attended Oct–Apr 1200–0200Z, May–Sep 1200–0300Z. During hrs when arpt is unattended call arpt ops 231–313–0928 or FBO at 231–929–1126. Arpt CLOSED to unscheduled air carrier acft with over 30 passenger seats without 48 hour prior permission—call 231–947–2250. CAUTION: Birds and deer on and in/ov arpt. Twy C–1 east of Twy C not avbl to air carrier acft. Snow removal ops in progress winter months, Snow Command will be monitoring CTAF during non–twr hours. Acft ldg/departing TVC should announce their intentions on CTAF when twr clsd. Flt crews should read back all advisory information provided by Snow Command. Arpt surface conditions unmonitored btn 0600–0900Z. ACTIVATE HIRL Rwy 10–28, MIRL Rwy 18–36, VASI Rwy 18 and MALSR Rwy 28 and REIL Rwy 36—CTAF. Ldg fee based on acft weight, private owned single engine acft exempt.

WEATHER DATA SOURCES: ASOS (231) 933–0401. **HIWAS** 114.6 TVC.

COMMUNICATIONS: CTAF 124.2 ATIS 119.175 **UNICOM** 122.95

TRAVERSE CITY RCO 122.65 122.2 (LANSING RADIO)

® **MINNEAPOLIS CENTER APP/DEP CON** 132.9

TRAVERSE CITY TOWER 124.2 (1200–0200Z, 1100–0200Z EDT) **GND CON** 121.8

AIRSPACE: CLASS D svc (1200–0200Z, 1100–0200Z EDT) other times CLASS E.


RADIO AIDS TO NAVIGATION: NOTAM FILE TVC.

TRAVERSE CITY (H) VORTACW 114.6 TVC Chan 93 N44°40.07' W85°33.00' 345° 4.6 NM to fld. 912/2W. **HIWAS.**

GWENN NDB (MH/LOM) 365 TV N44°44.07' W85°25.76' 279° 6.6 NM to fld. Unmonitored when twr clsd.

ILS 110.7 I–TVC Rwy 28. Class IE. LOM **GWENN NDB.** ILS and LOM unmonitored when twr clsd.

COMM/NAV/WEATHER REMARKS: Emerg frequency 121.5 not avbl at twr.



SUGAR LOAF RESORT (Y04) 14 NW UTC-5(-4DT) N44°54.75' W85°48.84'

GREEN BAY
L-31B

825 NOTAM FILE LAN

RWY 02-20: H3519X50 (ASPH)

RWY 02: Trees. RWY 20: Thld dsplcd 572'. Trees.

AIRPORT REMARKS: Unattended. Ski hill adjacent to rwy NW side.


Adjacent ski facility CLOSED. +10' hill on each side of rwy, 10' from pavement edges in midsection of rwy. Pedestrians and golf course adjacent to rwy N end, pedestrians and equipment crossing rwy. Rwy 02-20 extensive pavement cracking.

WEATHER DATA SOURCES: HIWAS 114.6 TVC.

COMMUNICATIONS: CTAF 122.9

RADIO AIDS TO NAVIGATION: NOTAM FILE TVC.

TRAVERSE CITY (H) VORTACW 114.6 TVC Chan 93 N44°40.07' W85°33.00' 325° 18.5 NM to fld. 912/2W. HIWAS



TRIBE N45°03.70' W87°41.76' NOTAM FILE MNM.

GREEN BAY

NDB (LOM) 239 TN 035°4.6 NM to Menominee-Marquette Twin Co.

TRIPLE H (See PARCHMENT)

TRIPP CREEK (See ST JOHNS)

TROY

OAKLAND/TROY (VLL) 2 E UTC-5(-4DT) N42°32.58' W83°10.67'

DETROIT
COPTER
L-281, A
IAP

727 B FUEL 100LL, JET A TPA-1727(1000) NOTAM FILE LAN

RWY 09-27: H3549X60 (ASPH) MIRL 0.7% up W

RWY 09: PAPI(P2R)-GA 4.0° TCH 30'. P-line.

RWY 27: PAPI(P2L)-GA 4.0° TCH 31'. Building.

AIRPORT REMARKS: Attended Sep-May Mon-Fri 1300-2300Z Sat-Sun 1300-2300Z, Jun-Aug Mon-Fri 1300-0100Z, Sat-Sun 1300-2300Z. Deer and birds on and in/ovf arpt. No touch and go landings or practice traffic patterns. Rwy 09 +3' berm 316' from thld. ACTIVATE MIRL Rwy 09-27 and PAPI Rwy 09 and Rwy 27-CTAF. Wind indicator OTS indef.

WEATHER DATA SOURCES: AWOS-3 119.475 (248) 288-4649.

COMMUNICATIONS: CTAF/UNICOM 123.05


Ⓡ DETROIT APP/DEP CON 126.85 CLNC DEL 121.725

RADIO AIDS TO NAVIGATION: NOTAM FILE PTK.

PONTIAC (L) VORTAC 111.0 PSI Chan 47 N42°42.05'

W83°31.97' 124° 18.4 NM to fld. 1148/3W.

COMM/NAV/WEATHER REMARKS: For CLNC DEL key frequency 121.725 4 times. To contact FSS key freq 121.725 6 times. One second on/one second off; monitor 121.725 while electronic equipments dials Detroit CLNC DEL/Lansing FSS.



TULIP CITY (See HOLLAND)

TUSCOLA AREA (See CARO)

UNIVERSITY AIRPARK (See BATH)

VAN CAMP'S HELIPORT (See TECUMSEH)

WATERVLiet MUNI (40C) 1 NE UTC-5(-4DT) N42°12.00' W86°15.00'

CHICAGO

656 NOTAM FILE LAN

RWY 02-20: 2600X200 (TURF)

RWY 02: Thld dsplcd 603'. Trees. **RWY 20:** Thld dsplcd 771'. Trees.

RWY 07-25: 1975X200 (TURF) (LOCAL USE ONLY)

RWY 07: Trees.

RWY 25: Trees.

AIRPORT REMARKS: Unattended. Ultralight activity. Rwy 02-20 and Rwy 07-25 soft when wet and during spring; Rwys have poor drainage. Rwy 02-20 and dsplcd thld marked with 3' yellow cones. Rwy 07-25 defined by mowing.

COMMUNICATIONS: CTAF 122.9

WAYLAND

CALKINS FLD (41C) 1 N UTC-5(-4DT) N42°41.50' W85°38.75'

CHICAGO

740 NOTAM FILE LAN

RWY 01-19: 2200X75 (TURF)

RWY 01: Thld dsplcd 800'. Tree.

RWY 19: Tree.

RWY 09-27: 1800X100 (TURF)

RWY 09: Thld dsplcd 200'. Trees.

RWY 27: Tree.

AIRPORT REMARKS: Unattended. No snow removal—verify conditions call 616-698-5041, manager's cell. Rwy 09-27 surface rough and uneven, soft when wet. Rwy 01-19 local use only. Rwy 09-27 and Rwy 01-19 and dsplcd thlds marked with 3' yellow cones.

COMMUNICATIONS: CTAF 122.9

WEIDMAN

OJIBWA AIRPARK (D11) 3NW UTC-5(-4DT) N43°43.20' W85°00.17'

CHICAGO

950 NOTAM FILE LAN

RWY 05-23: 3600X125 (TURF) LIRL

RWY 05: Thld dsplcd 700'. Road.

RWY 23: Thld dsplcd 400'. Trees.

AIRPORT REMARKS: Attended Apr-Nov irregularly. Arpt CLOSED when snow covered except ski equipped acft;

approximately Nov thru Apr. Rwy 05 has 14' road and 3' fence at thld, and tall trees all quads. Rwy 23 E 400' is soft when wet. Trees both sides of rwy. Rwy 05 and Rwy 23 marked with 3' yellow cones.

COMMUNICATIONS: CTAF 122.9

WELKE (See BEAVER ISLAND)

WELLS (See ROCKFORD)

WEND VALLEY (See CHARLOTTE)

WEST BRANCH COMMUNITY (Y31) 3 SE UTC-5(-4DT) N44°14.69' W84°10.79'

LAKE HURON

882 B S4 FUEL 100LL, JET A NOTAM FILE LAN

H-11A, L-31C

RWY 09-27: H5000X100 (ASPH) S-26 MIRL 0.4% up W

IAP

RWY 09: REIL. PAPI(P4L)—GA 3.0° TCH 41'. Brush.

RWY 27: REIL. PAPI(P4L)—GA 3.0° TCH 41'. Trees.

AIRPORT REMARKS: Attended Mon-Fri 1300-2200Z†, Sat-Sun 1400-2200Z†. For attendant after hrs call 989-345-3524; svc charge. Deer on and invof arpt. ACTIVATE MIRL Rwy 09-27; PAPI and REIL Rwys 09 and 27—CTAF.

COMMUNICATIONS: CTAF/UNICOM 122.8

RCO 122.35 (LANSING RADIO)

MINNEAPOLIS CENTER APP/DEP CON 118.525

RADIO AIDS TO NAVIGATION: NOTAM FILE LAN.

(T)VORW/DME 113.2 BXZ Chan 79 N44°14.56' W84°11.01' at fld. 805/6W.

DME unusable 020°-205° byd 19 NM blo 3000', 205°-020° byd 19 NM blo 3500'.

WESTPHALIA

FOREST HILL (3F5) 6SE UTC-5(-4DT) N42°54.74' W84°40.53'

DETROIT

775 NOTAM FILE LAN

RWY 09-27: 2070X80 (TURF)

RWY 09: Trees. **RWY 27:** Trees.

RWY 18-36: 1900X80 (TURF)

RWY 18: Thld dsplcd 185'. Road.

RWY 36: Thld dsplcd 380'. Tree.

AIRPORT REMARKS: Unattended. Deer and birds on and invof arpt. Rwy 09-27 and Rwy 18-36 soft in spring. Rwy 09 has a 30' p-line in apch 606' from thld. Rwy 09-27 and Rwy 18-36 edges and dsplcd thlds marked with 3' yellow cones.

COMMUNICATIONS: CTAF 122.9

WEXFORD CO (See CADILLAC)

WEXOR N44°14.22' W85°32.84' NOTAM FILE CAD.

NDB (LOM) 336 MA 071° 6 NM to Wexford Co.

WHITE CLOUD N43°34.49' W85°42.97' NOTAM FILE LAN.

CHICAGO

(L) VOR/DME 117.6 HIC Chan 123 047° 12.8 NM to Roben-Hood. 920/1W.

L-281

VOR/DME unusable 020°-090° beyond 30 NM below 3000'

DME portion unusable 270°-290° byd 35 NM blo 3000'.

RCO 122.1R 117.6T (LANSING RADIO)

WHITE CLOUD (42C) 1 N UTC-5(-4DT) N43°33.59' W85°46.45'

CHICAGO

914 S2 FUEL 100LL NOTAM FILE LAN

RWY 18-36: H2917X60 (ASPH) MIRL

RWY 18: Thld dsplcd 500'. Tree.

RWY 36: Road.

AIRPORT REMARKS: Attended irregularly. Repairs on call 231-689-1621. Call arpt manager at 231-689-6126

(residence) or assistant manager at 231-689-6383 (residence) or 231-629-1774 (cell) to verify snow removal.

ACTIVATE MIRL Rwy 18-36—CTAF.

COMMUNICATIONS: CTAF/UNICOM 122.8

WICKENHEISER (See CARLETON)

WIGGINS N43°58.20' W84°28.50'. NOTAM FILE LAN.

DETROIT

NDB (MHW) 209 GDW at Gladwin Zettel Meml.

L-281, 31C

WILDERNESS AIRPARK (See KENT CITY)

WILLIAMSTON

MAIDENS (89Y) 3 NW UTC-5(4DT) N42°44.00' W84°19.42'

DETROIT

920 NOTAM FILE LAN

RWY 09-27: 2300X70 (TURF)

RWY 09: Thld dsplcd 214'. Tree. Rgt tfc.

RWY 27: Thld dsplcd 1070'. P-line.

AIRPORT REMARKS: Attended irregularly. Rwy 09 apch may be obstructed by seasonal +8' crops. Rwy 09-27 acft

inside primary sfc south side of rwy. Rwy 09-27 rwy sfc rough with ruts and rocks due to ongoing construction project. Rwy 27 p-line marked with three orange balls. Rwy 09-27 slopes down to the W. Rwy 09 and 27 thlds

and dsplcd thlds marked with three 3' yellow cones each side.

COMMUNICATIONS: CTAF 122.9.

WILLOW RUN (See DETROIT)

WINN

WOODRUFF LAKE (53W) 4 NW UTC-5(4DT) N43°33.27' W84°58.71'

DETROIT

940 NOTAM FILE LAN

RWY 09-27: 3700X105 (TURF)

RWY 09: Thld dsplcd 341'. Road.

RWY 27: Thld dsplcd 260'. Road.

AIRPORT REMARKS: Attended irregularly. Rwy 09-27 and dsplcd thld marked with 3' yellow cones.

COMMUNICATIONS: CTAF 122.9.

W K KELLOGG (See BATTLE CREEK)

WM "TINY" ZEHNDER FLD (see FRANKENMUTH)

WOODRUFF LAKE (see WINN)

WOOLSEY MEM (See NORTHPORT)

YALE

GAVAGAN FLD (48G) 4 SW UTC-5(-4DT) N43°06.21' W82°53.41'

DETROIT

800 NOTAM FILE LAN

RWY 14-32: 1986X95 (TURF)

RWY 14: Thld dsplcd 515'. Tree.

RWY 32: Trees.

AIRPORT REMARKS: Attended Sat-Sun irregularly. No snow removal. Rwy 14-32 has 2' ditch adjacent to rwy both sides. Rwy 14-32 soft when wet. Rwy 14-32 thlds and Rwy 14 dsplcd thld marked with tires.

COMMUNICATIONS: CTAF 122.9

YALE (D20) 1 SE UTC-5(-4DT) N43°06.75' W82°47.25'

DETROIT

814 NOTAM FILE LAN

RWY 09-27: 2300X110 (TURF) LIRL (NSTD)

RWY 09: Thld dsplcd 315'. Road.

RWY 27: Thld dsplcd 300'. Brush.

AIRPORT REMARKS: Attended irregularly. Rwy 09-27 soft in spring. Rwy 09-27 and dsplcd thlds marked with cones; pails and tires. Rwy 09-27 NSTD LIRL—NSTD color and configuration. Rwy lgtd on S side only with NSTD color; not for public use.

COMMUNICATIONS: CTAF 122.9

YIPPS N42°10.45' W83°37.29' NOTAM FILE YIP.

DETROIT

NDB (LOM) 359 YI 053° 5.6 NM to Willow Run. Unmonitored.

YUBA (See ELK RAPIDS)

ZEELAND

OTTAWA EXECUTIVE (Z98) 3 E UTC-5(-4DT) N42°49.04' W85°55.69'

CHICAGO

L-281

740 S4 FUEL 100LL NOTAM FILE LAN

RWY 02-20: H3800X60 (ASPH) LIRL

RWY 02: Thld dsplcd 294'.

RWY 20: Thld dsplcd 191'. Tree.

RUNWAY DECLARED DISTANCE INFORMATION

RWY 02: TORA-3609 TODA-3800 ASDA-3609 LDA-3315

RWY 20: TORA-3506 TODA-3800 ASDA-3590 LDA-3399

AIRPORT REMARKS: Attended Mon-Fri 1300-2200Z. 200' lgtd antenna approximately 1900' NE of Rwy 20. Rwy slopes up from S to N. ACTIVATE LIRL Rwy 02-20—CTAF, 5 clicks on SS-SR.


COMMUNICATIONS: CTAF 122.9

RADIO AIDS TO NAVIGATION: NOTAM FILE GRR.

GRAND RAPIDS (H) VOR/DME 115.95 GRR Chan

106(Y) N42°47.20' W85°29.83' 280° 19.1 NM to fld.

803/4W. DME unmonitored.



ADA (ØD7) 1 NW UTC-5(-4DT) N40°47.44' W83°49.75'

DETROIT

949 NOTAM FILE DAY

RWY 09-27: 1955X110 (TURF)

RWY 09: Tree. **RWY 27:** Tree.

AIRPORT REMARKS: Unattended. Deer on and invof arpt. Ultralight activity on and invof arpt.

COMMUNICATIONS: CTAF/UNICOM 122.8

AIRBO N39°29.58' W83°44.29' NOTAM FILE ILN.

CINCINNATI

NDB (MHW/LDM) 407 IL 217° 4.6 NM to Airborne Airpark. Unmonitored. Sat-Sun 2300-1100Z‡

L-27E

and Sun 2300 til Mon 1200Z‡.

AIRBORNE AIRPARK (See WILMINGTON)

AKRON

AKRON-CANTON RGNL (CAK) 10 SE UTC-5(-4DT) N40°54.97' W81°26.53'

DETROIT

1228 B S4 FUEL 100LL, JET A OX 1, 2 LRA Class I, ARFF Index B NOTAM FILE CAK H-106, L-29B

RWY 01-19: H7601X150 (ASPH-GRVD) S-120, D-160, ST-175, DT-250 HIRL

IAP, AD

RWY 01: MALSR.

RWY 19: MALSR. PAPI(P4L)—GA 3.0° TCH 53'. Thld displcd 599'.

RWY 05-23: H7597X150 (ASPH-GRVD) S-120, D-160, ST-175,

DT-230 HIRL 0.5% up NE

RWY 05: REIL. VASI(V4L)—GA 3.0° TCH 40'.

RWY 23: MALSR. VASI(V4L)—GA 3.0° TCH 48'. Trees.

LAND AND HOLD SHORT OPERATIONS

LANDING	HOLD SHORT POINT	DIST AVBL
RWY 05	01-19	4300
RWY 19	05-23	3100

RUNWAY DECLARED DISTANCE INFORMATION

RWY 01: TORA-7600 TODA-7600 ASDA-7000 LDA-7000
RWY 19: TORA-7600 TODA-7600 ASDA-7600 LDA-7000

AIRPORT REMARKS: Attended continuously. Rwy 05-23 southwest 1000' CLOSED indef. Air carrier acft taxiing on jet tech ramp and north hangar areas not visible from twr. Deer and birds on and invof arpt. One hr PPR for unscheduled air carrier ops with more than 9 passenger seats call airport manager 216-499-4059. ARFF svc not avbl 0500-1100Z‡ except one hr PPR; call arpt manager. Rwy 01 runway visual range touchdown avbl. Flight Notification Service (ADCUS) avbl.

WEATHER DATA SOURCES: ASOS (330) 966-9545.

COMMUNICATIONS: ATIS 121.05 UNICOM 122.95

RCO 122.1R 114.4T (CLEVELAND RADIO)

Ⓡ **APP/DEP CON** 125.5 (007°-186°) 118.6 (187°-006°) 126.4 (1100-0500Z‡)

Ⓡ **CLEVELAND CENTER APP/DEP CON** 134.9 (0500-1100Z‡)

TOWER 118.3 **GND CON** 121.7 **CLNC DEL** 132.05

AIRSPACE: CLASS C svc 1100-0500Z‡ ctc APP CON other times CLASS D.

RADIO AIDS TO NAVIGATION: NOTAM FILE CAK.


(L) **VOR/DME** 114.4 ACO Chan 91 N41°06.47' W81°12.09' 228° 15.9 NM to fld. 1194/4W.

ILS 109.5 I-CAK Rwy 01. Class IA.

ILS 108.3 I-GGZ Rwy 23. Class IB.

ILS 109.5 I-RGO Rwy 19. Class IE.

ASR



AKRON FULTON INTL (AKR) 0 S UTC-5(-4DT) N41°02.25' W81°28.02'

DETROIT

1067 B FUEL 100LL, JET A AOE NOTAM FILE AKR

H-106, L-306

RWY 07-25: H6337X150 (ASPH) S-75, D-100, ST-127, DT-160 HIRL

IAP, AD

RWY 07: REIL. PAPI(P4L)—GA 3.3° TCH 53'. Thld dsplcd 760'.

Railroad.

RWY 25: REIL. Thld dsplcd 262'. Trees.

RWY 01-19: H2336X100 (ASPH) S-30 MIRL

RWY 01: Brush. RWY 19: Thld dsplcd 190'.

AIRPORT REMARKS: Attended 1100-0300Z±. Deer on and invof nwys and twys. PPR for svc after hrs call arpt manager 330-864-2366.

Rwy 07 REIL OTS indef. Rwy 07 PAPI OTS indef. ACTIVATE MIRL

Rwy 01-19, HIRL Rwy 07-25, and REIL Rws 07 and 25—CTAF.

Flight Notification Service (ADCUS) available.

WEATHER DATA SOURCES: ASOS 126.825 (330) 724-4237.

COMMUNICATIONS: CTAF/UNICOM 123.075

RCO 122.1R 114.4T (CLEVELAND RADIO)

⑧ AKRON-CANTON APP/DEP CON 118.6 (1100-0500Z±)

CLNC DEL 121.6

⑧ CLEVELAND CENTER APP/DEP CON 120.775 (0500-1100Z±.)

AIRSPACE: CLASS E svc continuous.


RADIO AIDS TO NAVIGATION: NOTAM FILE CAK.

(L) VOR/DME 114.4 ACO Chan 91 N41°06.47'

W81°12.09' 255° 12.8 NM to fld. 1194/4W.

NDB (MHW/LOM) 362 AK N41°04.19' W81°23.25' 249° 4.1 NM to fld. NOTAM FILE CLE.

ILS/DME 110.9 I-AKR Chan 046 Rwy 25 LOM AKRON NDB. LOC only. DME unusable byd 25° left of course. Unmonitored when twr clsd. DME OTS indef.

**MAYFIELD** (1D4) 5 SE UTC-5(-4DT) N40°59.55' W81°25.91'

DETROIT

1100 TPA-2800(1700) NOTAM FILE CLE

RWY 09-27: 2315X110 (TURF)

RWY 09: Thld dsplcd 180'. Trees.

RWY 27: Thld dsplcd 590'. Trees. Rgt tfc.

AIRPORT REMARKS: Attended irregularly. Rwy 09-27 marked with tires. Dsplcd thld marked with yellow tires.

COMMUNICATIONS: CTAF 122.9

OLD PORTAGE HELIPORT (4P2) 4 NW UTC-5(-4DT) N41°08.27' W81°32.95'

DETROIT

760 NOTAM FILE CLE

HELIPAD H1: 100X100 (TURF)

HELIPORT REMARKS: Unattended. Helipad H1 +82' to +46' tree along with +17' building and +30' p-line near pad.

COMMUNICATIONS: CTAF 122.9

SCHMELTZER HELIPORT (6D5) 7 NW UTC-5(-4DT) N41°08.84' W81°39.62'

DETROIT

992 NOTAM FILE CLE

HELIPAD H1: 50X50 (TURF)

HELIPORT REMARKS: Attended irregularly. Helipad H1 +83' trees 75' east and south of pad.

COMMUNICATIONS: CTAF 122.9

ALBANY (See ATHENS/ALBANY)

ALDERMAN (See ST CLAIRSVILLE)

ALEXANDER SALAMON (See WEST UNION)

ALLEN CO N40°42.43' W83°58.09' NOTAM FILE DAY. DETROIT
 (T) VOR 108.4 AOH 274° 2.7 NM to Lima Allen Co. ASOS. L-23C
 VOR portion unusable 091°–109° byd 20 NM.
 RCO 122.1R 108.4T (DAYTON RADIO)

ALLIANCE

BARBER (2D1) 3 N UTC–5(–4DT) N40°58.25' W81°05.99' DETROIT
 1062 S4 FUEL 100LL NOTAM FILE CLE
RWY 18–36: 3500X80 (TURF)
RWY 18: Trees. **RWY 36:** Trees.
RWY 09–27: 2088X130 (TURF)
RWY 09: P–line. **RWY 27:** Trees.
AIRPORT REMARKS: Attended 1300Z±–dusk. Arpt CLOSED Mon except with PPR. Parachute ops within 5 NM, sfc to 18,000' MSL, check Akron–Canton Rgnl apch. Parachute Jumping. Aerobatic practice area within 1 NM, surface–5000' MSL, hrs irregular, check NOTAMS. CAUTION: Occasional ground level aerobatic practice. CAUTION when rwys are wet. Use care—model acft in area. Rwy 09–27 NSTD lgts not for public use. PPR for ngt and winter ops call arpt manager 330–823–0652/or cell phone 330–495–5447. Rwy 09–27 and Rwy 18–36 marked with cones.
COMMUNICATIONS: CTAF 122.9

MILLER (4G3) 5 NE UTC–5(–4DT) N40°58.91' W81°02.53' DETROIT
 1070 B FUEL 100LL NOTAM FILE CLE L-30C
RWY 09–27: H2912X50 (ASPH) S–9 LIRL 0.4% up E. IAP
RWY 09: REIL.Thld dsplcd 180'. Trees. **RWY 27:** REIL. Thld dsplcd 288'. Trees.
AIRPORT REMARKS: Unattended. After hrs ctc manager Bill Barrett 330–718–1777. Parachute Jumping. Rwy 09 thld dsplcd 175' for ngt ops only. ACTIVATE LIRL Rwy 09–27 and bcn—CTAF.
COMMUNICATIONS: CTAF/UNICOM 122.8
 (R) AKRON–CANTON APP/DEP CON 125.5 (1100–0500Z‡) (R) CLEVELAND CENTER APP/DEP CON 120.775 (0500–1100Z‡)
RADIO AIDS TO NAVIGATION: NOTAM FILE CAK.
AKRON (L) VOR/DME 114.4 ACO Chan 91 N42°06.47' W81°12.09' 140° 10.5 NM to fld. 1194/4W.

APPLETON N40°09.06' W82°35.30' NOTAM FILE DAY. DETROIT
 (H) VORTAC 116.7 APE Chan 114 148° 9.6 NM to Newark–Heath. 1350/6W. HIWAS. H-10G, L-29A
 VOR portion unusable 360°–080°.
 RCO 122.1R 116.7T (DAYTON RADIO)

ASHLAND CO (3G4) 3 NE UTC–5(–4DT) N40°54.18' W82°15.34' DETROIT
 1206 B S2 FUEL 100LL, JET A NOTAM FILE CLE L-29A
RWY 01–19: H3502X75 (ASPH) MIRL 0.5% up S. IAP
RWY 01: REIL. PAPI(P4L). Trees. **RWY 19:** REIL. VASI(V2L). Trees.
AIRPORT REMARKS: Attended 1300Z±–dusk. Occasional deer on and invof arpt. Rwy 19 REIL OTS indef. Rwy 19 VASI OTS indef. ACTIVATE MIRL Rwy 01–19; REIL Rwy 01 and Rwy 19, PAPI Rwy 01 and VASI Rwy 19—CTAF.
COMMUNICATIONS: CTAF/UNICOM 122.7
 (R) MANSFIELD APP/DEP CON 124.2 (1100–0400Z‡) (R) CLEVELAND CENTER APP/DEP CON 134.9 (0400–1100Z‡)
RADIO AIDS TO NAVIGATION: NOTAM FILE MFD.
MANSFIELD (L) VORTAC 108.8 MFD Chan 25 N40°52.12' W82°35.46' 085° 15.4 NM to fld. 1210/3W.
NDB (MHW) 329 AAU N40°57.80' W82°15.20' 189° 3.6 NM to fld. NOTAM FILE CLE. NDB unmonitored ngts indef.

ASHTABULA CO (HZY) 8 SE UTC-5(-4DT) N41°46.68' W80°41.73'

DETROIT

924 B S3 FUEL 100LL, JET A1+ NOTAM FILE HZY

H-10G, L-30G

RWY 08-26: H5197X100 (ASPH) S-40, D-53 MIRL 0.3% up E

IAP

RWY 08: REIL. PAPI(P4L)—GA3.0° TCH 27'. Trees.

RWY 26: REIL. PAPI(P4L)—GA 3.0° TCH 26'. Trees.

AIRPORT REMARKS: Attended 1400-2200Z±. Unattended New Years Day and Christmas Day. 24 hr credit card self service 100LL Fuel. ACTIVATE MIRL Rwy 08-26, PAPI Rwy 08 and Rwy 26 and REIL Rwy 08 and Rwy 26—123.3.

WEATHER DATA SOURCES: ASOS 118.325 (440) 576-6907.**COMMUNICATIONS:** CTAF/UNICOM 122.8

JEFFERSON RCO 122.1R 115.2T (CLEVELAND RADIO)

ERIE APP/DEP CON 121.0 (1100-0500Z±)

CLEVELAND CENTER APP/DEP CON 132.4 (0500-1100Z±)

GCO 121.725 (ERIE CLNC)


RADIO AIDS TO NAVIGATION: NOTAM FILE CLE.

JEFFERSON (L) VOR/DME 115.2 JFN Chan 99 N41°45.61'

W80°44.89' 070° 2.6 NM to fld. 900/5W.

COMM/NAV/WEATHER REMARKS: GCO avbl on freq 121.725 ERI CLNC DEL.

Click 4 times for ERI tower and 6 times for Cleveland RADIO. GCO
OTS indef.

**ATHENS-ALBANY** N39°12.66' W82°13.89'

CINCINNATI

RCO 122.25 (DAYTON RADIO)

L-29B

ATHENS/ALBANY**OHIO UNIVERSITY SNYDER FLD** (UNI) 10 SW UTC-5(-4DT) N39°12.71' W82°13.76'

CINCINNATI

766 B S4 FUEL 100LL, JET A OX 1 TPA (See remarks) NOTAM FILE DAY

H-10G, L-29B

RWY 07-25: H5600X100 (ASPH) S-30 MIRL

IAP

RWY 07: REIL. PAPI(P4R)—GA 3.0° TCH 25'. Thld dsplcd 900'. Trees.

RWY 25: REIL. PAPI(P4L)—GA 3.0° TCH 50'. Trees.

AIRPORT REMARKS: Attended continuously. Deer and waterfowl invof arpt. TPA—turbine acft (except helicopters) 2300(1534), multiengine reciprocating 2000(1234), all others 1800(1034), Rwy 07-25 left traffic only. Extensive flight training, make every effort to observe traffic pattern altitudes. Avoid overflight of noise sensitive areas, church 1.8 mi NW of Rwy 25 end and village of Albany 2 mi E of apch end Rwy 25. Rwy 07 REILS located 949' from rwy end. ACTIVATE MIRL Rwy 07-25 and REIL Rwy 07 and Rwy 25—CTAF. PAPI Rwy 07 and Rwy 25 opr 24 hrs.

WEATHER DATA SOURCES: AWOS-3 128.325 (740) 597-2687 TF 1-888-682-4799.**COMMUNICATIONS:** CTAF/UNICOM 123.075

ATHENS-ALBANY RCO 122.25 (DAYTON RADIO)

® HUNTINGTON APP/DEP CON 120.95 CLNC DEL 120.95

RADIO AIDS TO NAVIGATION: NOTAM FILE EKN.

HENDERSON (H) VORTAC 115.9 HNN Chan 106 N38°45.25' W82°01.57' 344° 29 NM to fld. 880/3W.

UNIVERSITY NDB (MHW) 250 UGS N39°15.44' W82°07.56' 247° 5.5 NM to fld. NOTAM FILE DAY.

ILS 108.75 I-UNI Rwy 25. Class IB. LOC unusable inside .5 NM.

BALTIMORE**MILLER FARM LANDING STRIP** (7B4) 3 NE UTC-5(-4DT) N39°53.07' W82°35.34'

CINCINNATI

930 S4 NOTAM FILE DAY

RWY 09-27: 3250X50 (TURF) LIRL (NSTD)

RWY 09: Thld dsplcd 270'. Trees. RWY 27: Thld dsplcd 275'. Trees.

AIRPORT REMARKS: Attended continuously. For rwy lgts call 614-862-6053. No student ops, no touch and go. Rwy 09-27 NSTD LIRL; rwy ends lgtd with 360° red lgts and dsplcd thlds lgtd with 1 360° green lgt each side of rwy.

COMMUNICATIONS: CTAF 122.9**BANNOCK HELIPORT** (2D6) 0 N UTC-5(-4DT) N40°06.42' W80°58.52'

DETROIT

1100 NOTAM FILE CLE

HELIPAD H1: H20X20 (CONC)

HELIPAD H1: Antenna.

HELIPORT REMARKS: Attended Mon-Fri 1300-2100Z±. Helipad H1 NSTD markings.**COMMUNICATIONS:** CTAF 122.9**BARBER** (See ALLIANCE)

BARNESVILLE—BRADFIELD (6G5) 1 NW UTC-5(-4DT) N40°00.15' W81°11.51'

DETROIT

1312 B S4 FUEL 100LL, JET A NOTAM FILE CLE

L-29B

RWY 09-27: H4004X65 (ASPH) S-30 MIRL

IAP

RWY 09: Thld dsplcd 299'. Road.

RWY 27: REIL. Trees.

AIRPORT REMARKS: Attended dailgt hrs. Deer and other wildlife on and invof arpt. ACTIVATE rotating bcn, MIRL Rwy 09-27 and REIL Rwy 27—CTAF.

COMMUNICATIONS: CTAF/UNICOM 123.0


BELLAIRE RCO 122.1R 117.1T (CLEVELAND RADIO)

CLEVELAND CENTER APP/DEP CON 120.4

RADIO AIDS TO NAVIGATION: NOTAM FILE CLE.

BELLAIRE (H) VOR/DME 117.1 AIR Chan 118 N40°01.02'

W80°49.04' 274° 17.3 NM to fld. 1290/7W.

**BATAVIA****CLERMONT CO** (I69) 2 W UTC-5(-4DT) N39°04.70' W84°12.61'

CINCINNATI

843 B S4 FUEL 100LL, JET A TPA-1843(1000) NOTAM FILE DAY

L-27E

RWY 04-22: H3566X75 (ASPH) MIRL 0.9% up SW

IAP

RWY 04: REIL. PAPI(P2L)—GA 4.0°. Thld dsplcd 396'. Road.

RWY 22: REIL(NSTD). PAPI(P2L)—GA 3.0°. Trees.

AIRPORT REMARKS: Attended Mon-Thu 1400Z±-dusk, Fri-Sat 1400-2200Z±, Sun 1600Z±-dusk. Deer and other animals on and invof arpt. ACTIVATE MIRL Rwy 04-22, PAPI and REIL Rwy 04 and Rwy 22—CTAF. Taxi on hard surface only.

COMMUNICATIONS: CTAF/UNICOM 122.975

® CINCINNATI APP/DEP CON 121.0 CLNC DEL 124.9

RADIO AIDS TO NAVIGATION: NOTAM FILE LOU.

FALMOUTH, KY (H) VOR/DME 117.0 FLM Chan 117 N38°38.97' W84°18.64' 014° 26.1 NM to fld. 810/4W.

SPORTYS NDB (MHW) 245 PWF N39°04.06' W84°12.92' at fld. NOTAM FILE DAY.

NDB unusable byd 15 NM.

BEACH CITY (2D7) 1 E UTC-5(-4DT) N40°38.80' W81°33.37'

DETROIT

984 B TPA-1800(816) NOTAM FILE CLE

L-29B

RWY 10-28: 3175X115 (TURF) LIRL (NSTD) 0.5% up E

IAP

RWY 10: REIL. VASI(V2L). Thld dsplcd 425'. P-line.

RWY 28: REIL. VASI(V2R). Thld dsplcd 734'. P-line.

AIRPORT REMARKS: Attended irregularly. No ultralight acct 1 NM radius. Rwy 10-28 NSTD LIRL; dsplcd thlds unlighted.

ACTIVATE NSTD LIRL Rwy 10-28, Rwy 10 REIL and REIL Rwy 28, and rotating bcn-122.85. Rwy 10-28 dsplcd thld marked with thld lgts on 1' day glo red containers. Rwy 10-28 numbers incorrect.

COMMUNICATIONS: CTAF/UNICOM 122.8

® AKRON-CANTON APP/DEP CON 125.5 (1100-0500Z±)

® CLEVELAND CENTER APP/DEP CON 134.9 (0500-1100Z±)

RADIO AIDS TO NAVIGATION: NOTAM FILE CLE.

NEWCOMERTOWN (L) VOR/DME 111.8 CTW Chan 55 N40°13.75' W81°28.59' 359° 25.3 NM to fld.

1180/7W. HIWAS.

BELLAIRE N40°01.02' W80°49.04' NOTAM FILE CLE.

DETROIT

(H) VOR/DME 117.1 AIR Chan 118 274° 17.3 NM to Barnesville—Bradfield. 1290/7W.

H-106, L-29B

VOR portion unusable 329°-349° below 6000'.

RCO 122.1R 117.1T (CLEVELAND RADIO)

BELLEFONTAINE RGNL (EDJ) 3 W UTC-5(-4DT) N40°22.34' W83°49.16' **DETROIT**
 1122 B S2 FUEL 100LL, JET A1+ NOTAM FILE DAY **L-27E**
 RWY 07-25: H4999X100 (ASPH) MIRL 0.4% up NE **IAP**
 RWY 07: REIL. PAPI(P4L)—GA 3.0° TCH 40'. P-line. RWY 25: REIL. PAPI(P4L)—GA 4.0° TCH 57'. Fence.
AIRPORT REMARKS: Attended Mon-Fri 1300Z±-dusk, Sat-Sun 1300-2200Z±. ACTIVATE MIRL Rwy 07-25, PAPI Rwy
 07, 25 and REIL Rwy 07 and 25—CTAF.
WEATHER DATA SOURCES: AWOS-3 118.075 (937) 599-4654.
COMMUNICATIONS: CTAF/UNICOM 122.8
 Ⓡ DAYTON APP/DEP CON 118.425 (360°-090°)
RADIO AIDS TO NAVIGATION: NOTAM FILE DAY.
 ROSEWOOD (H) VORTAC 117.5 ROD Chan 122 N40°17.27' W84°02.59' 069° 11.5 NM to fld.
 1080/5W.
 NDB (MHW) 242 EDJ N40°22.26' W83°48.83' at fld. NOTAM FILE DAY.
COMM/NAV/WEATHER REMARKS: AWOS-3 visibility and precipitation unreliable.

BENTON RIDGE N41°01.27' W83°40.15' NOTAM FILE FDY. **DETROIT**
 NDB (MHW) 334 BNR at Findlay. Unmonitored. **L-28J**

BLOOM (See JAMESTOWN)

BLUFFTON (5G7) 1 SE UTC-5(-4DT) N40°53.13' W83°52.12' **DETROIT**
 851 B S4 FUEL 100LL, JET A TPA—1851(1000) NOTAM FILE CLE **L-27E**
 RWY 05-23: H4126X75 (ASPH) S-12.5 MIRL **IAP**
 RWY 05: Trees. RWY 23: REIL. PAPI(P4L). Trees.
AIRPORT REMARKS: Attended 1300-2300Z±. PAEW 1300-2200Z± Mon-Fri. Twy marked with reflectors. ACTIVATE
 MIRL Rwy 05-23 and PAPI Rwy 23 REIL Rwy 23—CTAF.
COMMUNICATIONS: CTAF/UNICOM 122.8
 Ⓡ TOLEDO APP/DEP CON 120.8
RADIO AIDS TO NAVIGATION: NOTAM FILE FDY.
 FINDLAY (L) VORTAC 108.2 FDY Chan 19 N40°57.32' W83°45.36' 233° 6.6 NM to fld. 820/2W.
COMM/NAV/WEATHER REMARKS: Unicom monitored irregularly.

BOLTON FLD (See COLUMBUS)

BORDNER (See BOWLING GREEN)

BOUTN N39°49.16' W83°12.29' NOTAM FILE DAY. **CINCINNATI**
 NDB (MHW/LDM) 230 BU 038° 5.8 NM to Bolton Fld. Unmonitored when twr clsd. **L-29A**
 NDB unusable 355°-010° beyond 15 NM.

BOWLING GREEN

BORDNER (3D8) 4 SW UTC-5(-4DT) N41°20.16' W83°43.39' **DETROIT**
 690 NOTAM FILE CLE
 RWY 09-27: 2703X30 (TURF) S-5 LIRL
 RWY 09: P-line. Rgt tfc. RWY 27: Trees.
AIRPORT REMARKS: Unattended. Parachute Jumping. Arpt CLOSED indef. For LIRL Rwy 09-27 call 419-352-5200.
COMMUNICATIONS: CTAF 122.9

WOOD CO (1G0) 1 NE UTC-5(-4DT) N41°23.46' W83°37.81' **DETROIT**
 673 B FUEL 100LL, JET A TPA—1700(1027) NOTAM FILE CLE **L-28J**
 RWY 10-28: H4199X75 (ASPH) MIRL **IAP**
 RWY 10: REIL. PAPI(P4L). RWY 28: REIL. PAPI(P4L). Rgt tfc.
 RWY 18-36: H2628X50 (ASPH) MIRL
 RWY 18: PAPI(P4L). RWY 36: Thld dspld 57'. Road. Rgt tfc.
AIRPORT REMARKS: Attended Nov-Apr 1300-2300Z±, May-Oct 1300-0000Z±. Flocks of geese on and in/ovf arpt
 during fall and winter. 160' AGL stadium lgts .6 NM SE of arpt. Rwy 28 is the calm wind rwy. Rwy 10 REIL OTS
 indef. Rwy 10 VASI OTS indef. ACTIVATE MIRL Rwy 10-28 and 18-36; REIL Rwy 10 and Rwy 28 and PAPI Rwy
 18—CTAF.
WEATHER DATA SOURCES: AWOS-3 120.725 (419) 354-1415.
COMMUNICATIONS: CTAF/UNICOM 122.8
 Ⓡ TOLEDO APP/DEP CON 126.1 CLNC DEL 125.6
RADIO AIDS TO NAVIGATION: NOTAM FILE CLE.
 WATERVILLE (L) VOR/DME 113.1 VVW Chan 78 N41°27.09' W83°38.32' 176° 3.7 NM to fld. 660/2W.

BRACEVILLE (See NEWTON FALLS)

BRIGGS N40°44.44' W81°25.93' NOTAM FILE CLE. DETROIT
 (L) VOR/DME 112.4 BSV Chan 71 182° 16.2 NM to Harry Clever Fld. 1230/4W. H-106, L-29B
 VOR portion unusable 214°-229° blo 3000' between 3-7 NM. DME portion unusable 105°-140° byd 20 NM
 blo 3500'.
 RCO 122.1R 112.4T (CLEVELAND RADIO)

BROOKFIELD

KIRILA HELIPORT (4D5) 1 SE UTC-5(-4DT) N41°13.80' W80°33.44' DETROIT
 1140 FUEL JET A NOTAM FILE CLE
 HELIPAD H1: 300X300 (TURF)
 HELIPORT REMARKS: Attended continuously. Trees N. Wires E. Helipad H1 not marked. Make apchs to turf helipad
 (H1); Transition to asph apron for fuel.
 COMMUNICATIONS: CTAF 122.9

BROOKVILLE AIR-PARK (I62) 2 NW UTC-5(-4DT) N39°51.75' W84°26.00' CINCINNATI
 1037 S4 FUEL 100LL NOTAM FILE DAY
 RWY 09-27: H2500X30 (ASPH) LIRL
 RWY 09: Road. RWY 27: Trees.
 AIRPORT REMARKS: Attended 1300Z±-dark. Deer on and invof arpt. 100LL fuel avbl 24 hrs with credit card. Rwy
 09-27 pavement condition-weathered, loose aggregate, broken pavement. ACTIVATE LIRL Rwy 09-27-122.8.
 COMMUNICATIONS: CTAF/UNICOM 122.8
 DAYTON APP/DEP CON 134.45 (181°-359°)

BROWN CO (See GEORGETOWN)

BRUNY N39°50.82' W84°20.09' NOTAM FILE DAY. CINCINNATI
 NDB (LOM) 315 AT 062° 6.3 NM to fld. James M Cox Dayton Intl.

BRYAN N41°28.79' W84°27.96' NOTAM FILE CLE. DETROIT
 NDB (MHW) 260 BYN 252° 2 NM to Williams Co. L-28J

BRYAN

WILLIAMS CO (ØG6) 2 E UTC-5(-4DT) N41°28.04' W84°30.41' DETROIT
 730 B FUEL 100LL, JET A NOTAM FILE CLE L-28J
 RWY 07-25: H4781X75 (ASPH) S-30 LIRL IAP
 RWY 07: REIL. SAVASI(S2L). Thld dsplcd 296'. Trees. RWY 25: REIL. Thld dsplcd 629'. Road.
 AIRPORT REMARKS: Attended Apr-Nov 1300-2330Z±, Dec-Mar 1300-2230Z±. Occasional deer on and invof arpt. Rwy
 07 VASI OTS indef. ACTIVATE REIL Rwy 07-25-123.0.
 COMMUNICATIONS: CTAF/UNICOM 122.8
 LITCHFIELD RCO 122.1R 111.2T (LANSING RADIO)
 ® TOLEDO APP/DEP CON 134.35
 RADIO AIDS TO NAVIGATION: NOTAM FILE LAN.
 LITCHFIELD (L) VOR/DME 111.2 LFD Chan 49 N42°03.75' W84°45.91' 167° 37.5 NM to fld. 1040/05W.
 BRYAN NDB (MHW) 260 BYN N41°28.79' W84°27.96' 252° 2 NM to fld. NOTAM FILE CLE.

BUCKEYE N40°37.00' W83°03.83' NOTAM FILE MNN. DETROIT
 (T) VORW 109.8 BUD at Marion Muni. L-29A

BUCYRUS**PORT BUCYRUS—CRAWFORD CO** (17G) 1 S UTC-5(-4DT) N40°46.89' W82°58.49'DETROIT
L-29A
IAP

1003 B S4 FUEL 100LL NOTAM FILE CLE

RWY 04-22: H3895X75 (ASPH) S-17.1, D-35 MIRL

RWY 04: REIL. PAPI(P4L). Thld dsplcd 277'. Trees.

RWY 22: REIL. SAVASI(S2L). Road.

RWY 09-27: 2900X75 (TURF) 0.4% up E

RWY 09: Pole. RWY 27: Tree.

AIRPORT REMARKS: Attended Apr-Oct 1300-2300Z†, Nov-Mar 1300-2200Z†.

WEATHER DATA SOURCES: AWOS-3 126.625 (419) 562-0297.

COMMUNICATIONS: CTAF/UNICOM 122.8


Ⓡ MANSFIELD APP/DEP CON 124.2 (1100-0400Z†)

Ⓡ CLEVELAND CENTER APP/DEP CON 134.9 (0400-1100Z†)

RADIO AIDS TO NAVIGATION: NOTAM FILE MFD.

MANSFIELD (L) VORTAC 108.8 MFD Chan 25 N40°52.12' W82°35.46' 257° 18.3 NM to fld. 1210/3W.

BUCKEYE (T) VORW 109.8 BUD N40°37.00' W83°03.83' 027° 10.7 NM to fld. NOTAM FILE MNN.

**BURKE LAKEFRONT** (See CLEVELAND)**BUTLER CO RGNL** (See HAMILTON)**CADIZ** N40°14.20' W81°00.79' NOTAM FILE CLE.

DETROIT

NDB (MHW) 239 CFX at Harrison Co. Unmonitored. VFR only. Out of svc indefinitely.

CADIZ**HARRISON CO** (8G6) 2 S UTC-5(-4DT) N40°14.30' W81°00.77'DETROIT
L-29B
IAP

1174 B S4 FUEL 100LL NOTAM FILE CLE

RWY 13-31: H3765X75 (ASPH) S-30 MIRL 1.9% up NW

RWY 13: PAPI(P2L). Thld dsplcd 876'. Hill.

RWY 31: PAPI(P2L). Thld dsplcd 168'. Tree.

AIRPORT REMARKS: Attended 1400-2200Z†. Rwy 13-31 asphalt poor due to large cracks, vegetation and weathering. Rwy 31 VASI OTS indef. ACTIVATE MIRL Rwy 13-31 and PAPI Rwy 13 and Rwy 31—CTAF. Rotating bcn OTS indef.


COMMUNICATIONS: CTAF/UNICOM 122.8

Ⓡ CLEVELAND CENTER APP/DEP CON 120.4

RADIO AIDS TO NAVIGATION: NOTAM FILE HLG.

WHEELING (L) VOR/DME 112.2 HLG Chan 59 N40°15.59' W80°34.12' 274° 20.5 NM to fld. 1269/07W.

CADIZ NDB (MHW) 239 CFX N40°14.20' W81°00.79' at fld. NOTAM FILE CLE. Unmonitored. VFR only. Out of svc indefinitely.



CALDWELL**NOBLE CO** (I10) 3 N UTC-5(-4DT) N39°48.06' W81°32.18'**CINCINNATI**879 B **FUEL** 100LL NOTAM FILE CLE**L-29B****RWY 05-23:** H3811X65 (ASPH) S-12.5 MIRL**IAP****RWY 05:** PAPI(P2L). Trees.**RWY 23:** PAPI(P2L). Thld dsplcd 413'. Trees.**AIRPORT REMARKS:** Attended Mon-Fri 1400-2100Z±, Sat-Sun irregularly. For fuel after hrs call 740-525-9901 or 740-581-1167. Model acft activity on arpt-Sundays. ACTIVATE MIRL Rwy 05-23 and rotating bcn-122.7. Red obstruction lgts mark 56' hill 947' from AER 23.**COMMUNICATIONS:** CTAF/UNICOM 122.8**(R) INDIANAPOLIS CENTER APP/DEP CON 124.45****RADIO AIDS TO NAVIGATION:** NOTAM FILE CLE.**ZANESVILLE (L) VOR/DME 111.4** ZZV Chan 51 N39°56.45' W81°53.56' 123° 18.5 NM to fld. 900/6W.**CAMBRIDGE****CAMBRIDGE MUNI** (CDI) 03 S UTC-5(-4DT) N39°58.50' W81°34.66'**CINCINNATI**799 B S2 **FUEL** 100LL TPA-1799(1000) NOTAM FILE CLE**L-29B****RWY 04-22:** H4298X75 (ASPH) S-18.5 MIRL**IAP****RWY 04:** REIL. VASI(V2L)—GA 3.5°. Thld dsplcd 400'. Pole.**RWY 22:** REIL. VASI(V2L)—GA 3.5°. P-line.**AIRPORT REMARKS:** Attended Mon-Fri 1300-2300Z±, Sat-Sun 1300-2200Z±. Geese and deer invof rwy. Rwy 22 REIL

OTS indef. Rwy 04 obstrn lgtd hills SW of arpt. ACTIVATE MIRL Rwy 04-22; REIL Rwy 04 and Rwy 22—CTAF.

WEATHER DATA SOURCES: AWOS-3 118.525 (740) 435-0086.**COMMUNICATIONS:** CTAF/UNICOM 123.075**(R) INDIANAPOLIS CENTER APP/DEP CON 124.45** (West side ops VOR or GPS A for arrival)**(R) CLEVELAND CENTER APP/DEP CON 120.4** (East side ops LOC/DME Rwy 22 for arrival)**RADIO AIDS TO NAVIGATION:** NOTAM FILE ZZV.**ZANESVILLE (L) VOR/DME 111.4** ZZV Chan 51 N39°56.45' W81°53.56' 088° 14.7 NM to fld. 900/6W.**ILS/DME 109.35** I-CZM Chan 30 (Y) Rwy 22. LOC only. DME unmonitored.**SALT FORK LODGE HELIPORT**

(08G) 6 NE UTC-5(-4DT) N40°06.66' W81°31.57'

DETROIT

960 NOTAM FILE CLE.

HELIPAD H1: H60X56 (ASPH)**HELIPORT REMARKS:** Unattended.**COMMUNICATIONS:** CTAF 122.9**CANTON****STARK COUNTY SHERIFF HELIPORT** (5D1) 4 E UTC-5(-4DT) N40°50.39' W81°18.49'**DETROIT**

1135 NOTAM FILE CLE

HELIPAD H1: H120X75 (ASPH)**HELIPAD H1:** Tower.**HELIPORT REMARKS:** Attended continuously. Ingress-Egress 270° clockwise 090° from PAD. Helipad H1 marked with 'H'.**COMMUNICATIONS:** CTAF 122.9**CARL R KELLER FLD** (See PORT CLINTON)**CARROLL CO-TOLSON** (See CARROLLTON)**CARROLLTON****CARROLL CO-TOLSON** (TSO) 1 SE UTC-5(-4DT) N40°33.71' W81°04.65'**DETROIT**1163 B S4 **FUEL** 100LL, JET A TPA-2013(850) NOTAM FILE CLE**L-29B****RWY 07-25:** H4300X75 (ASPH) MIRL**IAP****RWY 07:** REIL. PAPI(P2L). Tree.**RWY 25:** REIL. PAPI(P2L). Tree.**AIRPORT REMARKS:** Attended 1100-0000Z±. 24 hr fuel avbl with credit card. Deer on and invof arpt. ACTIVATE MIRL Rwy 07-25 and REIL Rws 07 and 25—CTAF.**COMMUNICATIONS:** CTAF/UNICOM 122.7**(R) AKRON-CANTON APP/DEP CON 125.5** (1100-0500Z±)**(R) CLEVELAND CENTER APP/DEP CON 120.6** (0500-1100Z±)**RADIO AIDS TO NAVIGATION:** NOTAM FILE CLE.**NEWCOMERSTOWN (L) VOR/DME 111.8** CTW Chan 55 N40°13.75' W81°28.59' 049° 27.1 NM to fld. 1180/7W.**HIWAS.**

PARSONS (5D6) 5 N UTC-5(-4DT) N40°38.89' W81°04.12'

DETROIT

1290 S2 NOTAM FILE CLE

RWY 09-27: 2530X75 (TURF)

RWY 09: Trees.

RWY 27: Tree.

AIRPORT REMARKS: Attended irregularly. Deer and birds on and in/ovf arpt. Rwy 09-27 slopes up to the W. Rwy soft when wet. No line of sight between rwy ends. Aerobatic practice area 2280' MSL to 5000' MSL within 1 mile radius of arpt. Rwy 09 outlined with orange and white barrel halves and yellow tires at rwy end.

COMMUNICATIONS: CTAF 122.9

CASER N39°44.93' W82°32.12' NOTAM FILE DAY.

CINCINNATI

NDB (LOM) 338 LH 280° 5.7 NM to Fairfield Co. Unmonitored.

CELINA

LAKEFIELD (CQA) 6 SE UTC-5(-4DT) N40°29.06' W84°33.49'

DETROIT

894 B **FUEL** 100LL, JET A1+ NOTAM FILE DAY

L-27E

RWY 08-26: H4400X75 (ASPH) S-30 MIRL

IAP

RWY 08: REIL. PAPI(P4L)—GA 3.0° TCH 20'. P-line.

RWY 26: REIL. PAPI (P4L)—GA 3.0° TCH 29'. Tree.

AIRPORT REMARKS: Attended 1330Z±-dusk. 100LL fuel 24 hr with credit card self svc. After hrs call ahead for Jet A service. Parachute Jumping. ACTIVATE MIRL Rwy 08-26 and REIL Rwy 08-26—123.3.

COMMUNICATIONS: CTAF/UNICOM 122.8

Ⓡ **DAYTON APP/DEP CON** 134.45 (181°-359°)

RADIO AIDS TO NAVIGATION: NOTAM FILE DAY.

ROSEWOOD (H) VORTAC 117.5 ROD Chan 122 N40°17.27' W84°02.59' 302° 26.4 NM to fld. 1080/5W.

NDB (MHW) 205 CQA N40°28.92' W84°33.86' on fld.

CHARDON N41°31.02' W81°09.79' NOTAM FILE CLE.

DETROIT

(H) VOR/DME 112.7 CXR Chan 74 137° 6.1 NM to Geauga Co. 1310/5W.

H-106, L-30G

VOR portion unusable

357°-073° byd 10 NM blo 11,000'

085°-099° byd 10 NM blo 11,000'

074°-084° byd 10 NM blo 3,300'

104°-180° byd 10 NM 6000'

RCO 122.1R 112.7T (CLEVELAND RADIO)

CHESAPEAKE/HUNTINGTON W VA

LAWRENCE CO AIRPARK (HTW) 2 W UTC-5(-4DT) N38°25.15' W82°29.66'

CINCINNATI

568 B **FUEL** 100LL NOTAM FILE DAY

L-26H

RWY 08-26: H3001X70 (ASPH) MIRL (NSTD)

RWY 08: Thld displcd 173'. Trees.

RWY 26: Trees.

AIRPORT REMARKS: Attended Oct-Apr 1400Z±-dusk, May-Sep


1300Z±-dusk. Parachute Jumping. Rwy 08-26 has many cracks, exhibits foreign object damage. Rwy 08-26 NSTD MIRL 70' from rwy edges; Rwy 08 relocated thld 28' at ngt; 2973' lgtd at ngt.

COMMUNICATIONS: CTAF/UNICOM 122.7

RADIO AIDS TO NAVIGATION: NOTAM FILE LOU.

YORK (L) VORTAC 112.8 YRK Chan 75 N38°38.65'

W82°58.70' 125° 26.5 NM to fld. 1040/5W.



CHILLICOTHE**ROSS CO** (RZT) 6 NW UTC-5(-4DT) N39°26.43' W83°01.38'**CINCINNATI**
H-106, L-29A
IAP

725 B S4 FUEL 100LL, JET A NOTAM FILE DAY

RWY 05-23: H5404X100 (ASPH) S-30, D-60 MIRL 0.4% up SW**RWY 05:** REIL. PAPI(P4L)—GA 3.0° TCH 44'. Trees. **RWY 23:** REIL. PAPI(P4L)—GA 3.0° TCH 45'. Trees.**RWY 12-30:** 3130X125 (TURF)**RWY 12:** Thld dsplcd 330'. P-line. **RWY 30:** Trees.**AIRPORT REMARKS:** Attended 1300Z†-dusk. Rwy 12-30 CLOSED indef. Avionics Shop on fld. MIRL Rwy 05-23 preset on low ints; to increase ints and ACTIVATE PAPI and REIL Rwys 05 and 23—123.0. Rwy 05-23 555' SW end marked with Chevrons is unusable.**WEATHER DATA SOURCES:** AWOS-3 119.225 (740) 779-1364. SAWRS**COMMUNICATIONS:** CTAF/UNICOM 122.8**YELLOW BUD RCO** 122.1R 112.5T (DAYTON RADIO)**(R) COLUMBUS APP/DEP CON** 132.3**RADIO AIDS TO NAVIGATION:** NOTAM FILE DAY.**APPLETON (H) VORTAC** 116.7 APE Chan 114 N40°09.06' W82°35.30' 211° 47.1 NM to fld. 1350/6W.
HIWAS.**YELLOW BUD (T) VOR** 112.5 XUB N39°31.61' W82°58.68' 207° 5.6 NM to fld.**NDB (MHW)** 236 RZT N39°26.29' W83°01.73' at fld.

NDB unusable 330°-001° byd 10 NM; 060°-077° byd 10 NM and 200°-230° byd 10 NM.

COMM/NAV/WEATHER REMARKS: SAWRS avbl 1300-2300Z† and upon req call (740) 773-4788.**CINCINNATI****CINCINNATI-BLUE ASH** (ISZ) 6 NE UTC-5(-4DT) N39°14.80' W84°23.34'**CINCINNATI**
L-27E
IAP

856 B S4 FUEL 100LL, JET A1+ OX 3 NOTAM FILE DAY

RWY 06-24: H3499X75 (ASPH) S-12.5 MIRL 0.7% up SW**RWY 06:** REIL. VASI(V2L)—GA 4.0° TCH 20'. Trees.**RWY 24:** REIL. VASI(V2L)—GA 4.0° TCH 20'. Trees. Rgt tfc.**AIRPORT REMARKS:** Attended Apr-Nov 1200Z†-dusk, Dec-Mar 1300Z†-dusk. Deer and wildlife on and invof arpt.

Noise abatement procedures departing Rwy 24; turn rgt heading 270° after tkf, departing Rwy 06 turn left 360° after tkf. Rwy 06 REIL OTS indef. MIRL Rwy 06-24 preset on low ints dusk-dawn; to increase ints and ACTIVATE twy lgts and wind indicator and REIL Rwy 06 and 24—CTAF.

WEATHER DATA SOURCES: AWOS-3 118.475 (513) 794-1520.**COMMUNICATIONS:** CTAF/UNICOM 123.0**(R) APP/DEP CON** 121.0 **CLNC DEL** 124.9**RADIO AIDS TO NAVIGATION:** NOTAM FILE CVG.**(L) VORTAC** 117.3 CVG Chan 120 N39°00.96' W84°42.20' 051° 20.2 NM to fld. 879/04W.**NDB (MHW)** 388 ISZ N39°14.93' W84°23.38' at fld. NOTAM FILE DAY. NDB OTS indef.

CINCINNATI MUNI ARPT LUNKEN FLD (LUK) 3 SE UTC-5(-4DT)

CINCINNATI

H-106, L-27E

N39°06.20' W84°25.12'

483 B S4 FUEL 100LL, JET A OX 1 LRA Class IV, ARFF Index A NOTAM FILE LUK IAP, AD

RWY 03L-21L: H6101X150 (ASPH-GRVD) S-60, D-70, ST-88, DT-140 HIRL

RWY 03R: REIL, PAPI(P4R). Tree.

RWY 21L: MALSR. VASI(V4L)—GA 3.0° TCH 38'. Trees.

RWY 07-25: H5128X100 (ASPH-GRVD) S-11, D-20, DT-55 MIRL

RWY 07: Thld dsplcd 439'. Tree.

RWY 25: VASI(V4L)—GA 3.0° TCH 39'. Trees.

RWY 03L-21R: H3802X100 (ASPH) S-11 MIRL

RWY 03L: Trees.

RWY 21R: VASI(V4L)—GA 4.0 TCH 46'. Tree.

AIRPORT REMARKS: Attended continuously. Deer and birds on and invof arpt. 48 hr PPR for unscheduled air carrier ops with more than 30 passenger seats call 513-352-6340. Noise abatement procedures in effect call 513-352-6340. Aft maintenance run-ups restricted between 0200-1200Z. Rwy 25 and Rwy 21L apch ends are closely aligned. Rotating bcn located 1.7 NM east of the center of Lunken arpt. Verify correct rwy and compass heading prior to departure. Rws 03L-21R and 07-25 and Twy D not avbl for acft with more than 30 passenger seats. When twr clsd HIRL Rwy 03R-21L preset on med ints; to increase ints and ACTIVATE MALSR Rwy 21L—CTAF. MIRL Rwy 03L-21R and Rwy 07-25 unavbl. Ldg fee. Flight Notification Service (ADCUS) available.

WEATHER DATA SOURCES: ASOS (513) 321-6291.**COMMUNICATIONS:** CTAF 118.7 ATIS 120.25 UNICOM 122.95

RCO 122.4 (DAYTON RADIO).

Ⓡ APP/DEP CON 121.0

LUNKEN TOWER 118.7 133.925 (1200-0400Z) CLNC DEL 124.9 (use when twr closed)

GND CON/CLNC DEL 121.9

AIRSPACE: CLASS D svc 1200-0400Z other times CLASS E.**RADIO AIDS TO NAVIGATION:** NOTAM FILE CVG.

(L) VORTAC 117.3 CVG Chan 120 N39°00.96' W84°42.20' 072° 14.3 NM to fld. 879/04W.


NDB (MHW) 335 LUK N39°09.58' W84°20.48' 231° 4.9 NM to fld. NOTAM FILE LUK.

Unmonitored when twr clsd.

MADEIRA NDB (MHW) 379 MDE N39°13.37' W84°21.32' 206° 7.7 NM to fld. NOTAM FILE LUK.

Unmonitored when twr clsd.

ILS/DME 110.9 I-LUK Chan 46 Rwy 21L. Class IA. LOC BC unusable byd 10 NM and 15° left and right of course. DME unusable byd 5° left and right of BC. DME unusable byd 25° left and right of course.

COMM/NAV/WEATHER REMARKS: Emerg frequency 121.5 not avbl at twr.**CINCINNATI/NORTHERN KENTUCKY INTL** (See COVINGTON, KY)**CINCINNATI WEST** (See HARRISON)**CIRCLEVILLE** N39°31.39' W82°58.78' NOTAM FILE DAY.

CINCINNATI

NDB (MHW) 366 CYO at Pickaway Co Meml. Unmonitored. SHUTDOWN.

L-29A

CIRCLEVILLE**CLARKS DREAM STRIP** (Ø3I) 4 NW UTC-5(-4DT) N39°38.65' W83°01.09'

CINCINNATI

680 NOTAM FILE DAY

RWY 13-31: 2375X90 (TURF)

RWY 13: Trees.

RWY 31: Trees.

AIRPORT REMARKS: Attended dawn-dusk. Parachute jumping. Repairs—part time weekends.**COMMUNICATIONS:** CTAF 122.9

PICKAWAY CO MEML (CYO) 5 S UTC-5(-4DT) N39°30.96' W82°58.93'

CINCINNATI

684 B S1 FUEL 100LL, JET A ARFF Index Ltd. NOTAM FILE DAY

L-29A

RWY 01-19: H4351X75 (ASPH) S-30, D-40 MIRL 0.5% up N

IAP

RWY 01: Trees.

RWY 19: REIL. PAPI (P4R)—GA 3.0° TCH 27'. Road.

AIRPORT REMARKS: Attended Mon-Sat 1300-0100Z, Sun 1300-2200Z. ACTIVATE MIRL Rwy 01-19, PAPI Rwy 19 and REIL Rwy 19—CTAF.

COMMUNICATIONS: CTAF/UNICOM 122.7

YELLOW BUD RCO 122.1R 112.5T (DAYTON RADIO)

④ COLUMBUS APP/DEP CON 132.3

RADIO AIDS TO NAVIGATION: NOTAM FILE DAY.

APPLETON (H) VORTAC 116.7 APE Chan 114 N40°09.06' W82°35.30' 212° 42.2 NM to fld. 1350/6W. HIWAS.

YELLOW BUD (T) VOR 112.5 XUB N39°31.61' W82°58.68' at fld.

CIRCLEVILLE NDB (MHW) 366 CYO N39°31.39' W82°58.78' at fld. Unmonitored. SHUTDOWN.

CLARK CO N39°52.42' W83°46.77' NOTAM FILE SGH.

CINCINNATI

NDB (MHW) 341 CCJ 238° 3.4 NM to Springfield-Beckley Muni. Unmonitored.

L-27E

CLARKS DREAM STRIP (See CIRCLEVILLE)

CLERMONT CO (See BATAVIA)

CLEVELAND
BURKE LAKEFRONT (BKL) .9 N UTC-5(-4DT) N41°31.05' W81°41.00'

DETROIT

583 B S4 FUEL 100LL, JET A OX 1, 2 LRA Class IV, ARFF Index A NOTAM FILE BKL H-106, L-306

RWY 06L-24R: H6198X150 (ASPH-GRVD) S-93, D-113, ST-144, DT-170 HIRL

IAP, AD

RWY 06L: REIL. VASI(V4L)—GA 3.0° TCH 32'. Thld displcd 265'.

RWY 24R: MALSF. VASI(V4L)—GA 3.35° TCH 26'. Bldg. Rgt tfc.

RWY 06R-24L: H5197X100 (ASPH-GRVD) S-43, D-50,

DT-82 HIRL

RWY 06R: Thld displcd 267'.

RWY 24L: REIL. Antenna. Rgt tfc.

AIRPORT REMARKS: Attended continuously. Rwy 06R-24L CLOSED when twr clsd. Birds and waterfowl on and in/ov airport. 72' ship crane 1300' SW of Rwy 06R. When twr clsd HIRL Rwy 06L-24R preset; To increase ints radio req on UNICOM. ACTIVATE MALSF Rwy 24R—CTAF. PPR for unscheduled air carrier ops with more than 30 passenger seats ctc 216-781-6411. Rwy 06R-24L not authorized for ops involving air carrier acft with more than 30 passenger seats. Rwy 06L-24R and Rwy 06R-24L apch surfaces have navigable waterways creating possible vessel obstruction areas—check local NOTAMS for current activity; vessel height; etc. Twy G east of twy F CLOSED. Banner towing ops not authorized. Rwy 06L VASI unusable byd 8° left and right of centerline. Ldg fee. Fee schedule based on number of engines and gross weight. Flight Notification Service (ADCUS) avbl 24 hrs Mon-Fri reg for svc on Sat; Sun and Holidays must be made prior to 2130Z on Fri; 2 hrs advance notice req call 216-522-4781. Private acft and general aviation only.

WEATHER DATA SOURCES: ASOS 125.25 (ops during twr hrs) (216) 241-6904. LLWAS.

COMMUNICATIONS: CTAF 124.3 ATIS 125.25 UNICOM 122.95

④ CLEVELAND APP/DEP CON 125.35

LAKEFRONT TOWER 124.3 (Mon 1200Z to Sat 0400Z; Sat 1200-0400Z, Sun 1300-0500Z)

GND CON 121.9

AIRSPACE: CLASS D svc Mon 1200Z to Sat 0400Z, Sat 1200-0400Z, Sun 1300-0500Z other times CLASS G.


RADIO AIDS TO NAVIGATION: NOTAM FILE CLE.

CHARDON (H) VOR/DME 112.7 CXR Chan 74 N41°31.02' W81°09.79' 275° 23.4 NM to fld. 1310/5W.

TABEY NDB (LOM) 248 BF N41°34.15' W81°34.43' 245° 5.8 NM to fld. SHUTDOWN.

ILS/DME 109.75 I-BFT Chan 34(Y) Rwy 24R. Class IE. LOM TABEY NDB. LOM SHUTDOWN.

COMM/NAV/WEATHER REMARKS: Emerg frequency 121.5 not available at twr. Clearance delivery provided by Cleveland apch on 121.9 or call 216-898-2077 when Lakefront twr clsd.



CLEVELAND-HOPKINS INTL (CLE) 9 SW UTC-5(-4DT) N41°24.57' W81°51.30'

791 B S4 FUEL 100LL, JET A1 + OX 1, 2, 3, 4 AOE Class I, ARFF Index C

NOTAM FILE CLE

RWY 06R-24L: H9955X150 (CONC-GRVD) S-100, D-185, ST-175, DT-340 HIRL CL

RWY 06R: TDZL. PAPI (P4L)—GA 2.89° TCH 47'. Thld dspcd 1926'.

Trees.

RWY 24L: MALSR. PAPI (P4R)—GA 3.0° TCH 75'.

RWY 06L-24R: H9000X150 (CONC-GRVD) S-75, D-200, ST-175, DT-400 HIRL CL

RWY 06L: ALSF2. TDZL. PAPI (P4L)—GA 3.0° TCH 55'. Trees.

RWY 24R: ALSF2. TDZL. PAPI (P2R)—GA 3.0° TCH 55'.

RWY 10-28: H6017X150 (ASPH-CONC-GRVD) S-155, D-200, ST-175, DT-400 HIRL 0.5% up E.

RWY 10: PAPI (P4L). Road.

RWY 28: REIL. MALSR. PAPI (P4R)—GA 3.0° TCH 42'. Pole.

RUNWAY DECLARED DISTANCE INFORMATION

RWY 06R: LDA-8029

AIRPORT REMARKS: Attended continuously. Deer and birds, including waterfowl, on and invof arpt. All apchs are over noise sensitive areas. Arpt late night noise abatement procedures are in effect 0400-1100Z±. Additional noise abatement procedures are in effect, call arpt manager normal business hrs at 216-265-6090. Twy L2 clsd between Rwy 06R-24L and Twy L: area marked with lgtd barricades and reflectors. The following twys are clsd annually from 15 Oct through 15 Apr to support deicing ops at Cleveland-Hopkins Intl: Twy M, Twy M1 between Twy L and Twy J1, Twy M2 between Twy L and Twy J1, Twy J2 between Twy A and Twy K. Taxilane J south of Twy K restricted to acft with a wingspan of 171' or less. Pad 2 rstd to Group II acft, less than 79' wingspan. NASA Glenn Research Center; NASA ramp PPR call 216-433-2020; Mon-Fri 1300-2230Z±. Contact NASA ops on freq 122.925 within 50 NM. Ldg Fee. Rwy 06L, 24L and 24R runway visual range touchdown, midfield, rollout avbl. Rwy 28 runway visual range touchdown avbl. Flight Notification Service (ADCUS) available Mon-Fri 1200-0200Z±; Sat-Sun 1400-2200Z±; all request for svc must be made with the U.S. Customs Svc office lctd at gate A-14 call 216-267-3600 during listed hours.

NOTE: All CLE SOIA/PRM users refer to Special Notices Section.

WEATHER DATA SOURCES: ASOS (216) 267-9955/9956. TDWR.

COMMUNICATIONS: D-ATIS ARR 127.85 D-ATIS DEP 132.375 UNICOM 122.95

RCO 122.35 122.2 122.1R 122.0 (CLEVELAND RADIO)

Ⓡ APP CON 124.0 (Rwy 06R-24L and Rwy 28) 126.55 and Rwy 28 119.625 (Rwy 06L-24R)

Ⓡ DEP CON 118.15 (057°-236°) 128.25 (237°-056°) 125.85

TOWER 120.9 (Rwy 06R-24L and Rwy 10-28) 124.5 135.225 (Rwy 06L-24R)

GND CON 121.7 (Rwy 06R-24L and Rwy 10-28) 133.6 (Rwy 06L-24R)

CLNC DEL 125.05 PRE-TAXI CLNC 125.05 RAMP CTL 129.17

AIRSPACE: CLASS B: See VFR Terminal Area Chart.

RADIO AIDS TO NAVIGATION: NOTAM FILE CLE.

DRYER (H) VOR/DME 113.6 DJB Chan 83 N41°21.48' W82°09.72' 082° 14.2 NM to fld. 780/5W. HIWAS.

ILS/DME 109.9 I-HPI Chan 36 Rwy 24L. Class IE.


ILS/DME 111.9 I-CLE Chan 56 Rwy 06R. Class IE.

ILS/DME 110.7 I-PXP Chan 44 Rwy 28. Class IE.

ILS/DME 111.55 I-LIZ Chan 52Y Rwy 06L. CLASS IIIE.

ILS/DME 111.55 I-PVY Chan 52Y Rwy 24R. Class IIIE.

COMM/NAV/WEATHER REMARKS: Freq 121.5 not avbl at FSS.



CUYAHOGA CO (CGF) 10 E UTC-5(-4DT) N41°33.91' W81°29.18'

DETROIT

879 B S4 FUEL 100LL, JET A, A1+ OX 3 TPA—See Remarks NOTAM FILE CGF

H-106, L-306

RWY 06-24: H5102X100 (ASPH-GRVD) S-43, D-55, DT-100 HIRL

IAP, AD

RWY 06: REIL. PAPI(P4L)—GA 3.0° TCH 42'. Pole.

RWY 24: MALSR. PAPI(P4L)—GA 3.0° TCH 50'. Trees.

AIRPORT REMARKS: Attended continuously. Rwy 06-24 CLOSED to jet acft with more than 30 passengers. Birds and deer on and invof arpt. Tower visibility SW reduced within 500' AER 06. Rwy 24 PAPI unusable byd 7° right of course. HIRL Rwy 06-24 step one OTS indef. Noise abatement procedures: Avoid overflight of school ¾ mile SW of arpt; flight training between 0400-1200Z prohibited; all turbojet/turboprop training prohibited; pattern altitude 1879 (1000); 2379 (1500) jets/twins; all acft ctc arpt manager prior to conducting ops between 0400-1200Z. Twy A4 not avbl for air carrier ops with more than 30 passenger seats. When twr clsd ACTIVATE HIRL Rwy 06-24, REIL Rwy 06, MALSR Rwy 24-CTAF. PAPI Rwy 06 and Rwy 24 and windsock operate continuously. Ldg fee. Parking fee for over two hrs.

WEATHER DATA SOURCES: LAWRs.

COMMUNICATIONS: CTAF 118.5 UNICOM 122.95

① CLEVELAND APP/DEP CON 125.35 CLEVELAND CLNC DEL 121.85

COUNTY TOWER 118.5 (1200-0400Z) GND CON 121.85

AIRSPACE: CLASS D svc 1200-0400Z other times CLASS G.

RADIO AIDS TO NAVIGATION: NOTAM FILE CLE.


CHARDON (H) VOR/DME 112.7 CXR Chan 74 N41°31.02' W81°09.79' 286° 14.9 NM to fld. 1310/5W.

HOGAF NDB (LMM) 521 GF N41°34.45' W81°28.27' at fld. NOTAM FILE CGF. SHUTDOWN.

ILS/DME 111.1 I-CGF Chan 48 Rwy 24. Class IB. LOC unusable byd 10 NM blo 3000'. LOC BC unusable byd 10 NM and unusable byd 15°R of course. (BACK) GS unusable for coupled apchs blo 2020'.

COMM/NAV/WEATHER REMARKS: Emerg frequency 121.5 not available at twr. For IFR clearance when twr clsd ctc

Cleveland apch control at 216-898-2040.

**CLINTON FLD** (See WILMINGTON)**COBBS** N39°44.58' W83°01.22' NOTAM FILE LCK.

CINCINNATI

NDB (LOM) 253 DD 050° 6.0 NM to Rickenbacker Intl.

COLUMBIA (See COLUMBIA STATION)**COLUMBIA STATION****COLUMBIA** (4G8) 1 NW UTC-5(-4DT) N41°19.13' W81°57.61'

DETROIT

L-306

813 FUEL 100LL NOTAM FILE CLE

RWY 18R-36L: H3152X40 (ASPH) LIRL (NSTD)

RWY 18R: Thld dsplcd 300'. Trees. RWY 36L: Thld dsplcd 209'. Tree.

RWY 18L-36R: 2974X65 (TURF)

RWY 18L: Trees. RWY 36R: Tree.

RWY 02-20: 2580X85 (TURF)

RWY 02: Brush. RWY 20: Trees.

AIRPORT REMARKS: Attended 1300Z-dusk. Rwy 02-20 CLOSED indef. Use hard surface rwy when wet. Rwy 02-20 surface rough. Rwy 18L-36R sfc rough. Rwy 18R-36L pavement poor-weathered. ACTIVATE NSTD LIRL Rwy 18R-36L-CTAF. Rwy 18R-36L NSTD LIRL; no thld lgts. Rwy 18R-36L N 300' and S 200' unmarked. Rwy 18R NSTD dsplcd thld markings, no arrowheads. Rwy 36L NSTD dsplcd thld markings, no arrowheads.

COMMUNICATIONS: CTAF/UNICOM 122.8

RADIO AIDS TO NAVIGATION: NOTAM FILE CLE.

DRYER (H) VOR/DME 113.6 DJB Chan 83 N41°21.49' W82°09.72' 109° 9.4 NM to fld. 780/5W. HIWAS.

COLUMBIANA CO (See EAST LIVERPOOL)**COLUMBUS** N39°59.69' W82°53.13'

CINCINNATI

H-106, L-29A


RCO 122.2 122.3 (DAYTON RADIO)

COLUMBUS**BOLTON FLD** (TZR) 8 SW UTC-5(-4DT) N39°54.07' W83°08.22'**CINCINNATI**
H-10G, L-29A
IAP, AD

905 B S4 FUEL 100LL, JET A1+ OX 3 TPA-1705(800) NOTAM FILE TZR

RWY 04-22: H5500X100 (ASPH) S-48, D-75, ST-95, DT-150 MIRL**RWY 04:** MALS R. PAPI(P4L)—GA 3.0° TCH 40'.**RWY 22:** REIL. PAPI(P4L)—GA 3.0° TCH 31'. Trees.**AIRPORT REMARKS:** Attended 1200-0200Z†. Balloon and banner activity on and in/ov arpt. Birds and deer and coyote on and in/ov arpt. When twr clsd MIRL Rwy 04-22 preset medium ints, to increase ints—ACTIVATE MALS Rwy 04 and REIL Rwy 22—CTAF.**WEATHER DATA SOURCES:** AWOS-3 135.925 (614) 878-1722**COMMUNICATIONS:** CTAF 128.1Ⓡ **COLUMBUS APP/DEP CON** 132.3**TOWER** 128.1 (1230-0030Z†) **GND CON** 121.8**AIRSPACE:** CLASS D svc 1230-0030Z† other times CLASS G.**RADIO AIDS TO NAVIGATION:** NOTAM FILE DAY.**APPLETON (H) VORTAC** 116.7 APE Chan 114 N40°09.06'W82°35.30' 246° 29.4 NM to fld. 1350/6W. **HIWAS.****BOUTN NDB (MHW/L0M)** 230 BU N39°49.16' W83°12.29'


038° 5.8 NM to fld. Unmonitored when twr clsd. NDB unusable 355°-010° byd 15 NM.

ILS 111.7 I-BUZ Rwy 04 LOM **BOUTN NDB.** Unmonitored when twr clsd. GS unmonitored when twr clsd. LOC unusable 355°-010° byd 15 NM.**COMM/NAV/WEATHER REMARKS:** Emerg frequency not monitored all times.**COLUMBUS SOUTHWEST** (Ø4I) 11 SW UTC-5(-4DT) N39°54.67' W83°11.33'**CINCINNATI**

920 B NOTAM FILE DAY

RWY 06-24: 2382X120 (TURF) LIRL**RWY 06:** Trees.**RWY 24:** Bldg.**AIRPORT REMARKS:** Attended 1400-2200Z†. Rwy 06-24 undulating surface; rwy soft when wet; check NOTAMS or call arpt manager at 614-878-4080. Helicopters, acft towing banners and ultralights use rgt tfc. Rwy 06-24 has soft spots. For LIRL Rwy 06-24 and rotating bcn call 614-878-4080. Rwy 06-24 NSTD LIRL; Rwy 06-24 NSTD LIRL OTS indef.**COMMUNICATIONS:** CTAF 122.9**DARBY DAN** (Ø1G) 10 W UTC-5(-4DT) N39°56.52' W83°12.29'**CINCINNATI**
H-10G, L-29A

928 B FUEL 100LL, JET A NOTAM FILE DAY

RWY 09-27: H5892X75 (ASPH) MIRL**RWY 09:** REIL. PAPI(P4L). Thld dsplcd 1343'. Tree.**RWY 27:** REIL. PAPI(P4L). Thld dsplcd 543'. Tree. Rgt tfc.**AIRPORT REMARKS:** Attended Mon-Fri 1300-2200Z†. Prior arrangement for Sat-Sun call 614-853-2400. Rwy 09 PAPI OTS indef. Rwy 27 PAPI OTS indef. ACTIVATE MIRL Rwy 09-27; rotating bcns; REIL Rwy 09 and Rwy 27; PAPI Rwy 09 and Rwy 27—CTAF. Rwy 09 and Rwy 27 REILS OTS indef. Ldg fee.**COMMUNICATIONS:** CTAF/UNICOM 122.7**RADIO AIDS TO NAVIGATION:** NOTAM FILE DAY.**APPLETON (H) VORTAC** 116.7 APE Chan 114 N40°09.06'W82°35.30' 252° 31.1 NM to fld. 1350/6W. **HIWAS.****DEPARTMENT OF TRANSPORTATION HELIPORT** (2A7) 0 W UTC-5(-4DT)**CINCINNATI**

N39°57.59' W83°02.65'

715 NOTAM FILE DAY

HELIPAD H1: H40X40 (ASPH)**HELIPORT REMARKS:** Attended continuously.**COMMUNICATIONS:** CTAF 122.9

OHIO STATE UNIVERSITY (OSU) 10 NW UTC-5(-4DT) N40°04.79' W83°04.38'

DETROIT

905 B S4 FUEL 100LL, JET A1 + OX 1, 2 Class IV, ARFF Index A NOTAM FILE OSU

H-106, L-29A

RWY 09R-27L: H5004X100 (ASPH-GRVD) S-45, D-60 HIRL

IAP, AD

RWY 09R: MALSR. VASI(V4L)—GA 3.0° TCH 31'. Pole.

RWY 27L: REIL. VASI(V4L)—GA 3.0° TCH 40'. Tree.

RWY 05-23: H3555X100 (ASPH) S-21, D-32 MIRL 0.3% up SW

RWY 05: Trees. RWY 23: Trees.

RWY 14-32: H3437X100 (ASPH) S-32.5, D-42, DT-61 MIRL

RWY 14: Trees. RWY 32: Trees

RWY 09L-27R: H2994X100 (ASPH) S-25.2 MIRL 0.4% up W

RWY 09L: VASI(V2L)—GA 3.0° TCH 29'. Silo.

RWY 27R: VASI(V2L)—GA 3.0° TCH 42'. Trees.

LAND AND HOLD SHORT OPERATIONS

LANDING	HOLD SHORT POINT	DIST AVBL
RWY 05	09L-27R	3350
RWY 09L	05-23	2550
RWY 09R	14-32	3300
RWY 14	09R-27L	2750
RWY 23	09R-27L	2500
RWY 27L	05-23	3300

RUNWAY DECLARED DISTANCE INFORMATION

RWY 05: TORA-3555 TODA-3555 ASDA-3555 LDA-3555

RWY 09L: TORA-2994 TODA-2994 ASDA-2994 LDA-2994

RWY 09R: TORA-5004 TODA-5004 ASDA-5004 LDA-5004

RWY 23: TORA-3555 TODA-3555 ASDA-3555 LDA-3555

RWY 27L: TORA-5004 ASDA-5004 LDA-5004

RWY 27R: TORA-2994 TODA-2994 ASDA-2994 LDA-2994

AIRPORT REMARKS: Attended 1130-0400Z. Birds and deer on and in/ov

arpt. Closed to scheduled air carrier ops with greater than 9 passenger seats and unscheduled air carrier ops greater than 30 passenger seats. 90-day PPR, call arpt manager 614-292-5460. Noise sensitive area within 4 miles to the N and NE. Noise abatement restrictions: No touch and go lds or repeated tkf and lds 0400-1200Z daily. All movement area N of Rwy 09R-27L are not avbl for air carrier ops with more than 30 passenger seats. Snow removal operating procedures: when twr clsd announce arrival on freq 118.8. ACTIVATE MALSR Rwy 09R—CTAF. When twr clsd HIRL Rwy 09R-27L, MIRL Rwy 14-32 preset med ints and MIRL Rwy 09L-27R and Rwy 05-23 not avbl.

WEATHER DATA SOURCES: ASOS (614) 451-2465. LAWRS.

COMMUNICATIONS: CTAF 118.8 ATIS 121.35 UNICOM 122.95

① COLUMBUS APP/DEP CON 120.2

STATE TOWER 118.8 (1200-0400Z) GND CON 121.7 CLNC DEL 121.7

AIRSPACE: CLASS D svc 1200-0400Z other times CLASS G.

RADIO AIDS TO NAVIGATION: NOTAM FILE DAY.

APPLETON (H) VORTAC 116.7 APE Chan 114 N40°09.06' W82°35.30' 265° 22.7 NM to fld. 1350/6W. HIWAS.

DON SCOTT NDB (MHW) 348 DKG N40°04.82' W83°04.73' at fld. NOTAM FILE OSU. Unmonitored when twr clsd. SHUTDOWN.


FULER NDB (MHW/LOM) 515 OS N40°04.42' W83°11.89' 091° 5.8 NM to fld.

ILS 108.5 I-OSU Rwy 09R LOM FULER NDB. Unmonitored when twr clsd.

COMM/NAV/WEATHER REMARKS: Emerg frequency 121.5 not avbl at twr.

HELIPAD H1: H40X40 (ASPH)

HELIPORT REMARKS: Helipad relocated N side of airfield, near Air Guard ramp. All app/dep routes helicopters ops are conducted in an area 130°-110° clockwise using the touchdown pad as the center of a compass rose.



PORT COLUMBUS INTL (CMH) 6 E UTC-5(-4DT) N39°59.88' W82°53.51'

CINCINNATI

815 B S4 FUEL 100, JET A1 + OX 3, 4 LRA Class I, ARFF Index C NOTAM FILE CMH H-106, L-29A
 RWY 10R-28L: H10125X150 (ASPH-GRVD) S-100, D-200, ST-175, DT-325 HIRL IAP, AD

RWY 10R: MALSR. PAPI(P4R)—GA 3.0° TCH 72'

RWY 28L: MALSR.

RWY 10L-28R: H8000X150 (ASPH-GRVD) S-100, D-160, ST-175, DT-275 HIRL

RWY 10L: MALSR. PAPI(P4L)—GA 3.0° TCH 51'

RWY 28R: MALSR. PAPI(P4R)—GA 3.0° TCH 50'.

RUNWAY DECLARED DISTANCE INFORMATION

RWY 10L: TORA-8000 TODA-8000 ASDA-8000 LDA-8000

RWY 10R: TORA-10125 TODA-10125 ASDA-10125 LDA-10125

RWY 28L: TORA-10125 TODA-10125 ASDA-10125 LDA-10125

RWY 28R: TORA-8000 TODA-8000 ASDA-8000 LDA-8000

AIRPORT REMARKS: Attended continuously. Birds invof arpt. PAEW adjacent all rwy and twys. Model acft t/c within a 1 NM radius of a point 8 NM on a 010° bearing from the arpt; surface-5000 ft AGL; SR-SS daily. Be alert: Rwy 10L/28R restrictions on Stage I and II turbojet acft 0300-1300Z† and on Stage III turbojet acft 0300-1200Z†. Practice apchs for high noise level type acft including non-Stage III military jet acft shall not be approved unless Rwy 10R/28L is in use and the apch terminates in a full stop taxi-back ops. All surfaces around terminal; N of Twy 'C' and S of Twy 'E' are non-movement areas. Twy B3 S of Twy B restricted to acft with wingspan less than 79'. C-3 pavement (north of Twy C) is 35' wide; restricted to acft 50,000 lbs or less with wing span less than 79'. Twy L1 restricted to acft with wingspan less than 118'. Twy L2 restricted to acft with wingspan less than 118'. Twy J2 restricted to acft with wingspan less than 120'. Twy B between Twys B4 and B5 restricted to acft with wingspan less than 126'. Twys F and G, S of Twy B, restricted to acft weighing 45,000 lbs or less. Noise barrier located at SE side of airfield restricted to acft with wingspan less than 79'. Ldg fee. Twy F lgts S of Twy 'G' OTS indef. To req ldg rights ctc US Customs between 1230-0300Z† Mon-Fri at 614-497-1865. Flight Notification Service (ADCUS) avbl.

WEATHER DATA SOURCES: ASOS (614) 338-0561. LLWAS. TDWR.

COMMUNICATIONS: D-ATIS 124.6 UNICOM 122.95

COLUMBUS RCO 122.2 122.3 (DAYTON RADIO)

® COLUMBUS APP/DEP CON 119.15 132.3 (100°-279°) 125.95 (280°-099°) 118.2 119.65

COLUMBUS TOWER 132.7 GND CON 121.9 CLNC DEL 126.3

AIRSPACE: CLASS C svc continuous ctc APP CON

RADIO AIDS TO NAVIGATION: NOTAM FILE DAY.

APPLETON (H) VORTAC 116.7 APE Chan 114 N40°09.06' W82°35.30' 243° 16.7 NM to fld. 1350/6W.

HIWAS.

GRENS NDB (MHW) 272 CHC N40°00.61' W83°01.74' 102° 6.4 NM to fld. NOTAM FILE CMH.

SUMIE NDB (HW/LOM) 391 CM N39°59.17' W82°45.27' 281° 6.4 NM to fld. Unmonitored.


ILS/DME 109.1 I-CBP Chan 28 Rwy 10L. Class IA. LOM GRENS NDB. DME also serves Rwy 28R.

ILS/DME 108.7 I-CMH Chan 24 Rwy 28L. LOM SUMIE NDB. LOM unmonitored. DME also serves Rwy 10R.

ILS/DME 108.7 I-AQI Chan 24 Rwy 10R. DME also serves Rwy 28L.

ILS/DME 109.1 I-ONB Chan 28 Rwy 28R. DME also serves Rwy 10L. Glide slope unusable for autopilot coupled apchs blo 2023'.

COMM/NAV/WEATHER REMARKS: ILS/DME Rwy 10L outer marker OTS indef.



RICKENBACKER INTL (LCK)(KLCK) CIV/MIL/ANG/ARNG 10 S UTC-5(-4DT)

CINCINNATI

N39°48.83' W82°55.67'

H-10G, L-29A

744 B S4 **FUEL** 100LL, JET A TPA -See Remarks LRA Class I, ARFF Index A

IAP, DIAP, AD

NOTAM FILE LCK

RWY 05R-23L: H12102X200 (ASPH-CONC-GRVD) S-75, D-120,

ST-175, DT-380, DDT-800 HIRL CL

RWY 05R: ALSF2. TDZL. PAPI(P4L)—GA 3.0° TCH 66'.

RWY 23L: MALSR. PAPI(P4L)—GA 3.0° TCH 74'.

RWY 05L-23R: H11937X150 (ASPH-GRVD) S-75, D-120, ST-175,

DT-240, DDT-700 HIRL

RWY 05L: MALSR. PAPI(P4L)—GA 3.0° TCH 75'. Thld dsplcd 919'.

RWY 23R: REIL. PAPI(P4L)—GA 3.0° TCH 75'. Thld dsplcd 1003'.

MILITARY SERVICE: LGT Boundary lgt avbl. JASU 2(A/M-32A) (MA-1A)

3(AM32-95) **FUEL** J8(Military) (NC-100LL). A, A+ (Lane Aviation,

C614-237-3747 extension 218, avbl Mon-Fri 24 hours, clsd Sat

0200Z, Sun 0900-0500Z, other times \$120 fee.

FLUID SP PRESAIR LHOX OIL O-128 TRAN ALERT Ltd svc avbl.

No ANG tran svc off ANG ramp.

AIRPORT REMARKS: Attended continuously. General aviation svcs

attended continuously call C614-237-3747 ext 318, or

614-409-4900. Birds on and invof arpt. Twy M clsd indef. Twy J

clsd to group V acft. Noise abatement procedures in effect from

0400-1200Z, dep Rwy 23L and 23R winds 10 knots or less; arrivals Rwy 05L and 05R winds 10 knots or less;

arpt ops C614-492-2436. PPR for unscheduled Air Carrier ops with more than 30 passenger seats. Rwy

05R-23L has 1000' stopway on both ends; not avbl for ASDA. Rwy 05R-23L PAPI and ILS radar position

indicator not coincidental. TPA for lgt acft weighing 12,500 lbs or less 1400(656), TPA for acft greater than

12,500 lbs 1900(1156), TPA for overhead tfc 2400(1656). Rwy 05R ALSF II unmonitored indef. Rwy 05R-23L

PAPI and ILS Runway Point of Intercept not coincidental. To req lgt rights ctc US Customs between

1230-0300Z Mon-Fri at 614-497-1865.

MILITARY REMARKS: See FLIP AP/1 Supplementary Arpt Remarks. **RSTD** AMC acft opr restricted during Bird Watch

Conditions Moderate (tkf and lgt permission only when departure/arrival routes avoid identification bird activity,

no local IFR/VFR tfc pattern) and Severe (tkf and lgt prohibited without OG/CC approval) ctc Comd Post for

current Bird Watch Conditions code. All military acft must RON on 121 ARW or Detachment-21 ramp when space

is avbl. All fixed wing military acft requiring parking and/or svc on 121 ARW ramp must have PPR number 48 hr

in advance from Base OPS DSN 696-4595, C614-492-4595. Base OPS hr vary. Clsd holidays. **CAUTION** Bird and

deer hazard. **CSTMS/AG/IMG** Avbl only with prior coordination. **ANG** 121 ARW KC-135-R Comd Post DSN 696-4468.

Limited tran svc avbl, weekdays 1200-2000Z except holidays. Limited tran fuel/parking, tran aircrew must

assist/perform refuel opr. Fuel avbl on ANG ramp on prior request only. Acft support not coordinated by PPR 48

hr prior with 121 ARW may not be avbl. **ARNG** Opr weekdays 1200-2100Z except holidays. No tran svc after

1900Z, DSN 346-6411, C614-336-6411. Ctc C-26 OPS prior to entering C-26 ramp park area, 139.3 DSN

346-6473, C614-336-6473.

WEATHER DATA SOURCES: AWOS-3 132.750 (C614) 492-2441.

COMMUNICATIONS: UNICOM 122.95

(R) COLUMBUS APP/DEP CON 119.15 279.6

RICK TOWER 120.05 348.4 **GND CON** 121.85 257.8

ANG COMD POST 238.8 (RICK CON) **ARNG OPS** 142.6 228.8 36.7 **ARNG C-26 OPS** 139.3 **121 ARW OPS** 238.8

(BRUTUS OPS)

RADIO AIDS TO NAVIGATION: NOTAM FILE DAY.

APPLETON (H) VORTAC 116.7 APE Chan 114 N40°09.06' W82°35.30' 224° 25.6 NM to fld. 1350/6W.

HIWAS.

(T) TACAN Chan 69 LCK (134.2) N39°48.49' W82°55.73' at fld. 732/5W. NOTAM FILE LCK. No NOTAM

MP Wed 1300-1500Z.

TACAN azimuth unusable:

290°-300° blo 4,000'

130°-170° byd 18 NM blo 5,000'

TACAN azimuth and DME unusable:

075°-130° byd 12 NM blo 5,000'

075°-170° blo 3,000'

COBBS NDB (LOM) 253 DD N39°44.58' W83°01.22' 050° 6.0 NM to fld.

PICKL NDB (LOM) 376 LC N39°52.86' W82°50.17' 231° 5.9 NM to fld.

ILS/DME 110.1 I-DDV Chan 38 Rwy 05R. Class IIE. LOM COBBS NDB. No NOTAM MP Mon, Tue


1300-1700Z.

ILS 110.1 I-LCK Rwy 23L. Class IE. LOM PICKL NDB. MM OTS indef. No NOTAM MP Mon, Tue

1300-1700Z.

ILS/DME 110.55 I-FQS Chan 42Y Rwy 05L. Class IE.

COMM/NAV/WEATHER REMARKS: Ctc ground control for clearance prior to push back onto Twy A from cargo ramp 2.



CONCORD AIRPARK (See PAINESVILLE)**COSHOCTON****RICHARD DOWNING** (I40) 3 N UTC-5(-4DT) N40°18.55' W81°51.20'**DETROIT**979 B **FUEL** 100LL, JET A NOTAM FILE CLE**L-29B****RWY 04-22:** H4099X75 (ASPH) S-30, D-35 MIRL**IAP****RWY 04:** PAPI(P2L)—GA 3.5°. Trees.**RWY 22:** REIL. PAPI(P2L).**AIRPORT REMARKS:** Attended May-Oct 1300-0100Z†, Nov-Apr 1300-2200Z‡. Deer on and invof arpt. Rwy 22 REIL
OTS indef. PAPI Rwy 04 and 22 opr continuously. ACTIVATE MIRL Rwy 04-22—122.9.**WEATHER DATA SOURCES:** AWOS-3 118.875 (740) 622-1267.**COMMUNICATIONS:** CTAF/UNICOM 123.0® **INDIANAPOLIS CENTER APP/DEP CON** 124.45**RADIO AIDS TO NAVIGATION:** NOTAM FILE ZZV.**ZANESVILLE (L) VOR/DME** 111.4 ZZV Chan 51 N39°56.45' W81°53.56' 011° 22.2 NM to fld. 900/6W.**COURT HOUSE** N39°36.05' W83°23.50' NOTAM FILE DAY.**CINCINNATI****NDB (MHW)** 414 CSS 222° 2.3 NM to Fayette Co. NDB unusable 115°-165° byd 20 NM.**L-29A**

COVINGTON, KY**CINCINNATI/NORTHERN KENTUCKY INTL**

(CVG) 8 SW UTC-5(-4DT) N39°02.93' W84°40.07' CINCINNATI
 896 B S4 FUEL 100LL, JET A LRA ARFF Index D NOTAM FILE CVG H-106, L-266, 27E
 RWY 09-27: H12000X150 (ASPH-CONC-GRVD) S-75, D-210, ST-175, DT-400, DDT-850 IAP

HIRL CL

RWY 09: MALSR. PAPI(P4L)—GA 3.0° TCH 76'. 0.3% down.

RWY 27: MALSR(NSTD). VASI(V4L)—GA 3.0° TCH 60'.

RWY 18C-36C: H11000X150 (ASPH-CONC-GRVD) S-75, D-210, ST-175, DT-400, DDT-850 HIRL CL

RWY 18C: SSALR. TDZL. VASI(V4R)—GA 3.0° TCH 52'.

RWY 36C: ALSF2. TDZL. PAPI(P4L). 0.6% up

RWY 18L-36R: H10000X150 (CONC-GRVD) S-75, D-210, ST-175, DT-400, DDT-850 HIRL CL

RWY 18L: MALSR. TDZL. PAPI(P4R)

RWY 36R: ALSF2. TDZL. PAPI(P4R).

RWY 18R-36L: H8000X150 (CONC-GRVD) S-75, D-210, DT-400, DDT-850 HIRL CL

RWY 18R: ALSF2. TDZL.

RWY 36L: ALSF2. TDZL. Tree.

RUNWAY DECLARED DISTANCE INFORMATION:

RWY 09: TORA-12000 TODA-12000 ASDA-11880 LDA-11880

RWY 27: TORA-12000 TODA-12000 ASDA-12000 LDA-12000

AIRPORT REMARKS: Attended continuously. Rwy 09-27 W 4200' conc; E

750' conc; remainder asph overlay. For all rwys gross weight

strength for 777 acft is 595,000 lbs. For all rwys gross weight

strength for MD-11 acft is 605,000 lbs. Rws 09-27 and

18C-36C gross weight strength for DC-10 and L-1011 acft is

510,000 lbs. Noise sensitive areas N and S of arpt. Rwy 36R

touchdown, midfield and rollout rwy visual range avbl. Rwy

assignments between 0300-1200Z† will be predicated on noise abatement considerations. Successive or

simultaneous departures from Rws 18L/C are approved with course divergence beginning no further than 2

miles from EOR due to noise abatement restrictions. Successive or simultaneous departures from Rwy 36L and

Rwy 36R are approved with course divergence beginning no further than 2 miles from EOR due to noise

abatement restrictions. Rwy 18R touchdown, midfield and rollout RVR avbl. Rwy 36L touchdown, midfield and

rollout RVR avbl. Flight Notification Service (ADCUS) avbl.

WEATHER DATA SOURCES: ASOS (859) 767-8210. TDWR.

COMMUNICATIONS: D-ATIS ARR 134.375 D-ATIS DEP 135.3 UNICOM 122.95

RCO 122.1R 117.3T (LOUISVILLE RADIO)

① APP CON 123.875 (270°-089°) 119.7 (090°-269°)

TOWER 118.975 (Rwy 18L-36R) 118.3 (Rwy 18C-36C Rwy 09-27) 133.325 (Rwy 18R-36L) GND CON 121.7

(West) 121.3 (East) CLNC DEL 127.175

① DEP CON 128.7 (220°-040°) 126.65 (041°-219°)

AIRSPACE: CLASS B svc continuous ctc APP CON

RADIO AIDS TO NAVIGATION: NOTAM FILE CVG.

(L) VORTAC 117.3 CVG Chan 120 N39°00.96' W84°42.20' 044° 2.6 NM to fld. 879/4W.

ILS 108.7 I-JDP Rwy 27. Class IA. LOC unusable byd 20° right of course.

ILS/DME 111.55 I-SIC Chan 52(Y) Rwy 18C. Class IB.

ILS/DME 111.9 I-URN Chan 56 Rwy 09. Class IB.

ILS/DME 109.9 I-CVG Chan 36 Rwy 36C. Class IIIE.

ILS/DME 110.35 I-EEI Chan 40(Y) Rwy 36R. Class IIIE.

ILS/DME 110.15 I-CIZ Chan 38(Y) Rwy 18L. Class IA. LOC unusable byd 25° left of course.

ILS/DME 110.75 I-VAC Chan 44(Y) Rwy 36L. Class IIIE.

ILS/DME 110.75 I-CJN Chan 44(Y) Rwy 18R. Class IIIE.

CUBLA N39°21.21' W83°52.55'. NOTAM FILE ILN.

NDB (MHW/LOM) 299 HW 045° 5.9 NM to Airborne Airpark.

CINCINNATI

L-27E

CUYAHOGA CO (See CLEVELAND)**DAHO TROTWOOD** (See Dayton)**DARKE CO** (See VERSAILLES)**DAYTON** N40°00.99' W84°23.81' NOTAM FILE DAY.


(L) VOR/DME 114.5 DQN Chan 92 131° 10.7 NM to

James M. Cox Dayton Intl. 990/1W. HIWAS. DME unusable byd 35 NM bio 2900'.

RCO 122.1R 114.5T 122.2 122.55 (DAYTON RADIO)

DETROIT

H-106, L-27E



DAYTON**DAHIO TROTWOOD** (I44) 7 W UTC-5(-4DT) N39°45.95' W84°20.60'**CINCINNATI**

925 B S5 FUEL 100LL NOTAM FILE DAY

RWY 04-22: H2900X52 (ASPH) S-5**RWY 04:** Trees. **RWY 22:** Trees.**AIRPORT REMARKS:** Attended irregularly. Ultralights on and infov arpt. PAEW N end ramp and N end Twy A Mon-Fri. Arpt bcn OTS indef.**WEATHER DATA SOURCES:** HIWAS 114.5 DQN.**COMMUNICATIONS:** CTAF/UNICOM 122.8**DAYTON APP/DEP CON** 126.5 (091°-180°)**DAYTON TRANSPORTATION CENTER HELIPORT** (5D7) 0 N UTC-5(-4DT)**CINCINNATI**

N39°45.50' W84°11.50'

800 B NOTAM FILE DAY

HELIPAD H1: H40X40 (CONC)**HELIPORT REMARKS:** Unattended. 40' x 40' conc pad within 80' x 60' ldg/tkf area. Maximum ldg weight 4500 lbs. For perimeter lgts and rotating bcn call superintendent of acft ops at 937-454-8299. 24 hrs advance notice for use req. Helipad H1 perimeter lgts.**WEATHER DATA SOURCES:** HIWAS 114.5 DQN.**COMMUNICATIONS:** CTAF 122.9**DAYTON-WRIGHT BROTHERS** (MGY) 10 S UTC-5(-4DT) N39°35.34' W84°13.49'**CINCINNATI**

957 B S4 FUEL 100LL, JET A OX 1 TPA-1957(1000) NOTAM FILE MGY

H-106, L-27E**RWY 02-20:** H5000X100 (ASPH-GRVD) S-50, D-60 MIRL 0.4% up N**IAP****RWY 02:** PAPI(P2L)-GA 3.0°. Trees.**RWY 20:** MALS. VASI(V4L)-GA 3.0° TCH 41'. Thld dsplcd 590'. Road.**AIRPORT REMARKS:** Attended 1300-0100Z±. Birds and deer on and infov arpt. ACTIVATE MIRL RWY 02-20; MALS Rwy 20-CTAF. PAPI Rwy 02 and VASI Rwy 20 ops 24 hrs.**WEATHER DATA SOURCES:** ASOS 118.375 (937) 885-2171. HIWAS 114.5 DQN.**COMMUNICATIONS:** CTAF/UNICOM 122.8**(R) APP CON** 126.5 (091°-180°) 118.85 127.225 **(R) DEP CON** 126.5 (091°-180°) **CLNC DEL** 119.4 (937) 454-7282**RADIO AIDS TO NAVIGATIONS:** NOTAM FILE FFO.**MIDWEST (T) VORW/DME** 112.9 MXQ Chan 76 N39°25.78' W83°48.07' 300° 21.9 NM to fld 1050/4W.**ONIDA NDB (LOM)** 223 MW N39°34.69' W84°19.42' 086°4.6 NM to fld. NOTAM FILE MGY. Unmonitored.**ILS/DME** 109.5 I-MGY Chan 32 Rwy 20 LOC only. LOC unusable inside 1.2 NM.**GREENE CO-LEWIS A. JACKSON RGNL** (I19) 10 E UTC-5(-4DT) N39°41.46' W83°59.52'**CINCINNATI**

949 B S4 FUEL 100LL, JET A+ NOTAM FILE DAY

L-27E**RWY 07-25:** H4500X75 (ASPH) S-30 LIRL 0.7% up E**IAP****RWY 07:** REIL. PAPI(P2L)-GA 4.0° TCH 34'. Trees.**RWY 25:** REIL. PAPI(P2L). Trees.**AIRPORT REMARKS:** Attended Apr-Oct 1300-0100Z±; Nov-Mar 1300-2200Z±. Unattended Christmas, New Years and Thanksgiving Days. Fuel available 24 hrs with credit card. Deer on and infov arpt. PAEW adjacent Rwy 07 SR-SS. REIL Rwy 25 OTS indef. ACTIVATE MIRL Rwy 07-25 PAPI Rwy 25 and REIL Rwy 07 and Rwy 25-CTAF.**WEATHER DATA SOURCES:** AWOS-3 118.525 (937) 372-4668. HIWAS 114.5 DQN.**COMMUNICATIONS:** CTAF/UNICOM 122.7**(R) DAYTON APP/DEP CON** 126.5 (091°-180°)**GCO** 121.725 (DAYTON CLNC)**RADIO AIDS TO NAVIGATION:** NOTAM FILE ILN.**MIDWEST (T) VORW/DME** 112.9 MXQ Chan 76 N39°25.78' W83°48.07' 335° 18 NM to fld. 1050/4W.

Unmonitored when twr clsd.

JAMES M COX DAYTON INTL (DAY) 9 N UTC-5(-4DT) N39°54.14' W84°13.16'

CINCINNATI

1009 B S4 FUEL 100, JET A OX 1 LRA ARFF Index—See Remarks NOTAM FILE DAY H-106, L-27E

RWY 06L-24R: H10900X150 (ASPH-CONC-GRVD) S-100, D-210, ST-175, DT-583, DDT-870

IAP, AD

HIRL CL

RWY 06L: ALSF2. TDZL.

RWY 24R: MALSR. VASI(V4L)—GA 3.0° TCH 54'. Tree.

RWY 18-36: H8502X150 (ASPH-CONC-GRVD) S-100, D-210, ST-175, DT-583, DDT-870 HIRL

RWY 18: MALSR. Trees.

RWY 36: REIL. VASI(V4L)—GA 3.0° TCH 46'. Trees.

RWY 06R-24L: H7001X150 (ASPH-CONC-GRVD) S-100, D-210, ST-175, DT-583, DDT-870 HIRL

RWY 06R: REIL. PAPI(P4L)—GA 3.0°. TCH 52'. Tree.

RWY 24L: MALSR. PAPI(P4L)—GA 3.0°. TCH 51'. Pole.

AIRPORT REMARKS: Attended continuously. Deer, coyotes, birds and waterfowl on and in/ovf arpt. First 1400' Rwy 24R concrete. First 1500' of Rwy 18 concrete. Rwy 36 VASI OTS indef. Class I, ARFF Index C. ARFF index E avbl with 24 hrs notice; call arpt operations 937-454-8299. Twy H clsd between Twy D and Rwy 18-36 indef. Twy C, Twy K, Twy H and Twy J not avbl for air carrier ops. Terminal ramp is a non-movement area. Runups prohibited in Rwy 24L holding area. Flight Notification Service (ADCUS) available.

WEATHER DATA SOURCES: ASOS (937) 454-7845. HIWAS 114.5 DQN.

TDWR.

COMMUNICATIONS: ATIS 125.8 UNICOM 122.95

DAYTON RCO 122.1R 114.5T 122.2 122.55 (DAYTON RADIO)

① DAYTON APP/DEP CON 118.85 126.45 (091°-180°) 134.45 (181°-359°) 118.425 (360°-090°) 118.0 126.5

DAYTON TOWER 119.9 GND CON 121.9 CLNC DEL 121.75

AIRSPACE: CLASS C svc continuous ctc APP CON

RADIO AIDS TO NAVIGATION: NOTAM FILE DAY.

DAYTON (L) VOR/DME 114.5 DQN Chan 92 N40°00.99' W84°23.81' 131° 10.7 NM to fld. 990/1W.

HIWAS.

BRUNY NDB (LOM) 315 AT N39°50.82' W84°20.09' 062° 6.3 NM to fld.


ILS 108.3 I-DAY Rwy 18.

ILS 108.9 I-ATD Rwy 06L. LOM BRUNY NDB.

ILS 110.3 I-EGK Rwy 24L.

ILS 111.9 I-VUQ Rwy 24R. Class IE.

ASR



MORaine AIR PARK (I73) 4 SW UTC-5(-4DT) N39°40.95' W84°14.58'

CINCINNATI

L-27E

720 FUEL 100LL NOTAM FILE DAY

RWY 08-26: H3500X65 (ASPH) MIRL

RWY 08: Thld dsplcd 558'. Dike.

RWY 26: Thld dsplcd 136'. Dike.

AIRPORT REMARKS: Attended daltg hrs. PAEW adjacent twys.

WEATHER DATA SOURCES: HIWAS 114.5 DQN.


COMMUNICATIONS: CTAF/UNICOM 122.7

DAYTON APP/DEP CON 126.5 (091°-180°)

RADIO AIDS TO NAVIGATION: NOTAM FILE FFO.

SPRINGFIELD (T) VOR/DME 113.2 SGH Chan 79 N39°50.19'

W83°50.70' 248° 20.6 NM to fld. 1047/4W.



DARBY DAN (See COLUMBUS)

DEFIANCE MEM (DFI) 4 NW UTC-5(-4DT) N41°20.25' W84°25.73' **DETROIT**
 707 B S4 FUEL 100LL, JET A OX 4 NOTAM FILE DFI **L-28J**
RWY 12-30: H4197X72 (ASPH) MIRL **IAP**
RWY 12: REIL. PAPI(P4L). Trees. **RWY 30:** REIL. VASI(NSTD). Trees.
AIRPORT REMARKS: Attended Mon-Fri 1300-2300Z†, Sat 1300-2200Z†, Sun 1700-2200Z†. Rwy 30 single box VASI left side of rwy. Rwy 12-30 parallel twy rstd to 5,000 lbs max gross weight. MIRL Rwy 12-30 preset low ints; to increase ints and ACTIVATE REILS Rwy 02 and Rwy 30—CTAF.
WEATHER DATA SOURCES: ASOS 121.425 (419) 658-2301.
COMMUNICATIONS: CTAF/UNICOM 122.7
 Ⓡ **TOLEDO APP/DEP CON** 134.35
RADIO AIDS TO NAVIGATION: NOTAM FILE CLE.
WATERVILLE (L) VOR/DME 113.1 VVW Chan 78 N41°27.09' W83°38.32' 261° 36.3 NM to fld. 660/2W.
NDB (MHW) 246 DFI N41°20.07' W84°25.61' at fld. NOTAM FILE DFI.

DELAWARE MUNI (DLZ) 3 SW UTC-5(-4DT) N40°16.78' W83°06.89' **DETROIT**
 945 B S4 FUEL 100LL, JET A NOTAM FILE DAY **H-106, L-29A**
RWY 10-28: H5000X100 (ASPH) S-30, D-55 MIRL **IAP**
RWY 10: REIL. PAPI(P4L)—GA 3.0°. **RWY 28:** REIL. PAPI(P4L)—GA 3.0°. Trees.
AIRPORT REMARKS: Attended 1300-2200Z†. Deer on and invof arpt. Ultralight tfc remain S of Rwy 10-28 at 400' AGL. Rwy 28 PAPI OTS indef. REIL Rwy 10 OTS indef. ACTIVATE MIRL Rwy 10-28—CTAF.
WEATHER DATA SOURCES: AWOS-3 119.025 (740) 362-4416.
COMMUNICATIONS: CTAF/UNICOM 122.7
 Ⓡ **COLUMBUS APP/DEP CON** 120.2
RADIO AIDS TO NAVIGATION: NOTAM FILE DAY.
APPLETON (H) VORTAC 116.7 APE Chan 114 N40°09.06' W82°35.30' 294° 25.4 NM to fld. 1350/6W.
HIWAS.
NDB (MHW) 215 DLZ N40°16.61' W83°06.22' at fld.

DEPARTMENT OF TRANSPORTATION HELIPORT (See COLUMBUS)

DESHLER MUNI LANDING STRIP (6D7) 2 NE UTC-5(-4DT) N41°12.95' W83°52.46' **DETROIT**
 706 NOTAM FILE CLE
RWY 09-27: 2480X70 (TURF)
RWY 09: Thld dsplcd 740'. Trees. **RWY 27:** Trees.
RWY 05-23: 1725X60 (TURF)
RWY 05: Thld dsplcd 410'. Bldg. **RWY 23:** Thld dsplcd 90'. Fence.
AIRPORT REMARKS: Unattended. Birds and deer on and invof arpt. Rwy 05-23 dsplcd thlds marked with yellow cones. Rwy 09 dsplcd thld marked with cones.
COMMUNICATIONS: CTAF 122.9

DON SCOTT N40°04.82' W83°04.73' NOTAM FILE OSU. **DETROIT**
NDB (MHW) 348 DKG at Ohio State University. Unmonitored when twr clsd. SHUTDOWN. **L-29A**

DRYER N41°21.48' W82°09.72' NOTAM FILE CLE. **DETROIT**
(H) VOR/DME 113.6 DJB Chan 83 226° 1.1 NM to Lorain Co Rgnl. 780/5W. **HIWAS.** **H-106, L-306**
VOR unusable 225°-245° byd 20 NM blo 3500'.
RCO 122.1R 113.6T (CLEVELAND RADIO)

EAST LIVERPOOL**COLUMBIANA CO**

(Ø2G) 4 NW UTC-5(-4DT) N40°40.40' W80°38.49'

1160 B S3 FUEL 100LL NOTAM FILE CLE

RWY 07-25: H3503X75 (ASPH) S-12.5 MIRL 0.5% up NE

RWY 07: Trees. RWY 25: REIL. PAPI(P4L)—GA 3.0° TCH 26'.

Trees.

AIRPORT REMARKS: Attended 1300Z†-dusk. Arpt unattended all major holidays. PAEW between twy and rwy. PAEW invof twy and ramp. Twy marked with reflectors. ACTIVATE MIRL Rwy 07-25, PAPI Rwy 25 and REIL Rwy 25-CTAF.

COMMUNICATIONS: CTAF/UNICOM 123.0.

® PITTSBURGH APP/DEP CON 124.75

RADIO AIDS TO NAVIGATION: NOTAM FILE A00.

ELLWOOD CITY (H) VORTAC 115.8 EWC Chan 105 N40°49.51'


W80°12.69' 253° 21.6 NM to fld.

1227/08W. VOR unusable 090°-140° and 310°-335°

DETROIT

L-29B

IAP

**EDDIE DEW MEML AIRPARK** (See TORONTO)**ELLIOTTS LANDING** (See MOUNT VICTORY)**ELYRIA** (1G1) 2 S UTC-5(-4DT) N41°19.89' W82°06.02'

758 B FUEL 100LL NOTAM FILE CLE

RWY 09-27: H3053X48 (ASPH) LIRL

RWY 09: Tree. RWY 27: Tree.

AIRPORT REMARKS: Unattended. Fuel avbl 24 hrs with credit card.**COMMUNICATIONS:** CTAF/UNICOM 122.8

® CLEVELAND APP/DEP CON 126.35 CLNC DEL 125.7

RADIO AIDS TO NAVIGATION: NOTAM FILE CLE.

DRYER (H) VOR/DME 113.6 DJB Chan 83 N41°21.48'


W82°09.72' 125° 3.2 NM to fld. 780/5W. HIWAS

COMM/NAV/WEATHER REMARKS: For IFR clearance ctc Cleveland apch control at 216-898-2040.

DETROIT

L-30G

IAP

**FAIRFIELD CO** (See LANCASTER)**FAYETTE CO** (See WASHINGTON COURT HOUSE)**FETCH** N41°12.03' W80°35.77' NOTAM FILE YNG.

NDB (LOM) 338 YN 322° 5.1 NM to Youngstown-Warren Rgnl. Unmonitored. LOM unusable byd 10 NM.

DETROIT

FINDLAY (FDY) 1 SW UTC-5(-4DT) N41°00.72' W83°40.12'

813 B FUEL 100LL, JET A NOTAM FILE FDY

RWY 18-36: H6498X100 (ASPH) S-100, D-160, ST-175, DT-280 HIRL

RWY 18: REIL. PAPI(P4L)—GA 3.0°TCH 31'.

RWY 36: REIL. PAPI(P4L)—GA 3.5°TCH 55'. Trees.

RWY 07-25: H5883X100(ASPH) S-100, D-160, ST-175, DT-280 HIRL

RWY 07: REIL. PAPI(P4L)—GA 3.0°TCH 39'. Thld displcd 324'.

Bridge.

RWY 25: REIL. PAPI(P4L)—GA 3.5°TCH 36'. Thld displcd 999'. Road.

RUNWAY DECLARED DISTANCE INFORMATION

RWY 07: TORA-5251 TODA-5251 ASDA-4881 LDA-4558

RWY 25: TORA-5786 TODA-5786 ASDA-5558 LDA-4558

AIRPORT REMARKS: Attended Sep-May Mon-Fri 1200-0100Z†, Jun-Aug

Mon-Fri 1200-0200Z†, Sat-Sun 1400-2300Z†. Rwy 07-25 sfc

has cracks and loose aggregate. ACTIVATE HIRL Rwy 07-25 and

Rwy 18-36; REIL Rwy 07, Rwy 25, Rwy 18 and Rwy 36—CTAF.


PAPI Rwy 07, Rwy 18, Rwy 25, and Rwy 36 opr 24 hrs. Ldg fee.

WEATHER DATA SOURCES: ASOS 124.425 (419) 427-8524.**COMMUNICATIONS:** CTAF/UNICOM 122.725RCO 122.1R 108.2T (CLEVELAND RADIO) RCO 122.65 122.2
(CLEVELAND RADIO)**(R) TOLEDO APP/DEP CON 120.8****RADIO AIDS TO NAVIGATION:** NOTAM FILE FDY.

(L) VORTAC 108.2 FDY Chan 19 N40°57.32' W83°45.36' 051° 5.2 NM to fld. 820/2W.

MARATHON (T) VORW 114.9 MAH N41°00.89' W83°39.86' at fld. Unmonitored.

BENTON RIDGE NDB (MHW) 334 BNR N41°01.27' W83°40.15' at fld. Unmonitored.

**FOSTORIA METRO** (FZI) 2 NE UTC-5(-4DT) N41°11.45' W83°23.59'

752 B S4 FUEL 100LL, JET A NOTAM FILE CLE

RWY 09-27: H5005X100 (ASPH) S-30, D-35, DT-52 MIRL

RWY 09: REIL. PAPI(P4L)—GA 3.0° TCH 25'. Trees.

RWY 27: REIL. PAPI(P4L)—GA 3.0° TCH 25'. Tree.

AIRPORT REMARKS: Attended Mon-Sat 1300-2200Z†. FBO ops Mon-Sat 1200-2100Z†. PAPI Rwy 09 and 27 on low

ints 24 hrs. To increase ints to high click 122.7 7 times. ACTIVATE MIRL Rwy 09-27 and REIL Rwy 09 and

27—CTAF. Rwy 09 REIL OTS indef. Rwy 09 PAPI OTS indef. Twy lgts intermittent.

WEATHER DATA SOURCES: AWOS-3 124.625 (419) 436-0053.**COMMUNICATIONS:** CTAF/UNICOM 122.7

FINDLAY RCO 122.1R 108.2T (CLEVELAND RADIO)

(R) TOLEDO APP/DEP CON 126.1**RADIO AIDS TO NAVIGATION:** NOTAM FILE FDY.

FINDLAY (L) VORTAC 108.2 FDY Chan 19 N40°57.32' W83°45.36' 051° 21.7 NM to fld. 820/2W.

NDB (MHW) 379 FZI N41°11.36' W83°23.83' at fld. NOTAM FILE CLE.

FREMONT**FREMONT** (14G) 2 SW UTC-5(-4DT) N41°19.99' W83°09.67'

663 B S4 FUEL 80, 100LL NOTAM FILE CLE

RWY 09-27: H4137X60 (ASPH) S-13 LIRL

RWY 09: REIL. VASI(NSTD). Thld displcd 126'. Road.

RWY 27: Trees.

RWY 18-36: 2238X130 (TURF)

RWY 18: Trees.

RWY 36: P-line.

AIRPORT REMARKS: Attended Mon-Sat 1300Z†-2200Z†, Sun 1700Z†-2200Z†. For fuel after hrs call 419-332-0046.

ACTIVATE LIRL Rwy 09-27; REIL Rwy 09 and rotating bcn—CTAF.

COMMUNICATIONS: CTAF/UNICOM 122.8**(R) TOLEDO APP/DEP CON 126.1****RADIO AIDS TO NAVIGATION:** NOTAM FILE CLE.

WATERVILLE (L) VOR/DME 113.1 VVW Chan 78 N41°27.09' W83°38.32' 110° 22.7 NM to fld. 660/2W.

SANDUSKY CO RGNL (S24) 5 SE UTC-5(-4DT) N41°17.74' W83°02.23'

DETROIT

665 B S2 FUEL 100LL, JET A OX 2 NOTAM FILE CLE

H-106, L-28J

RWY 06-24: H5500X100 (ASPH) S-30 MIRL

IAP

RWY 06: REIL. PAPI(P4L)—GA 3.0° TCH 44'. Tree.

RWY 24: REIL. PAPI(P4L)—GA 3.0° TCH 42'.

AIRPORT REMARKS: Attended 1200-2300Z±. After hrs call 419-547-0131 or 419-360-3610. Birds and deer on and in/ov arpt. ACTIVATE MIRL Rwy 06-24—CTAF. Ldg fee for light twin acft 4500 pounds and larger.

WEATHER DATA SOURCES: AWOS-3 119.575 (419) 547-6932.**COMMUNICATIONS:** CTAF/UNICOM 123.05

Ⓡ MANSFIELD APP/DEP CON 127.35 (360°-180°) 1100-0400Z±

Ⓡ CLEVELAND CENTER APP/DEP CON 127.9 (360°-180°) 0400-1100Z±

Ⓡ TOLEDO APP/DEP CON 126.1 (180°-360°)

RADIO AIDS TO NAVIGATION: NOTAM FILE CLE.

(L) VOR/DME 109.2 SKY Chan 29 N41°26.07' W82°39.29' 248° 19.2 NM to fld.

FULER N40°04.42' W83°11.89' NOTAM FILE OSU.

DETROIT

NDB (MHW/LDM) 515 OS 091° 5.8 NM to Ohio State University.

L-29A

FULTON CO (See WAUSEON)

GALION MUNI (GQQ) 3 NE UTC-5(-4DT) N40°45.20' W82°43.43'

DETROIT

1224 B S4 FUEL 100LL NOTAM FILE CLE

L-29A

RWY 05-23: H3505X75 (ASPH) S-12 MIRL

IAP

RWY 05: REIL. PAPI(P4L)—GA 3.0° TCH 33'. Thld dsplcd 188'. P-line.

RWY 23: REIL. VASI(V2L)—GA 3.0° TCH 26'. Trees.

AIRPORT REMARKS: Attended Mon-Fri 1300-2200Z±. Student training activity. Fuel self service-24 hrs with credit card. Rwy 23 VASI OTS indef. ACTIVATE MIRL Rwy 05-23; VASI and REIL Rwy 23; REIL Rwy 05 2300-1100Z±—CTAF. ACTIVATE PAPI Rwy 05—CTAF.

COMMUNICATIONS: CTAF/UNICOM 122.8

MANSFIELD RCO 122.6 122.1R 108.8T (CLEVELAND RADIO)

Ⓡ MANSFIELD APP/DEP CON 124.2 (1100-0400Z±) CLNC DEL 126.8

CLEVELAND CENTER APP/DEP CON 134.9 (0400-1100Z±)

RADIO AIDS TO NAVIGATION: NOTAM FILE MFD.

MANSFIELD (L) VORTAC 108.8 MFD Chan 25 N40°52.12' W82°35.46' 224° 9.2 NM to fld. 1210/3W.

GALLIA-MEIGS RGNL (See GALLIPOLIS)

GALLIPOLIS N38°50.01' W82°09.69' NOTAM FILE DAY.

CINCINNATI

NDB (MHW) 420 GAS at Gallia-Meigs Rgnl. VFR only.

RCO 121.65 (DAYTON RADIO)

GALLIPOLIS

GALLIA-MEIGS RGNL (GAS) 2 NE UTC-5(-4DT) N38°50.05' W82°09.81'

CINCINNATI

566 B S2 FUEL 100LL, JET A1+ NOTAM FILE DAY

L-26H

RWY 05-23: H3998X75 (ASPH) S-30 MIRL

IAP

RWY 05: PAPI(P2L)—GA 3.0° TCH 40'. Fence.

RWY 23: REIL. PAPI(P2L)—GA 3.0° TCH 40'. Brush.

AIRPORT REMARKS: Attended 1400-2200Z±. FBO CLOSED Thanksgiving, Christmas and New Years Day. Deer and birds on and in/ov arpt. Rwy 23 REIL OTS indef. ACTIVATE MIRL Rwy 05-23; PAPI Rwy 05 and 23, REIL Rwy 23—CTAF.

WEATHER DATA SOURCES: AWOS-3 119.925 (740) 446-2149.**COMMUNICATIONS:** CTAF/UNICOM 123.0

Ⓡ HUNTINGTON APP/DEP CON 128.4 CLNC DEL 124.55

RADIO AIDS TO NAVIGATION: NOTAM FILE EKN.

HENDERSON (H) VORTAC 115.9 HNN Chan 106 N38°45.25' W82°01.57' 310° 8 NM to fld. 880/03W.

GALLIPOLIS NDB (MHW) 420 GAS N38°50.01' W82°09.69' at fld. NOTAM FILE DAY. VFR only.

GARRETTSVILLE

GATES (7D8) 4 N UTC-5(-4DT) N41°21.07' W81°05.97'

DETROIT

1110 NOTAM FILE CLE

Not insp.

RWY 08-26: 2800X100 (TURF-GRVL)

RWY 08: Fence.

RWY 26: Trees.

AIRPORT REMARKS: Attended Apr-Nov dalgt hrs. Ldg PPR only Dec thru Mar call 216-548-4511. Parachute Jumping. Rwy drops 10' on E end. Rwy 26 has 16' hill/brush starting 0' from rwy apch end.

COMMUNICATIONS: CTAF 122.9

GATES (See GARRETTSVILLE)

GEAUGA CO (See MIDDLEFIELD)

GENEVA
GERMACK (7D9) 3 SE UTC-5(-4DT) N41°46.67' W80°54.24'

DETROIT

820 NOTAM FILE CLE

L-30G

RWY 01-19: H3250X28 (ASPH) LIRL (NSTD)

RWY 01: Tree. RWY 19: Trees.

AIRPORT REMARKS: Unattended. Deer on and in/ovf arpt. Radio controlled model acft activity on and in/ovf arpt. No line of sight between rwy ends. Rwy 01-09 rolling sfc. Rwy 01-19 LIRL spacing nstd. ACTIVATE NSTD LIRL Rwy 01-19—CTAF.

COMMUNICATIONS: CTAF 122.9 UNICOM 122.95**RADIO AIDS TO NAVIGATION:** NOTAM FILE CLE.

JEFFERSON (L) VOR/DME 115.2 JFN Chan 99 N41°45.61' W80°44.89' 284° 7.1 NM to fld. 900/5W.

GEORGETOWN
BROWN CO (GEO) 1 NE UTC-5(-4DT) N38°52.92' W83°52.97'

CINCINNATI

958 B FUEL 100LL NOTAM FILE DAY

L-26G, 27E

RWY 17-35: H3530X65 (ASPH) MIRL

IAP

RWY 17: Road. RWY 35: Road.

AIRPORT REMARKS: Unattended. For airframe and powerplant repairs phone 937-379-1055. Self service fuel avbl 24 hrs with credit card. Aerobatic practice surface to 4500' AGL above Rwy 17-35. ACTIVATE MIRL Rwy 17-35—CTAF.

COMMUNICATIONS: CTAF 122.9

® INDIANAPOLIS CENTER APP/DEP CON 135.575

RADIO AIDS TO NAVIGATION: NOTAM FILE LOU.

FALMOUTH (H) VOR/DME 117.0 FLM Chan 117 N38°38.97' W84°18.64' 059° 24.4 NM to fld. 810/4W.

GERMACK (See GENEVA)

GRAND LAKE ST MARYS SPB (See ST MARYS)

GREATER PORTSMOUTH RGNL (See PORTSMOUTH)

GREENE CO-LEWIS A JACKSON RGNL (See DAYTON)

GREEN SPRINGS
WEIKER (82D) 2 SE UTC-5(-4DT) N41°13.75' W83°01.74'

DETROIT

740 S4 NOTAM FILE CLE

RWY 18-36: 1785X90 (TURF)

RWY 18: Trees. RWY 36: Trees.

AIRPORT REMARKS: Attended irregularly. Radio controlled model flying activity on weekends. Rwy 18-36 marked with +2' white and orange waste tubs on E side only; Rwy 18 first 132' has no markers.

COMMUNICATIONS: CTAF 122.9

GRENS N40°00.61' W83°01.74' NOTAM FILE CMH.

CINCINNATI

NDB (MHW) 272 CHC 102° 6.4 NM to Port Columbus Intl. OTS indef.

L-29E

GRIFFING-SANDUSKY (See SANDUSKY)

GRIMES FLD (See URBANA)

HAMILTON N39°22.37' W84°34.33' NOTAM FILE DAY.

CINCINNATI

NDB (MHW) 260 HAO 107° 2.4 NM to Butler Co Rgnl.

L-27E

HAMILTON**BUTLER CO RGNL** (HAO) 3 SE UTC-5(-4DT) N39°21.83' W84°31.32'**CINCINNATI**
H-106, L-27E
IAP

633 B S4 FUEL 100LL, JET A OX 4 NOTAM FILE HAO

RWY 11-29: H5500X100 (ASPH) S-60, D-75, DT-39 MIRL

RWY 11: REIL. PAPI (P4L)—GA 3.5° TCH 26'. Bldg.

RWY 29: MALSR. REIL. PAPI (P4L)—GA 3.0° TCH 25'. P-line.

AIRPORT REMARKS: Attended Nov-Mar 1200-0200Z, Apr-Oct 1200-0300Z. ACTIVATE MIRL Rwy 11-29 and REIL Rlys 11 and 29 and MALSR Rwy 29—CTAF.**WEATHER DATA SOURCES:** ASOS 121.425 (513) 863-6137**COMMUNICATIONS:** CTAF/UNICOM 123.05Ⓡ **CINCINNATI APP/DEP CON** 121.0 **CLNC DEL** 126.25**RADIO AIDS TO NAVIGATION:** NOTAM FILE CVG.**CINCINNATI (L) VORTAC** 117.3 CVG Chan 120 N39°00.96' W84°42.20' 026° 22.5 NM to fld. 879/04W.**HAMILTON NDB (MHW)** 260 HAO N39°22.37' W84°34.33' 107° 2.4 NM to fld. NOTAM FILE DAY.**ILS/DME** 109.75 I-RQF Chan 34(Y) Rwy 29. Class IT. LOC unusable byd 20° right of course.**HARDIN CO** (See KENTON)**HARLAN AIRFIELD** (See LAGRANGE)**HARRISON****CINCINNATI WEST** (I67) 2 E UTC-5(-4DT) N39°15.54' W84°46.46'**CINCINNATI**
L-27E
IAP

584 B S4 FUEL 100LL NOTAM FILE DAY

RWY 01-19: H2803X60 (ASPH) MIRL

RWY 01: Thld dsplcd 308'. P-line. RWY 19: Thld dsplcd 220'. Tree.

RWY 09-27: 1809X100 (TURF)

RWY 09: Tree. RWY 27: Tree.

AIRPORT REMARKS: Attended Oct-Apr 1300Z-dusk, May-Sep 1300-0100Z. Unattended all major holidays. For Jet A availability call 513-367-0231. Rwy 09-27 CLOSED indef.**COMMUNICATIONS:** CTAF/UNICOM 123.0Ⓡ **APP/DEP CON** 128.7**RADIO AIDS TO NAVIGATION:** NOTAM FILE CVG.(L) **VORTAC** 117.3 CVG Chan 120 N39°00.96' W84°42.20' 351° 14.9 NM to fld. 879/04W.**HARRISON CO** (See CADIZ)**HARRY CLEVER FLD** (See NEW PHILADELPHIA)**HENRY CO** (See NAPOLEON)**HENDERSON** (WV) N38°45.25' W82°01.57' NOTAM FILE EKN.**CINCINNATI**
H-106, L-22F(H) **VORTAC** 115.9 HNN Chan 106 334° 39.5 NM to Vinton Co. 860/3W.

DME portion unusable 185°-194° byd 10 NM blo 8000'; 195°-204° byd 30 NM blo 8000'.

HIGHLAND CO (See HILLSBORO)**HILLSBORO** N39°11.08' W83°32.58'. NOTAM FILE DAY.**CINCINNATI**
L-29A**NDB (MHW)** 278 HOC at Highland Co.**RCO** 122.2 (DAYTON RADIO)**HILLSBORO****HIGHLAND CO** (HOC) 3 SE UTC-5(-4DT) N39°11.33' W83°32.33'**CINCINNATI**
L-29A
IAP

977 B S4 FUEL 100LL, JET A TPA-1677(700) NOTAM FILE DAY

RWY 05-23: H3520X75 (ASPH) S-25 MIRL 1.3% UP SW

RWY 05: Trees RWY 23: REIL. PAPI (P2L). Trees.

AIRPORT REMARKS: Attended Mon-Sat 1300-2200Z, Sun 1700-2200Z. Rwy 05-23 lgts NW side OTS indef. Rwy 23 REIL OTS indef. ACTIVATE MIRL Rwy 05-23 and REIL Rwy 23—CTAF.**WEATHER DATA SOURCES:** AWOS-3 118.175 (937) 393-9038.**COMMUNICATIONS:** CTAF/UNICOM 123.05**HILLSBORO RCO** 122.2 (DAYTON RADIO)**INDIANAPOLIS CENTER APP/DEP CON** 134.0**RADIO AIDS TO NAVIGATION:** NOTAM FILE LOU.**YORK (L) VORTAC** 112.8 YRK Chan 75 N38°38.65' W82°58.70' 326° 41.9 NM to fld. 1040/5W.**HILLSBORO NDB (MHW)** 278 HOC N39°11.08' W83°32.58' at fld. NOTAM FILE DAY.**HINDE** (see HURON)

HOGAF N41°34.45' W81°28.27' NOTAM FILE CGF.
NDB (LMM) 521 GF at Cuyahoga Co. SHUTDOWN.

DETROIT

HOLLISTER FIELD (See WILMINGTON)

HOLMES CO (See MILLERSBURG)

HOOK FLD N39°29.93' W84°26.85' NOTAM FILE DAY.
NDB (MHW) 239 HKF 054° 3.1 NM to Middletown Rgnl/Hook Fld. NDB OTS indef.

CINCINNATI
L-27E

HUBBARD N41°09.17' W80°31.89' NOTAM FILE CLE.
NDB (MHW) 408 HBD 259° 4.2 NM to Lansdowne.

DETROIT
L-30H

HURON

HINDE (88D) 3 NW UTC-5(-4DT) N41°24.22' W82°36.08'

DETROIT

609 NOTAM FILE CLE

RWY 11-29: 2500X70 (TURF)

RWY 11: Road. RWY 29: Brush.

AIRPORT REMARKS: Attended. Arpt CLOSED at ngt. Rwy soft when wet.

COMMUNICATIONS: CTAF 122.9

JACKSON

JAMES A RHODES (I43) 5 SE UTC-5(-4DT) N38°58.88' W82°34.67'

CINCINNATI
H-10G, L-29A
IAP

726 B S4 FUEL 100LL, JET A1+ NOTAM FILE DAY

RWY 01-19: H5201X75 (ASPH) MIRL

RWY 01: Thld displcd 331'. Tree.

RWY 19: REIL. VASI(S2L). P-line.

AIRPORT REMARKS: Attended 1300-2100Z+. MIRL Rwy 01-19 preset low ints dusk-dawn, to increase ints and ACTIVATE—CTAF. Rwy 19 REIL OTS indef.


WEATHER DATA SOURCES: AWOS-3 118.825 (740) 286-1760.

COMMUNICATIONS: CTAF/UNICOM 122.7

® HUNTINGTON APP/DEP CON 128.4

RADIO AIDS TO NAVIGATION: NOTAM FILE EKN.

HENDERSON (H) VORTAC 115.9 HNN Chan 106 N38°45.25'
W82°01.57' 301° 29.2 NM to fld. 880/03W.



JAMES A RHODES (See JACKSON)

JAMES M COX DAYTON INTL (See DAYTON)

JAMESTOWN

BLOOM (14I) 2 SW UTC-5(-4DT) N39°38.00' W83°45.00'

CINCINNATI

1050 TPA-1850(800) NOTAM FILE DAY

RWY 06-24: 1220X80 (TURF)

RWY 06: Pole. RWY 24: Pole.

AIRPORT REMARKS: Unattended.

COMMUNICATIONS: CTAF 122.9

JEFFERSON CO AIRPARK (See STEUBENVILLE)

JEFFERSON N41°45.61' W80°44.89' NOTAM FILE CLE.

DETROIT
L-30G

(L) VOR/DME 115.2 JFN Chan 99 070° 2.6 NM to Ashtabula Co. 900/5W.

DME unusable:

085°-125° byd 35 NM blo 3500'

126°-190° byd 20 NM blo 3500'

RCO 122.1R 115.2T (CLEVELAND RADIO)

191°-230° all alts and distances
231°-260° byd 30 NM blo 3500'

KELLEYS ISLAND LAND FLD (89D) 1 NE UTC-5(-4DT) N41°36.17' W82°41.08'

DETROIT

598 NOTAM FILE CLE

RWY 18-36: H2270X35 (ASPH) LIRL

RWY 18: Bldg. RWY 36: Trees.

RWY 09-27: H2203X50 (ASPH) LIRL

RWY 09: Trees. RWY 27: Tree.

AIRPORT REMARKS: Unattended. Rwy 18-36 CLOSED indef. Rwy 09-27 pavement poor—weathered with cracks. Ldg fee.

COMMUNICATIONS: CTAF 122.9

KENT STATE UNIV (1G3) 3 W UTC-5(-4DT) N41°09.08' W81°24.91'

DETROIT

1134 B S4 FUEL 100LL, JET A1+ TPA—1984(850) NOTAM FILE CLE

L-306

RWY 01-19: H4000X60 (ASPH) MIRL 0.4% up N

IAP

RWY 01: REIL. VASI(V4L)—GA 3.5° TCH 42'. Thld dspcd 49'. Trees.

RWY 19: REIL. VASI(V4L)—GA 3.0° TCH 35'. Trees.

AIRPORT REMARKS: Attended Mon-Fri 1130Z±—dusk, Sat-Sun 1300Z±—dusk. Self svc fuel avbl. Self svc fuel OTS indef. Ramp fee for multi-engine and turbine powered acft—waived with fuel purchase. Deer on and invof arpt. For noise abatement procedures ctc arpt manager on 330-672-1943. ACTIVATE MIRL Rwy 01-19; VASI and REIL Rwy 01 and Rwy 19—122.9. Rwy 01 and Rwy 19 REIL OTS indef.

COMMUNICATIONS: CTAF/DEP COM 122.725

① AKRON—CANTON APP/DEP CON 118.6 (1100-0500Z±)

CLNC DEL 125.65

① CLEVELAND CENTER APP/DEP CON 120.775 (0500-1100Z±)


RADIO AIDS TO NAVIGATION: NOTAM FILE CAK.

AKRON (L) VOR/DME 114.4 ACO Chan 91 N41°06.47'

W81°12.09' 289° 10 NM to fld, 1194/4W.

AKRON NDB (MHW/LDM) 362 AK N41°04.19' W81°23.25' 353°

5.1 NM to fld. NOTAM FILE CLE.

**KENTON****HARDIN CO** (I95) 3 SW UTC-5(-4DT) N40°36.64' W83°38.62'

DETROIT

1024 B S4 FUEL 100LL, JET A1+ TPA—2024(1000) NOTAM FILE DAY

L-27E

RWY 04-22: H4201X75 (ASPH) S-19 MIRL 0.5% up SW

IAP

RWY 04: Fence. RWY 22: Road.

AIRPORT REMARKS: Attended Sat-Sun 1400-2000Z±, May-Oct Mon-Fri 1300-0100Z±, Nov-Apr Mon-Fri 1400-2300Z±. Birds on and invof arpt. ACTIVATE MIRL Rwy 04-22—CTAF.

COMMUNICATIONS: CTAF/UNICOM 122.8

INDIANAPOLIS CENTER APP/DEP CON 128.075

RADIO AIDS TO NAVIGATION: NOTAM FILE FDY.

FINDLAY (L) VORTAC 108.2 FDY Chan 19 N40°57.32' W83°45.36' 168° 21.3 NM to fld. 820/2W.

ALLEN CO (T) VOR 108.4 AOH N40°42.43' W83°58.09' 115° 15.9 NM to fld. NOTAM FILE DAY. VOR portion unusable 091°-109° byd 20 NM.

KIRILA HELIPORT (See BROOKFIELD)**KNOX CO** (See MOUNT VERNON)**KOONS** (See SALEM)**LAGRANGE****HARLAN AIRFIELD** (92D) 2 S UTC-5(-4DT) N41°12.17' W82°06.91'

DETROIT

843 TPA—1843(1000) NOTAM FILE CLE

RWY 09-27: 2670X95 (TURF)

RWY 09: P-line. RWY 27: Trees

RWY 18-36: 1410X95 (TURF)

RWY 18: Tree. RWY 36: Trees.

AIRPORT REMARKS: Attended irregularly. Arpt occasionally CLOSED for radio controlled model flying. Req blind call on 122.9 at arrival and departure as safety procedure. Rwy 36 has no line of sight with Rwy 09 and Rwy 27 ends.

Rwy 18-36 marked with white tires.

COMMUNICATIONS: CTAF 122.9

LAKEFIELD (See CELINA)

LAKELAND N41°40.95' W81°22.74' NOTAM FILE CLE.
 NDB (MHW) 263 LQL at Willoughby Lost Nation Muni. NDB unmonitored.

DETROIT
 L-306

LANCASTER

FAIRFIELD CO (LHQ) 3 NW UTC-5(-4DT) N39°45.34' W82°39.43'

CINCINNATI
 H-106, L-29A
 IAP

868 B S4 FUEL 100LL, JET A1 + NOTAM FILE LHQ

RWY 10-28: H5004X75 (ASPH) S-25.5, D-38.5 MIRL

RWY 10: REIL. PAPI(P4L)—GA 3.0°. Trees.

RWY 28: REIL. PAPI(P4L)—GA 3.0°. Thld dsplcd 279'. Road.

AIRPORT REMARKS: Attended 1300Z†-dark. Arpt unattended Christmas, New Years and Thanksgiving. Fuel available 24 hrs with credit card. Run up area N end Rwy 28 closed permanently. Rwy 28 calm wind preferred rwy. MIRL Rwy 10-28 preset on low ints; to increase ints and ACTIVATE REILS Rwy 10 and Rwy 28—122.725. Rwy 28 PAPI operates 24 hours.

WEATHER DATA SOURCES: ASOS 118.375 (740) 681-1097.

COMMUNICATIONS: CTAF/UNICOM 122.725

APPLETON RCO 122.1R 116.7T (DAYTON RADIO)

Ⓡ COLUMBUS APP/DEP CON 132.3 CLNC DEL 121.65

RADIO AIDS TO NAVIGATION: NOTAM FILE DAY.

APPLETON (H) VORTAC 116.7 APE Chan 114 N40°09.07' W82°35.30' 194° 23.9 NM to fld. 1360/6W.
 HIWAS.

CASER NDB (LOM) 338 LH N39°44.93' W82°32.12' 280° 5.7 NM to fld. Unmonitored.

ILS 111.9 I-LHQ Rwy 28. LOM CASER NDB. LOC only. LOM unmonitored. LOC unmonitored.

LANDSDOWNE (See YOUNGSTOWN)**LAWRENCE CO AIRPARK** (See CHESAPEAKE-HUNTINGTON WVA)

LEBANON-WARREN CO (I68) 3 NW UTC-5(-4DT) N39°27.73' W84°15.11'

CINCINNATI
 L-27E
 IAP

898 B S4 FUEL 100LL, JET A OX 1 NOTAM FILE DAY

RWY 01-19: H4502X65 (ASPH) S-30, D-41 RWY MIRL (NSTD) 0.3% up N

RWY 01: REIL. PAPI(P4R). Thld dsplcd 630'. P-line. Rgt tfc.

RWY 19: REIL. PAPI(P4L). Thld dsplcd 410' (dalgt). Trees.

AIRPORT REMARKS: Attended 1230-0300Z†. PAEW adjacent rwy and twy indef. NSTD MIRL Rwy 01-19, not located at correct place adjacent to dsplcd thld markings. Rwy 19 dsplcd thld not lgtd. Rwy 01 dsplcd thld at the 630' mark is not lgtd. The former dsplcd thld at 363' mark is lgtd for night ops. Rwy 19 PAPI OTS indef. Rwy 01 REIL OTS indef. ACTIVATE MIRL Rwy 01-19—123.075.

WEATHER DATA SOURCES: AWOS-3 120.55 (513) 934-5500.

COMMUNICATIONS: CTAF/UNICOM 123.075

Ⓡ DAYTON APP CON 126.5 (091°-180°) 118.85 127.225

Ⓡ DAYTON DEP CON 126.5 (091°-180°)


DAYTON CLNC DEL 119.4 (937) 454-7282

RADIO AIDS TO NAVIGATION: NOTAM FILE FFO.

MIDWEST (T) VORW/DME 112.9 MXQ Chan 76 N39°25.78'

W83°48.07' 279° 21 NM to fld 1050/4W.

ONIDA NDB (LOM) 223 MW N39°34.69' W84°19.42' 159° 7.7 NM to fld. NOTAM FILE DAY. Unmonitored.



LEIPSIC**RUHE'S** (R47) 3W UTC-5(-4DT) N41°06.19' W84°03.11'


801 S4 NOTAM FILE CLE

RWY 09-27: H4455X65 (ASPH) LIRL (NSTD)**RWY 09:** Railroad. **RWY 27:** Antenna.

AIRPORT REMARKS: Attended dalgt hrs. Field primary for dusting/spraying ops. Most tkfs to W; lds E; no tfc pattern for agriculture planes. For LIRL Rwy 09-27 call 419-943-3352. Rwy 09-27 NSTD LIRL. Thld lgt'd with 360° green lgt's and Rwy lgt's S side offset 20'.

COMMUNICATIONS: CTAF/UNICOM 123.0**RADIO AIDS TO NAVIGATION:** NOTAM FILE FDY.

FINDLAY (L) VORTAC 108.2 FDY Chan 19 N40°57.32'
W83°45.36' 306° 16.1 NM to fld. 820/2W.

DETROIT
L-28J**LIMA ALLEN CO** (AOH) 5 SE UTC-5(-4DT) N40°42.42' W84°01.60'975 B S4 **FUEL** 100LL, JET A1 + OX 1 NOTAM FILE AOH**RWY 09-27:** H5149X150 (ASPH) D-60 HIRL 0.5% up E.**RWY 09:** Thld displcd 138'. Tree.**RWY 27:** REIL. PAP(P4R)—GA 3.0° TCH 46'.**RWY 14-32:** 3994X150 (TURF-ASPH)**RWY 14:** Pole. **RWY 32:** Tree.

AIRPORT REMARKS: Attended Mon-Thr 1100-0100Z†, Fri 1100-2300Z†, Sat 1400-2000Z†, Sun 1600-2000Z†. Rwy 14-32 CLOSED winters. Rwy 14-32 first 600' Rwy 32 paved 150' wide. ACTIVATE HIRL Rwy 09-27 and REIL Rwy 27—CTAF.


WEATHER DATA SOURCES: ASOS 108.4 AOH (419) 224-6098.**COMMUNICATIONS:** CTAF/UNICOM 122.7**ALLEN CO RCO** 122.1R 108.4T (DAYTON RADIO)**INDIANAPOLIS CENTER APP/DEP CON** 128.075**RADIO AIDS TO NAVIGATION:** NOTAM FILE DAY.**FINDLAY (L) VORTAC** 108.2 FDY Chan 19 N40°57.32'

W83°45.36' 222° 19.3 NM to fld. 820/2W.

NOTAM FILE FDY.

ALLEN CO (T) VOR 108.4 AOH N40°42.43' W83°58.09' 274°
2.7 NM to fld. **ASOS.**

VOR portion unusable 091°-109° byd 20 NM.

NDB (MHW) 362 LYL N40°42.27' W84°01.40' at fld. Unmonitored. SHUTDOWN.**ILS** 109.3 I-AOH Rwy 27. LOC unusable byd 25° left side of course. ILS unmonitored.DETROIT
H-10G, L-27E
IAP**LONDON** N39°55.89' W83°27.84' NOTAM FILE DAY.**NDB (MHW)** 263 UYF at Madison Co.CINCINNATI
L-29A

LONDON**MADISON CO** (UYF) 3N UTC-5(-4DT) N39°55.96' W83°27.72'

1082 B S4 FUEL 100LL, JET A1+ NOTAM FILE DAY

RWY 09-27: H4001X75 (ASPH) S-30, D-40 MIRL 0.8% w W

RWY 09: REIL. PAPI(P4L)-TCH 31'.

RWY 27: REIL. PAPI(P4L)-TCH 31'. Trees.

AIRPORT REMARKS: Attended Mon-Fri 1300-2100Z, Sat-Sun

1400-2200Z. 24 hr self svc fuel after hrs. ACTIVATE MIRL Rwy

09-27 and PAPI and REIL Rws 09 and 27-CTAF.

COMMUNICATIONS: CTAF/UNICOM 123.0

Ⓡ DAYTON APP CON 126.5 (091°-180°) 118.85 127.225

Ⓡ DAYTON DEP CON 126.5 (091°-180°)

RADIO AIDS TO NAVIGATION: NOTAM FILE FFO.

SPRINGFIELD (T) VORW/DME 113.2 SGH Chan 79 N39°50.19'

W83°50.70' 076° 18.6 NM to fld. 1047/4W.


LONDON NDB (MHW) 263 UYF N39°55.89' W83°27.84' at fld.

NOTAM FILE DAY.

CINCINNATI

L-29A

IAP

**LORAIN CO RGNL** (See LORAIN/ELYRIA)**LORAIN (ELYRIA)****LORAIN CO RGNL** (LPR) 6 S UTC-5(-4DT) N41°20.66' W82°10.66'

793 B S4 FUEL 100LL, JET A TPA-1793(1000) NOTAM FILE LPR

RWY 07-25: H5002X100 (ASPH-GRVD) S-80, D-110, ST-175, DT-180 HIRL

RWY 07: MALSR. PAPI(P4L)-GA 3.0° TCH 54'.

RWY 25: REIL. PAPI(P4L)-GA 3.0° TCH 40'. Trees. Rgt tfc.

AIRPORT REMARKS: Special Air Traffic Rules-Part 93, see Regulatory

Notices. Attended Mon-Fri 1200-0400Z, Sat-Sun

1200-0300Z. Birds; coyotes and deer on and in/ov arpt. Pilots

opr in Oberlin area req to avoid and remain well clear of Oberlin

College due to music conservatory. All tfc ops N of arpt as per FAR

Part 93, Subpart J. HIRL Rwy 07-25 preset low ints, to increase

ints and ACTIVATE MALSR Rwy 07-CTAF.

WEATHER DATA SOURCES: ASOS 121.425 (440) 323-7088.**COMMUNICATIONS:** CTAF/UNICOM 122.7

Ⓡ CLEVELAND APP/DEP CON 126.35 CLNC DEL 125.7

RADIO AIDS TO NAVIGATION: NOTAM FILE CLE.

DRYER (H) VOR/DME 113.6 DJB Chan 83 N41°21.48'

W82°09.72' 226° 1.1 NM to fld. 780/5W. HIWAS.

ILS 111.7 I-LQG Rwy 07.


COMM/NAV/WEATHER REMARKS: For IFR clearance ctc Cleveland apch

control at 216-898-2040.

DETROIT

H-106, L-306

IAP

**LOST NATION** N41°41.06' W81°23.37'. NOTAM FILE CLE.

(T) VORW/DME 110.2 LNN Chan 39 at Willoughby Lost Nation Muni. 620/8W. Unmonitored.

VOR portion unusable 030°-094°; 135°-224°. DME portion unusable byd 20 NM.

DETROIT

L-306

MADEIRA N39°13.37' W84°21.32' NOTAM FILE LUK.

NDB (MHW) 379 MDE 206° 7.7 NM to Cincinnati Muni Arpt Lunken Fld. Unmonitored when twr clsd.

CINCINNATI

L-27E

MADISON CO (See LONDON)**MAD RIVER INC** (See TREMONT CITY)**MANNS** N40°45.97' W82°26.70' NOTAM FILE MFD.

NDB (MHW/LOM) 372 MF 321° 4.7 NM to Mansfield Lahm Rgnl.

DETROIT

L-29A

MANSFIELD LAHM RGNL (MFD) 3 N UTC-5(-4DT) N40°49.29' W82°31.00'
 1297 B S4 FUEL 100LL, JET A Class IV, ARFF Index A NOTAM FILE MFD
RWY 14-32: H9001X150 (ASPH-GRVD) S-150, D-185, ST-175, DT-300 HIRL
RWY 14: PAPI(P4L)—GA 3.0° TCH 42'. Road. 0.9% up.
RWY 32: MALSR. Trees.
RWY 05-23: H6795X150 (ASPH-GRVD) S-90, D-96, ST-175, DT 150 HIRL
RWY 05: REIL. PAPI(P4L)—GA 3.0° TCH 50.
RWY 23: REIL. PAPI(P4L)—GA 3.0° TCH 45'. Trees.

DETROIT
 H-106, L-29A
 IAP, AD

LAND AND HOLD SHORT OPERATIONS

LANDING	HOLD SHORT POINT	DIST AVBL
RWY 05	14-32	4350
RWY 14	05-23	6100

RUNWAY DECLARED DISTANCE INFORMATION

RWY 05: TORA-6795 TODA-6795 ASDA-6795 LDA-6795
RWY 14: TORA-9001 TODA-9001 ASDA-9001 LDA-9001
RWY 23: TORA-6795 TODA-6795 ASDA-6795 LDA-6795
RWY 32: TORA-9001 TODA-9001 ASDA-9001 LDA-9001

AIRPORT REMARKS: Attended 1200-0400Z†. Deer and birds and waterfowl on and in/ov arpt. Two hrs PPR for air carrier ops with more than 30 passenger seats call 419-522-2191. Acft on either end of Rwy 05-23 and Rwy 14-32 cannot be seen on the other end due to rwy grade. Acft larger than a "G1" or with a wing span greater than 80' (tip to tip) are restricted on Twys G/H/J/L/M/N and should use the main ramp area. When twr clsd ACTIVATE HIRL Rwy 05-23 and Rwy 14-32; MALSR Rwy 32; REIL Rwy 05 and 23—CTAF. Rwy 32 RVR avbl. Ldg fees on all commercial oprs invoiced on monthly basis; for other arrangements contact arpt manager on 419-522-2191.

WEATHER DATA SOURCES: ASOS (419) 522-1375. LAWRS.

COMMUNICATIONS: CTAF 119.8 ATIS 125.3 UNICOM 122.95

RCO 122.1R 108.8T (CLEVELAND RADIO) RCO 122.6 (CLEVELAND RADIO)
 (R) APP/DEP CON 124.2 127.35 (1100-0400Z†) (R) CLEVELAND CENTER APP/DEP CON 134.9 (0400-1100Z†)
 TOWER 119.8 (1100-0400Z†) GND CON 121.8

AIRSPACE: CLASS D svc effective 1100-0400Z† other times CLASS G.

RADIO AIDS TO NAVIGATION: NOTAM FILE MFD.

(L) VORTAC 108.8 MFD Chan 25 N40°52.12' W82°35.46' 133° 4.4 NM to fld. 1210/3W.

MANN'S NDB (MHW/LOM) 372 MF N40°45.97' W82°26.70' 321° 4.7 NM to fld

ILS 110.5 I-MFD Rwy 32. Class IA. LOM MANN'S NDB. Unmonitored when twr clsd. LOC unusable from 0.3 NM to thld.

ASR (1100-0400Z†)

.....
HELIPAD H2: H24X24 (ASPH)

HELIPORT REMARKS: Helipad H2 perimeter lgts.

MANTUA MILLS

(7E3) 3 SW UTC-5(-4DT) N41°14.30' W81°15.23'
 1140 NOTAM FILE CLE
RWY 03-21: 2640X60 (TURF)
RWY 03: Tree. **RWY 21:** P-lines.
AIRPORT REMARKS: Unattended.
COMMUNICATIONS: CTAF 122.9

DETROIT

MARATHON N41°00.89' W83°39.86'. NOTAM FILE FDY.

DETROIT
 L-28J

(T) VORW 114.9 MAH at Findlay. Unmonitored.

VOR unusable
 340°-067°
 085°-135°
 079°-130°

068°-078° byd 12 NM
 079°-130° byd 12 NM
 131°-339° byd 12 NM

MARION MUNI (MNN) 3 NE UTC-5(-4DT) N40°36.98' W83°03.81'

DETROIT

993 B S4 FUEL 80, 100LL, JET A1 + TPA-1793(800) NOTAM FILE MNN

H-106, L-29A

RWY 07-25: H5000X100 (ASPH-GRVD) S-70, D-95, ST-121, DT-150 MIRL

IAP

RWY 07: REIL. PAPI(P4L)—GA 3.0° TCH 24'. Road. RWY 25: REIL. PAPI(P4L)—GA 3.0° TCH 31'. Trees.

RWY 13-31: H3498X100 (ASPH-GRVD) S-56, D-68, ST-86, DT-105 MIRL

RWY 13: REIL. PAPI(P2L)—GA 3.0° TCH 21'. Trees. RWY 31: REIL. PAPI(P2L)—GA 3.0° TCH 21'. Acft.

AIRPORT REMARKS: Attended 1300-2200Z. Glider activity on and in/ov arpt. Gliders and towplanes use rgt t/c pattern for Rwy 07 and Rwy 31. Transient acft follow ramp signs to main ramp. Twy D cannot be used to taxi between rwy and ramp area by acft with wingspan greater than 35'. After 0500Z± ACTIVATE MIRL Rwy 07-25 and Rwy 13-31; REIL Rwy 07; Rwy 25; Rwy 13 and Rwy 31—CTAF.

WEATHER DATA SOURCES: ASOS 119.975 (740) 383-3400. SAWRS.

COMMUNICATIONS: CTAF/UNICOM 122.8

Ⓡ **MANSFIELD APP/DEP CON** 124.2 (1100-0400Z) CLNC DEL 126.8

CLEVELAND CENTER APP/DEP CON 135.1 (0400-1100Z)

RADIO AIDS TO NAVIGATION: NOTAM FILE MFD.

MANSFIELD (L) VORTAC 108.8 MFD Chan 25 N40°52.12' W82°35.46' 238° 26.3 NM to fld. 1210/3W.

BUCKEYE (T) VORW 109.8 BUD N40°37.00' W83°03.83' at fld. NOTAM FILE MNN.

NDB (MHW) 201 MNN N40°37.03' W83°04.20' at fld. Unusable byd 15 NM. NOTAM FILE MNN. SHUTDOWN.

ILS/DME 110.35 I-AEF Chan 40Y Rwy 25. LOC only.

MARYSVILLE

UNION CO (MRT) 1 SE UTC-5(-4DT) N40°13.48' W83°21.10'

DETROIT

1021 B S4 FUEL 100LL, JET A1+ OX 1, 2, 3, 4 NOTAM FILE DAY

L-29A

RWY 09-27: H4218X75 (ASPH) S-17 MIRL 0.6% up W.

IAP

RWY 09: REIL. PAPI(P4L)—GA 4.0° TCH 20'. Tree.

RWY 27: REIL. PAPI(P4L)—GA 4.0° TCH 42'. Thld dsplcd 124'. Railroad.

AIRPORT REMARKS: Attended Nov-Apr 1300-2300Z, May-Oct 1300-0000Z. For svc after hrs call 740-815-5455. 24 hr credit card svc avbl fuel. Deer and birds on and in/ov arpt. ACTIVATE MIRL, REIL, PAPI Rwy 09-27—CTAF. Ramp fee for commercial acft.

WEATHER DATA SOURCES: AWOS-3 119.275 (937)-644-2967.

COMMUNICATIONS: CTAF/UNICOM 122.8

Ⓡ **COLUMBUS APP/DEP CON** 120.2

RADIO AIDS TO NAVIGATION: NOTAM FILE DAY.

ROSEWOOD (H) VORTAC 117.5 ROD Chan 122 N40°17.27' W84°02.59' 102° 32 NM to fld. 1080/5W.

COMM/NAV/WEATHER REMARKS: AWOS-3 unusable byd 6 NM.

MAYFIELD (See AKRON)

MCARTHUR

VINTON CO (22I) 5 NE UTC-5(-4DT) N39°19.69' W82°26.51'

CINCINNATI

958 B FUEL 100LL NOTAM FILE DAY

L-29A

RWY 09-27: H3725X75 (ASPH) MIRL

RWY 09: Trees. RWY 27: PAPI(2PL). Trees.


AIRPORT REMARKS: Attended irregularly. For fuel call 740-357-0268 or 740-596-0002. Occasional deer and geese on and in/ov arpt. ACTIVATE MIRL Rwy 09-27—122.9.

COMMUNICATIONS: CTAF/UNICOM 122.8

RADIO AIDS TO NAVIGATION: NOTAM FILE EKN.

HENDERSON (H) VORTAC 115.9 HNN Chan 106 N38°45.25'

W82°01.57' 334° 39.5 NM to fld. 880/3W.



McCONNELLSVILLE**MORGAN CO** (I71) 3 E UTC-5(-4DT) N39°39.26' W81°48.19'CINCINNATI
L-29B

1000 B FUEL 100LL TPA-1800(800) NOTAM FILE CLE

RWY 12-30: H3500X65 (ASPH) S-12 MIRL


RWY 12: Thld dsplcd 350'. Road.

RWY 30: REIL. Tree.

AIRPORT REMARKS: Unattended. For fuel use phone in Administration Building and refer to list above phone. Rwy 12-30 sfc has loose aggregate, large cracks with grass growing through them. Rotating bcn OTS indef. ACTIVATE MIRL Rwy 12-30 and REIL Rwy 30—CTAF.

COMMUNICATIONS: CTAF/UNICOM 122.8**RADIO AIDS TO NAVIGATION:** NOTAM FILE ZZW.

ZANESVILLE (L) VOR/DME 111.4 ZZW Chan 51 N39°56.45'
W81°53.56' 172° 17.7 NM to fld. 900/6W.

**MEDINA MUNI** (1G5) 4 E UTC-5(-4DT) N41°07.89' W81°45.90'DETROIT
L-30G
IAP

1190 B S4 FUEL 100LL NOTAM FILE CLE

RWY 09-27: H3556X75 (ASPH) S-30 MIRL 0.4% up E

RWY 09: PAPI (P4L). Trees.

RWY 27: REIL. PAPI (P4L)—GA 3.5° TCH 30'.

RWY 01-19: H2867X60 (ASPH) S-25 MIRL 0.7% up N

RWY 01: PAPI (P4L). P-line.

RWY 19: PAPI (P4L). Thld dsplcd 737'. Trees.

AIRPORT REMARKS: Attended 1300Z±-dusk. Deer on and invof arpt. PAEW twys. Rwy 09-27 has severe cracking with much foreign object damage potential. Rwy 09 PAPI OTS indef. MIRL Rwy 09-27, MIRL Rwy 01-19, PAPI Rwy 09, 27, 01 and 19 opr dusk-0300Z±; after 0300Z± ACTIVATE—CTAF.

COMMUNICATIONS: CTAF/UNICOM 123.0

® CLEVELAND APP/DEP CON 125.35

RADIO AIDS TO NAVIGATION: NOTAM FILE CLE.

DRYER (H) VOR/DME 113.6 DJB Chan 83 N41°21.48' W82°09.72' 132° 22.5 NM to fld. 780/5W. HIWAS.

METCALF FLD (See TOLEDO)**MIAMI UNIVERSITY** (See OXFORD)**MIDDLE BASS-EAST POINT** (See MIDDLE BASS ISLAND)**MIDDLE BASS ISLAND****MIDDLE BASS-EAST POINT** (3W9) 1 NE UTC-5(-4DT) N41°41.67' W82°47.79'

DETROIT

582 NOTAM FILE CLE

RWY 09-27: 2085X67 (TURF)

RWY 09: Berm.

RWY 27: Trees. Rgt tfc.

AIRPORT REMARKS: Attended May-Oct irregularly, unattended Nov-Apr. Rwy soft and wet in spring. Numerous trees and buildings in close proximity of rwy. Be alert: Expect significant windshear and turbulence on apch and departure when winds exceed 10 Kt speed.

COMMUNICATIONS: CTAF 122.9**MIDDLE BASS ISLAND** (3T7) 1 NE UTC-5(-4DT) N41°41.11' W82°48.29'

DETROIT

580 TPA-1580 (1000)

RWY 10-28: H1852X75 (ASPH)

RWY 10: PAPI(P4L). Thld dsplcd 52'. Building. Rgt tfc.

RWY 28: PAPI(P4L). Ground.

AIRPORT REMARKS: Unattended. All tfc patterns remain S of arpt.**COMMUNICATIONS:** CTAF/UNICOM 122.8

MIDDLEFIELD**GEAUGA CO** (7G8) 1 SE UTC-5(-4DT) N41°26.98' W81°03.78'**DETROIT**1174 B **FUEL** 100LL TPA-2199(1025) NOTAM FILE CLE**L-306****RWY 11-29:** H3500X65 (ASPH) S-18.5 HIRL 0.5% up W.**IAP****RWY 11:** REIL. TRCV (TRIR). Thld dspcd 180'. Tank. **RWY 29:** REIL. TRCV (TRIL). Trees.**AIRPORT REMARKS:** Unattended. Use care when taxiing on ramp, loose gravel and rough areas. **ACTIVATE HIRL** Rwy 11-29 and REIL Rwy 11 and Rwy 29—CTAF. Rwy 11 and Rwy 29 TRCV OTS indef. Ultralight ops conduct a close-in 500' AGL rgt hand pattern during dalgt hrs. Parallel twy clsd permanently, E of T-hangars.**COMMUNICATIONS:** CTAF/UNICOM 123.0**CHARDON RCO** 122.1R 112.7T (CLEVELAND RADIO)® **CLEVELAND APP/DEP CON** 125.35**RADIO AIDS TO NAVIGATION:** NOTAM FILE CLE.**CHARDON (H) VOR/DME** 112.7 CXR Chan 74 N41°31.02' W81°09.79' 137° 6.1 NM to fld. 1310/5W.**COMM/NAV/WEATHER REMARKS:** For IFR clearance ctc Cleveland apch control at 216-898-2040.**MIDDLETOWN RGNL/HOOK FLD** (MW0) 2 N UTC-5(-4DT) N39°31.91' W84°23.79'**CINCINNATI**650 B S4 **FUEL** 100LL, JET A OX 1, 2 NOTAM FILE DAY**H-106, L-27E****RWY 05-23:** H6100X100 (ASPH) S-66, D-78, DT-140 MIRL**IAP****RWY 05:** REIL. PAPI(P4L). Trees.**RWY 23:** REIL. PAPI(P4L). Thld dspcd 299'. Tree. Rgt tfc.**RWY 08-26:** 3040X297 (TURF)**RWY 08:** Thld dspcd 951'. Trees.**RWY 26:** Trees. Rgt tfc.**AIRPORT REMARKS:** Attended 1300-2200Z+. **CAUTION:** Ultralights enter/exit pattern at Rwy 08 to N lower than regular tfc pattern. Ultralights do not fly S of Rwy 26. Rwy 08-26 marked with white and black cones. **ACTIVATE MIRL** Rwy 05-23—CTAF.**WEATHER DATA SOURCES:** AWOS-3 120.025 (513) 422-3505.**COMMUNICATIONS:** CTAF/UNICOM 123.0® **DAYTON APP CON** 126.5 (091°-180°) 118.85 127.225 ® **DAYTON DEP CON** 126.5 (091°-180°)**DAYTON CLNC DEL** 119.4 (937) 454-7282**RADIO AIDS TO NAVIGATION:** NOTAM FILE FFO.**RICHMOND (L) VORTAC** 110.6 RID Chan 43 N39°45.30' W84°50.33' 126° 24.5 NM to fld. 1135/3W.**HOOK FLD NDB (MHW)** 239 HKF N39°29.93' W84°26.85' 054° 3.1 NM to fld. NOTAM FILE DAY. NDB OTS indef.**ONIDA NDB (LOM)** 223 MW N39°34.70' W84°19.41' 235°4.4 NM to fld. Unmonitored.**ILS 111.1** I-MW0 Rwy 23 LOM ONIDA NDB. LOC only.**MIDWEST** N39°25.78' W83°48.07' NOTAM FILE ILN.**CINCINNATI**(T) **VORW/DME** 112.9 MXQ Chan 76 at Airborne Airpark. 1050/4W.**H-106, L-27E**

Unmonitored when twr clsd.

VOR unusable 051°-224°, 170°-275°.**MILLER** (See ALLIANCE)**MILLER FARM LANDING STRIP** (See BALTIMORE)

MILLERSBURG**HOLMES CO** (10G) 2 SW UTC-5(-4DT) N40°32.23' W81°57.26'

DETROIT

1218 B S4 FUEL 100LL, JET A OX 3 NOTAM FILE CLE

L-29B

RWY 09-27: H3498X65 (ASPH) S-14, D-25 MIRL 1.0% up W.

IAP

RWY 09: REIL. Pole. RWY 27: REIL. VASI(V2L). Trees.

AIRPORT REMARKS: Attended Mon-Fri 1300-0100Z†, Sat

1300-2300Z†, Sun 1730-2300Z†. Deer on and invof arpt.

ACTIVATE MIRL Rwy 09-27 and REIL Rwy 09 and Rwy 27-123.4.

WEATHER DATA SOURCES: AWOS-3 128.325 (330) 674-6279.


COMMUNICATIONS: CTAF/UNICOM 123.0

® INDIANAPOLIS CENTER APP/DEP CON 124.45

RADIO AIDS TO NAVIGATION: NOTAM FILE CLE.

TIVERTON (L) VOR/DME 116.5 TWT Chan 112 N40°27.48'

W82°07.61' 062° 9.2 NM to fld. 1340/3W.

**MILLS** (See MANTUA)**MONROE CO** (See WOODSFIELD)**MORAIN AIR PARK** (See DAYTON)**MORGAN CO** (See McCONNELLSVILLE)**MORROW CO** (See MOUNT GILEAD)**MOUNT GILEAD****MORROW CO** (4I9) 2 SW UTC-5(-4DT) N40°31.47' W82°51.00'

DETROIT

1085 B S4 NOTAM FILE CLE

L-29A

RWY 10-28: H3497X65 (ASPH) S-3 MIRL 0.3% up E

IAP

RWY 10: Trees. RWY 28: SAVASI(S2L)-GA 4.0° TCH 26'. Trees.

AIRPORT REMARKS: Attended Mon-Sat 1400-2300Z†. Rwy 28 SAVASI OTS indef. ACTIVATE MIRL Rwy 10-28-CTAF.

COMMUNICATIONS: CTAF/UNICOM 122.8

® MANSFIELD APP/DEP CON 124.2 (1100-0400Z†)

® CLEVELAND CENTER APP/DEP CON 134.9 (0400-1100Z†)

RADIO AIDS TO NAVIGATION: NOTAM FILE MFD.

MANSFIELD (L) VORTAC 108.8 MFD Chan 25 N40°52.12' W82°35.46' 213° 23.8 NM to fld. 1210/3W.

BUCKEYE (T) VORW 109.8 BUD N40°37.00' W83°03.81' 124° 11.2 NM to fld. NOTAM FILE MNN.

MOUNT VERNON**KNOX CO** (4I3) 4 SW UTC-5(-4DT) N40°19.74' W82°31.57'

DETROIT

1191 B S4 FUEL 80, 100LL, JET A1+ TPA-1999(808) NOTAM FILE CLE

H-106, L-29A

RWY 10-28: H5500X100 (ASPH) S-18, D-23 MIRL

IAP

RWY 10: REIL. PAPI(P4L). Tree. RWY 28: REIL. PAPI(P4L).

AIRPORT REMARKS: Attended Nov-Mar Mon-Fri 1200-2300Z†, Apr-Oct Mon-Fri 1200-0000Z†, Sat 1400-2200Z†,

Sun 1500-2200Z†. For attendance other times call 24 hrs in advance 740-694-4687. Deer on and invof arpt.

ACTIVATE MIRL Rwy 10-28-CTAF. Rwy 10 and Rwy 28 PAPI's opr continuously.

WEATHER DATA SOURCES: AWOS-3 120.125 (740) 397-6297.

COMMUNICATIONS: CTAF/UNICOM 123.05

APPLETON RCO 122.1R 116.7T (DAYTON RADIO)

® COLUMBUS APP/DEP CON 120.2 CLNC DEL 119.45

RADIO AIDS TO NAVIGATION: NOTAM FILE DAY.

TIVERTON (L) VOR/DME 116.5 TWT Chan 112 N40°27.48' W82°07.61' 250° 19.9 NM to fld. 1340/3W.

WYMKOOP (6G4) 2 S UTC-5(-4DT) N40°21.90' W82°29.74' **DETROIT**
 1041 B S2 FUEL 100LL NOTAM FILE CLE
RWY 06-24: 3355X90 (TURF) LIRL (NSTD)
RWY 06: Thld dsplcd 43'. Trees. **RWY 24:** Thld dsplcd 400'. Road.
RWY 09-27: 2600X65 (TURF-DIRT)
RWY 09: Brush. **RWY 27:** Road.
AIRPORT REMARKS: Attended Apr-Sep Mon-Sat 1300-2300Z†, Oct-Mar Mon-Sat 1300-2100Z†. Deer on and in/ov arpt. For rotating bcn call 740-392-9125. Rwy 06-24 NSTD LIRL; one green thld lgt each side of thld; dsplcd thlds not lgt'd; 2617' of rwy lgt'd. NSTD LIRL ops dusk-dawn Apr-Oct. Rwy 06-24 edges and dsplcd thlds marked with white lgt fixtures with small white cones attached.
COMMUNICATIONS: CTAF 122.9

MOUNT VICTORY

ELLIOTTS LANDING (074) 1 SE UTC-5(-4DT) N40°31.48' W83°30.70' **DETROIT**
 1045 NOTAM FILE DAY
RWY 15-33: 2750X110 (TURF)
RWY 15: Trees. **RWY 33:** P-line.
AIRPORT REMARKS: Unattended. Rwy 15-33 marked with tires on each end.
COMMUNICATIONS: CTAF 122.9.

NAPOLEON

HENRY CO (7W5) 3 E UTC-5(-4DT) N41°22.46' W84°04.08' **DETROIT**
 683 B S2 FUEL 100LL, JET A NOTAM FILE CLE **L-28J**
RWY 10-28: H3956X65 (ASPH) MIRL **IAP**
RWY 10: SAVASI(S2L). Road. **RWY 28:** REIL. SAVASI(S2L). Trees.
AIRPORT REMARKS: Attended Apr-Sep 1300Z†-dusk, Oct-Mar, Mon-Sat 1300-2230Z†. Rwy 10 and Rwy 28 VASI OTS indef. Rwy 28 REIL OTS indef. ACTIVATE MIRL Rwy 10-28; REIL Rwy 28; SAVASI Rwy 10 and Rwy 28-CTAF.
COMMUNICATIONS: CTAF/UNICOM 123.0
 Ⓡ **TOLEDO APP/DEP CON** 134.35
RADIO AIDS TO NAVIGATION: NOTAM FILE CLE.
WATERVILLE (L) VOR/DME 113.1 VVW Chan 78 N41°27.09' W83°38.32' 259° 19.9 NM to fld. 660/2W.

NEIL ARMSTRONG (See WAPAKONETA)

NEWARK N40°01.56' W82°27.81' NOTAM FILE DAY. **DETROIT**
NDB (MHW) 524 HEH at Newark-Heath. **L-29A**

NEWARK-HEATH (VTA) 3 SW UTC-5(-4DT) N40°01.48' W82°27.71' **DETROIT**
 884 B S4 FUEL 100LL, JET A1+ OX 1, 2 TPA-1900(1016) NOTAM FILE VTA **L-29A**
RWY 09-27: H4649X75 (ASPH) S-30 LIRL 0.3% up W **IAP**
RWY 09: REIL. PAPI(P4L)—GA 3.25° TCH 27'. Thld dsplcd 455'. Road.
RWY 27: REIL. PAPI(P4R)—GA 3.25° TCH 20'. Fence.
AIRPORT REMARKS: Attended Apr-Oct 1230-0030Z†, Nov-Mar 1230†-dark. Fuel avbl 1230Z†-dark. Deer occasionally on or near rwy. Rwy 09 and 27 REILS OTS indef. MIRL Rwy 09-27 and REIL Rwy 09 and 27 operates low intensity continuously to increase intensity-123.3.
WEATHER DATA SOURCES: ASOS 121.125 (740) 522-1066.
COMMUNICATIONS: CTAF/UNICOM 122.7
APPLETON RCO 122.1R 116.7T (DAYTON RADIO)
 Ⓡ **COLUMBUS APP/DEP CON** 120.2 **CLNC DEL** 124.85
RADIO AIDS TO NAVIGATION: NOTAM FILE DAY.
APPLETON (H) VORTAC 116.7 APE Chan 114 N40°09.06' W82°35.30' 148° 9.6 NM to fld. 1350/6W.
HIWAS.
NDB (MHW) 524 HEH N40°01.56' W82°27.81' at fld.
ILS 110.9 RXK Rwy 09. LOC only.

NEWCOMERSTOWN N40°13.75' W81°28.59' NOTAM FILE CLE. **DETROIT**
(L) VOR/DME 111.8 CTW Chan 55 017° 14.7 NM to Harry Clever Fld. 1180/7W. **HIWAS.** **H-10G, L-29B**
 Unusable 015°-030°; 090°-100° byd 30 NM; 051°-066°; 011°-120° byd 30 NM blo 3300'.
RCO 122.1R 111.8T (CLEVELAND RADIO)

NEW LEXINGTON**PERRY CO** (I86) 2 S UTC-5(-4DT) N39°41.50' W82°11.87'

CINCINNATI

1051 B S2 FUEL 100LL NOTAM FILE CLE

L-29B

RWY 08-26: H3498X75 (ASPH) MIRL 0.3% up SW

IAP

RWY 08: Fence. RWY 26: REIL. Trees.

AIRPORT REMARKS: Attended Mon-Sat 1300-2100Z†. For fuel after hrs call 740-605-1966. For after hrs call ahead for svc 740-343-0933. Rwy 08-26 has 3" to 4" wide cracks at various locations. Rwy 26 REIL OTS indef.

ACTIVATE MIRL 08-26 and REIL Rwy 26-122.8. Deer and turkey on and invof arpt.

COMMUNICATIONS: CTAF/UNICOM 122.8

Ⓡ INDIANAPOLIS CENTER APP/DEP CON 124.45

RADIO AIDS TO NAVIGATION: NOTAM FILE ZZW.

ZANESVILLE (L) VOR/DME 111.4 ZZW Chan 51 N39°56.45' W81°53.56' 229° 20.6 NM to fld. 900/6W.

NEW PHILADELPHIA**HARRY CLEVER FLD** (PHD) 3 SE UTC-5(-4DT) N40°28.21' W81°25.20'

DETROIT

894 B S4 FUEL 100LL, JET A+ NOTAM FILE PHD

L-29B

RWY 14-32: H3951X100 (ASPH) S-52.5, D-67.5, DT-140 MIRL

IAP

RWY 14: REIL. PAPI(P4R)—GA 4.0° TCH 30'. Thld displcd 330'. Trees.

RWY 32: REIL. PAPI(P4L)—GA 4.0° TCH 54'. Road.

RWY 11-29: 1907X70 (TURF)

RWY 11: Trees.

RWY 29: Trees.

AIRPORT REMARKS: Attended Apr-Sep 1300-0100Z†, Oct-Mar 1300-2200Z†. Two 919' unlighted twrs 180° NE of Rwy 14-32. ACTIVATE MIRL Rwy 14-32—123.3.

WEATHER DATA SOURCES: ASOS 121.425 (330) 339-1125.

COMMUNICATIONS: CTAF/UNICOM 122.8

BRIGGS RCO 122.1R 112.4T (CLEVELAND RADIO)

Ⓡ AKRON-CANTON APP/DEP CON 125.5 (1100-0500Z†)

Ⓡ CLEVELAND CENTER APP/DEP CON 134.9 (0500-1100Z†)

RADIO AIDS TO NAVIGATION: NOTAM FILE CLE.

BRIGGS (L) VOR/DME 112.4 BSV Chan 71 N40°44.44' W81°25.93' 182° 16.2 NM to fld. 1230/4W.

NEWCOMERTOWN (L) VOR/DME 111.8 CTW Chan 55 N40°13.75' W81°28.59' 017° 14.7 NM to fld.

1180/7W. HIWAS.

NEWTON FALLS**BRACEVILLE** (41N) 2 N UTC-5(-4DT) N41°12.67' W80°58.16'

DETROIT

900 NOTAM FILE CLE

L-30G

RWY 01-19: H3000X30 (ASPH)

RWY 01: Thld displcd 55'. Bldg. RWY 19: Trees.

AIRPORT REMARKS: Attended irregularly.

COMMUNICATIONS: CTAF/UNICOM 122.8

RADIO AIDS TO NAVIGATION: NOTAM FILE CAK.

AKRON (L) VOR/DME 114.4 ACO Chan 91 N41°06.48' W81°12.09' 63° 12.2 NM to fld. 1200/4W.

NOBLE CO (See CALDWELL)**NORTH BASS ISLAND** (3X5) Ø NW UTC-5(-4DT) N41°43.08' W82°49.27'

DETROIT

594 NOTAM FILE CLE

RWY 08-26: 1900X150 (TURF)

RWY 01-19: H1804X60 (ASPH)

RWY 01: Tree. RWY 19: Trees. Rgt tfc.

AIRPORT REMARKS: Unattended. Rwy 08-26 CLOSED indef. No touch and go landings and no student training. No ops dusk-dawn.

COMMUNICATIONS: CTAF/UNICOM 122.8

NORWALK—HURON CO (5A1) 3 E UTC-5(-4DT) N41°14.69' W82°33.07'

852 B FUEL 100LL, JET A NOTAM FILE CLE

RWY 10-28: H4210X75 (ASPH) MIRL 0.4% up W

RWY 10: Thld dspcd 240'. Trees.

RWY 28: Thld dspcd 668'. Road.

AIRPORT REMARKS: Attended Mon-Sat 1400-2200Z†, Sun 1800-2300Z†. ACTIVATE MIRL Rwy 10-28—CTAF. Drag strip on E end of rwy.


COMMUNICATIONS: CTAF/UNICOM 122.8

Ⓡ MANSFIELD APP/DEP CON 124.2 (1100-0400Z†)

Ⓡ CLEVELAND CENTER APP/DEP CON 127.9. (0400-1100Z†)

RADIO AIDS TO NAVIGATION: NOTAM FILE CLE.

SANDUSKY (L) VOR/DME 109.2 SKY Chan 29 N41°26.07' W82°39.29' 162° 12.3 NM to fld. 580/4W.



DETROIT

L-30F

IAP

OHIO DUSTING CO INC (See PANDORA)

OHIO UNIVERSITY SNYDER FLD (See ATHENS—ALBANY)

OHIO STATE UNIVERSITY (See COLUMBUS)

OLD PORTAGE HELIPORT (See AKRON)

ONIDA N39°34.70' W84°19.41' NOTAM FILE MGY.

NDB (LOM) 223 MW 234° 4.4 NM to Middletown Rgnl/Hook Fld. Unmonitored.

CINCINNATI

OTTAWA

PUTNAM CO (OWX) 3 NE UTC-5(-4DT) N41°02.14' W83°58.92'

764 B S2 FUEL 100LL, JET A NOTAM FILE CLE

RWY 09-27: H4427X65 (ASPH) HIRL

RWY 09: REIL. Road. RWY 27: REIL. PAPI(P2L). P-line.

AIRPORT REMARKS: Attended Mon-Fri 1400-2200Z†. For svcs after hrs call 419-456-3410. Parachute Jumping. Extensive glider ops. Intensive agricultural ops and crop dusting. PAEW invof ramp indef. Windsock OTS indef. Rwy 09 REIL OTS indef. ACTIVATE HIRL Rwy 09-27 and REIL Rwy 09 and Rwy 27—CTAF.

WEATHER DATA SOURCES: AWOS-3 120.525 (419) 523-4151.

COMMUNICATIONS: CTAF/UNICOM 122.7

Ⓡ TOLEDO APP/DEP CON 120.8

RADIO AIDS TO NAVIGATION: NOTAM FILE FDY.

FINDLAY (L) VORTAC 108.2 FDY Chan 19 N40°57.32' W83°45.36' 297° 11.3 NM to fld. 820/2W.

DETROIT

L-28J

IAP

OXFORD N39°30.45' W84°46.84' NOTAM FILE DAY.

NDB (MHW) 282 OXD at Miami University. NDB unmonitored.

CINCINNATI

L-27E

OXFORD

MIAMI UNIVERSITY (OXD) 2 W UTC-5(-4DT) N39°30.14' W84°47.06'

1041 B FUEL 100LL, JET A1+ NOTAM FILE DAY

RWY 05-23: H4011X70 (ASPH-GRVD) S-34, D-50 LIRL (NSTD)

RWY 05: REIL. PAPI(P2L)—GA 3.0° TCH 26'. Thld dspcd 270'. Road.

RWY 23: REIL. PAPI(P2L)—GA 3.0° TCH 28'. Trees.

AIRPORT REMARKS: Attended Mon-Fri 1200-2300Z†, Sat-Sun 1400-2200Z†, holidays irregularly. Rwy 05 NSTD dspcd thld lgts 190' from thld. PAEW 40' N of Rwy 05-23. NSTD MIRL Rwy 05-23 preset on low ints dusk-0200Z†; to increase ints and ACTIVATE REIL Rwy 05 and Rwy 23-122.9; after 0200Z† ACTIVATE NSTD MIRL Rwy 05-23 and REIL Rwy 05 and Rwy 23-122.9.

COMMUNICATIONS: CTAF/UNICOM 122.8

Ⓡ CINCINNATI APP/DEP CON 121.0

RADIO AIDS TO NAVIGATION: NOTAM FILE HUF.

RICHMOND (L) VORTAC 110.6 RID Chan 43 N39°45.30' W84°50.33' 173° 15.4 NM to fld. 1135/3W.

OXFORD NDB (MHW) 282 OXD N39°30.45' W84°46.84' at fld. NOTAM FILE DAY. NDB unmonitored.

CINCINNATI

L-27E

IAP

PACKER (See RADNOR)

PAINESVILLE
CONCORD AIRPARK (2G1) 3 SE UTC-5(-4DT) N41°40.02' W81°11.83'

DETROIT

999 FUEL 100LL NOTAM FILE CLE

L-30G

RWY 02-20: H2181X38 (ASPH) S-12.5 LIRL 1.2% up SW.

IAP

RWY 02: Trees. RWY 20: Brush.

AIRPORT REMARKS: Attended irregularly. Birds on and invof arpt. For local traffic only, for rwy lgts call 440-352-3228.

Rwy 02-20 numbers small.

COMMUNICATIONS: CTAF/UNICOM 122.8

CHARDON RCO 122.1R 112.7T (CLEVELAND RADIO)

Ⓡ CLEVELAND APP/DEP CON 125.35

RADIO AIDS TO NAVIGATION: NOTAM FILE CLE.

CHARDON (H) VOR/DME 112.7 CXR Chan 74 N41°31.02' W81°09.79' 355° 9.1 NM to fld. 1310/5W.

COMM/NAV/WEATHER REMARKS: For IFR clearance ctc Cleveland apch control at 216-898-2040.

PANDORA
OHIO DUSTING CO INC (6C2) 1 NW UTC-5(-4DT) N40°57.15' W83°58.93'

DETROIT

765 S2 FUEL 100LL NOTAM FILE CLE

RWY 09-27: 3112X150 (TURF)

RWY 09: Thld dsplcd 720'. Trees. RWY 27: Thld dsplcd 490'. P-line.

AIRPORT REMARKS: Attended continuously. Rwy 27 p-line marked with orange balls. Rwy 09 and Rwy 27 dsplcd thld marked with reflective panels.

COMMUNICATIONS: CTAF 122.9

PARR (See ZANESVILLE)

PARSONS (See CARROLLTON)

PATTERSON N39°49.14' W84°03.33' NOTAM FILE FFO.

CINCINNATI

(T) TACAN Chan 99 FFO (115.2) at Wright Patterson AFB. 804/4W.

L-27E

TACAN azimuth unusable:

295°-360° byd 10 NM blo 5,000'.

PAULDING AIRPORT INC (2H8) 2 NE UTC-5(-4DT) N41°10.09' W84°33.41'

DETROIT

721 S4 OX 4 TPA-1500(779) NOTAM FILE CLE

RWY 18-36: 2861X80 (TURF) LIRL (NSTD)

RWY 36: Building.

AIRPORT REMARKS: Attended Mon-Fri 1300-2200Z±. Arpt CLOSED indef. ACTIVATE LIRL Rwy 18-36-122.9. Rwy 18-36 NSTD LIRL; thld lgts incorrect color.

COMMUNICATIONS: CTAF 122.9

PERRY CO (See NEW LEXINGTON)

PHILLIPSBURG (3I7) 0 N UTC-5(-4DT) N39°54.80' W84°24.03'

CINCINNATI

1031 B S4 FUEL 100LL NOTAM FILE DAY

L-27E

RWY 03-21: H3000X40 (ASPH) LIRL

IAP

RWY 03: REIL. Thld dsplcd 130'. Tree. RWY 21: REIL. Trees.

AIRPORT REMARKS: Attended 1400-2300Z±. Arpt CLOSED to helicopter training. Do not fly over school 2100' S of arpt in line with rwy. Rwy 03-21 2416' lgtd between dsplcd thlds only.

COMMUNICATIONS: CTAF/UNICOM 122.7

Ⓡ DAYTON APP CON 134.45 (181°-359°) Ⓡ DAYTON DEP CON 134.45 (181°-359°) 118.0

RADIO AIDS TO NAVIGATION: NOTAM FILE DAY.

DAYTON (L) VOR/DME 114.5 DQN Chan 92 N40°00.99' W84°23.81' 183° 6.2 NM to fld. 990/1W. HIWAS.

PICKAWAY CO MEM (See CIRCLEVILLE)

PICKL N39°52.86' W82°50.17'. NOTAM FILE LCK.

CINCINNATI

NDB (LDM) 376 LC 231° 5.9 NM to Rickenbacker Intl.

PIKE CO (See WAVERLY)

PIQUA AIRPORT—HARTZELL FLD (I17) 3 NW UTC−5(−4DT) N40°09.88' W84°18.51' **DETROIT**
 994 B FUEL 100LL, JET A1+ NOTAM FILE DAY **L-27E**
RWY 08-26: H3997X75 (ASPH) S-30, D-36 MIRL **IAP**
RWY 08: REIL. Tree. **RWY 26:** REIL. Tree.
AIRPORT REMARKS: Attended 1300-2200Z+. Fuel avbl 24 hrs—credit card. Propeller repairs avbl. Aerobatic box lctd within 1 NM radius of arpt surface to 4500' MSL SR-SS. ACTIVATE MIRL Rwy 08-26 and REIL Rwy 08 and Rwy 26—CTAF.
COMMUNICATIONS: CTAF/UNICOM 123.0
ROSEWOOD RCO 122.1R, 117.5T (DAYTON RADIO)
 Ⓡ **DAYTON APP/DEP CON** 118.425 (360°-090°) 134.45 (181°-359°)
RADIO AIDS TO NAVIGATION: NOTAM FILE DAY.
DAYTON (L) VOR/DME 114.5 DQN Chan 92 N40°00.99' W84°23.81' 026° 9.8 NM to fld. 990/1W. **HIWAS.**
ROSEWOOD (H) VORTAC 117.5 ROD Chan 122 N40°17.27' W84°02.59' 244° 14.3 NM to fld. 1080/5W.

PORTAGE CO (See RAVENNA)

PORT BUCYRUS—CRAWFORD CO (See BUCYRUS)

PORT CLINTON N41°31.12' W82°52.12' NOTAM FILE CLE. **DETROIT**
NDB (MHW) 423 PCW at Carl R Keller Fld. **L-30F**

PORT CLINTON

CARL R KELLER FLD (PCW) 3 E UTC−5(−4DT) N41°30.98' W82°52.17' **DETROIT**
 590 B FUEL 100LL, JET A NOTAM FILE CLE **H-10G, L-30F**
RWY 09-27: H5646X100 (ASPH) S-16, MIRL **IAP**
RWY 09: REIL. PAPI(P4L)—GA 3.5° TCH 31'. Trees.
RWY 27: REIL. PAPI(P4L)—GA 4° TCH 28'. Thld dsplcd 201'. Trees.
RWY 18-36: H4001X75 (ASPH) MIRL
RWY 18: Trees. **RWY 36:** Road.
AIRPORT REMARKS: Attended 1300-2300Z+. ACTIVATE MIRL Rwy 09-27 and Rwy 18-36; REIL Rwy 09 and Rwy 27; PAPI Rwy 09 and Rwy 27—CTAF.
WEATHER DATA SOURCES: AWOS-3 118.775 (419) 734-9955
COMMUNICATIONS: CTAF/UNICOM 122.8
SANDUSKY RCO 122.1R 109.2T (CLEVELAND RADIO)
CLEVELAND APP/DEP CON 126.35
RADIO AIDS TO NAVIGATION: NOTAM FILE CLE.
SANDUSKY (L) VOR/DME 109.2 SKY Chan 29 N41°26.07' W82°39.29' 301° 10.9 NM to fld. 580/4W.
PORT CLINTON NDB (MHW) 423 PCW N41°31.12' W82°52.12' at fld.
COMM/NAV/WEATHER REMARKS: AWOS-3 ceiling unreliable.

PORT COLUMBUS INTL (See COLUMBUS)

PORTSMOUTH N38°46.91' W82°50.67' NOTAM FILE DAY. **CINCINNATI**
NDB (MHW) 373 PMH 002° 3.5 NM to Greater Portsmouth Rgnl. VFR only. **L-22E**

PORTSMOUTH**GREATER PORTSMOUTH RGNL** (PMH) 10 NE UTC-5(-4DT)

N38°50.43' W82°50.84'

663 B S4 FUEL 100LL, JET A1+ NOTAM FILE DAY

RWY 18-36: H5001X100 (ASPH) S-30, D-42, DT-70 MIRL

RWY 18: REIL. PAPI(P4L) TCH 26'. Trees. Rgt tfc.

RWY 36: REIL. PAPI(P4L) TCH 31'. Tree.

AIRPORT REMARKS: Attended Apr-Dec 1300-0100Z†, Jan-Mar 1300-0000Z†. Hill obstruction lgts 460' abv arpt (1124' MSL) 1 mile S and 410' abv arpt (1074' MSL) ½ mile NW. Acft not visible from one rwy end to another or no line of sight between rwy ends. Rwy 36 REIL OTS indef. Ldg fee for commercial acft waived with fuel purchase. ACTIVATE MIRL Rwy 18-36; REIL Rwys 18 and 36—CTAF.

WEATHER DATA SOURCES: AWOS-3 125.175 (740) 820-2500.**COMMUNICATIONS:** CTAF/UNICOM 122.8

Ⓡ HUNTINGTON APP/DEP CON 128.4

RADIO AIDS TO NAVIGATION: NOTAM FILE LOU.

YORK (L) VORTAC 112.8 YRK Chan 75 N38°38.65'

W82°58.70' 033° 13.3 NM to fld. 1040/5W.

PORTSMOUTH NDB (MHW) 373 PMH N38°46.91' W82°50.67'

002° 3.5 NM to fld. NOTAM FILE DAY. VFR only.

CINCINNATI
H-10G, L-26H
IAP**PUT IN BAY** (3W2) 1 SW UTC-5(-4DT) N41°38.20' W82°49.70'

DETROIT

595 NOTAM FILE CLE

RWY 03-21: H2870X75 (ASPH)

RWY 03: Thld dsplcd 452'. Trees. Rgt tfc.

RWY 21: Thld dsplcd 657'. Trees.

AIRPORT REMARKS: Attended May-Sept 1300-0100Z†, Oct-Apr 1230-2230Z†. Acft ops prohibited dusk-dawn. Expect moderate turbulence on departure and approach when wind exceeds 10 knots. Acft Indg Rwy 21 or departing Rwy 03 stay 1000' clear of Perry's Monument 352' AGL/942' MSL 1½ miles NE of arpt. No touch and go ldg; no student training. Parking/ramp fees are collected for all private or commercial acft. All pilots are required to check into the arpt office at the time of arrival. No tiedown ropes provided; please bring your own set. All acft are required to shut down engine(s) prior to enplaning/deplaning passengers.

COMMUNICATIONS: CTAF/UNICOM 122.8**PUTNAM CO** (See OTTAWA)**RADNOR****PACKER** (5E9) 3 NW UTC-5(-4DT) N40°24.48' W83°13.16'

DETROIT

918 S4 FUEL 100LL TPA-1818(900) NOTAM FILE DAY

RWY 09-27: 3470X90 (TURF)

RWY 09: Thld dsplcd 120'. Road.

RWY 27: Trees.

AIRPORT REMARKS: Attended continuously. Rwy 09-27 marked by cones.**COMMUNICATIONS:** CTAF 122.9**RAVENNA****PORTAGE CO** (29G) 3 N UTC-5(-4DT) N41°12.61' W81°15.10'

DETROIT

1197 B FUEL 100LL, JET A NOTAM FILE CLE

L-30G

RWY 09-27: H3500X75 (ASPH) MIRL

IAP

RWY 09: REIL. Trees.

RWY 27: REIL. PAPI(P4L).

AIRPORT REMARKS: Attended 1300Z†-dusk. 24 hr self svc fuel. Paraglider ops by permit only. Deer on and invof arpt.

All areas off rwy surface soft when wet or thawing. ACTIVATE MIRL Rwy 09-27; REIL Rwy 09 and Rwy 27 and

PAPI Rwy 27—CTAF.

COMMUNICATIONS: CTAF/UNICOM 123.05

AKRON RCO 122.1R, 114.4T (CLEVELAND RADIO)

Ⓡ AKRON-CANTON APP/DEP CON 118.6 (1100-0500Z†) CLNC DEL 125.65

Ⓡ CLEVELAND CENTER APP/DEP CON 120.775 (0500-1100Z†)

RADIO AIDS TO NAVIGATION: NOTAM FILE CAK.

AKRON (L) VOR/DME 114.4 ACO Chan 91 N41°06.47' W81°12.09' 344° 6.5 NM to fld. 1194/4W.

READER-BOTSFORD (See WELLINGTON)**RED STEWART AIRFIELD** (See WAYNESVILLE)**RICHARD DOWNING** (See COSHOCTON)

RICKENBACKER INTL (See COLUMBUS)

ROSEWOOD N40°17.27' W84°02.59' NOTAM FILE DAY. DETROIT
(H) VORTAC 117.5 ROD Chan 122 246° 5.7 NM to Sidney Muni. 1080/5W. H-106, L-27E
RCO 122.1R 117.5T (DAYTON RADIO)

ROSS CO (See CHILLICOTHE)**RUHE'S** (See LEIPSIC)

RUSHSVLVANIA N40°27.54' W83°40.08' NOTAM FILE DAY. DETROIT
NDB (MHW) 326 RUV 233° 4.2 NM to Bellefontaine Rgnl. SHUTDOWN. L-27E

ST CLAIRSVILLE

ALDERMAN (2P7) 3 W UTC-5(-4DT) N40°03.41' W80°57.79' DETROIT
1187 B NOTAM FILE CLE L-29B
RWY 01-19: H2843X50 (ASPH) LIRL 0.8% up N. IAP
RWY 01: Trees. RWY 19: Trees.
AIRPORT REMARKS: Attended 1300Z±—dusk. Rwy 01-19 surface has med block cracking throughout. South half of ramp — poor condition — broken pavement. Call ahead to ACTIVATE rotating bcn and LIRL Rwy 01-19—740-695-0908. Ldg fee.
COMMUNICATIONS: CTAF 122.9
BELLAIRE RCO 122.1R 117.1T (CLEVELAND RADIO)
® CLEVELAND CENTER APP/DEP CON 120.4
RADIO AIDS TO NAVIGATION: NOTAM FILE CLE.
BELLAIRE (H) VOR/DME 117.1 AIR Chan 118 N40°01.02' W80°49.04' 297° 7.1 NM to fld. 1290/7W.

ST MARYS

GRAND LAKE ST MARYS SPB (012) 5 NE UTC-5(-4DT) N40°32.46' W84°29.44' DETROIT
871 NOTAM FILE DAY
WATERWAY 09-27: 7000X4000 (WATER)
WATERWAY 09: Buoy. WATERWAY 27: Buoy. Rgt tfc.
SEAPLANE REMARKS: Attended Apr-Nov 1300-2200Z±. Arpt CLOSED Nov 15 thru Apr 1 and Memorial and Labor day.
No ngt Idgs. No public docks; PPR req for private dock tie up; call 419-394-8797.
COMMUNICATIONS: CTAF 122.9
COMM/NAV/WEATHER REMARKS: Acft operating at Seaplane Base should monitor 122.8 for tfc at Celina Lakefld and Neil Armstrong Wapakoneta Arpts.

SALEM

KOONS (8G8) 2 SW UTC-5(-4DT) N40°53.00' W80°52.99' DETROIT
1327 NOTAM FILE CLE
RWY 09-27: 1850X100 (TURF)
RWY 09: P-line. RWY 27: Trees. Rgt tfc.
AIRPORT REMARKS: Attended dalgt hrs. Ldg fee.
COMMUNICATIONS: CTAF 122.9

SALEM AIRPARK INC (38D) 3 N UTC-5(-4DT) N40°56.89' W80°51.73' DETROIT
1162 B S4 FUEL 100LL NOTAM FILE CLE L-306
RWY 10L-28R: H3404X50 (ASPH) LIRL (NSTD) 0.3% up E IAP
RWY 10L: Trees. RWY 28R: Thld dsplcd 258'. Trees.
RWY 10R-28L: 2593X85 (TURF) 0.4% up E
RWY 10R: Trees. RWY 28L: Pole.
AIRPORT REMARKS: Attended 1400Z±—dusk. CAUTION: P-line crosses apch end of Rwy 28L and 28R at thld.
CAUTION: Drag Strip 3500' SE of arpt. Arpt bcn ops dusk-0430Z±. Arpt lgts ops dusk-0500Z±. ACTIVATE LIRL Rwy 10L-28R—CTAF. For rotating bcn after 0430Z± call airport manager before dusk on 330-533-1060. Rwy 10L-28R NSTD LIRL; Rwy 28R lgtd 330' from rwy end with 360° green lgts; Rwy 10L lgtd 238' from rwy end .
Rwy 10R-28L marked with yellow cones on N side of rwy; rwy ends not marked.
COMMUNICATIONS: CTAF/UNICOM 122.7
AKRON-CANTON APP/DEP CON 125.5 (1100-0500Z±)
® CLEVELAND CENTER APP/DEP CON 120.775 (0500-1100Z±)
RADIO AIDS TO NAVIGATION: NOTAM FILE YNG.
YOUNGSTOWN (L) VORTAC 109.0 YNG Chan 27 N41°19.86' W80°40.48' 205° 24.5 NM to fld. 1160/5W.
HIWAS.

SALT FORK LODGE HELIPORT (See CAMBRIDGE)

SANDUSKY N41°26.07' W82°39.29' NOTAM FILE CLE.
(L) VOR/DME 109.2 SKY Chan 29 at Griffing-Sandusky. 580/4W.

DETROIT
H-10G, L-30F

SANDUSKY CO RGNL (See FREMONT)

SANDUSKY

GRIFFING-SANDUSKY (SKY) 3 SE UTC-5(-4DT) N41°26.00' W82°39.14'

DETROIT
L-30F
IAP

580 B S4 FUEL 100LL, JET A AOE NOTAM FILE CLE

RWY 09-27: H3559X60 (ASPH) S-9 LIRL

RWY 09: REIL. Thld dsplcd 183'. Road. RWY 27: PAPI(P4L). Tree.

RWY 18-36: H2593X40 (ASPH) LIRL

RWY 36: Thld dsplcd 405'. Road.

AIRPORT REMARKS: Attended 1300-0000Z†. Arpt CLOSED Christmas day. Waterfowl bird hazard adjacent to arpt. Deer on and invof arpt. Ldg fee. Flight Notification Service (ADCUS) available.

COMMUNICATIONS: CTAF/UNICOM 123.0

SANDUSKY RCO 122.1R 109.2T (CLEVELAND RADIO)

CLEVELAND APP/DEP CON 126.35

RADIO AIDS TO NAVIGATION: NOTAM FILE CLE.

SANDUSKY (L) VOR/DME 109.2 SKY Chan 29 N41°26.07' W82°39.29' at fld. 580/4W.

SCHMELTZER HELIPORT (See AKRON)

SEAGATE HELISTOP (See TOLEDO)

SEBRING

TRI-CITY (3G6) 1 SE UTC-5(-4DT) N40°54.36' W81°00.00'

DETROIT
L-29B
IAP

1188 FUEL 100LL NOTAM FILE CLE

RWY 17-35: H2768X45 (ASPH) MIRL (NSTD)

RWY 17: Trees. RWY 35: Tree.

AIRPORT REMARKS: Attended 1400Z†-dusk. 100LL fuel avbl 24 hrs with credit card. ACTIVATE MIRL Rwy 17-35—CTAF. Rwy 17-35 NSTD MIRL; thld lgtd with 2 blue/red lgts each side.

COMMUNICATIONS: CTAF 122.9

AKRON RCO 122.1R 114.4T (CLEVELAND RADIO)

Ⓡ AKRON-CANTON APP/DEP CON 125.5 (1100-0500Z†)

Ⓡ CLEVELAND CENTER APP/DEP CON 120.775 (0500-1100Z†)

RADIO AIDS TO NAVIGATION: NOTAM FILE CAK.

AKRON (L) VOR/DME 114.4 ACO Chan 91 N41°06.47' W81°12.09' 147° 15.2 NM to fld. 1194/4W.

SENECA CO (See TIFFIN)

SHELBY COMMUNITY (12G) 2 W UTC-5(-4DT) N40°52.39' W82°41.84'

DETROIT
L-29A
IAP

1120 B S4 NOTAM FILE CLE

RWY 18-36: H3174X50 (ASPH) S-5 LIRL (NSTD)

RWY 18: Road. RWY 36: P-line.

RWY 03-21: 1890X125 (TURF)

RWY 03: Tree. RWY 21: Road.

AIRPORT REMARKS: Attended 1100-2200Z†. Rwy 18-36 NSTD LIRL;

Rwy 18 thld lgts 220' from rwy end.

COMMUNICATIONS: CTAF/UNICOM 122.8


Ⓡ MANSFIELD APP/DEP CON 124.2 (1100-0400Z†)

CLEVELAND CENTER APP/DEP CON 134.9 (0400-1100Z†)

RADIO AIDS TO NAVIGATION: NOTAM FILE MFD.

MANSFIELD (L) VORTAC 108.8 MFD Chan 25 N40°52.12'

W82°35.46' 276° 4.9 NM to fld. 1210/3W



SIDNEY MUNI (I12) 3 S UTC-5(-4DT) N40°14.49' W84°09.05'

DETROIT

1044 B S2 **FUEL** 100LL, JET A TPA-1844(800) NOTAM FILE DAY

L-27E

RWY 10-28: H4785X75 (ASPH) MIRL

IAP

RWY 10: PAPI(P2L). Thld dsplcd 480'. Trees.**RWY 28:** REIL. PAPI(P2R)—GA 3.0° TCH 40'. Road.**RWY 05-23:** H2981X50 (ASPH)**RWY 05:** Road.**RWY 23:** P-line.**AIRPORT REMARKS:** Attended 1300-2300Z+, ACTIVATE MIRL Rwy 10-28, and REIL Rwy 28—CTAF.**WEATHER DATA SOURCES:** AWOS-3 120.425 (937) 492-3683.**COMMUNICATIONS:** CTAF/UNICOM 123.05**ROSEWOOD RCO** 122.1R 117.5T (DAYTON RADIO)® **DAYTON APP/DEP CON** 118.425 (360°-090°)**RADIO AIDS TO NAVIGATION:** NOTAM FILE DAY.**ROSEWOOD (H) VORTAC** 117.5 ROD Chan 122 N40°17.27' W84°02.59' 246° 5.7 NM to fld. 1080/5W.

SPORTYS N39°04.06' W84°12.92' NOTAM FILE DAY.

CINCINNATI

NDB (MHW) 245 PWF at Clermont Co. NDB unusable byd 15 NM.

L-27E

SPRINGFIELD-BECKLEY MUNI (SGH)(KSGH) CIV/MIL/ANG 5 S UTC-5(-4DT)CINCINNATI
H-10G, L-27E
IAP, DIAP, AD

N39°50.42' W83°50.41'

1051 B S4 FUEL 100LL, JET A TPA—See Remarks Class IV, ARFF Index A

NOTAM FILE SGH

RWY 06-24: H9009X150 (ASPH-CONC-GRVD) S-50, D-60 PCN 60

R/B/W/T HIRL

RWY 06: REIL. PAPI(P4L)—GA 3.0° TCH 43'. Trees.**RWY 24:** ALSF2. PAPI(P4L)—GA 3.0° TCH 54'. Tree.**RWY 15-33:** H5499X100 (ASPH) S-12 MIRL**RWY 15:** REIL. PAPI(P4L)—GA 3.0° TCH 36'. Trees.**RWY 33:** REIL. PAPI(P4L) TCH 36'. Trees.**RUNWAY DECLARED DISTANCE INFORMATION****RWY 06:** TORA-9009 TODA-9009 ASDA-9009 LDA-9009**RWY 15:** TORA-5499 TODA-5499 ASDA-5499 LDA-5499**RWY 24:** TORA-9009 TODA-9009 ASDA-9009 LDA-9009**RWY 33:** TORA-5499 TODA-5499 ASDA-5499 LDA-5499**ARRESTING GEAR/SYSTEM****RWY 06** ← HOOK E5 (35' OVRN) BAK-14 BAK-12A(B) (943')BAK-14 BAK-12A(B) (991') HOOK E5 (35' OVRN) → **RWY 24****MILITARY SERVICE: A-GEAR** Cable raised by BAK-14 device on request to twr. BAK-12A(B) avbl Tue-Fri 1230-2200Z†, may be extended, other times by NOTAM for mil flying. Rwy 06-24 E-5 chain in overrun, departure engagement only.**JASU 6(AM32A-60B) FUEL J8(Mil) (NC 100LL, A)****FLUID PRESAIR LPOX LOX OIL 0-133-148-156(Mil) SOAP****AIRPORT REMARKS:** Attended 1200-2300Z†. Deer on and invof arpt. Heavy bird activity fall and winter months.

Caution: Bird watch cond phase I (Dec-Jun) indicates light bird activity. Phase II (Jul-Nov) indicates heavy activity normally associated with migratory season. During twr operating hours Rwy 24 is the preferred rwy, wind 10 knots or less. Rwy 06-24 arresting device may be up when twr clsd. Rws 06 and 24 acft arresting device BAK 12 located 35' beyond apch end Rws 06 and 24. Closed to scheduled air carrier ops with greater than 9 passenger seats and unscheduled air carrier ops greater than 30 passenger seats. 90-day PPR, call arpt manager 937-325-6108. Rwy 15-33 limited to 25,000 lbs single wheel load capacity or less. Noise Abatement: Avoid over flying Yellow Springs 2 NM SW blo 4000', practice circling instrument approach not authorized blo 2000' establish on final. Avoid overflying ANG ramp. When twr clsd ACTIVATE ALSF2 Rwy 24, MIRL Rwy 15-33; REIL Rwy 06, Rwy 15 and Rwy 33—CTAF. HIRL Rwy 06-24 preset on med ints to increase ints ACTIVATE—CTAF. Rwy 15-33 and Twy F not avbl for air carrier ops. Rwy 06-24 980' concrete NE end, 1200' concrete SW end. TPA 2100 (1049), overhead 2600 (1549).

MILITARY REMARKS: See FLIP AP/1 Supplementary Arpt Remarks. **RSTD** Mil practice instrument apch not authorized when twr clsd. **CAUTION** A-gear Rwy 06-24 may be up when twr clsd. **MISC** Military practice instrument approach not authorized when twr closed. Wx obsn-Rwy 06 apch end not visible from the official point of obsn. Visibility is ltd from SW to NW. **ANG** PPR at all times DSN 346-2319, C937-327-2319. Runway Condition Reading not avbl. All tran acft ctc 178 F/W OPS. Inbound acft accepting penetrate and radar vectors from IND Center and Dayton Apch expect extensive low altitude vectoring. Opr Tue-Fri 1230-2200Z†, may be extended other times by NOTAM for mil flying. Std USAF RSRS applies.

WEATHER DATA SOURCES: ASOS 134.975. LAWR5.**COMMUNICATIONS:** CTAF 120.7 ATIS 257.875 UNICOM 122.95① **DAYTON APP/DEP CON** 126.5 (091°-180°) 118.85 127.225 327.1**TOWER** 120.7 291.775 (Tue-Fri 1230-2200Z†) other times by NOTAM. **GND CON** 121.7 225.4**178 FW OPS (SABER OPS)** 324.7**AIRSPACE:** CLASS D svc Tue-Fri 1230-2200Z†, other times by NOTAM, other times CLASS G.**RADIO AIDS TO NAVIGATION:** NOTAM FILE SGH.(T) **VORW/DME** 113.2 SGH Chan 79 N39°50.19' W83°50.70' at fld. 1047/4W.

VOR portion unusable 156°-200°.

(T) **TACAN** Chan 65 XSF (133.8) N39°50.29' W83°50.44' at fld. 1052/4W. NOTAM FILE DAY. TACAN unusable 090°-115° blo 5000' byd 15 NM. Unmonitored when twr clsd. No NOTAM MP Thu 1330-1530Z†.**CLARK CO NDB (MHW)** 341 CCJ N39°52.42' W83°46.77' 238° 3.4 NM to fld. NDB unmonitored.**ILS** 111.3 I-SGH Rwy 24. Class IE. Unmonitored when twr clsd. No NOTAM MP Tue 1800-2100Z†.**STANLEY** N40°51.75' W84°36.83' NOTAM FILE DAY.**NDB (MHW)** 411 VFU at Van Wert Co.DETROIT
L-27E**STARK COUNTY SHERIFF HELIPORT** (See CANTON)

STEUBENVILLE**JEFFERSON CO AIRPARK** (2G2) 4 W UTC-5(-4DT) N40°21.57' W80°42.00'

DETROIT

1196 B FUEL 80, 100LL NOTAM FILE CLE

L-29B

RWY 14-32: H4400X60 (ASPH) S-7 MIRL

IAP

RWY 14: Trees. RWY 32: REIL. PAPI(P4L). Trees.


AIRPORT REMARKS: Attended May-Sep, 1400-0200Z†, Oct-Apr 1400-2200Z†. Deer on and in/ov arpt. Ultralight activity on and in/ov arpt weekday evenings and weekends. Rwy 32 VASI OTS indef. ACTIVATE MIRL Rwy 14-32; REIL Rwy 32—CTAF.

COMMUNICATIONS: CTAF/UNICOM 122.8

PITTSBURG APP/DEP CON 124.75

RADIO AIDS TO NAVIGATION: NOTAM FILE HLG.

WHEELING (L) VOR/DME 112.2 HLG Chan 59 N40°15.60' W80°34.12' 322° 8.5 NM to fld. 1270/07W.

**SUMIE** N39°59.17' W82°45.27' NOTAM FILE DAY.

CINCINNATI

NDB (HW/LDM) 391 CM 281° 6.4 NM to Port Columbus Intl. Unmonitored.

L-29A

TABEY N41°34.15' W81°34.43' NOTAM FILE BKL.

DETROIT

NDB (LOM) 248 BF 245° 5.8 NM to Burke Lakefront. SHUTDOWN.

TIFFIN N41°05.89' W83°12.46' NOTAM FILE CLE.

DETROIT

NDB (MHW) 269 TII at Seneca Co. NDB unmonitored.

L-28J, 29A

TIFFIN**SENECA CO** (16G) 2 SW UTC-5(-4DT) N41°05.64' W83°12.75'

DETROIT

786 B S4 FUEL 100LL, JET A OX 1, 2 NOTAM FILE CLE

L-28J, 29A

RWY 06-24: H4000X75 (ASPH) MIRL

IAP

RWY 06: REIL. PAPI(P4L)—GA 3.0° TCH 38'. Tree.

RWY 24: REIL. PAPI(P4L)—GA 3.0° TCH 38'. Thld dsplcd 115'. Trees.

AIRPORT REMARKS: Attended 1300Z†-dusk. Fuel available 24 hrs with credit card. Rwy 06 PAPI unusable byd 5° left of centerline. Rwy 24 VASI unusable byd 5° left of centerline. ACTIVATE MIRL Rwy 06-24; REIL and PAPI Rwy 06 and Rwy 24—CTAF.

WEATHER DATA SOURCES: AWOS-3 121.175 (419) 443-1043.**COMMUNICATIONS:** CTAF/UNICOM 123.0

® TOLEDO APP/DEP CON 120.8

RADIO AIDS TO NAVIGATION: NOTAM FILE FDY.

FINDLAY (L) VORTAC 108.2 FDY Chan 19 N40°57.32' W83°45.36' 073° 26.0 NM to fld. 820/2W.

TIFFIN NDB (MHW) 269 TII N41°05.89' W83°12.46' at fld. NOTAM FILE CLE. NDB unmonitored.

TIVERTON N40°27.48' W82°07.61' NOTAM FILE CLE.

DETROIT

(L) VOR/DME 116.5 TVT Chan 112 062° 9.2 NM to Holmes Co. 1340/3W.

L-29A

TOLEDO**METCALF FLD** (TDZ) 6 SE UTC-5(-4DT) N41°33.90' W83°28.93'623 B S4 FUEL 100LL, JET A OX 1, 3 NOTAM FILE TDZ
RWY 14-32: H5829X100 (ASPH-GRVD) S-63, D-85, ST-107 MIRLRWY 14: REIL. PAPI(P4L)—GA 3.0° TCH 34'. Thld dsplcd 578'.
Tower.

RWY 32: VASI(V4L)—GA 3.0° TCH 43'. Thld dsplcd 587'. Road.

RWY 04-22: H3799X75 (ASPH) S-63, D-85, ST-107 MIRL
RWY 04: REIL. VASI(V4L)—GA 3.0° TCH 45'. Thld dsplcd 100'.
Road.RWY 22: REIL. VASI(V4R)—GA 3.0° TCH 39'. Thld dsplcd 380'.
Railroad.**RUNWAY DECLARED DISTANCE INFORMATION**

RWY 14: TORA 4600 TODA 4600 ASDA 5242 LDA 4680


RWY 32: TORA 5268 TODA 5268 ASDA 5268 LDA 4680

AIRPORT REMARKS: Attended Mon-Fri continuously, Sat-Sun

1300-0100Z±. Parallel twy Rwy 04-22 and Rwy 14-32 35' wide.

Seagulls on and in/ov arpt. Ldg fee. ACTIVATE REIL Rwy 04 and
Rwy 22—CTAF. Rwy 04 VASI OTS indef.**WEATHER DATA SOURCES:** ASOS 121.575 (419) 838-5034.**COMMUNICATIONS:** CTAF/UNICOM 123.05

Ⓡ TOLEDO APP/DEP CON 126.1 CLNC DEL 125.6

RADIO AIDS TO NAVIGATION: NOTAM FILE CLE.**WATERVILLE (L) VOR/DME** 113.1 VVW Chan 78 N41°27.09' W83°38.32' 048° 9.8 NM to fld. 660/2W.**TOLEDO EXPRESS** (TOL) 10 W UTC-5(-4DT) N41°35.21' W83°48.47'

683 B S4 FUEL 100LL, JET A OX 3 LRA Class I, ARFF Index B NOTAM FILE TOL

RWY 07-25: H10599X150 (ASPH-GRVD) S-100, D-174, ST-175, DT-300, DDT-550

HIRL CL

RWY 07: ALSF2. TDZL. Trees.

RWY 25: MALSR. VASI(V4L)—GA 3.0° TCH 51'. Trees. 0.3% up.

RWY 16-34: H5599X150 (ASPH-GRVD) S-100, D-174, ST-175,
DT-300 MIRL

RWY 16: REIL. PAPI(P4L)—GA 3.0° TCH 48'. Trees.

RWY 34: REIL.

RUNWAY DECLARED DISTANCE INFORMATION

RWY 07: TORA 10599 TODA 10599 ASDA 10599 LDA 10599

RWY 16: TORA 5599 TODA 5599 ASDA 5599 LDA 5599

RWY 25: TORA 10599 TODA 10599 ASDA 10599 LDA 10599

RWY 34: TORA 5599 TODA 5599 ASDA 5599 LDA 5599

ARRESTING GEAR/SYSTEM

RWY 07 ←BAK-12 BAK-12 →RWY 25

AIRPORT REMARKS: Attended continuously. Fuel and svc avbl

1300-0500Z±. Birds and deer on and in/ov arpt. Twy A west of

Rwy 16 and the ramp between Twy B9 and B13 not visible from
twr. Customs: Sat-Sun req must be made prior to 2200Z± on Fri,
phone 419-259-6424.**WEATHER DATA SOURCES:** ASOS (419) 865-8351.**COMMUNICATIONS:** ATIS 118.75 UNICOM 122.95

Ⓡ APP/DEP CON 126.1 (360°-179°) 134.35 (180°-359°) 123.975


TOWER 118.1 GND CON 121.9 CLNC DEL 121.75

AIRSPACE: CLASS C svc continuous etc APP CON**RADIO AIDS TO NAVIGATION:** NOTAM FILE CLE.**WATERVILLE (L) VOR/DME** 113.1 VVW Chan 78 N41°27.09' W83°38.32' 319° 11.1 NM to fld. 660/2W.**TOPHR NDB (LOM)** 219 TO N41°33.21' W83°55.27' 074° 5.5 NM to fld. Unmonitored. NOTAM FILE TOL.

ILS 109.7. I-TOL Rwy 07. Class IE. LOM TOPHR NDB.

ILS 108.7 I-BQE Rwy 25. Class IA.

ASR

**SEAGATE HELISTOP** (6T2) 00 N UTC-5(-4DT) N41°39.25' W83°31.88'

650 NOTAM FILE CLE

HELIPAD H1: H50X50 (CONC)**HELIPAD REMARKS:** Unattended. ACTIVATE orange perimeter lgts—CTAF. Helipad H1 NSTD 1-box (2 VASIS). Helipad
H1 not marked with "H." Helipad H1 perimeter lgts.**COMMUNICATIONS:** CTAF/UNICOM 123.05

TOPHR N41°33.21' W83°55.27' NOTAM FILE TOL.
NDB (LOM) 219 TO 074° 5.5 NM to Toledo Express. Unmonitored.

DETROIT

TORONTO

EDDIE DEW MEML AIRPARK (1G8) 2 NW UTC-5(-4DT) N40°28.55' W80°37.69'

DETROIT

1084 NOTAM FILE CLE

RWY 16-34: 2268X145 (TURF) LIRL (NSTD)

RWY 16: Trees. **RWY 34:** Trees.

AIRPORT REMARKS: Attended irregularly. ACTIVATE NSTD LIRL Rwy 16-34—CTAF. Rwy 16-34 NSTD LIRL; rwy ends marked with 360° green lgts.

COMMUNICATIONS: CTAF 122.9

TREMONT CITY

MAD RIVER INC (I54) 1 N UTC-5(-4DT) N40°01.20' W83°49.71'

DETROIT

958 B S3 **FUEL** 100LL TPA—1803(845) NOTAM FILE DAY

RWY 09-27: 3405X110 (TURF) LIRL (NSTD)

RWY 09: Thld dspcd 340'. Pole. **RWY 27:** Thld dspcd 900'. Trees.

AIRPORT REMARKS: Attended irregularly. Rwy 09-27 NSTD LIRL; only 2167' lgtd between dspcd thlds. Rwy 09 first 340' not marked; Rwy 27 first 505' not marked; only 2560' marked with orange cones; Rwy 09-27—dspcd thlds marked with cones and one green lgt each side of rwy. Rwy lgts OTS indef. ACTIVATE LIRL Rwy 09-27—122.8. For rotating bcn call 513-969-8521.

COMMUNICATIONS: CTAF/UNICOM 123.0

DAYTON APP/DEP CON 118.425 (360°-096°)

TRI-CITY (See SEBRING)

TROY

TROY SKYPARK (37I) 4 SW UTC-5(-4DT) N39°59.45' W84°16.23'

CINCINNATI

930 NOTAM FILE DAY

RWY 05-23: 3450X100 (TURF) LIRL (NSTD)

RWY 05: Thld dspcd 225'. Trees. Rgt tfc.

RWY 23: Thld dspcd 985'. Trees.

AIRPORT REMARKS: Attended irregularly. ACTIVATE NSTD LIRL Rwy 05-23—CTAF. Rwy 05-23 NSTD LIRL; Rwy 23 end marked with 360° red lgts; Rwy 05-23 dspcd thld lgtd with one green lgt each side of rwy; Rwy 05-23 marked with white buckets and lights; Rwy 05-23 dspcd thld marked by green lgts and buckets.

COMMUNICATIONS: CTAF 122.9

DAYTON APP/DEP CON 134.45 (181°-359°)

WACO FLD (1WF) 2 S UTC-5(-4DT) N40°00.89' W84°11.88'

CINCINNATI

820 NOTAM FILE DAY

RWY 18-36: 2428X100 (TURF)

RWY 18: Thld dspcd 600'. Tree. **RWY 36:** Trees.

AIRPORT REMARKS: Attended Mon-Fri dawn-dusk. 405' (AGL) lgtd radio antenna 4200' NE of Rwy 18. Rwy 18-36 edges, thlds, and dspcd thld Rwy 18 marked with white barrels.

COMMUNICATIONS: CTAF 122.9

UNION CO (See MARYSVILLE)

UNIVERSITY N39°15.44' W82°07.56' NOTAM FILE DAY.

CINCINNATI

NDB (MHW) 250 UGS 247° 5.5 NM to Ohio University Snyder Fld.

L-29B

UPPER SANDUSKY**WYANDOT CO** (56D) 4 NW UTC-5(-4DT) N40°53.00' W83°18.87'DETROIT
L-28J, 29A
IAP

830 B NOTAM FILE CLE

RWY 18-36: H3997X75 (ASPH) S-12.5 MIRL

RWY 18: Trees. RWY 36: P-line.

AIRPORT REMARKS: Unattended. ACTIVATE MIRL Rwy 18-36-123.050.

COMMUNICATIONS: CTAF 122.9


Ⓡ MANSFIELD APP/DEP CON 124.2 (1100-0400Z)

Ⓡ CLEVELAND CENTER APP/DEP CON 135.1 (0400-1100Z)

RADIO AIDS TO NAVIGATION: NOTAM FILE FDY.

FINDLAY (L) VORTAC 108.2 FDY Chan 19 N40°57.32'

W83°45.36' 104° 20.5 NM to fld. 820/2W.

**URBANA****GRIMES FLD** (I74) 1 N UTC-5(-4DT) N40°07.96' W83°45.21'DETROIT
L-27E
IAP

1068 B S2 FUEL 100LL, JET A TPA-1868(800) NOTAM FILE DAY

RWY 02-20: H4400X100 (ASPH) MIRL

RWY 02: REIL. PAPI(P4R). Tree.

RWY 20: REIL. PAPI(P4L). Tree.

AIRPORT REMARKS: Attended Mon-Fri 1300-2130Z, Sat-Sun irregularly. Deer and birds on and in/ov arpt. ACTIVATE MIRL Rwy 02-20; REIL Rwsy 02 and 20-CTAF.

WEATHER DATA SOURCES: AWOS-3 118.325 (937) 484-5863.

COMMUNICATIONS: CTAF/UNICOM 122.7

Ⓡ DAYTON APP/DEP CON 118.425 (360°-090°)

RADIO AIDS TO NAVIGATION: NOTAM FILE DAY.

ROSEWOOD (H) VORTAC 117.5 ROD Chan 122 N40°17.27' W84°02.59' 130° 16.2 NM to fld. 1080/5W.

WELLER (38I) 3 SE UTC-5(-4DT) N40°05.47' W83°41.36'

DETROIT

1150 NOTAM FILE DAY

RWY 09-27: 2534X75 (TURF)

RWY 09: Trees. RWY 27: P-line.

AIRPORT REMARKS: Attended irregularly. Rwy 09-27 outlined with yellow tires. Trees on both sides of rwy at W end. Trees W of twy and S of rwy.

COMMUNICATIONS: CTAF/UNICOM 123.0

VAN WERT CO (VNW) 2 SW UTC-5(-4DT) N40°51.88' W84°36.57'DETROIT
L-27E
IAP

785 B FUEL 100LL, JET A TPA-1597(812) NOTAM FILE DAY

RWY 09-27: H4000X75 (ASPH) S-8 MIRL

RWY 09: REIL. PAPI(P4L). P-line.

RWY 27: REIL. PAPI(P4L). Trees.

RWY 18-36: 2610X105 (TURF)

RWY 18: Thld dsplcd 315'. Tree.

RWY 36: Thld dsplcd 510'. P-line.

AIRPORT REMARKS: Attended Apr-Oct Mon-Sat 1400-2300Z, Sun by prior arrangement, Nov-Mar Mon-Sat 1500-2200Z, Sun 1700-2300Z. Parachute Jumping. Ultralights opr evenings, weekends and in no-wind conditions. Rwy 09 REIL OTS indef. Rwy 18 and Rwy 36 dsplcd thld marked with white L-shaped 2'x6' concrete pads. Major airframe repairs. ACTIVATE MIRL Rwy 09-27 and REIL and PAPI Rwy 09 and Rwy 27-CTAF.

WEATHER DATA SOURCES: AWOS-3 125.175 (419) 232-2967.

COMMUNICATIONS: CTAF/UNICOM 123.0

Ⓡ FORT WAYNE APP/DEP CON 132.15 (SE-NE of active rwy) 127.2 (SW-NW of active rwy)

RADIO AIDS TO NAVIGATION: NOTAM FILE FWA.

FORT WAYNE (H) VORTACW 117.8 FWA Chan 125 N40°58.74' W85°11.28' 104° 27.2 NM to fld. 793/00E.

STANLEY NDB (MHW) 411 VFU N40°51.75' W84°36.83' at fld. NOTAM FILE DAY.

COMM/NAV/WEATHER REMARKS: Approach control sectorization based upon Fort Wayne rwy usage.

VERSAILLES N40°12.37' W84°31.36' NOTAM FILE DAY.DETROIT
L-27E

NDB (MHW) 356 VES at Darke Co. Unmonitored. OTS indef.

VERSAILLES**DARKE CO** (VES) 2 SW UTC-5(-4DT) N40°12.27' W84°31.92'


1007 B S3 FUEL 100LL, JET A+ NOTAM FILE DAY

RWY 09-27: H4512X75 (ASPH) S-12.5E MIRL**RWY 09:** REIL. PAPI(P2L). Road.**RWY 27:** REIL. PAPI(P2L). Acft.**AIRPORT REMARKS:** Attended dawn-dusk. FBO CLOSED on major holidays. CAUTION: Deer occasionally on rwy. ACTIVATE MIRL Rwy 09-27; REIL Rws 09 and 27—CTAF.**WEATHER DATA SOURCES:** AWOS-3 123.75 (937) 526-3154.**COMMUNICATIONS:** CTAF/UNICOM 122.8

Ⓡ DAYTON APP/DEP CON 134.45 (181°-359°)

RADIO AIDS TO NAVIGATION: NOTAM FILE DAY.**DAYTON (L) VOR/DME 114.5** DQN Chan 92 N40°00.99'W84°23.81' 332° 12.9 NM to fld. 990/1W. **HIWAS.****VERSAILLES NDB (MHW) 356** VES N40°12.37' W84°31.36'

at fld. Unmonitored. OTS indef.

DETROIT**L-27E****IAP****VINTON CO** (See McARTHUR)**WACO FLD** (See TROY)**WADSWORTH****WADSWORTH MUNI** (3G3) 2 SW UTC-5(-4DT) N41°00.19' W81°45.39'

974 B FUEL 100LL, JET A1+ NOTAM FILE CLE


RWY 02-20: H3529X75 (ASPH) MIRL**RWY 02:** VASI(V2R)—GA 3.5° TCH 27'. Thld dspcd 129'. Tree.**RWY 20:** VASI(V2L)—GA 3.5° TCH 48'. P-line.**RWY 10-28:** H2392X35 (ASPH) 0.4% up E**RWY 10:** Tree. **RWY 28:** Thld dspcd 237'. Tree.**AIRPORT REMARKS:** Attended 1300-2300Z±. Arpt unattended all Federal Holidays. No line of sight between rwy 02 and 10. Rwy 10 CLOSED for txf when wind is less than 15 knots from the E. Gliders use rgt txf to Rwy 10. CAUTION: Glider activity use Rwy 10-28. Rwy 20 calm rwy blo 4 knots for noise abatement. Avoid hospital to the north. ACTIVATE MIRL Rwy 02-20 and VASI Rwy 02 and Rwy 20—CTAF.**COMMUNICATIONS:** CTAF/UNICOM 122.8

Ⓡ AKRON-CANTON APP/DEP CON 118.6 (1100-0500Z±)

Ⓡ CLEVELAND CENTER APP/DEP CON 134.9 (0500-1100Z±)

RADIO AIDS TO NAVIGATION: NOTAM FILE CAK.**AKRON (L) VOR/DME 114.4** ACO Chan 91 N41°06.47'

W81°12.09' 260° 26 NM to fld. 1194/4W.

DETROIT**L-29B****IAP****WELTZIEN SKYPARK** (15G) 3 W UTC-5(-4DT) N41°01.70' W81°47.91'

1210 B S4 FUEL 80, 100LL TPA-2000(790) NOTAM FILE CLE

RWY 03-21: H2410X37 (ASPH) LIRL(NSTD)**RWY 03:** Thld dspcd 178'. Trees.**RWY 21:** PVASI (PSIL). Thld dspcd 50'. Trees.**AIRPORT REMARKS:** Attended continuously. Pavement strength limit to 6500 pounds per arpt manager. Rwy 03-21 no touch and go lds. ACTIVATE NSTD LIRL Rwy 03-21—CTAF. Rwy 03-21 NSTD LIRL due to spacing and not FAA approved L-800 series.**COMMUNICATIONS:** CTAF/UNICOM 123.05**DETROIT**

WAKEMAN (I64) 3 NE UTC-5(-4DT) N41°17.59' W82°22.24'

DETROIT

848 S4 FUEL 100LL NOTAM FILE CLE

L-30F

RWY 03-21: H3800X55 (ASPH) LIRL (NSTD)

RWY 03: Tree.

RWY 21: Trees.

AIRPORT REMARKS: Attended Mon-Sat 1300Z±dusk, Sun

1400Z±dusk. ACTIVATE NSTD LIRL Rwy 03-21—CTAF. Rwy


03-21 thld lgts offset. Rwy 03-21 NSTD LIRL, Rwy 21 lgts are located 135' up rwy.

COMMUNICATIONS: CTAF/UNICOM 122.8

RADIO AIDS TO NAVIGATION: NOTAM FILE CLE.

DRYER (H) VOR/DME 113.6 DJB Chan 83 N41°21.48'

W82°09.72' 253° 10.2 NM to fld. 780/5W. HIWAS.



WAPAKONETA

NEIL ARMSTRONG (AXV) 8 SW UTC-5(-4DT) N40°29.61' W84°17.89'

DETROIT

913 B S2 FUEL 100LL, JET A1+ OX 3 TPA—1903(990) NOTAM FILE DAY

H-106, L-27E

RWY 08-26: H5500X100 (ASPH-GRVD) MIRL

IAP

RWY 08: Thld dsplcd 700'. Trees.

RWY 26: REIL. VASI(V2L)—GA 3.0 TCH 53'. Thld dsplcd 237'. Road.

RWY 18-36: 2631X80 (TURF)

RWY 18: Thld dsplcd 290'. Road.

RWY 36: Trees.

AIRPORT REMARKS: Attended 1300-2200Z±. Rwy 18-36 CLOSED indef. Rwy 18-36 surface rough and uneven.

ACTIVATE MIRL Rwy 08-26 and REIL Rwy 26—122.7. Rwy 26 REIL OTS indef. Rwy 26 VASI OTS indef.

WEATHER DATA SOURCES: AWOS-3 128.325 (419) 753-2821.

COMMUNICATIONS: CTAF/UNICOM 122.8

ROSEWOOD RCO 122.1R 117.5T (DAYTON RADIO)

Ⓡ DAYTON APP/DEP CON 118.425 (360°-090°)

RADIO AIDS TO NAVIGATION: NOTAM FILE DAY.

ROSEWOOD (H) VORTAC 117.5 ROD Chan 122 N40°17.27' W84°02.59' 322° 17 NM to fld. 1080/5W.

ILS/DME 109.15 I-AXV Chan 28Y Rwy 26. LOC only. ILS OTS indef. DME OTS indef.

WARREN (62D) 5 NW UTC-5(-4DT) N41°16.02' W80°55.64'

DETROIT

905 S2 FUEL 100LL NOTAM FILE CLE

RWY 04-22: H2907X30 (ASPH) LIRL (NSTD)

RWY 04: Thld dsplcd 87'. Trees.

RWY 22: Thld dsplcd 578'. Trees.

RWY 18-36: 2700X140 (TURF)

RWY 18: Trees.

RWY 36: Trees.

AIRPORT REMARKS: Attended irregularly. ACTIVATE NSTD LIRL Rwy 04-22—123.3. Rwy 04-22 NSTD LIRL; Rwy 04 no

rwy end lgts; Rwy 22 dsplcd thld wrong color. Rwy 18 marked with yellow buckets. Rwy 04-22 LIRL OTS indef.

COMMUNICATIONS: CTAF/UNICOM 122.8

WASHINGTON COURT HOUSE

FAYETTE CO (I23) 2 NE UTC-5(-4DT) N39°34.23' W83°25.23'

CINCINNATI

980 B FUEL 100LL, JET A, MOGAS TPA—1780(800) NOTAM FILE DAY

H-106, L-29A

RWY 05-23: H5097X75 (ASPH) S-30, D-40 MIRL

IAP

RWY 05: Railroad.

RWY 23: REIL. PAPI(P4L). Railroad.

AIRPORT REMARKS: Attended Mon-Sat 1300-2300Z±. ACTIVATE MIRL Rwy 05-23—CTAF.

WEATHER DATA SOURCES: AWOS-3 118.775

COMMUNICATIONS: CTAF/UNICOM 122.8

Ⓡ COLUMBUS APP/DEP CON 132.3 134.35

RADIO AIDS TO NAVIGATION: NOTAM FILE FFO.

MIDWEST (T) VORW/DME 112.9 MXQ Chan 76 N39°25.78' W83°48.07' 068° 19.6 NM to fld. 1050/4W.

COURT HOUSE NDB (MHW) 414 CSS N39°36.05' W83°23.50' 222° 2.3 NM to fld. NOTAM FILE DAY. NDB

unusable 115°-165° byd 20 NM.

WATERVILLE N41°27.09' W83°38.32' NOTAM FILE CLE.
 (L) VOR/DME 113.1 VVW Chan 78 319° 11.1 NM to Toledo Express. 660/2W.
 RCO 122.1R 113.1T (CLEVELAND RADIO)

DETROIT
 H-106, L-28J

WAUSEON

FULTON CO (USE) 4 N UTC-5(-4DT) N41°36.61' W84°07.63'

779 B S4 FUEL 100LL, JET A, A1+ NOTAM FILE CLE

RWY 09-27: H3882X75 (ASPH) S-30 LIRL

RWY 09: REIL. PAPI(P4L). Road.

RWY 27: REIL. PAPI(P4R). Trees. Rgt tfc.

RWY 18-36: 2117X75 (ASPH-TURF)

RWY 18: Trees.

RWY 36: Tree.

AIRPORT REMARKS: Attended Mon-Sat 1300Z±-dusk, Sun 1500Z±-dusk. 100LL self serve. Rwy 18-36 359' of center section paved. First 270' of Rwy 18 turf and first 1328' of Rwy 36 turf. Deer occasionally on rwy. Twy clsd indef. Rwy 27 REIL OTS indef. ACTIVATE LIRL Rwy 09-27; REIL Rwy 09 and 27; PAPI Rwy 09 and Rwy 27—CTAF.

COMMUNICATIONS: CTAF/UNICOM 123.0


® TOLEDO APP/DEP CON 134.35

RADIO AIDS TO NAVIGATION: NOTAM FILE CLE.

WATERVILLE (L) VOR/DME 113.1 VVW Chan 78 N41°27.09' W83°38.32' 296° 24 NM to fld. 660/2W.

NDB (MHW) 375 USE N41°36.55' W84°07.96' at fld.

DETROIT
 L-28J
 IAP



WAVERLY N39°10.02' W82°55.93' NOTAM FILE DAY.
NDB (MHW) 385 EOP at Pike Co. NDB unusable byd 15 NM.

CINCINNATI
 L-29A

WAVERLY

PIKE CO (EOP) 3 NE UTC-5(-4DT) N39°10.02' W82°55.69'

660 B FUEL 100LL, JET A NOTAM FILE DAY

RWY 07-25: H4900X75 (ASPH) S-58 MIRL

RWY 07: REIL. PAPI(P4L)—GA 4.0° TCH 37'. Tree.

RWY 25: REIL. PAPI(P4L)—GA 3.0° TCH 25'. Tree.

AIRPORT REMARKS: Attended Mon-Fri 1300-2130Z±. 24 hr credit card self svc avbl. Deer on and infov arpt. ACTIVATE MIRL Rwy 07-25—CTAF, PAPI Rwy 07 and Rwy 25 on dusk-dawn.

WEATHER DATA SOURCES: AWOS-A 118.4.

COMMUNICATIONS: CTAF/UNICOM 123.0

® INDIANAPOLIS CENTER APP/DEP CON 135.575


RADIO AIDS TO NAVIGATION: NOTAM FILE LOU.

YORK (L) VORTAC 112.8 YRK Chan 75 N38°38.65'

W82°58.70' 009° 31.4 NM to fld. 1040/5W.

WAVERLY NDB (MHW) 385 EOP N39°10.02' W82°55.93' at fld. NOTAM FILE DAY. NDB unusable byd 15 NM.

CINCINNATI
 L-29A
 IAP



WAYNE CO (See WOOSTER)

WAYNESVILLE**RED STEWART AIRFIELD** (40I) 4 W UTC-5(-4DT) N39°30.32' W84°07.31'

CINCINNATI

955 S4 FUEL 100LL NOTAM FILE DAY

RWY 08-26: 3142X150 (TURF)

RWY 08: Crops. RWY 26: Thld dsplcd 540'. Tree.

AIRPORT REMARKS: Attended 1300Z±-dusk. Transient tfc 1 Jan-15 Apr notification required for rwy condition prior to arrival 513-897-7717. Rwys and aprons fair rolling turf; sod N and S of rwy used as twy. Banner towing and gliders on and invof arpt. Glider operations on N taxiway. Rwy 26 dsplcd thld marked with 3 outboard cones on each side of rwy. Rwy 08-26 marked with yellow cones.

COMMUNICATIONS: CTAF 122.9

DAYTON APP/DEP CON 126.5 (091°-180°)

WEIKER (See GREEN SPRINGS)**WELLER** (See URBANA)**WELLINGTON****READER-BOTSFORD** (67D) 00 SE UTC-5(-4DT) N41°09.75' W82°12.16'

DETROIT

864 TPA-1650(786) NOTAM FILE CLE

RWY 18-36: 2850X100 (TURF)

RWY 18: Trees. RWY 36: Trees.

AIRPORT REMARKS: Attended Apr-Nov Wed, Sat-Sun dalgt hrs. Arpt CLOSED 1 Dec to 30 Apr. Glider ops. Monitor glider activities on CTAF. Rwy 18-36 lgtd thld Rwy 18 relocated 375'; Rwy 36 relocated 800'; 1825' Rwy 18-36 usable for ngt ops.

COMMUNICATIONS: CTAF 122.9

WELTZIEN SKYPARK (See WADSWORTH)**WEST UNION** N38°51.36' W83°33.83' NOTAM FILE DAY.

CINCINNATI

NDB (MHW) 359 AMT at Alexander Salamon. NDB OTS indef.

L-266

WEST UNION**ALEXANDER SALAMON** (AMT) 4 NW UTC-5(-4DT) N38°51.09' W83°33.98'

CINCINNATI

896 B FUEL 80, 100LL NOTAM FILE DAY

RWY 05-23: H3762X65 (ASPH) MIRL 0.3% up NE

RWY 05: Trees. RWY 23: REIL. PAPI(P4L)—GA 3.0° TCH 30'. Trees.

AIRPORT REMARKS: Attended Mon-Sat dalgt hrs. Fuel avbl 24 hrs—credit card. ACTIVATE MIRL Rwy 05-23; PAPI Rwy 23 and REIL Rwy 23—CTAF.

COMMUNICATIONS: CTAF/UNICOM 122.8

® INDIANAPOLIS CENTER APP/DEP CON 124.225

RADIO AIDS TO NAVIGATION: NOTAM FILE LOU.

YORK (L) VORTAC 112.8 YRK Chan 75 N38°38.65' W82°58.70' 299° 30.3 NM to fld. 1040/5W.

WEST UNION NDB (MHW) 359 AMT N38°51.36' W83°33.83' at fld. NOTAM FILE DAY. OTS indef.

WILLARD (8G1) 1 S UTC-5(-4DT) N41°02.33' W82°43.47'

DETROIT

967 FUEL 100LL NOTAM FILE CLE

RWY 10-28: H4028X65 (ASPH) MIRL 0.8% up W

RWY 10: Thld dsplcd 300'. Building. RWY 28: Thld dsplcd 610'. Trees.

AIRPORT REMARKS: Attended Mon-Sat 1300-2200Z±. For fuel after hrs call 567-224-2492. ACTIVATE MIRL Rwy 10-28—CTAF.

COMMUNICATIONS: CTAF 122.9

MANSFIELD RCO 122.6 122.1R 108.8T (CLEVELAND RADIO)

® MANSFIELD APP/DEP CON 124.2 (1100-0400Z±) CLEVELAND CENTER APP/DEP CON 134.9 (0400-1100Z±)

RADIO AIDS TO NAVIGATION: NOTAM FILE MFD.

MANSFIELD (L) VORTAC 108.8 MFD Chan 25 N40°52.12' W82°35.46' 332° 11.9 NM to fld. 1210/3W.

WILLIAMS CO (See BRYAN)

WILLOUGHBY LOST NATION MUNI (LNN) 3 N UTC-5(-4DT) N41°41.04' W81°23.39'

DETROIT

626 B S4 FUEL 100LL, JET A OX 1, 2 NOTAM FILE CLE

H-10G, L-30G

RWY 05-23: H5028X100 (ASPH) S-68, D-80, DT-124 MIRL

IAP

RWY 05: REIL. PAPI(P4R). Thld dsplcd 428'. Pole. RWY 23: REIL. PAPI(P4L). Trees.

RWY 10-28: H4272X100 (ASPH) S-68, D-80, DT-124 MIRL

RWY 10: REIL. PAPI(P2L). Trees. RWY 28: REIL. PAPI(P2L). Thld dsplcd 1124'. Poles.

AIRPORT REMARKS: Attended 1100-0400Z†. For arpt attendance or fuel after hrs call 216-953-2992 from 0400-1100Z† for prior arrangements. Multiple practice ldg and tkf prohibited Mon-Fri 0400-1300Z†; Sat-Sun and holidays 0400-1400Z†. Deer and Birds on and invof arpt. N and S twy CLOSED to acft over 12,500 lbs between Rwy 05 and 10 thld. Rwy 05 REIL OTS indef. Rwy 23 PAPI OTS indef. Rwy 23 REIL OTS indef. ACTIVEATE MIRL Rwy 05-23 and Rwy 10-28; REIL Rws 05; Rwy 23; Rwy 10 and Rwy 28; and PAPI Rws 05; Rwy 23; Rwy 10 and Rwy 28—CTAF. Ldg fee for all commercial acft by weight; multi-engine and larger.

COMMUNICATIONS: CTAF/UNICOM 122.725

Ⓡ CLEVELAND APP/DEP CON 125.35

RADIO AIDS TO NAVIGATION: NOTAM FILE CLE.

LOST NATION (T) VORW/DME 110.2 LNN Chan 39 N41°41.06' W81°23.37' at fld. 620/8W. Unmonitored.

LAKELAND NDB (MHW) 263 LQL N41°40.95' W81°22.74' at fld. NDB unmonitored.

COMM/NAV/WEATHER REMARKS: UNICOM freq unmonitored May-Sep (0300-1200Z†); Oct-Apr (0200-1200Z†). For IFR clearance ctc Cleveland apch control at 216-898-2040.

WILMINGTON

AIRBORNE AIRPARK (ILN) 2 SE UTC-5(-4DT) N39°25.68' W83°47.53'

CINCINNATI

1077 B S4 FUEL JET A OX 1, 2 Class IV, ARFF Index A NOTAM FILE ILN

H-10G, L-27E

RWY 04L-22R: H10701X150 (CONC-GRVD) S-100, D-200, ST-175, DT-390, DDT-750 HIRL CL

IAP

RWY 04L: MALSR. PAPI(P4L)—GA 3.0° TCH 62'.

RWY 22R: ALSF-2. TDZL. PAPI(P4L)—GA 3.0° TCH 71'.

0.4% down.

RWY 04R-22L: H9000X150 (CONC-GRVD) S-100, D-200, ST-175, DT-390, DDT-750 HIRL CL

RWY 04R: MALSR. PAPI(P4L)—GA 3.0° TCH 71'. 0.3% up.

RWY 22L: ALSF2. TDZL. PAPI(P4L)—GA 3.0° TCH 71'. 0.4% down.

RUNWAY DECLARED DISTANCE INFORMATION

RWY 04L: TORA-10701 TODA-10701 ASDA-10701 LDA-10701

RWY 04R: TORA-9000 TODA-9000 ASDA-9000 LDA-9000

RWY 22L: TORA-9000 TODA-9000 ASDA-9000 LDA-9000

RWY 22R: TORA-10701 TODA-10701 ASDA-10701 LDA-10701

AIRPORT REMARKS: Attended continuously. Closed to scheduled air carrier ops with greater than 9 passenger seats and unscheduled air carrier ops greater than 30 passenger seats. 90-day PPR, call arpt manager 937-382-5591. Rwy 04L-22R has 1000' paved area on SW end and 200' paved area on NE end. Rwy 04R-22L has 200' paved area on each end. Twy C clsd SR-SS. For HIRL Rwy 04L-22R and Rwy 04R-22L when twr clsd contact ops on 119.47. Rwy 04R touchdown, midpoint and rollout RVR avbl. Rwy 22L touchdown, midpoint and rollout RVR avbl. Four hrs PPR for all transient acft call arpt manager 937-382-5591 extension 2960 during operating hrs. After hrs call flight control 937-302-5591 extension 2450. Ldg fee. U.S. Customs user fee arpt.

WEATHER DATA SOURCES: ASOS (937) 383-7334.

COMMUNICATIONS: CTAF 119.475 ATIS 124.925

Ⓡ DAYTON APP/DEP CON 126.5 (091°-180°) 118.85 127.225

WILMINGTON TOWER 119.475, 125.6 (04R-22L in instrument meteorological conditions) Mon 1200-Sat 2300Z†, Sun 1100-2300Z†.

GND CON 121.6 CLNC DEL 125.6

AIRSPACE: CLASS D svc Mon 1200Z†-Sat 2300Z†, Sun 1100-2300Z†; other times CLASS E.

RADIO AIDS TO NAVIGATION: NOTAM FILE ILN.

MIDWEST (T) VORW/DME 112.9 MXQ Chan 76 N39°25.78' W83°48.07' at fld. 1050/4W. Unmonitored when twr clsd.

AIRBO NDB (MHW/LOM) 407 IL N39°29.58' W83°44.29' 217° 4.6 NM to fld.

Unmonitored Sat-Sun 2300-1100Z† and Sun 2300 til Mon 1200Z†.

CUBLA NDB (MHW/LOM) 299 HW N39°21.21' W83°52.55' 045° 5.9 NM to fld.


ILS 110.7 I-HWM Rwy 04L. LOM CUBLA NDB. Unmonitored when twr clsd. LOC unusable byd 15° left or right of course.

ILS/DME 109.35 I-IYV Chan 30(Y) Rwy 04R. Class IT. Unmonitored when twr clsd.

ILS 110.7 I-ILN Rwy 22R. Class III-E. LOM AIRBO NDB. Unmonitored when twr clsd.

ILS/DME 109.35 I-RHX Chan 30(Y) Rwy 22L. Unmonitored when twr clsd.

COMM/NAV/WEATHER REMARKS: Emergency frequency 121.5 not avbl at twr.



CLINTON FLD (I66) 4 NW UTC-5(-4DT) N39°30.15' W83°51.80'

CINCINNATI

1033 B S4 FUEL 100LL, JET A NOTAM FILE DAY

L-27E

RWY 03-21: H3579X65 (ASPH) S-12.5 MIRL 0.3% up NE

IAP

RWY 03: PAPI(P2L)—GA 3.0° TCH 20'. Trees.

RWY 21: PAPI(P2L)—GA 3.75° TCH 20'. Trees.

AIRPORT REMARKS: Attended May-Sep 1300-0100Z†, Oct-Apr 1300-2200Z†. Fuel Jet A unavbl indef. FBO closed

Thanksgiving; Christmas and Easter. After hrs call 937-725-2782. Deer and birds on and invof arpt. ACTIVATE

MIRL Rwy 03-21 and PAPI Rwy 03 and Rwy 21—CTAF.

WEATHER DATA SOURCES: AWOS-3 124.175 (937) 382-1376.

COMMUNICATIONS: CTAF/UNICOM 123.0

Ⓡ DAYTON APP/DEP CON 126.5 (091°-180°) 118.85 127.225

RADIO AIDS TO NAVIGATION: NOTAM FILE FFO.

MIDWEST (T) VOR/DME 112.9 MXQ Chan 76 N39°25.78' W83°48.07' 331° 5.2 NM to fld 1050/4W.

HOLLISTER FLD (2B6) 5 E UTC-5(-4DT) N39°26.25' W83°42.50'

CINCINNATI

1090 NOTAM FILE DAY

RWY 05-23: 3203X80 (TURF)

RWY 05: Thld dsplcd 92'. Crops.

RWY 23: Thld dsplcd 565'. P-Line.

RWY 13-31: 2670X80 (TURF)

RWY 13: Thld dsplcd 250'. Fence.

RWY 31: Thld dsplcd 732'. Fence.

AIRPORT REMARKS: Attended dalgt hrs. Rwy 13-31 CLOSED indef. CAUTION—pheasants released N side of rwy for hunting Sep-Apr. Model acft radio-control area S of Rwy 23. Call for rwy conditions prior to ldg from Nov-Apr.

Rwy 05-23 dspld thlds marked with white tires. Rwy 13-31 dsplcd thlds marked with white tires.

COMMUNICATIONS: CTAF 122.9

WOOD CO (See BOWLING GREEN)

WOODSFIELD
MONROE CO (4G5) 1 N UTC-5(-4DT) N39°46.74' W81°06.17'

CINCINNATI

1197 B S4 FUEL 80, 100LL NOTAM FILE CLE

L-29B

RWY 07-25: H3805X75 (ASPH) S-18 MIRL

IAP

RWY 07: Thld dsplcd 173'. Trees.

RWY 25: REIL. Trees.

AIRPORT REMARKS: Attended irregularly. For fuel call 740-472-1882.

ACTIVATE MIRL Rwy 07-25; rotating bcn and REIL Rwy 25—CTAF.

COMMUNICATIONS: CTAF/UNICOM 122.8


BELLAIRE RCO 122.1R 117.1T (CLEVELAND RADIO)

Ⓡ CLEVELAND CENTER APP/DEP CON 120.4

RADIO AIDS TO NAVIGATION: NOTAM FILE CLE.

BELLAIRE (H) VOR/DME 117.1 AIR Chan 118 N40°01.02'

W80°49.04' 230° 19.4 NM to fld. 1290/7W.



WOOSTER
WAYNE CO (BJJ) 6 NE UTC-5(-4DT) N40°52.49' W81°53.30'

DETROIT

1136 B S4 FUEL 100LL, JET A1+ OX 4 NOTAM FILE BJJ

H-106, L-29B

RWY 10-28: H5191X100 (ASPH) S-30 HIRL 0.5% up E

IAP

RWY 10: REIL. Trees.

RWY 28: REIL. VASI(V4R)—GA 3.0° TCH 33'. Thld dsplcd 218'. Road.

AIRPORT REMARKS: Attended Mon-Fri 1200-0000Z†, Sat-Sun 1400-2300Z†, Rwy 28 VASI unusable byd 8' left of centerline. HIRL Rwy 10-28 preset low ints dusk-dawn; to increase ints and ACTIVATE REIL Rwy 10 and Rwy 28—CTAF.

WEATHER DATA SOURCES: ASOS 118.075 (330) 669-9105.

COMMUNICATIONS: CTAF/UNICOM 122.8

Ⓡ AKRON-CANTON APP/DEP CON 118.6 (1100-0500Z†) CLNC DEL 121.75

Ⓡ CLEVELAND CENTER APP/DEP CON 134.9 (0500-1100Z†)

RADIO AIDS TO NAVIGATION: NOTAM FILE CLE.

BRIGGS (L) VOR/DME 112.4 BSV Chan 71 N40°44.44' W81°25.93' 295° 22.3 NM to fld. 1230/4W.

WRIGHT PATTERSON AFB (FFO) (KFFO) AF (AFRC) 8 NE UTC-5(-4DT) N39°49.56' W84°02.77' **CHICAGO**
 823 B TPA—See Remarks NOTAM FILE FFO Not insp. **H-106, L-27E**
RWY 05L-23R: H12600X300 (PEM-GRVD) PCN 67 R/B/W/T HIRL **DIAP, AD**
RWY 05L: PAPI(P4L)—GA 3.0° TCH 50'. **RWY 23R:** ALSF1. PAPI(P4R)—GA 3.0° TCH 50'. Rgt tfc.
RWY 05R-23L: H7000X150 (ASPH) PCN 118 R/B/W/T MIRL
RWY 05R: PAPI(P4L). **RWY 23L:** PAPI(P4L).
RUNWAY DECLARED DISTANCE INFORMATION
RWY 05L: TORA-12601 TODA-12601
RWY 23R: TORA-12601 TODA-12601
RWY 05R: TORA-7000 TODA-7000
RWY 23L: TORA-7000 TODA-7000
ARRESTING GEAR/SYSTEM
RWY 05L: ←BAK-14 BAK-12(B) (1676') BAK-14 BAK-12(B) (1740') **RWY 23R**
MILITARY SERVICE: A-GEAR Rwy 05L-23R south end arresting gear located 864' s of dsplcd thld.
JASU 9(A/M32A-86) 1(MC-1A) 4(AM32-95) (8)(A/M32A-60A) **FUEL J8 FLUID SP PRESAIR LHOX LOX**
OIL 0-148-156 SOAP Avbl weekdays 1200-2130Z† except Federal holiday. **TRAN ALERT** Opr 1000-0500Z†,
 avbl other times with 24 hr prior notice to Base OPS. Fleet svc avbl 2 hr prior notice. Payment rqr by Avcad.
MILITARY REMARKS: See FLIP AP/1 Supplementary Arprt Remarks. **RSTD** All dep acft fly rwy heading until 1800' unless
 twr approves otherwise. Inbound acft with VIP ctc Base OPS on PTD 30 minutes prior to arrival. Arm/de-arm
 area S end Twy B clsd. Portion of Twy A located NE of the south entrance to the West Ramp is permanently clsd.
 Twy A1 entrance to the West Ramp is permanently clsd. **CAUTION** Bird Watch Condition Phase I (Nov-Jun)
 indicates lgt bird activity. Phase II (Jul-Oct) indicates heavy bird activity normally associated with migratory
 season. Portions of the flameout and overhead tfc pat not visible from twr. Unlgt'd obstructions surround afld.
 Multiple crane ops 2.7 NM southwest of KFFO, 1171' MSL and blo. **TFC PAT** TPA-Rectangular tactical/trainer
 2800(1977), other turbojet/turboprop 2300(1477), lgt reciprocating engine acft (12,500 lb or blo gross weight)
 1800(977), overhead 2800(1977). **CSTMS/AG/IMG** Ltd CSTMS avbl. 24 hr prior notice for CSTMS requests. Call
 DSN: 787-2131 COM: 937-257-2131. **MISC** First 2600' Rwy 05L conc. Rwy 05L-23R 10060' avbl for tkof and
 ldg. Rwy 05L dsplcd thld clsd for taxi, tkof and tkof and ldg roll on Rwy 23R due to high foreign object damage
 potential; do not use south end and dsplcd thld for tkof and ldg computations. Base OPS DSN 787-2131,
 C937-257-2131. Expect dep from Rwy 23 R at Twy B intersection 11600' avbl, if full length rqr, request
 back-taxi from twr. Standard RSRs applied. **AFRC** 445 AW opr Mon-Fri and training weekend 1200-0330Z†.
COMMUNICATIONS: ATIS 124.475 269.9 PTD 122.85 372.2
 (R) **DAYTON APP CON** 126.5 327.1 (091°-180°) 118.85 127.225
PATTERSON TOWER 126.9 281.45 **GND CON** 121.8 335.8
 (R) **DAYTON DEP CON** 126.5 327.1 (091°-180°) 327.125
445A W AFRC COMD POST (BUCKEYE CON) 349.4 **PMSV METRO** 344.6 (Tran aircrews ctc 15th OWS for weather
 briefing DSN 576-9755, C618-256-9755. Reported prevailing visibility may not represent entire afld due to
 obstruction from observation point; observation point obstruction from 050°-210°. Touchdown visibility not
 obstruction. ATC will enhance sfc observation when visibility less than 4 SM and different from reported
 visibility.)
AIRSPACE: CLASS D svc continuous other times CLASS E.
RADIO AIDS TO NAVIGATION: NOTAM FILE FFO.
SPRINGFIELD (T) VORW/DME 113.2 SGH Chan 79 N39°50.19' W83°50.70' 270° 9.3 NM to fld. 1047/4W.
PATTERSON (T) TACAN Chan 99 FFO (115.2) N39°49.14' W84°03.33' at fld. 804/4W.
ILS 109.7 I-FAE Rwy 05L. Glids slope not avbl.
ILS 109.7 I-FFO Rwy 23R.
COMM/NAV/WEATHER REMARKS: ILS Rwy 05L and 23R opr on same frequency 109.7, but different ident (I-FAE, I-FFO).
 Positive ident of ILS prior to flying apch.

WYANDOT CO (See UPPER SANDUSKY)

WYNGKOOP (See MOUNT VERNON)

YELLOW BUD N39°31.61' W82°58.68' NOTAM FILE DAY.

(T) **VOR** 112.5 XUB at Pickaway Co Meml.

RCO 122.1R 112.5T (DAYTON RADIO)

CINNINNATI

L-29A

YOUNGSTOWN**LANSDOWNE** (Ø4G) 2 NE UTC-5(-4DT) N41°07.83' W80°37.18'**DETROIT**


1044 NOTAM FILE CLE

L-30H**RWY 02-20:** H3073X50 (ASPH) S-7.5 0.9% up N**IAP****RWY 02:** Trees. **RWY 20:** Trees.**AIRPORT REMARKS:** Unattended. Arpt CLOSED indef. Rwy 02-20 vegetation in cracks, last 500' Rwy 12 depressions in pavement. Ramp in poor condition; breaking pavement.**WEATHER DATA SOURCES:** HIWAS 109.0 YNG.**COMMUNICATIONS:** CTAF/UNICOM 122.8Ⓡ **YOUNGSTOWN APP/DEP CON** 133.95 (1100-0500Z‡)Ⓡ **CLEVELAND CENTER APP/DEP CON** 120.775 (0500-1100Z‡)**RADIO AIDS TO NAVIGATION:** NOTAM FILE YNG.**YOUNGSTOWN (L) VORTAC** 109.0 YNC Chan 27 N41°19.86' W80°40.48' 173° 12.3 NM to fld. 1160/5W.
HIWAS.**HUBBARD NDB (MHW)** 408 HBD N41°09.17' W80°31.89' 259° 4.2 NM to fld. NOTAM FILE CLE.**YOUNGSTOWN ELSER METRO**

(4G4) 7 SW UTC-5(-4DT) N40°57.71' W80°40.64'

DETROIT1070 B S4 **FUEL** 100LL, JET A OX 1, 2 NOTAM FILE CLE**L-30H****RWY 10-28:** H4012X50 (ASPH) MIRL 1.4% up E**IAP****RWY 10:** REIL. PAPI(P2L). Thld dsplcd 348'. Trees.**RWY 28:** REIL. PAPI(P2L)—GA 3.75°. Thld dsplcd 260'. Trees.**AIRPORT REMARKS:** Attended 1300-dusk. Twr 1085' AGL (2118' MSL)
7.5 NM NNE. Rwy 28 PAPI OTS indef.**WEATHER DATA SOURCES:** HIWAS 109.0 YNG.**COMMUNICATIONS:** CTAF/UNICOM 123.05Ⓡ **AKRON-CANTON APP/DEP CON** 125.5 (1100-0500Z‡)

CLNC DEL 119.25

Ⓡ **CLEVELAND CENTER APP/DEP CON** 128.15 (0500-1100Z‡)**RADIO AIDS TO NAVIGATION:** NOTAM FILE CAK.**AKRON (L) VOR/DME** 114.4 ACO Chan 91 N41°06.47'
W81°12.09' 114° 25.4 NM to fld. 1194/4W.

YOUNGSTOWN/WARREN**YOUNGSTOWN—WARREN RGNL** (YNG) 10 N UTC-5(-4DT) N41°15.64' W80°40.75'

1192 B S4 FUEL 100LL, JET A OX 1, 2, 3, 4 ARFF Index—See Remarks

NOTAM FILE YNG

RWY 14-32: H9003X150 (ASPH-GRVD) S-140, D-209, ST-175, DT-340, DDT-600 HIRL**RWY 14:** MALSR. PAPI(P4L)—GA 3.0° TCH 57'. 0.9% up.**RWY 32:** MALSR. PAPI(P4L)—GA 3.0° TCH 40'. Trees. 0.8% down**RWY 05-23:** H5002X150 (ASPH-GRVD) S-138, D-175, ST-175, DT-280 MIRL 1.4% up NE**RWY 05:** REIL. VASI(V4L)—GA 3.25° TCH 51'. Trees.**RWY 23:** REIL. PAPI(P4R)—GA 3.0° TCH 24'.**RWY 143-323:** H3500X60 (ASPH) 111 F/A/W/T**RUNWAY DECLARED DISTANCE INFORMATION****RWY 05:** TORA-5002 TODA-5002 ASDA-5002 LDA-5002**RWY 14:** TORA-9003 TODA-9003 ASDA-9003 LDA-9003**RWY 143:** TORA-3500 TODA-3500 ASDA-3500 LDA-3500**RWY 23:** TORA-5002 TODA-5002 ASDA-5002 LDA-5002**RWY 32:** TORA-9003 TODA-9003 ASDA-9003 LDA-9003**RWY 323:** TORA-3500 TODA-3500 ASDA-3500 LDA-3500**AIRPORT REMARKS:** Attended continuously. Deer and bird haz. All

military acft ctc Vader ops for bird watch condition. Rwy 143-323

used as a military assault strip. Hold short signs Twy H1 OTS until

further notice. Class I, ARFF Index B, PPR for ARFF Index D call

330-609-1369. Twy G East of Twy H and Twy F North of Rwy

05-23 clsd to acft over 50,000 pounds gross weight. Twy T W of Rwy 05-23 closed indef. Terminal ramp and general aviation parking not visible from the NW portion of Twy H. Military ramp for military use only. Ldg fee for acft over 5,000 lbs gross weight.

WEATHER DATA SOURCES: ASOS (330) 856-9357. HIWAS 109.0 YNG.**COMMUNICATIONS:** ATIS 123.75 UNICOM 122.95

RCO 122.2 122.1R 109.0T (CLEVELAND RADIO)

Ⓡ APP/DEP CON 133.95 127.15 (1100-0500Z‡)

Ⓡ CLEVELAND CENTER APP/DEP CON 120.775 (0500-1100Z‡)

TOWER 119.5 GND CON 121.9 CLNC DEL 118.25

AIRSPACE: TRSA svc ctc APP CON within 20 NM.**RADIO AIDS TO NAVIGATION:** NOTAM FILE YNG.

(L) VORTAC 109.0 YNG Chan 27 N41°19.86' W80°40.48' 188° 4.2 NM to fld. 1160/5W. HIWAS.


VOR unusable 015°-179° blo 5000' and 180°-014° byd 25 NM blo 5000'.

FETCH NDB (LOM) 338 YN N41°12.03' W80°35.77' 322° 5.2 NM to fld. Unmonitored. LOM unusable byd 10 NM.

ILS 110.1 I-YNG Rwy 32. Class IA. LOM FETCH NDB. NDB unmonitored. LOM unusable byd 10 NM.

ILS 110.1 I-MQK Rwy 14. Class IA. OM unmonitored.

ASR (1100-0500Z‡)

**ZANESVILLE****PARR** (42I) 5 N UTC-5(-4DT) N40°00.42' W82°00.74'

790 S4 FUEL 80, 100LL NOTAM FILE CLE

RWY 10-28: H3100X26 (ASPH) S-10 LIRL**RWY 10:** Trees. **RWY 28:** Thld dspcd 61'. Trees. Rgt tfc.**AIRPORT REMARKS:** Attended 1400Z‡-dark, holidays 1700Z‡-dark. For LIRL Rwy 10-28 key 122.8 five times on; eight times slowly to deactivate. Rwy 10-28 NSTD LIRL.**COMMUNICATIONS:** CTAF/UNICOM 122.8**RADIO AIDS TO NAVIGATION:** NOTAM FILE ZVZ.**ZANESVILLE (L) VOR/DME 111.4** ZVZ Chan 51 N39°56.45' W81°53.56' 312° 6.8 NM to fld. 900/6W.**DETROIT****L-29B**

ZANESVILLE MUNI (ZZV) 5 E UTC-5(-4DT) N39°56.67' W81°53.53'

CINCINNATI

900 B S4 FUEL 80, 100LL, JET A1 + OX 4 TPA-1900(1000) NOTAM FILE ZZV

H-106, L-29B

RWY 04-22: H5000X150 (ASPH-CONC) S-38, D-50, DT-75 HIRL 0.5% up SW

IAP

RWY 04: REIL. PAPI(P4R)—GA 3.0° TCH 35'. Trees.

RWY 22: REIL. PAPI(P4L).

RWY 16-34: H4999X150 (ASPH-CONC) S-38, D-50, DT-75 MIRL 0.6% up SE

RWY 16: REIL. Trees. **RWY 34:** REIL. PAPI(P4L). Trees.

AIRPORT REMARKS: Attended Mon-Fri 1200-0100Z†, Sat-Sun 1300-2300Z†. Deer and birds on and in/ovf arpt. Rwy 16-34 rwy cracking. Acft not visible from end to end. Twy A lgts OTS indef. HIRL Rwy 04-22, MIRL Rwy 16-34, REIL Rwy 04, Rwy 22, Rwy 16 and Rwy 34 NSTD pilot controlled, ACTIVATE—CTAF, 5 clicks on, 7 clicks off. Rotating bcn OTS indef. Rwy 04-22 and Rwy 16-34 are concrete with asphalt overlays. Rwy 16-34 75 ft new overlay in center sides are poor.

WEATHER DATA SOURCES: ASOS 111.4 ZZV (740) 453-8139.

COMMUNICATIONS: CTAF/UNICOM 123.0

RCO 122.1R 111.4T (CLEVELAND RADIO)

RCO 122.5 122.2 (CLEVELAND RADIO)


INDIANAPOLIS CENTER APP/DEP CON 124.45

RADIO AIDS TO NAVIGATION: NOTAM FILE ZZV.

(L) VOR/DME 111.4 ZZV Chan 51 N39°56.45' W81°53.56' at fld. 900/6W. ASOS.

NDB (MHW) 204 HRA N39°54.38' W81°55.16' 035° 2.6 NM to fld. Unmonitored. NDB OTS indef. SHUTDOWN.

ILS/DME 109.95 I-TNF Chan 36(Y) Rwy 22. Unmonitored.



ADAMS CO LEGION FLD (See FRIENDSHIP ADAMS)

ALEXANDER FLD SOUTH WOOD CO (See WISCONSIN RAPIDS)

AMERON N45°16.89' W92°22.28' NOTAM FILE GRB.

GREEN BAY

NDB (MHW) 278 AHH at Amery Muni. Unusable byd 20 NM.

A

AMERY MUNI (AHH) 2 S UTC-6(-5DT) N45°16.87' W92°22.52'

GREEN BAY

1088 B S4 FUEL 100LL, JET A NOTAM FILE GRB

L-141, A

RWY 18-36: H4001X75 (ASPH) S-12.5 MIRL

IAP

RWY 18: REIL. VASI(V2L)—GA 3.0° TCH 24'. Trees.

RWY 36: REIL. VASI(V2L)—GA 3.0° TCH 24'. Road.

AIRPORT REMARKS: Unattended. Radio controlled acft activity invof arpt. 100' crane 1500' SE of AER 36 dalgt hrs only. Rwy 36 safety area very rough. MIRL Rwy 18-36 preset low to increase ints and ACTIVATE VASI Rwy 18 and Rwy 36 and REIL Rwy 18 and Rwy 36—CTAF.

COMMUNICATIONS: CTAF/UNICOM 122.8

RICE LAKE RCO 122.3 (GREEN BAY RADIO)

® MINNEAPOLIS CENTER APP/DEP CON 125.3

RADIO AIDS TO NAVIGATION: NOTAM FILE RPD.

RICE LAKE (T) VORW/DME 110.0 RPD Chan 37 N45°24.91' W91°46.68' 252° 26.5 NM to fld. 1092/1E.

OTS indef.

AMERON NDB (MHW) 278 AHH N45°16.89' W92°22.28' at fld. NOTAM FILE GRB. Unusable byd 20 NM.

ANTIGO N45°09.52' W89°06.83' NOTAM FILE AIG.

GREEN BAY

NDB (MHW) 347 AIG at Langlade Co. Unusable beyond 18 NM.

L-14J

ANTIGO

LANGLADE CO (AIG) 2 NE UTC-6(-5DT) N45°09.25' W89°06.64'

GREEN BAY

1521 B S2 FUEL 100LL, JET A NOTAM FILE AIG

L-14J

RWY 16-34: H4001X75 (ASPH-AFSC) S-21 MIRL

IAP

RWY 16: REIL. PAPI(P2R)—GA 3.0° TCH 26'. Trees.

RWY 34: REIL. PAPI(P2L)—GA 3.0° TCH 39'. Trees.

RWY 08-26: H3400X75 (ASPH-AFSC) S-12.5 MIRL

RWY 08: PAPI(P2L)—GA 3.0° TCH 25'. Trees.

RWY 26: PAPI(P2R)—GA 3.0° TCH 28'. Road.

AIRPORT REMARKS: Attended May-Sep 1400-0200Z†, Oct-Apr 1400-2300Z†. MIRL Rwy 16-34 preset on low ints; to increase ints and ACTIVATE MIRL Rwy 08-26; REIL Rws 16 and 34; PAPI Rwy 08; Rwy 26 and Rwy 16 and Rwy 34—CTAF.

WEATHER DATA SOURCES: AWOS-3 119.075 (715) 627-2869.

COMMUNICATIONS: CTAF/UNICOM 122.8

® MINNEAPOLIS CENTER APP/DEP CON 124.4

RADIO AIDS TO NAVIGATION: NOTAM FILE AUW.


WAUSAU (L) VORTACW 111.6 AUW Chan 53 N44°50.81'

W89°35.19' 046° 27.4 NM to fld. 1205/2E.

ANTIGO NDB (MHW) 347 AIG N45°09.52' W89°06.83' at fld.

NOTAM FILE AIG.

Unusable beyond 18 NM.



APPLETON**OUTAGAMIE CO RGNL** (ATW) 3 W UTC-6(-5DT) N44°15.49' W88°31.15'918 B S4 FUEL 100LL, JET A1 +, MOGAS OX 1, 2 Class I, ARFF Index B
NOTAM FILE ATW**RWY 03-21:** H8002X150 (CONC-GRVD) S-75, D-160, ST-175, DT-320 HIRL**RWY 03:** MALSR. PAPI(P4L)—GA 3.0° TCH 47'. Tree.**RWY 21:** REIL. PAPI(P4L)—GA 3.0° TCH 47'. Tree.**RWY 11-29:** H6501X150 (CONC-GRVD). S-75, D-160, ST-175, DT-320 HIRL 0.9% up NW**RWY 11:** REIL. VASI(V4L)—GA 3.0° TCH 35'. Tree.**RWY 29:** MALSR. PAPI(P4L)—GA 3.0° TCH 61'.**LAND AND HOLD SHORT OPERATIONS**

LANDING	HOLD SHORT POINT	DIST AVBL
RWY 03	11-29	3300
RWY 21	11-29	4100
RWY 29	03-21	3400

RUNWAY DECLARED DISTANCE INFORMATION**RWY 03:** TORA 8002 TODA 8002 ASDA 8002 LDA 8002**RWY 11:** TORA 6501 TODA 6501 ASDA 6501 LDA 6501**RWY 21:** TORA 8002 TODA 8002 ASDA 8002 LDA 8002**RWY 29:** TORA 6501 TODA 6501 ASDA 6501 LDA 6501**AIRPORT REMARKS:** Attended continuously. Birds and migratory waterfowl on and in/ovf arpt. Snow removal ops in progress winter months.

Vehicle operators will be monitoring CTAF; acft ldg/dep Appleton should use CTAF when twr clsd. Rwy 03 touchdown RVR avbl. When twr clsd HIRL Rwy 03-21 preset on low ints, to increase ints and ACTIVATE HIRL Rwy 11-29; MALSR Rwy 03 and Rwy 29; REIL Rwy 11 and Rwy 21—CTAF. PAPI Rwy 03, Rwy 21 and Rwy 29 and VASI Rwy 11 opr 24 hrs. Rwy 21 PAPI rstd byd 8.5° right of course.


WEATHER DATA SOURCES: AWOS-3 (920) 832-2597. LAWRS.**COMMUNICATIONS:** CTAF 119.6 ATIS 127.15

UNICOM 122.95

Ⓡ GREEN BAY APP/DEP CON 126.3 (1130-0530Z) Ⓡ MINNEAPOLIS CENTER APP/DEP CON 126.3 (0530-1130Z)

APPLETON TOWER 119.6 (1130-0500Z) **GND CON** 121.7**AIRSPACE:** CLASS D svc 1130-0500Z other times CLASS G.**RADIO AIDS TO NAVIGATION:** NOTAM FILE OSH.**OSHKOSH (L) VORTAC** 111.8 OSH Chan 55 N43°59.43' W88°33.36' 004° 16.1 NM to fld. 780/2E.**KOOKY NDB (MHW/LOM)** 407 AQ N44°12.95' W88°23.94' 298° 5.8 NM to fld. NOTAM FILE ATW.

Unmonitored.

GAMIE NDB (LOM) 230 AT N44°09.75' W88°35.10' 028° 6.4 NM to fld.**ILS/DME** 109.1 I-ATW Chan 28 Rwy 03. Class 1C. LOM GAMIE NDB.**ILS/DME** 109.7 I-AQZ Chan 34 Rwy 29. Class IT. LOM KOOKY NDB **ILS/DME** unmonitored.**COMM/NAV/WEATHER REMARKS:** Rwy 03. LOC/GS unmonitored when twr clsd. LOM unmonitored.**GREEN BAY**H-21, L-28H
IAP, AD**ARBOR VITAE** N45°55.57' W89°43.76' NOTAM FILE ARV.**NDB (MHW)** 221 ARV at Lakeland/Noble F. Lee Meml Fld.**GREEN BAY**
L-141**ARSHA** N45°37.69' W89°37.13' NOTAM FILE RHI.**NDB (LOM)** 272 RH 087° 6.4 NM to Rhinelander-Oneida Co.**GREEN BAY****ASHLAND** N46°32.96' W90°55.04' NOTAM FILE ASX.(T) **VORW/DME** 110.2 ASX Chan 39 at John F. Kennedy Meml.

820/2E. Unmonitored 0000-1200Z.

RCD 122.25 (GREEN BAY RADIO)**GREEN BAY**
L-141

ASHLAND**JOHN F KENNEDY MEML** (ASX) 2 SW UTC-6(-5DT) N46°32.91' W90°55.14'**GREEN BAY**

H-2I, L-14I

IAP

827 B S2 FUEL 100LL, JET A, A1+ NOTAM FILE ASX

RWY 02-20: H5197X100 (ASPH) S-42, D-52 MIRL

RWY 02: REIL. PAPI(P4L)—GA 3.0° TCH 41'. Trees.

RWY 20: PAPI(P4L)—GA 3.0° TCH 34'. Trees.

RWY 13-31: H3498X75 (ASPH) S-40, D-50 MIRL 0.4% up NW

RWY 13: Trees. RWY 31: PAPI(P2L)—GA 3.0° TCH 37'. Trees.

AIRPORT REMARKS: Attended Mon-Fri 1400-2200Z†. For svc after hrs call 715-292-7070. Jet A1+ PPR ctc arpt manager 715-682-7070, after hrs call 715-292-7070. 24 hr self serve 100LL. Deer and other wildlife on and invof arpt. Heavy bird activity spring and summer months. Ultralight activity on and invof arpt. Snow removal ops winter months. Acft over 4000 lbs must stop or park on conc if able. Terminal building open May-Oct 1200-0200Z† and Nov-Apr 1400-2200Z†. ACTIVATE MIRL Rwy 13-31 and Rwy 02-20, REIL Rwy 02 and PAPI Rwy 02, Rwy 20 and Rwy 31-CTAF.

WEATHER DATA SOURCES: ASOS 126.775 (715) 682-5541.**COMMUNICATIONS:** CTAF/UNICOM 122.8

ASHLAND RCO 122.25 (GREEN BAY RADIO)


① MINNEAPOLIS CENTER APP/DEP CON 126.45

RADIO AIDS TO NAVIGATION: NOTAM FILE ASX.

ASHLAND (T) VORW/DME 110.2 ASX Chan 39 N46°32.96' W90°55.04' at fld. 820/2E. Unmonitored 0000-1200Z†.

KENNEDY NDB (MHW) 254 ENY N46°33.18' W90°54.87' at fld. Unmonitored 0000-1200Z†.

ILS/DME 109.3 I-ASX Chan 30 Rwy 02. LOC only.

**AUSTIN STRAUBEL INTL.** (See GREEN BAY)**BADGER** N43°07.01' W88°17.06' NOTAM FILE MKE.**CHICAGO**

(H) VORTACW 116.4 BAE Chan 111 153° 5 NM to Waukesha Co. 1080/2E. HIWAS.

H-5E, L-28H

BARABOO WISCONSIN DELLS (DLL) 3 NW UTC-6(-5DT) N43°31.32' W89°46.25'**CHICAGO**

979 B FUEL 100LL, JET A, MOGAS TPA-1979(1000) NOTAM FILE DLL

L-28G

RWY 01-19: H4800X75 (ASPH) S-19, D-30 HIRL

IAP

RWY 01: REIL. Trees.

RWY 19: REIL. PAPI(P2L)—GA 3.0 TCH 26. Trees.

RWY 14-32: 2708X100 (TURF)

RWY 14: Pole.

RWY 32: Trees.

AIRPORT REMARKS: Attended May-Sep 1400-0200Z†, Oct-Apr 1400-2300Z†. Rwy 14-32 not plowed and CLOSED Nov 15 thru Apr 15. Confirm rwy open with arpt manager 608-356-2270. Birds on and invof arpt in fall. HIRL Rwy 01-19 preset on low ints; to increase ints and ACTIVATE REIL Rwy 01 and Rwy 19-CTAF. Rwy 14-32 ends marked by yellow and black A-frames.

WEATHER DATA SOURCES: AWOS-3 118.325 (608) 356-1071**COMMUNICATIONS:** CTAF/UNICOM 123.05

DELLS RCO 122.1R 117.0T (GREEN BAY RADIO)

① MADISON APP/DEP CON 135.45 (1200-0500Z†)

① CHICAGO CENTER APP/DEP CON 133.3 (0500-1200Z†)

RADIO AIDS TO NAVIGATION: NOTAM FILE DLL.

DELLS (H) VORTAC 117.0 DLL Chan 117 N43°33.05' W89°45.82' 187° 1.8 NM to fld. 1020/3E.

ILS/DME 109.15 I-DLL Chan 28(Y) Rwy 01.

BARRON MUNI (9Y7) 0 NE UTC-6(-5DT) N45°24.45' W91°50.06'**GREEN BAY**

1113 TPA-2113(1000) NOTAM FILE GRB

RWY 09-27: 2010X260 (TURF)

RWY 09: Tree.

RWY 27: Road.

AIRPORT REMARKS: Attended irregularly. For svcs call arpt manager 715-635-6735 or 715-790-3071. Rwy 09-27 N half plowed; S half skis only. Rwy 09-27 ends marked by yellow cones.

COMMUNICATIONS: CTAF 122.9

RICE LAKE RCO 122.3 (GREEN BAY RADIO)

BAYYE N44°40.59' W89°38.88' NOTAM FILE AUW.**GREEN BAY**

NDB (LOM) 351 PH 353° 6.1 NM to Central Wisconsin.

BELOIT (44C) 3 E UTC-6(-5DT) N42°29.87' W88°58.06' CHICAGO
 817 B FUEL 100LL TPA-1517(700) NOTAM FILE GRB L-28H
 RWY 07-25: H3300X50 (ASPH) S-12.5 LIRL(NSTD) 0.4% up NE IAP
 RWY 25: Thld dsplcd 350'. Road.
AIRPORT REMARKS: Attended dawn-dusk. Glider ops on and invof arpt. ACTIVATE NSTD LIRL Rwy 07-25-CTAF.
 Rotating bcn ops dusk-0500Z; other hrs by req, call arpt manager 608-365-2998. Rwy 07-25 NSTD LIRL
 100' wide; 50' left and right of rwy centerline. Rwy 07 thld marking NSTD located 92' NE of pavement end.
COMMUNICATIONS: CTAF/UNICOM 122.7
 (R) ROCKFORD APP/DEP CON 121.0
RADIO AIDS TO NAVIGATION: NOTAM FILE FEP.
 JANESVILLE (L) VOR/DME 114.3 JVL Chan 90 N42°33.48' W89°06.32' 118° 7.1 NM to fld. 931/3E.
 HIWAS

BIG DOCTOR N45°49.28' W92°21.99' NOTAM FILE GRB GREEN BAY
 NDB (MHW) 203 BXR at Burnett Co. VFR only.

BIG FOOT AIRFIELD (See WALWORTH)

BLACKHAWK AIRFIELD (See MADISON)

BLACK RIVER FALLS AREA (BCK) 3 S UTC-6(-5DT) N44°15.05' W90°51.32' GREEN BAY
 836 B FUEL 100LL, JET A NOTAM FILE GRB L-28G
 RWY 08-26: H4600X75 (ASPH) S-12 MIRL 0.3% up E IAP
 RWY 08: REIL. PAPI(P2L)-GA 3.0° TCH 27'. Trees. RWY 26: PAPI(P2L)-GA 3.3° TCH 27'. Trees.
AIRPORT REMARKS: Unattended. Fuel 24 hrs self serve. Ultralight activity on and invof arpt. Wildlife, birds on and invof
 arpt. MIRL Rwy 08-26 preset on low ints; to ACTIVATE higher ints and PAPI Rwy 08 and Rwy 26 and REIL Rwy
 08-CTAF.
COMMUNICATIONS: CTAF 122.9
 RCO 122.5 (GREEN BAY RADIO)
 (R) MINNEAPOLIS CENTER APP/DEP CON 128.6
RADIO AIDS TO NAVIGATION: NOTAM FILE PNM.
 NODINE (H) VORTAC 117.9 ODI Chan 126 N43°54.74' W91°28.05' 051° 33.4 NM to fld. 1282/1E.
 NDB (MHW) 362 BCK N44°15.28' W90°50.94' at fld. NOTAM FILE GRB. NDB unusable byd 15 NM.

BOLOYER FLD (See TOMAH)

BONG N46°41.48' W92°06.21' NOTAM FILE SUW. GREEN BAY
 NDB (MHW) 260 SUW at Richard I Bong. L-141

BOSCobel (OVS) 2 NE UTC-6(-5DT) N43°09.65' W90°40.44' CHICAGO
 673 B S3 FUEL 100LL TPA-1503(830) NOTAM FILE OVS H-50, L-28G
 RWY 07-25: H5000X75 (ASPH) S-12.5 D-30 MIRL IAP
 RWY 07: REIL. PAPI(P2L)-GA 3.0° TCH 38'. Trees. RWY 25: REIL. PAPI(P2L)-GA 3.0° TCH 40'. Trees.
 RWY 02-20: H3658X58 (ASPH) S-12.5 MIRL
 RWY 02: Trees. RWY 20: Trees.
AIRPORT REMARKS: Attended dawn-dusk. MIRL Rwy 07-25 preset on low ints, to increase ints and ACTIVATE MIRL
 Rwy 02-20 and REIL Rwy 07-25-CTAF.
WEATHER DATA SOURCES: ASOS 126.775 (608) 375-2712.
COMMUNICATIONS: CTAF/UNICOM 122.8
 (R) CHICAGO CENTER APP/DEP CON 133.3
 GCO 121.725 (FLIGHT SERVICES)
RADIO AIDS TO NAVIGATION: NOTAM FILE LNR.
 LONE ROCK (L) VOR/DME 112.8 LNR Chan 75 N43°17.66' W90°07.99' 252° 25 NM to fld. 1184/OE.
 HIWAS.

BOULDER JUNCTION (BDJ) 2 N UTC-6(-5DT) N46°08.25' W89°38.76' GREEN BAY
 1666 TPA-2666(1000) NOTAM FILE GRB
 RWY 05-23: 3170X165 (TURF)
 RWY 05: Tree. RWY 23: Trees.
 RWY 16-34: 2540X160 (TURF)
 RWY 16: Road. RWY 34: Trees
AIRPORT REMARKS: Unattended May-Nov. Arpt CLOSED Dec-Apr. Rwy 05 all rwys marked with yellow A-frames.
COMMUNICATIONS: CTAF 122.9

BOYCEVILLE MUNI (3T3) 0 SE UTC-6(-5DT) N45°02.64' W92°01.22'

GREEN BAY

967 B S3 **FUEL** 100LL TPA-1967(1000) NOTAM FILE GRB

L-141

RWY 08-26: H3300X60 (ASPH) MIRL 0.5% up E

IAP

RWY 08: PAPI(P2L)—GA 3.0° TCH 28'. Tree.**RWY 26:** REIL. PAPI(P2L)—GA 3.0° TCH 23'.


AIRPORT REMARKS: Unattended. Fuel svc unavbl. Crane 160' 2.1 NM east 1300-2359Z daily. Deer on and in vof arpt, primarily after dusk. **ACTIVATE** MIRL **Rwy 08-26**, PAPI **Rwys 08 and 26** and REIL **Rwy 26-122.8**.

COMMUNICATIONS: CTAF/UNICOM 122.8.

MINNEAPOLIS CENTER APP/DEP CON 125.3

RADIO AIDS TO NAVIGATION: NOTAM FILE EAU.

EAU CLAIRE (L) VORTACW 112.9 EAU Chan 76 N44°53.86' W91°28.71' 287° 24.7 NM to fld. 804/4E. **HIWAS**.

**BRENNAND** (See NEENAH)**BRODHEAD** (C37) 2 S UTC-6(-5DT) N42°35.50' W89°22.51'

CHICAGO

793 NOTAM FILE GRB

RWY 09-27: 2430X155 (TURF) LIRL**RWY 09:** Tree. **RWY 27:** Trees.**RWY 03-21:** 1480X100 (TURF)**RWY 03:** Trees. **RWY 21:** Road.**RWY 15-33:** 1380X100 (TURF)**RWY 15:** Trees. **RWY 33:** Trees.

AIRPORT REMARKS: Unattended. **Rwys** not plowed winters, open to ski acft. **Rwy 09-27** east 1200' soft and rough. **ACTIVATE** LIRL **Rwy 09-27**—CTAF. **Rwy 09-27**; **Rwy 15-33**, and **Rwy 03-21** marked by orange and yellow half barrels.

COMMUNICATIONS: CTAF 122.9**BROOKFIELD****CAPITOL** (Ø2C) 3 E UTC-6(-5DT) N43°05.25' W88°10.67'

CHICAGO

850 B S4 **FUEL** 100LL, MOGAS TPA-1850 (1000) NOTAM FILE GRB

L-28H, A

RWY 03-21: H3501X44 (ASPH) MIRL (NSTD)**RWY 03:** TRCV(TRIL). Thld dspcd 500'. Road.**RWY 21:** REIL (NSTD). TRCV(TRIL). Thld dspcd 195'. Trees.**RWY 09-27:** 3395X100 (TURF)**RWY 09:** Tree. **RWY 27:** Trees.**RWY 18-36:** 1600X80 (TURF)**RWY 18:** Brush. **RWY 36:** Tree.

AIRPORT REMARKS: Attended Apr-Oct 1400Z-dusk, Nov-Mar 1400-0000Z. **Rwys 03 and 36** acft ops cannot see **Rwy 27** acft ops. Be alert: constant moving ops on and in vof **rwys** and adjacent areas. Intensive flight training powered acft. **Rwy 09-27** and **Rwy 18-36** open for ski equipped acft 1 Dec thru 15 Apr. **Rwys 09-27** and **18-36** not sanded or plowed. Confirm conditions and snow removal for **Rwy 03-21** with arpt manager 262-781-4213. **Rwy 21** NSTD REIL, strobes mounted on standard edge lighting poles. **Rwy 03-21** NSTD MIRL OTS indef. **ACTIVATE** NSTD MIRL **Rwy 03-21** and VASI **Rwys 03 and 21**—CTAF. **Rwy 03-21** NSTD MIRL; **Rwy 03** first 500' unlighted. **Rwy 09-27** and **Rwy 18-36** ends marked with orange and white A-frames.

COMMUNICATIONS: CTAF/UNICOM 122.7**RADIO AIDS TO NAVIGATION:** NOTAM FILE MKE

BADGER (H) VORTACW 116.4 BAE Chan 111 N43°07.01' W88°17.06' 109° 5 NM to fld. 1080/2E. **HIWAS**.

BURBUN N42°41.36' W88°18.11' NOTAM FILE GRB.

CHICAGO

(T) VORW/DME 114.5 BUU Chan 92 at Burlington Muni. 780/1W. **AWOS-3**.

L-28H, A

BURLINGTON MUNI (BUU) 1 NW UTC-6(-5DT) N42°41.44' W88°18.28' **CHICAGO**
 779 B S4 FUEL 100LL, JET A OX 4 NOTAM FILE BUU L-28H, A
RWY 11-29: H4300X75 (ASPH) S-20 MIRL IAP
RWY 11: REIL. PAPI(P2L)—GA 3.15° TCH 33'. Tree.
RWY 29: REIL. VASI(V2L)—GA 3.0° TCH 36'. Tree. Rgt tfc.
RWY 01-19: 2477X130 (TURF)
RWY 01: Trees. **RWY 19:** Road. Rgt tfc.
AIRPORT REMARKS: Attended 1400Z±-dusk. Fuel 24 hr self svc. Waterfowl on and invof arpt. Tfc departing Rwy 11 avoid overflight of city. ACTIVATE MIRL Rwy 11-29; VASI Rwy 29 and PAPI Rwy 11 and REIL Rwy 11 and 29—CTAF. Asph twy 30' wide, except W 700' 35' wide. Rwy 01-19 marked with yellow/black wooden panels.
WEATHER DATA SOURCES: AWOS-3 BUU 114.5 (262) 757-0907.
COMMUNICATIONS: CTAF/UNICOM 123.05
 (R) **MILWAUKEE APP/DEP CON** 125.35
GCO 121.725 (FLIGHT SERVICES)
RADIO AIDS TO NAVIGATION: NOTAM FILE MKE.
BADGER (H) VORTACW 116.4 BAE Chan 111 N43°07.01' W88°17.06' 180° 25.6 NM to fld. 1080/2E.
 HIWAS.
BURBUN (T) VOR/DME 114.5 BUU Chan 92 N42°41.36' W88°18.11' at fld. 780/1W. AWOS-3. NOTAM FILE GRB.

BURNETT CO (See SIREN)

CABLE UNION (3CU) 2 SE UTC-6(-5DT) N46°11.66' W91°14.79' **GREEN BAY**
 1360 B FUEL 100LL NOTAM FILE GRB L-141
RWY 16-34: H3709X75 (ASPH) S-28 LIRL 0.4% up S IAP
RWY 16: REIL. Tree. **RWY 34:** Trees.
RWY 08-26: 2840X200 (TURF)
RWY 08: Thld dsplcd 400'. Trees. **RWY 26:** Thld dsplcd 400'. Trees.
AIRPORT REMARKS: Unattended. For arpt manager after hrs call 715-794-2493. Rwy 08-26 CLOSED Nov 21-May 1. Rwy 08-26 marked with orange/white wooden A-frames. No heating units to start acft.
COMMUNICATIONS: CTAF/UNICOM 122.8
HAYWARD RCO 122.1R 113.4T (GREEN BAY RADIO)
MINNEAPOLIS CENTER APP/DEP CON 126.45
RADIO AIDS TO NAVIGATION: NOTAM FILE HYR.
HAYWARD (L) VOR/DME 113.4 HYR Chan 81 N46°01.14' W91°26.78' 035° 13.4 NM to fld. 1207/3E.
 VOR portion unusable blo 10000'.
SEELEY NDB (MHW) 344 SLY N46°06.73' W91°23.08' 048° 7.6 NM to fld.
 NOTAM FILE GRB. NDB unusable byd 15 NM.

CALIN N44°34.15' W90°09.06' NOTAM FILE MFI. **GREEN BAY**
NDB (LOM) 266 DU 338° 4.4 NM to Marshfield Muni.

CAMP LAKE (49C) 1 W UTC-6(-5DT) N42°32.00' W88°09.51' **CHICAGO**
 755 S4 TPA-1355(600) NOTAM FILE GRB
RWY 18-36: 2250X75 (TURF)
RWY 18: Building. **RWY 36:** Trees. Rgt tfc.
AIRPORT REMARKS: Attended Mon-Sat 1500-0400Z±. Ultralight activity on and invof arpt. Deer activity on and invof arpt. Arpt not plowed; confirm conditions with arpt manager 262-889-8187.
COMMUNICATIONS: CTAF 122.9

CAPITOL (See BROOKFIELD)

CAPPY N42°50.38' W87°54.78' NOTAM FILE MKE. **CHICAGO**
NDB (LOM) 410 MK 008° 6.5 NM to General Mitchell Intl.

CARTER (See PULASKI)

CASSVILLE MUNI (C74) 1 SE UTC-6(-5DT) N42°42.25' W90°57.88' **CHICAGO**
 627 NOTAM FILE GRB **L-286**
RWY 11-29: H3000X50 (ASPH) S-21, D-40 LIRL
RWY 11: Tree. Rgt tfc. **RWY 29:** Thld dsplcd 600'. Road.
AIRPORT REMARKS: Unattended. For winter condition and snow removal call arpt manager 608-725-5895. 1350' X20'
 twy W end Rwy 11.
COMMUNICATIONS: CTAF 122.9
RADIO AIDS TO NAVIGATION: NOTAM FILE DBQ.
DUBUQUE (H) VORTACW 115.8 DBQ Chan 105 N42°24.09' W90°42.54' 324° 21.4 NM to fld. 1051/4E.

CENTRAL CO (See IOLA)

CENTRAL WISCONSIN (See MOSINEE)

CHETEK MUNI-SOUTHWORTH (Y23) 1 SE UTC-6(-5DT) N45°18.37' W91°38.17' **GREEN BAY**
 1055 B S2 FUEL 80, 100LL TPA-2055(1000) NOTAM FILE GRB **L-14I**
RWY 17-35: H3400X60 (ASPH) MIRL **IAP**
RWY 17: REIL. PAPI(P2L)—GA 4.0° TCH 22'. Thld dsplcd 600'. Trees.
RWY 35: REIL. PAPI (P2L)—GA 3.0° TCH 29'. Road.
RWY 07-25: 1100X70 (TURF) 0.4% up E
RWY 07: Trees. **RWY 25:** Trees.
AIRPORT REMARKS: Unattended. 24 hr self svc fuel. Rwy 07-25 not plowed; Rwy CLOSED Nov 15 thru Apr 15. Rwy 17-35 may not be plowed for 24 to 48 hrs after heavy snow fall or drifting snow. Rwy 07-25 thlds marked by yellow cones. MIRL Rwy 17-35 preset on low ints, to increase ints and ACTIVATE PAPI and REIL Rwy 17 and Rwy 35—CTAF.
COMMUNICATIONS: CTAF 122.9
RICE LAKE RCO 122.3 (GREEN BAY RADIO)
MINNEAPOLIS CENTER APP/DEP CON 125.3
RADIO AIDS TO NAVIGATION: NOTAM FILE RPD.
RICE LAKE (T) VORW/DME 110.0 RPD Chan 37 N45°24.91' W91°46.68' 136° 8.9 NM to fld. 1092/1E. OTS indef.

CHILTON

FLYING FEATHERS (11Y) 2 NW UTC-6(5DT) N44°03.67' W88°11.70' **GREEN BAY**
 940 NOTAM FILE GRB Not insp.
RWY 18-36: 1000X60 (TURF)
RWY 09-27: 500X20 (TURF)
AIRPORT REMARKS: Unattended.
COMMUNICATIONS: CTAF 122.9

CHIPPEWA VALLEY RGNL (See EAU CLAIRE)

CINDY GUNTLY MEML (See FRANKSVILLE)

CLINTONVILLE MUNI (CLI) 1 SE UTC-6(-5DT) N44°36.80' W88°43.84'

GREEN BAY

822 B S4 FUEL 100LL, JET A NOTAM FILE CLI

L-14J, 31A

RWY 14-32: H4600X75 (ASPH) S-30, D-55 MIRL

IAP

RWY 14: Trees.

RWY 32: REIL. PAPI(P4L)—GA 3.0° TCH 26'. Tree.

RWY 04-22: H3300X100 (ASPH) S-40, D-70, ST-89

MIRL 0.4% up SW

RWY 04: Trees.

RWY 22: Road.

RWY 09-27: 2000X170 (TURF)

RWY 09: Tree.

RWY 27: Road.

AIRPORT REMARKS: Attended Mon-Fri 1400-2300Z†. Fuel: 24 hr self svc. Rwy 09-27 CLOSED from 1 Dec to 15 Apr, other times confirm condition with arpt manager at 715-823-7690. Deer, fox and birds on and in/ov arpt. 200' crane 6000' NW apch end Rwy 14. ACTIVATE MIRL Rwy 04-22 and Rwy 14-32 and REIL Rwy 32 and PAPI Rwy 32—CTAF. Rwy 09-27 thlds marked with white cones.

WEATHER DATA SOURCES: AWOS-3 120.675 (715) 823-7691.**COMMUNICATIONS:** CTAF/UNICOM 122.8

① GREEN BAY APP/DEP CON 126.3 (1130-0530Z†)

① MINNEAPOLIS CENTER APP/DEP CON 125.55 (0530-1130Z†)


GCO 121.725 (FLIGHT SERVICES)

RADIO AIDS TO NAVIGATION: NOTAM FILE GRB.

GREEN BAY (H) VORTACW 115.5 GRB Chan 102 N44°33.31' W88°11.69' 278° 23.2 NM to fld. 767/1E.

HIWAS.

NDB (MHW) 209 CLI N44°37.13' W88°43.99' at fld. NOTAM FILE CLI.

**CODEE** N42°33.62' W88°01.73' NOTAM FILE ENW.

CHICAGO

NDB(LOM) 389 EN 066° 4.9 NM to Kenosha Rgnl.

CORNELL MUNI (2H3) 2 E UTC-6(-5DT) N45°09.93' W91°06.34'

GREEN BAY

1154 B S2 FUEL MOGAS NOTAM FILE GRB

RWY 09-27: H2420X45 (ASPH) LIRL (NSTD)

RWY 9: Road.

RWY 27: Tree.

AIRPORT REMARKS: Attended 1400-2300Z†. Confirm winter conditions and snow removal with arpt manager

715-239-3716. East 100' in poor condition; pavement cracked; heaving and grass growing in cracks. ACTIVATE

NSTD LIRL Rwy 09-27 and rotating bcn—UNICOM. LIRL OTS indef.

COMMUNICATIONS: CTAF/UNICOM 122.8**CRANDON MUNI** (Y55) 3 SW UTC-6(-5DT) N45°31.00' W88°56.01'

GREEN BAY

1646 B NOTAM FILE GRB

L-14J

RWY 11-29: H3100X75 (ASPH) S-12 LIRL

RWY 11: Trees.

RWY 29: Road.

RWY 01-19: 2730X100 (TURF)

RWY 01: Road.

RWY 19: Trees.


AIRPORT REMARKS: Unattended. Occasional deer on and in/ov arpt. LIRL

Rwy 11-29 preset on low ints; to increase ints—CTAF. Rwy 01-19 marked by yellow cones.

COMMUNICATIONS: CTAF 122.9**RADIO AIDS TO NAVIGATION:** NOTAM FILE RHI.

RHINELANDER (L) VORTAC 109.2 RHI Chan 29 N45°38.03'

W89°27.47' 105° 23.2 NM to fld. 1590/2E. HIWAS.



CRIVITZ MUNI (3D1) 3 SW UTC-6(-5DT) N45°12.85' W88°04.37'

GREEN BAY

731 B NOTAM FILE GRB

RWY 18-36: H2620X60 (ASPH) S-12

RWY 18: Road. RWY 36: Road.

RWY 09-27: 1270X80 (TURF) LIRL

RWY 09: Trees. RWY 27: Trees.

AIRPORT REMARKS: Unattended. Deer on and in/ov arpt. Rwy 09-27 not plowed. Confirm snow removal for Rwy 18-36 with arpt manager 715-854-7075. ACTIVATE LIRL Rwy 09-27 and rotating bcn-5 clicks on 123.0.

COMMUNICATIONS: CTAF/UNICOM 122.8**CUMBERLAND****CUMBERLAND MUNI** (UBE) 3 SE UTC-6(-5DT) N45°30.36' W91°58.87'

GREEN BAY

1241 B S4 FUEL 100LL, MOGAS NOTAM FILE GRB

L-14I

RWY 09-27: H4050X75 (ASPH) MIRL

IAP

RWY 09: VASI(V2L)—GA 3.0° TCH 26'. Road.

RWY 27: REIL. VASI(V2L)—GA 3.0° TCH 29'. Road.

RWY 18-36: 2000X120 (TURF)

RWY 18: Road. RWY 36: Tree.

AIRPORT REMARKS: Unattended. 24 hr fuel avbl. Rwy 18-36 not plowed winter months. Rwy 18-36 marked with yellow cones. MIRL Rwy 09-27 preset on low ints to increase ints and ACTIVATE REIL Rwy 27—CTAF. VASI Rwy 27 opr 24 hrs.

COMMUNICATIONS: CTAF/UNICOM 122.8

RICE LAKE RCO 122.3 (GREEN BAY RADIO)


GCO 121.725 (FLIGHT SERVICES)

RADIO AIDS TO NAVIGATION: NOTAM FILE RPD.

RICE LAKE (T) VORW/DME 110.0 RPD Chan 37 N45°24.91'

W91°46.68' 301° 10.2 NM to fld. 1092/1E. OTS indef.

NDB (MHW) 375 UBE N45°30.55' W91°58.60' at fld. NOTAM FILE GRB. Unmonitored.

**SILVER LAKE SPB** (WN2) 5 NW UTC-6(-5DT) N45°35.07' W91°55.55'

GREEN BAY

1248 NOTAM FILE GRB

Not insp.

WATERWAY 18W-36W: 5000X200 (WATER)**SEAPLANE REMARKS:** Unattended. No services avbl. Silver Lake may be frozen from Nov-Apr.**COMMUNICATIONS:** CTAF 122.9**DANCI** N44°45.62' W89°47.35' NOTAM FILE CWA.

GREEN BAY

NDB (LOM) 275 CW 079° 5.3 NM to Central Wisconsin.

DANE CO RGNL-TRUAX FLD (See MADISON)

DELAN**LAKE LAWN** (C59) 2 E UTC-6(-5DT) N42°38.05' W88°36.07'

CHICAGO

981 B NOTAM FILE GRB

L-28H

RWY 18-36: H4423X80 (ASPH) MIRL 0.3% up N

IAP


RWY 18: REIL. Thld dsplcd 320'. Tree.

RWY 36: Thld dsplcd 300'. Tree.

AIRPORT REMARKS: Unattended. Arpt CLOSED for ngt ops. Rwy 18-36 CLOSED 15 Nov-31 Mar. Rwy 18-36 numerous large cracks and vegetation growing through pavement entire length. Low wing acft avoid south twy, 25' from twy centerline to 3' fence. Rwy 18-36 MIRL OTS indef. Rwy 18 REIL OTS indef.

COMMUNICATIONS: CTAF 122.9Ⓡ **ROCKFORD APP/DEP CON 121.0****RADIO AIDS TO NAVIGATION:** NOTAM FILE FEP.**JANESVILLE (L) VOR/DME 114.3 JVL** Chan 90 N42°33.48'W89°06.32' 075° 22.8 NM to fld. 931/3E. **HIWAS.**

NDB (MHW) 404 LVV N42°41.93' W88°35.59' 185° 3.9 NM to fld. NOTAM FILE GRB. OTS indef.

**DELLS** N43°33.05' W89°45.82' NOTAM FILE DLL.

CHICAGO

(H) **VORTAC 117.0 DLL** Chan 117 187° 1.8 NM to Baraboo Wisconsin Dells. 1020/3E.

H-21, 5D, L-28G

RCO 122.1R 117.0T (GREEN BAY RADIO)**DEPRE** N44°23.91' W88°07.97' NOTAM FILE GRB.

CHICAGO

NDB (MHW/LOM) 332 SG 004° 5.2 NM to Austin Straubel Intl. LOM unmonitored.

L-31A

DODGE CO (See JUNEAU)**DOOR CO CHERRYLAND** (See STURGEON BAY)**DOUGY** N45°50.07' W89°43.83' NOTAM FILE ARV.

GREEN BAY

NDB (MHW/LOM) 236 DO 001° 5.6 NM to Lakeland/Noble F. Lee Meml Fld. NDB unmonitored.

L-14J

DRUMMOND**EAU CLAIRE LAKES** (5G4) 10 W UTC-6(-5DT) N46°20.93' W91°29.90'

GREEN BAY

1214 NOTAM FILE GRB

RWY 18-36: 2290X70 (TURF)

RWY 18: Trees. RWY 36: Fence.

AIRPORT REMARKS: Attended daltg hrs. Arpt CLOSED to wheeled acft Nov 15 thru Mar 31. 62' antenna 150' right and 340' from thld Rwy 36. 10' depression 40'-400' from Rwy 36 thld 125' left. Rwy 18 end marked with tires. Rwy 36 end marked with silver/yellow A-frames, Rwy 18-36 marked with white reflectors along both edges.

COMMUNICATIONS: CTAF 122.9

EAGLE RIVER UNION (EGV) 0 NW UTC-6(-5DT) N45°55.94' W89°16.10'**GREEN BAY**

1642 B S4 FUEL 100LL, JET A NOTAM FILE EGV

H-2J, L-14J

RWY 04-22: H5000X76 (ASPH) S-12.5 MIRL

IAP

RWY 04: REIL. PAPI(P4L). Trees.

RWY 22: REIL. PAPI(P4L)—GA 3.0° TCH 34'. Pole.

RWY 13-31: H3400X60 (ASPH) MIRL

RWY 13: Tree.

RWY 31: Tree.

AIRPORT REMARKS: Attended Jun-Aug 1500-0200Z†, Sep-May 1500-2300Z†. For attendant other hrs call 715-477-1548/479-4105/891-0987/891-5612. Ultralight activity on and invof arpt. REIL Rwy 22 OTS indef.

ACTIVATE MIRL Rwy 04-22 and MIRL Rwy 13-31 and REIL Rwy 04 and Rwy 22 and twy lgts—CTAF.

WEATHER DATA SOURCES: AWOS-3 118.325 (715) 479-1465.

COMMUNICATIONS: CTAF/UNICOM 122.8

RHINELANDER RCO 122.1R 109.2T (GREEN BAY RADIO)

® MINNEAPOLIS CENTER APP/DEP CON 133.65

GCO 121.725 (FLIGHT SERVICES)

RADIO AIDS TO NAVIGATION: NOTAM FILE RHI.

RHINELANDER (L) VORTAC 109.2 RHI Chan 29 N45°38.03' W89°27.47' 022° 19.6 NM to fld. 1590/02E.

HIWAS.

NDB (MHW) 341 EGV N45°55.96' W89°15.79' at fld. NOTAM FILE EGV.

ILS/DME 110.7 I-LBJ Chan 44 Rwy 04. LOC only. DME unusable byd 20° left of course.

HELIPAD H1: 60X60 (CONC)

HELIPORT REMARKS: Helipad H1 perimeter lgts.

EAST TROY MUNI (57C) 2 NE UTC-6(-5DT) N42°47.83' W88°22.36'**CHICAGO**

860 B S4 FUEL 100LL, JET A, MOGAS NOTAM FILE GRB

L-28H, A

RWY 08-26: H3900X75 (ASPH) S-12 MIRL 0.4% up E

IAP

RWY 08: REIL. PAPI(P2L)—GA 3.0° TCH 43'. Road.

RWY 26: REIL. Trees.

RWY 18-36: 2446X75 (TURF) 0.4% up N

RWY 18: Tree.

RWY 36: Road.

AIRPORT REMARKS: Attended 1430Z†-dusk. After hrs svc call 262-642-2755 or 262-745-8706. Fuel avbl 24 hrs with credit card. Parachute Jumping. Rwy 18-36 be alert: not plowed 15 Oct-15 May. Ultralights activity on and invof arpt. Noise abatement procedures in effect; contact arpt manager at 262-642-4374. MIRL Rwy 08-26 is preset on low ints; to ACTIVATE higher ints and REIL Rwy 08 and 26 and PAPI Rwy 08—CTAF. Rwy 18-36 thlds marked with wooden A-frames in an L layout painted orange and white.

COMMUNICATIONS: CTAF/UNICOM 123.0


® MILWAUKEE APP/DEP CON 125.35

GCO 121.725 (MILWAUKEE CLNC and FLIGHT SERVICES)

RADIO AIDS TO NAVIGATION: NOTAM FILE MKE

BADGER (H) VORTACW 116.4 BAE Chan 111 N43°07.01'

W88°17.06' 190° 19.6 NM to fld. 1080/2E. HIWAS.

**EAU CLAIRE** N44°53.86' W91°28.71' NOTAM FILE EAU.**GREEN BAY**

(L) VORTACW 112.9 EAU Chan 76 183° 2NM to Chippewa Valley Rgnl. 804/4E.

H-2I, L-14I

HIWAS. DME unusable byd 30NM below 3500'.

RCO 123.6 122.65 (GREEN BAY RADIO)

EAU CLAIRE**CHIPPEWA VALLEY RGNL**

(EAU) 3 N UTC-6(-5DT) N44°51.95' W91°29.06'
913 B S4 FUEL 100LL, JET A OX 4 TPA-1913(1000) Class I, ARFF Index A
NOTAM FILE EAU

GREEN BAY
H-2I, L-14I
IAP, AD

RWY 04-22: H8101X150 (CONC-TRTD-RFSC) S-100, D-180, ST-175, DT-320 HIRL

RWY 04: REIL. PAPI(P4L)—GA 3.0° TCH 44'. Thld dspcd 801'.

Road.

RWY 22: MALSR. PAPI(P4L)—GA 3.0° TCH 50'. 0.6% down.

RWY 14-32: H5000X100 (ASPH-CONC) S-40, D-60 MIRL

RWY 14: REIL. PAPI(P4L)—GA 3.0° TCH 43'. Trees.

RWY 32: PAPI(P4L)—GA 4.0° TCH 70'. Tree.

RUNWAY DECLARED DISTANCE INFORMATION

RWY 04: TORA-8101 TODA-8101 ASDA-8101 LDA-7301

RWY 22: TORA-7301 TODA-7301 ASDA-7301 LDA-7301

AIRPORT REMARKS: Attended 1300-0300Z†. Arpt condition unmonitored 0500-1000Z†. ARFF not avbl 24 hrs. PPR for unscheduled air carrier ops with more than 9 passenger seats; ctc arpt manager 715-839-6241. Air carrier ops with more than 9 passenger seats not authorized in excess of 15 minutes before or after scheduled arrival/dep times without PPR with arpt manager and confirmation ARFF is avbl prior to ldg or tkf. HIRL Rwy 04-22 preset on low ints, to incr ints and ACTIVATE MIRL Rwy 14-32, PAPI Rwy 14, Rwy 32, and Rwy 22, REIL Rwy 04 and Rwy 14, MALSR Rwy 22—CTAF. PAPI Rwy 04 on continuously.

WEATHER DATA SOURCES: ASOS 119.675 (715) 832-7990. HIWAS 112.9 EAU.

COMMUNICATIONS: CTAF 118.575 UNICOM 122.95

EAU CLAIRE RCO 123.6 122.65 (GREEN BAY RADIO)

MINNEAPOLIS CENTER APP CON 125.3

TOWER 118.575 (1130-0230Z†) **GND CON** 120.925


AIRSPACE: CLASS D svc 1130-0230Z† other times CLASS E.

RADIO AIDS TO NAVIGATION: NOTAM FILE EAU.

EAU CLAIRE (L) VORTACW 112.9 EAU Chan 76 N44°53.86' W91°28.71' 183° 1.9 NM to fld. 804/4E. HIWAS

MAGGS NDB (LOM) 239 EA N44°56.69' W91°22.42' 224° 6.7 NM to fld. Unmonitored.

ILS/DME 109.5 I-EAU Chan 32 Rwy 22. LOM MAGGS NDB. BC unusable byd 10 NM blo 2500'.

**EAU CLAIRE LAKES** (See DRUMMOND)**EDGERTON**

JANA (58C) 3 N UTC-6(-5DT) N42°52.37' W89°04.54'

CHICAGO

842 FUEL 100LL NOTAM FILE GRB

RWY 18-36: 2305X135 (TURF) LIRL (NSTD)

RWY 18: Tree. **RWY 36:** Brush.

AIRPORT REMARKS: Attended irregularly. Parachute Jumping. Fee for acft ldg at arpt without gas purchase (maintenance fee). For NSTD LIRL Rwy 18-36 call 608-884-3403/3521. Rwy 18-36 NSTD LIRL with reflectors; orange reflectors indicating last 1000' of rwy both directions. Rwy 18-36 marked by pairs of red metal A-frames; ends of stopways marked with 3 red metal A-frames on centerline.

COMMUNICATIONS: CTAF 122.9

ELROY MUNI (60C) 2 S UTC-6(-5DT) N43°42.38' W90°15.46'

CHICAGO

944 TPA-1744(800) NOTAM FILE GRB

RWY 06-24: 3085X100 (GRVL-TURF) LIRL (NSTD)

RWY 06: Trees. **RWY 24:** Tree. Rgt tfc.

AIRPORT REMARKS: Unattended. Rwy 06-24 2550' by 34' GRVL superimposed on turf rwy; surface patchy and rough.

Tall bluffs and trees located on both sides of rwy. Rwy 06-24 NSTD LIRL thld lgts, all green lenses.

COMMUNICATIONS: CTAF 122.9

EPHRAIM—FISH CREEK (3D2) 1 SW UTC-6(-5DT) N45°08.12' W87°11.15' **GREEN BAY**
 773 B S2 FUEL 100LL NOTAM FILE GRB **L-31B**
 RWY 14-32: H2700X60 (ASPH) S-12.5 MIRL 0.5% up NE **IAP**
 RWY 14: PAPI(P2L)—GA 3.5° TCH 24'. Trees. RWY 32: PAPI(P2L)—GA 3.0° TCH 25'. Trees.
 RWY 01-19: 1980X80 (TURF)
 RWY 01: Trees. RWY 19: Trees.
AIRPORT REMARKS: Attended on call. For fuel Mon-Fri 1600-2100Z± call 920-868-1714. Other hrs call 920-495-0775/493-1714. Rwy 01-19 slopes immediately down to South—cannot see one end from the other. Rwy 14-32 400' turf twy on NE end. Rwy 01-19 ends and edges marked with yellow barrels. ACTIVATE MIRL Rwy 14-32, PAPI Rwy 14 and Rwy 32—CTAF.
COMMUNICATIONS: CTAF/UNICOM 123.0
GREEN BAY APP/DEP CON 119.5 (1130-0530Z±) **MINNEAPOLIS CENTER APP/DEP CON** 127.65 (0530-1130Z±)
RADIO AIDS TO NAVIGATION: NOTAM FILE MNM.
MENOMINEE (L) VOR DME 109.6 MNM CHAN 83 N45°10.81' W87°38.83' 098° 19.8 NM to fld. 650/00E.

FALLS N43°46.13' W87°50.93' NOTAM FILE SBM. **CHICAGO**
 (L) VOR/DME 110.0 FAH Chan 37 at Sheboygan Co Meml. 740/2W. ASOS **L-28H**
 VOR unusable 018°-045° byd 12 NM and 046°-017° byd 31 NM blo 3000'.
 DME unusable 320°-340° byd 25 NM blo 3000'.
RCO 122.1R 110.0T (GREEN BAY RADIO)

FAMIS N44°26.43' W88°14.38' NOTAM FILE GRB. **GREEN BAY**
NDB (LOM) 356 GR 063° 5.4 NM to Austin Straubel Intl. Unmonitored.

FICHY N44°45.36' W87°26.95' NOTAM FILE SUE. **GREEN BAY**
NDB (LOM) 224 II 016° 5.4 NM to Door Co Cherryland. Unmonitored.

FOND DU LAC CO (FLD) 1 W UTC-6(-5DT) N43°46.27' W88°29.31' **CHICAGO**
 808 B S4 FUEL 100LL, JET A1 TPA-1808(1000) NOTAM FILE FLD **H-2I, L-28H**
 RWY 18-36: H5941X100 (ASPH) D-60 HIRL **IAP**
 RWY 18: REIL. PAPI(P4L)—GA 3.0° TCH 48'. Trees. Rgt tfc.
 RWY 36: MALSR. PAPI(P4L)—GA 3.0° TCH 33'. Trees.
 RWY 09-27: H3602X75 (ASPH) S-22 MIRL 0.6% up W
 RWY 09: Trees. Rgt tfc. RWY 27: Road.
AIRPORT REMARKS: Attended 1400Z±-dusk. For attendant after hrs call 920-922-6000. Rwy 36 is for left tfc only. HIRL Rwy 18-36 preset on low ints; to incr ints and ACTIVATE MIRL Rwy 09-27, REIL Rwy 18; PAPI Rwy 18 and Rwy 36 and MALSR Rwy 36—CTAF.
WEATHER DATA SOURCES: ASOS 134.0 (920) 922-4444.
COMMUNICATIONS: CTAF/UNICOM 123.05
RCO 122.5 (GREEN BAY RADIO)
MILWAUKEE APP/DEP CON 127.0
RADIO AIDS TO NAVIGATION: NOTAM FILE OSH.
OSHKOSH (L) VORTAC 111.8 OSH Chan 55 N43°59.43' W88°33.36' 165° 13.5 NM to fld. 780/2E.
ILS/DME 108.3 I-FLD Chan 20 Rwy 36 LOC only.

FORT ATKINSON MUNI (61C) 3 NE UTC-6(-5DT) N42°57.79' W88°49.06' **CHICAGO**
 800 B FUEL 100LL TPA-1800(1000) NOTAM FILE GRB **L-28H**
 RWY 03-21: H3801X60 (ASPH) S-12 MIRL **IAP**
 RWY 03: Trees. RWY 21: PAPI(P2L)—GA 3.0° TCH 30'. Tree.
AIRPORT REMARKS: Unattended. Parachute Jumping. Fuel avbl PPR call 920-563-7760. Ultralight activity on and invof arpt. Rwy 03-21 pilots req to fly rwy heading and climb to 1400' MSL before turning east. MIRL Rwy 03-21 preset on low ints, to ACTIVATE higher ints and PAPI Rwy 21—CTAF.
COMMUNICATIONS: CTAF 122.9
MADISON APP/DEP CON 120.1 (1200-0500Z±) **CHICAGO CENTER APP/DEP CON** 133.3 (0500-1200Z±).
RADIO AIDS TO NAVIGATION: NOTAM FILE MKE.
BADGER (H) VORTACW 116.4 BAE Chan 111 N43°07.01' W88°17.06' 247° 25.2 NM to fld. 1080/2E. **HIWAS.**

FOX RIVER (See ROCHESTER)

FRANKS SPB (See LAC DU FLAMBEAU)

FRANKSVILLE**CINDY GUNTLY MEML** (62C) 7 NW UTC-6(-5DT) N42°49.42' W88°05.67'

CHICAGO

790 S4 FUEL 100LL, MOGAS TPA-1790(1000) NOTAM FILE GRB

RWY 01-19: 2425X70 (TURF) LIRL (NSTD).

RWY 01: Tree. RWY 19: Tree.

RWY 18-36: 1200X80 (TURF)

RWY 18: Trees. RWY 36: Tree.

AIRPORT REMARKS: Attended Mon-Fri 1430-0000Z†, Sat 1700-0000Z†. Rwy 18 and Rwy 19 ground drops off rapidly at S end. Rwy 18-36 rough and undulating rolling terrain. ACTIVATE NSTD LIRL Rwy 01-19—CTAF. Rwy 01-19 NSTD LIRL has two pairs of lgts each end.

COMMUNICATIONS: CTAF 122.9

FRIENDSHIP (ADAMS)**ADAMS CO LEGION FLD** (63C) 1 E UTC-6(-5DT) N43°57.67' W89°47.28'

CHICAGO

976 B FUEL 100LL NOTAM FILE GRB

L-286

RWY 15-33: H3400X60 (ASPH) S-12.5 MIRL 0.3% up SE

IAP

RWY 15: REIL. PAPI(P2L). Trees.

RWY 33: REIL. PAPI(P2L). Trees.

RWY 08-26: 2825X100 (TURF)

RWY 08: Trees. RWY 26: Trees.

AIRPORT REMARKS: Unattended. Fuel avbl 24 hrs with credit card.

Ultralight activity at arpt. Rwy 08-26 CLOSED Dec 1-Apr 1. Aft departing Rwy 15 turn to a heading of 180° after takeoff. Rwy 08-26 marked with 3' white cones. ACTIVATE MIRL Rwy 15-33 and REIL Rwy 15 and Rwy 33—CTAF.

COMMUNICATIONS: CTAF 122.9


VOLK APP/DEP CON 135.25 (1300-2100Z†)

CHICAGO CENTER/APP DEP CON 133.3 (2100-1300Z†)

RADIO AIDS TO NAVIGATION: NOTAM FILE DLL.

DELLS (H) VORTAC 117.0 DLL Chan 117 N43°33.05'

W89°45.82'. 355° 24.6 NM to fld. 1020/3E.

**GAMIE** N44°09.75' W88°35.10' NOTAM FILE ATW.

GREEN BAY

NDB (LOM) 230 AT 028° 6.4 NM to Outagamie Co.

GENERAL MITCHELL INTL (See MILWAUKEE)**GENOA CITY****VINCENT** (64C) 3 NE UTC-6(-5DT) N42°31.10' W88°18.02'

CHICAGO

880 TPA-1680(800) NOTAM FILE GRB

RWY 09-27: 1775X130 (TURF)

RWY 09: Trees. RWY 27: Road.

AIRPORT REMARKS: Unattended. Rwy 09-27 W end rises +15'.

COMMUNICATIONS: CTAF/UNICOM 122.8

GILBERT FIELD (See RIO)**GRAND GENEVA RESORT** (See LAKE GENEVA)

GRANTSBURG MUNI (GTG) 2 NE UTC-6(-5DT) N45°47.88' W92°39.86'

GREEN BAY

927 B TPA-1727(800) NOTAM FILE GRB

L-14I

RWY 05-23: 3315X120 (TURF)

IAP

RWY 05: Trees. **RWY 23:** Trees.

RWY 12-30: H3000X60 (ASPH) MIRL

RWY 30: Trees.

AIRPORT REMARKS: Unattended. Rwy 05-23 CLOSED Nov 1-Apr 15.

Deer and waterfowl on and invof arpt. ACTIVATE MIRL Rwy

12-30-CTAF. Water twr lctd 5060' southwest Rwy 05, 1100'

MSL/182'AGL. Rwy 05-23 marked by yellow cones.

COMMUNICATIONS: CTAF 122.9


SIREN RCO 122.1R 109.4T (GREEN BAY RADIO)

MINNEAPOLIS CENTER APP/DEP CON 121.05

RADIO AIDS TO NAVIGATION: NOTAM FILE RZN.

SIREN (L) VOR/DME 109.4 RZN Chan 31 N45°49.23'

W92°22.47' 262° 12.2 NM to fld. 987/2E. **HIWAS.**



GREEN BAY N44°33.31' W88°11.69' NOTAM FILE GRB.

GREEN BAY

(H) **VORTACW** 115.5 GRB Chan 102 146° 5.1 NM to

H-2I, L-31A

Austin Straubel Intl. 767/1E. **HIWAS.**

RCO 122.55 122.2 (GREEN BAY RADIO)

GREEN BAY

AUSTIN STRAUBEL INTL (GRB) 7 SW UTC-6(-5DT) N44°29.08' W88°07.78'
 695 B S4 FUEL 100LL, JET A OX 1, 3 LRA ARFF Index—See Remarks
 NOTAM FILE GRB

GREEN BAY
 H-2J, L-31A
 IAP, AD

Rwy 18-36: H8701X150 (CONC-GRVD) S-95, D-165, ST-175, DT-275 HIRL

Rwy 18: REIL. PAPI(P4R)—GA 3.0° TCH 54'. Thld displcd 499'. Road.
 Rgt tfc.

Rwy 36: MALSR. PAPI(P4L)—GA 3.0° TCH 50'.

Rwy 06-24: H7700X150 (CONC-GRVD) S-90, D-160, ST-175,
 DT-260 HIRL

Rwy 06: MALSR. PAPI(P4L)—GA 3.0° TCH 38'.

Rwy 24: PAPI(P4L)—GA 3.0° TCH 50'. Tower.

LAND AND HOLD SHORT OPERATIONS

LANDING	HOLD SHORT POINT	DIST AVBL
Rwy 18	06-24	2692
Rwy 24	18-36	6050
Rwy 36	06-24	4932

RUNWAY DECLARED DISTANCE INFORMATION

Rwy 18: TORA-8701 TODA-8701 ASDA-8701 LDA-8201

Rwy 36: TORA-8201 TODA-8201 ASDA-8201 LDA-8701

AIRPORT REMARKS: Attended 1100-0400Z†. Deer and birds on and in/ov

arpt. Request voluntary compliance in avoiding noise sensitive areas N and E of arpt between midnight and 6 a.m. Rwy 18 touch and go tfc to use rgt tfc during hrs when twr clsd. Twys N and E not avbl for air carrier ops with more than 30 passenger seats. Class I, ARFF Index C. ARFF index D available with prior permission call arpt manager at 920-498-4820. Rwy 06 touchdown runway visual range avbl. Rwy 36 touchdown runway visual range avbl. When twr is clsd the preferred rwy is preset on low or med ints; to increase ints and ACTIVATE HIRL Rwy 06-24 and Rwy 18-36; MALSR Rwy 06, Rwy 36, REIL Rwy 18 and PAPI Rwy 18—CTAF. Flight Notification Service (ADCUS) available.

WEATHER DATA SOURCES: ASOS (920) 494-7140. **HIWAS** 115.5 GRB. LLWAS.

COMMUNICATIONS: CTAF 118.7 ATIS 124.1 UNICOM 122.95

GREEN BAY RCO 122.55 122.2 (GREEN BAY RADIO)

Ⓡ **GREEN BAY APP CON** 119.4 (1130-0530Z‡) Ⓡ **GREEN BAY DEP CON** 126.55 (1130-0530Z‡)

Ⓡ **MINNEAPOLIS CENTER APP/DEP CON** 125.55 (0530-1130Z‡)

GREEN BAY TOWER 118.7 (1130-0530Z‡) **GND CON** 121.9 **CLNC DEL** 121.75

AIRSPACE: CLASS C svc 1130-0530Z‡ ctc **APP CON** other times CLASS E.

RADIO AIDS TO NAVIGATION: NOTAM FILE GRB. VHF/DF ctc GREEN BAY RADIO.

GREEN BAY (H) VORTACW 115.5 GRB Chan 102 N44°33.31' W88°11.69' 146° 5.1 NM to fld. 767/1E.
 HIWAS.


FAMIS NDB (LOM) 356 GR N44°26.43' W88°14.38' 063° 5.4 NM to fld. LOM unmonitored.

DEPRE NDB (MHW/LOM) 332 SG N44°23.91' W88°07.97' 004° 5.2 NM to fld. LOM unmonitored.

ILS/OME 109.5 I-GRB Chan 32 Rwy 06 Class IE. LOM FAMIS NDB. LOC/GS/LOM unmonitored.

ILS 109.9 I-SGZ Rwy 36 Class IE. LOM DEPRE NDB. LOC/GS/LOM unmonitored.

ASR (1130-1730Z‡)

**GUTZMER'S TWIN OAKS** (See WHITEWATER)**HAHN SKY RANCH** (See WEST BEND)

HARTFORD MUNI (HXF) 2 NW UTC-6(-5DT) N43°20.95' W88°23.48'

CHICAGO
 L-28H
 IAP

1069 B S4 FUEL 100LL, MOGAS TPA—See Remarks NOTAM FILE GRB

Rwy 11-29: H3000X75 (ASPH) S-8 MIRL

Rwy 11: Road. **Rwy 29:** Trees.

Rwy 18-36: 2259X215 (TURF)

Rwy 18: Road.

AIRPORT REMARKS: Unattended. Glider and ultralight activity on arpt. Slight downhill slope ldg Rwy 18. Rwy 36 +78' water twr 3885' from apch end. TPA for ultralight acft 1569(500). Rgt tfc pattern ultralight and glider acft. Rwy 18-36 thld marked with orange and white wooden A-frames.

COMMUNICATIONS: CTAF/UNICOM 123.0

Ⓡ **MILWAUKEE APP/DEP CON** 125.35

RADIO AIDS TO NAVIGATION: NOTAM FILE MKE.

BADGER (H) VORTACW 116.4 BAE Chan 111 N43°07.01' W88°17.06' 339° 14.7 NM to fld. 1080/2E.
 HIWAS.

WEST BEND (T) VOR 109.8 BJB N43°25.32' W88°07.52' 251° 12.4 NM to fld. NOTAM FILE ETB.

NDB (MHW) 200 HXF N43°20.86' W86°23.71' at fld.

HAYWARD N46°01.14' W91°26.78' NOTAM FILE HYR. GREEN BAY
 (L) VOR/DME 113.4 HYR Chan 81 at Sawyer Co. 1207/3E. **ASOS** L-141
 VOR portion unusable blo 10000'. DME portion unusable; 160°-050° blo 4000' byd 20 NM; 051°-160° blo
 9000' byd 13 NM.
RCO 122.1R 113.4T (GREEN BAY RADIO)

HAYWARD

SAWYER CO (HYR) 2 NE UTC-6(-5DT) N46°01.52' W91°26.66' GREEN BAY
 1216 B **FUEL** 100LL, JET A NOTAM FILE HYR H-21, L-141
RWY 02-20: H5003X100 (ASPH) S-40, D-65, ST-82 MIRL IAP
RWY 02: REIL. PAPI (P4L)—GA 3.0° TCH 38'. Road. **RWY 20:** REIL. PAPI(P4L). GA 3.0° TCH 36'. Trees.
RWY 16-34: 1240X120 (TURF)
RWY 16: Trees. **RWY 34:** Trees.
AIRPORT REMARKS: Attended Jun-Sep Mon-Sat 1300-0100Z†, Sun 1400-0100Z†, Oct-May Mon-Sat 1300-2300Z†,
 Sun 1400-0100Z†. Rwy 16-34 CLOSED Dec 1 thru Apr 15. Deer on and infov arpt. ACTIVATE MIRL Rwy 02-20,
 PAPI Rwsy 02, 20, REIL Rwy 02 and 20—CTAF. Rwy 20 PAPI OTS indef. Rwy 16-34 thlds marked with orange
 steel A-frames.
WEATHER DATA SOURCES: **ASOS** 113.4 HYR (715) 634-6138.
COMMUNICATIONS: CTAF/UNICOM 122.8
HAYWARD RCO 122.1R 113.4T (GREEN BAY RADIO)
MINNEAPOLIS CENTER APP/DEP CON 126.45
RADIO AIDS TO NAVIGATION: NOTAM FILE HYR.
HAYWARD (L) VOR/DME 113.4 HYR Chan 81 N46°01.14' W91°26.78' at fld. 1207/3E. **ASOS**.
SEELEY NDB (MHW) 344 SLY N46°06.73' W91°23.08' 205° 5.8 NM to fld. NOTAM FILE GRB.
 NDB unusable beyond 15 NM.
ILS/DME 108.5 I-HTY Chan 22 Rwy 20. LOC only.

HILLSBORO

JOSHUA SANFORD FLD (HBW) 1 NE UTC-6(-5DT) N43°39.40' W90°19.69' CHICAGO
 938 NOTAM FILE GRB L-28G
RWY 05-23: H3070X46 (ASPH) LIRL (NSTD)
RWY 05: Thld dsplcd 733'. Fence.
RWY 23: Trees.
AIRPORT REMARKS: Unattended. Birds on and infov arpt. Rwy 05 thld lgts black (obscured) and green. Rwy 23 thld lgts
 located 245' from relocated thld. ACTIVATE LIRL Rwy 05-23—CTAF.
COMMUNICATIONS: CTAF 122.9
CHICAGO CENTER APP/DEP CON 133.3
RADIO AIDS TO NAVIGATION: NOTAM FILE GRB.
LONE ROCK (L) VORW/DME 112.8 LNR Chan 75 N43°17.66' W90°07.99' 339° 23.3 NM to fld.

HORLICK N42°45.73' W87°48.88' NOTAM FILE RAC. CHICAGO
 (T) VORW/DME 117.7 HRK Chan 124 HRK at John H. Batten. 669/2W. **ASOS** L-28H, A
 VOR portion unusable 090°-213°.

IOLA

CENTRAL CO (68C) 4 E UTC-6(-5DT) N44°30.33' W89°01.51' GREEN BAY
 876 S4 TPA-1876(1000) NOTAM FILE GRB
RWY 04-22: 2530X60 (TURF)
RWY 04: Trees. **RWY 22:** Tree.
RWY 09-27: 1800X120 (TURF)
RWY 09: Trees. **RWY 27:** Tree.
RWY 13-31: 1745X130 (TURF)
RWY 13: Trees. **RWY 31:** Trees.
AIRPORT REMARKS: Unattended. Arpt CLOSED to wheeled acft when rwsy covered with snow or ice. Ski tfc use Rwy
 04-22 only. Deer on and infov arpt. Rwy 04-22 marked with yellow barrels. Rwy 09-27 marked with yellow
 cones. Rwy 13-31 marked with yellow barrels.
COMMUNICATIONS: CTAF 122.9

IOWA COUNTY (See MINERAL POINT)

J. DOUGLAS BAKE MEML (See OCONTO)

JANA (See EDGERTON)

JANESVILLE N42°33.48' W89°06.32' NOTAM FILE FEP.

CHICAGO

(L) **VOR/DME** 114.3 JVL Chan 90 035° 4.7 NM to Southern Wisconsin Rgnl. 931/3E. **HIWAS.**

L-28H

VOR portion unusable 025° 060° byd 25 NM blo 4000', 130°-150° byd 30 NM blo 4000'.

DME unusable 130°-150° byd 30 NM blo 4000'.

RCO 122.1R 114.3T (GREEN BAY RADIO)

JANESVILLE

SOUTHERN WISCONSIN RGNL (JVL) 3 SW UTC-6(-5DT) N42°37.22' W89°02.49'

CHICAGO

808 B S4 **FUEL** 100LL, JET A TPA-1808(1000) Class IV, ARFF Index A

H-5D, L-28H

NOTAM FILE JVL

IAP, AD

RWY 14-32: H7301X150 (CONC) S-85, D-190, ST-175, DT-400 **HIRL**

RWY 14: REIL. PAPI(P4L)—GA 3.0° TCH 60'.

RWY 32: MALSR. VASI(V4L)—GA 3.0° TCH 51'.

RWY 04-22: H6700X150 (ASPH) S-95, D-130, ST-165,

DT-230 **HIRL**

RWY 04: MALSR. PAPI(P4L)—GA 3.0° TCH 43'.

RWY 22: REIL VASI(V4L)—GA 3.0° TCH 60'. Tree.

RWY 18-36: H5003X75 (ASPH) S-40, D-50, DT-80 **MIRL**

RWY 18: Road.

AIRPORT REMARKS: Attended continuously. Closed to scheduled air carrier ops with greater than 9 passenger seats and unscheduled air carrier ops greater than 30 passenger seats. 90-day PPR, call 608-757-5768. Lgt sport acft with cruise speed of 60 mph or less enter tfc pat at 500' AGL. Rwy 32 and Rwy 36 apch ends are closely aligned. Verify correct rwy and compass heading prior to departure. When twr clsd **HIRL** Rwy 04-22 preset on low ints; to incr ints and **ACTIVATE** MALSR Rwy 04 and Rwy 32, PAPI Rwy 04, **HIRL** Rwy 14-32, **MIRL** Rwy 18-36, REIL Rwy 14, PAPI Rwy 14 and VASI Rwy 32—CTAF. VASI Rwy 22 opr 24 hrs.

WEATHER DATA SOURCES: AWOS-3 (608) 758-1723. LAWRS (1200-0300Z).

COMMUNICATIONS: CTAF 118.8 ATIS 128.25 **UNICOM** 122.95

JANESVILLE RCO 122.1R 114.3T (GREEN BAY RADIO)

Ⓡ **ROCKFORD APP/DEP CON** 121.0 **CLNC DEL** 121.65 (when twr clsd)

JANESVILLE TOWER 118.8 (1200-0300Z) **GND CON/CLNC DEL** 121.65 (1200-0300Z)


AIRSPACE: CLASS D svc 1200-0300Z other times CLASS G.

RADIO AIDS TO NAVIGATION: NOTAM FILE FEP.

JANESVILLE (L) VOR/DME 114.3 JVL Chan 90 N42°33.48' W89°06.32' 034° 4.7 NM to fld. 931/3E. **HIWAS.**

ILS 109.1 I-JVL Rwy 04. Class IE.

ILS/DME 111.35 I-REE Chan 50(Y) Rwy 32. Class IE. **ILS/DME** unmonitored.



JOHN F KENNEDY MEML (See ASHLAND)

JOHN H. BATTEN (See RACINE)

JUNEAU N43°25.74' W88°42.13' NOTAM FILE UNU.

CHICAGO

NDB (MHW) 344 UNU at Dodge Co.

L-28H

JUNEAU

DODGE CO (UNU) 1.7 E UTC-6(-5DT) N43°25.59' W88°42.23'

CHICAGO

934 B S4 FUEL 100LL, JET A NOTAM FILE UNU

H-5E, L-28H

RWY 08-26: H5060X100 (ASPH) MIRL 0.9% up NE

IAP

RWY 08: PAPI(P4L)—GA 3.0° TCH 25'. Trees.

RWY 26: MALSF. PAPI(P4L)—GA 3.0° TCH 34'. Tree.

RWY 02-20: H4029X75 (ASPH) S-12.5 MIRL

RWY 02: REIL. P-line.

RWY 20: REIL. PAPI(P2L)—GA 3.0° TCH 26'. Tree.

AIRPORT REMARKS: Attended 1300-0200Z†. Numerous Geese on and invof arpt. Irregular ultralight activity on and invof arpt. Mowing ops Mon-Fri with flashing lgts after dark. 302' paved safety area on W end of Rwy 08-26. 29' Twy E end of Rwy 08-26. MIRL Rwy 08-26 preset low ints; to increase ACTIVATE—CTAF. ACTIVATE MIRL Rwy 02-20; REIL Rwy 02 and Rwy 20—CTAF. Rwy 26 MALSF not certified for IFR.

WEATHER DATA SOURCES: AWOS-3 119.075 (920) 386-5682.

COMMUNICATIONS: CTAF/UNICOM 122.7

Ⓜ **MADISON APP/DEP CON** 119.15 (1200-0500Z†)

Ⓜ **CHICAGO CENTER APP/DEP CON** 133.3 (0500-1200Z†)

GCO 121.725 (FLIGHT SERVICES)

RADIO AIDS TO NAVIGATION: NOTAM FILE MKE.

BADGER (H) VORTACW 116.4 BAE Chan 111 N43°07.01' W88°17.06' 313° 26.1 NM to fld.1080/2E.

HIWAS.

JUNEAU NDB (MHW) 344 UNU N43°25.74' W88°42.13' at fld. NOTAM FILE UNU.

ILS/DME 109.55 I-JNE Chan 32Y Rwy 26. LOC only. LOC/DME unmonitored when FBO closed.

KENNEDY N46°33.18' W90°54.87' NOTAM FILE ASX.

GREEN BAY

NDB (MHW) 254 ENY at John F. Kennedy Mem. Unmonitored 0000-1200Z†.

L-14I

KENOSHA RGNL (ENW) 4 W UTC-6(-5DT) N42°35.74' W87°55.67'

CHICAGO

742 B S4 FUEL 100LL, JET A OX 1, 2 LRA NOTAM FILE ENW

H-5E, L-28H, A

RWY 07L-25R: H5499X100 (CONC-GRVD) S-62, D-73, ST-85, DT-135 HIRL 0.5% up SW

IAP, AD

RWY 07L: MALSFR.

RWY 25R: REIL. PAPI (P4L)—GA 3.0° TCH 45'. Tree. Rgt tfc.

RWY 15-33: H4440X100 (CONC-GRVD) S-62, D-73, ST-86,

DT-135 HIRL

RWY 15: REIL. VASI(V4L)—GA 3.5° TCH 45'. Trees.

RWY 33: VASI(V4L)—GA 3.0° TCH 41'.

RWY 07R-25L: H3302X75 (ASPH-CONC) S-40,

D-48 MIRL 0.7% up SW

RWY 07R: PAPI(P4L)—GA 3.25° TCH 25'. Road. Rgt tfc.

RWY 25L: PAPI(P4L)—GA 3.25° TCH 25'. Road.

AIRPORT REMARKS: Attended 1300-0300Z†. Deer and birds on and invof arpt. Rwy 07R-25L is CLOSED to jet acft and acft weighing more than 12,500 lbs when Rwy 07L-25R is open. 440' radio twr 2.6 NM southeast of arpt ½ NM left of Rwy 33 centerline. Crane 190' 1.5 NM southeast of arpt, ops SR-SS. When twr clsd HIRL Rwy 07L-25R preset on low ints; to increase ints and ACTIVATE HIRL Rwy 15-33, MIRL Rwy 07R-25L, VASI Rwy 33, PAPI Rwy 25R, Rwy 07R and Rwy 25L, REIL Rwy 15 and Rwy 25R, MALSFR Rwy 07L—CTAF. VASI Rwy 15 opr 24 hrs.

WEATHER DATA SOURCES: ASOS 127.175 (262) 652-7730.

COMMUNICATIONS: CTAF 118.6 ATIS 127.175 UNICOM 122.95

RCO 123.6R 109.2T (GREEN BAY RADIO)

Ⓜ **MILWAUKEE APP/DEP CON** 120.15 (South) CLNC DEL 118.6 (0300-1300Z†)

TOWER 118.6 (1300-0300Z†) GND CON 121.875

AIRSPACE: CLASS D 1300-0300Z† other times CLASS E.

RADIO AIDS TO NAVIGATION: NOTAM FILE IKK.

NORTHBROOK (H) VORW/DME 113.0 OBK Chan 77 N42°13.29' W87°57.11' 005° 22.5 NM to fld. 758/2W.


(T) VOR/DME 109.2 ENW Chan 29 N42°35.94' W87°55.90' at fld. 734/02W. NOTAM FILE ENW.

VOR unusable 232°-295°.

CODEE NDB (LOM) 389 EN N42°33.62' W88°01.73' 067° 5.0 NM to fld.

ILS 109.35 I-ENW Rwy 07L Class IB. LOM CODEE NDB. Glide slope unusable byd 3° left of course.

ILS unmonitored when twr closed.



KETTLE MORAINÉ N43°25.51' W88°07.63' NOTAM FILE ETB.

CHICAGO

NDB (MHW) 329 LLE at West Bend Muni. Unmonitored. SHUTDOWN.

L-28H

KICKAPOO N43°39.31' W90°19.99' NOTAM FILE GRB.

CHICAGO

NDB (MHW) 251 HBW at Joshua Sanford Fld. Unmonitored. VFR only. NDB OTS indef.

KINGS LAND O' LAKES (See LAND O' LAKES)

KOOKY N44°12.95' W88°23.94' NOTAM FILE ATW.
 NDB (MHW/LOM) 407 AQ 298° 5.8 NM to Outagamie Co Rgnl. Unmonitored.

GREEN BAY
 L-28H

LA CROSSE MUNI (LSE) 4 NW UTC-6(-5DT) N43°52.76' W91°15.40'
 655 B S4 FUEL 100LL, JET A Class I, ARFF Index B NOTAM FILE LSE

CHICAGO
 H-21, L-28G
 IAP, AD

RWY 18-36: H8742X150 (CONC-GRVD) S-125, D-190, ST-175, DT-430, DDT-850 HIRL

RWY 18: MALSR. PAPI(P4L)—GA 3.0° TCH 55'.

RWY 36: REIL. VASI(V4L)—GA 3.0° TCH 28'. Thld dspcd 1131'.
 Tree.

RWY 13-31: H6050X150 (ASPH-GRVD) S-125, D-190, ST-175,
 DT-430 HIRL

RWY 13: REIL. VASI(V4L)—GA 3.0° TCH 32'. Trees.

RWY 31: VASI(V4L)—GA 3.6° TCH 59'. Thld dspcd 739'. Tower.

RWY 03-21: H5199X150 (ASPH) S-65, D-110, ST-139,
 DT-190 HIRL

RWY 03: PAPI(P4L)—GA 4.0° TCH 40'. Pole.

RWY 21: PAPI(P4L)—GA 4.0° TCH 40'. Ground.

RUNWAY DECLARED DISTANCE INFORMATION

RWY 13: TORA-5300 TODA-5300 ASDA-5300 LDA-5300

RWY 31: TORA-6050 TODA-6050 ASDA-6050 LDA-5300

RWY 18: TORA-8742 TODA-8742 ASDA-8536 LDA-8536

RWY 36: TORA-8742 TODA-8742 ASDA-8557 LDA-7426

AIRPORT REMARKS: Attended 1200-0300Z†. For attendant other hrs
 call 608-783-8359. Rwy 36 and Rwy 03 apch ends are closely
 aligned. Verify correct rwy and compass heading prior to
 departure. Deer, waterfowl and other birds on and invof arpt. Heavy concentrations of waterfowl spring and fall.
 Twr 1390' AGL 6 NM southwest. Numerous twrs up to 836' AGL 4 NM southeast. When twr clsd HIRL Rwy
 13-31 preset low inst; to increase ints and ACTIVATE HIRL Rws 18-36 and 03-21; REIL Rws 13 and 36;
 MALSR Rwy 18—CTAF.

WEATHER DATA SOURCES: ASOS (608) 781-9067.

COMMUNICATIONS: CTAF 118.45 ATIS 124.95 UNICOM 122.95

RCO 122.2 122.35 (GREEN BAY RADIO)

MINNEAPOLIS CENTER APP/DEP CON 128.6

TOWER 118.45 (1200-0300Z†) GND CON 121.8

AIRSPACE: CLASS D svc 1200-0300Z† other times CLASS E.


RADIO AIDS TO NAVIGATION: NOTAM FILE LSE.

(T) VOR/DME 108.4 LSE Chan 21 N43°52.57' W91°15.36' at fld. 650/2E.

VOR/DME unusable 100°-150° and 230°-060° byd 20 NM blo 3300'.

MINDI NDB (LOM) 272 LS N44°00.24' W91°15.65' 177° 7.5 NM to fld.

ILS 111.1 I-LSE Rwy 18. Class IT. LOM MINDI NDB. ILS unmonitored when twr clsd.

**LAC DU FLAMBEAU**

FRANKS SPB (4P5) 7 SW UTC-6(-5DT) N45°53.00' W90°00.01'

GREEN BAY

1650 FUEL 80 NOTAM FILE GRB

WATERWAY N-S: 9000X1000 (WATER)

WATERWAY E-W: 2640X1000 (WATER)

SEAPLANE REMARKS: Attended May-Oct dawn-dusk. Dock in poor condition. Call ahead to ensure fuel avbl.

COMMUNICATIONS: CTAF 122.9

LADYSMITH**RUSK CO** (RCX) 4 NE UTC-6(-5DT) N45°29.81' W91°00.03'**GREEN BAY**

1238 B S4 FUEL 80, 100LL NOTAM FILE GRB

L-141

RWY 14-32: H4000X75 (ASPH) S-25 MIRL

IAP

RWY 14: REIL. PAPI(P2L)—GA 3.0° TCH 25'. Trees.

RWY 32: REIL. PAPI(P2L)—GA 3.0° TCH 25'. Trees.

RWY 01-19: H3200X75 (ASPH) MIRL 0.5% up N

RWY 01: Tree. RWY 19: Road.

AIRPORT REMARKS: Attended May-Sep 1400-0100Z†, Oct-Apr

1400-2300Z†. For attendance after hrs call

715-924-2080/403-0524. All fuel 24 hr self serve. Occasional

deer invof arpt. Rwy 32 left side REIL OTS indef. ACTIVATE MIRL

Rwy 14-32 and Rwy 01-19, PAPI Rwy 14 and Rwy 32 and REIL

Rwy 14 and Rwy 32—122.8.

WEATHER DATA SOURCES: AWOS-3 118.125 (715) 532-2665.**COMMUNICATIONS:** CTAF/UNICOM 122.8

RICE LAKE RCO 122.3 (GREEN BAY RADIO)

GCO 121.725 (FLIGHT SERVICES)


RADIO AIDS TO NAVIGATION: NOTAM FILE RPD.

RICE LAKE (T) VORW/DME 110.0 RPD Chan 37 N45°24.91'

W91°46.68' 080° 33.2 NM to fld. 1092/1E. OTS indef.

NDB (MHW) 356 RCX N45°30.11' W91°00.07' at fld. NOTAM

FILE GRB. Unmonitored.

**LAKE GENEVA****GRAND GENEVA RESORT** (CØ2) 2 NE UTC-6(-5DT) N42°36.90 W88°23.38**CHICAGO**

835 B NOTAM FILE GRB

L-28H, A

RWY 05-23: H3830X75 (ASPH) MIRL

IAP

RWY 05: Trees. Rgt tfc. RWY 23: Trees.

AIRPORT REMARKS: Unattended. Rwy 05-23 extensive cracking entire

rwy. For noise abatement use Rwy 23. Rotating bcn OTS indef.

MIRL Rwy 05-23 preset on medium ints dusk-dawn.


COMMUNICATIONS: CTAF/UNICOM 122.8

® MILWAUKEE APP/DEP CON 120.15 (South)

RADIO AIDS TO NAVIGATION: NOTAM FILE IKK.

NORTHBROOK (H) VORW/DME 113.0 OBK Chan 77 N42°13.29'

W87°57.11' 323° 30.6 NM to fld. 758/2W.

**LAKELAND/NOBLE F. LEE MEML FLD** (SEE MINOCQUA/WOODRUFF)**LAKE LAWN** (See DELAVAN)**LAKE LAWN** N42°41.93' W88°35.59' NOTAM FILE GRB.**CHICAGO**

NDB (MHW) 404 LVV 185° 3.9 NM to Lake Lawn. OTS indef.

A

LANCASTER MUNI (73C) 4 S UTC-6(-5DT) N42°46.83' W90°40.86'

CHICAGO

1008 B FUEL 100LL, MOGAS TPA-1808(800) NOTAM FILE GRB

L-286

RWY 18-36: H3850X45 (ASPH) S-13 LIRL

RWY 18: Thld dsplcd 155'. Tree.

RWY 36: Thld dsplcd 220'.

AIRPORT REMARKS: Unattended. For fuel call 608-723-4246. CAUTION:

Vehicles and people occasionally crossing rwy to reach hangar area on E side of rwy. Ultralight and skydiving activity on and invof arpt. Rwy 18-36 35' p-line parallels W side 365' from centerline.


Rwy 18-36 dsplcd thlds marked only with thld lgts.

COMMUNICATIONS: CTAF/UNICOM 122.8

RADIO AIDS TO NAVIGATION: NOTAM FILE DBQ.

DUBUQUE (H) VORTACW 115.8 DBQ Chan 105 N42°24.09'

W90°42.54' 359° 22.8 NM to fld. 1051/4E.



LAND O' LAKES N46°08.98' W89°12.63' NOTAM FILE LNL.

GREEN BAY

NDB (MHW) 396 LNL at Kings Land O' Lakes. Unmonitored.

L-14J

LAND O' LAKES

KINGS LAND O' LAKES (LNL) 1 SE UTC-6(-5DT) N46°09.24' W89°12.73'

GREEN BAY

1704 B S4 FUEL 100LL NOTAM FILE LNL

L-14J

RWY 14-32: H4000X75 (ASPH) S-12 MIRL

IAP

RWY 14: REIL. PAPI(P2L)—GA 4.0° TCH 35'. Thld dsplcd 200'. Trees.

RWY 32: PAPI(P2L)—GA 3.0° TCH 26'. Road.

RWY 05-23: 2580X130 (TURF)

RWY 05: Trees.

RWY 23: Thld dsplcd 600'. Trees.

AIRPORT REMARKS: Attended 1400-2300Z±. Fuel 24 hr self svc. Occasional deer on and invof arpt. Rwy 05-23

CLOSED Dec 1 to Apr 15. Rwy 05-23 marked with yellow cones. Rwy 14 ngt ldg length 3600'. Thd lgts 400'fm end of rwy. ACTIVATE MIRL Rwy 14-32, and REIL Rwy 14—CTAF.

WEATHER DATA SOURCES: AWOS-3 119.525 (715) 547-6313.

COMMUNICATIONS: CTAF/UNICOM 122.8

® MINNEAPOLIS CENTER APP/DEP CON 133.65

GCO 121.725 (FLIGHT SERVICES)

RADIO AIDS TO NAVIGATION: NOTAM FILE RHI.

RHINELANDER (L) VORTAC 109.2 RHI Chan 29 N45°38.03' W89°27.47' 016° 32.9 NM to fld. 1590/2E.

HIWAS.

LAND O' LAKES NDB (MHW) 396 LNL N46°08.98' W89°12.63' at fld. NOTAM FILE LNL.

Unmonitored.

LANGLADE CO (See ANTIGO)

LA POINTE**MADLINE ISLAND** (4R5) 2 NE UTC-6(-5DT) N46°47.32' W90°45.52'

GREEN BAY

649 B NOTAM FILE GRB

L-14I

RWY 04-22: H3000X75 (ASPH) S-12.5 MIRL 0.8% up NE

IAP

RWY 04: PAPI(P2L)—GA 3.45° TCH 45'. Trees.

RWY 22: PAPI(P2L)—GA 3.45° TCH 38'. Trees.

AIRPORT REMARKS: Unattended. Deer on and invof arpt. ACTIVATE MIRL

Rwy 04-22 and PAPI Rwy 04 and Rwy 22—CTAF.


COMMUNICATIONS: CTAF 122.9

① MINNEAPOLIS CENTER APP/DEP CON 133.55

RADIO AIDS TO NAVIGATION: NOTAM FILE ASX.

ASHLAND (T) VORW/DME 110.2 ASX Chan 39

N46°32.96' W90°55.04' 022° 15.8 NM to fld. 820/2E.

**LAWRENCE J. TIMMERMAN** (See MILWAUKEE)**LONE ROCK** N43°17.66' W90°07.99' NOTAM FILE LNR.

CHICAGO

(L) VORW/DME 112.8 LNR Chan 75 202° 5.4 NM to Tri-Co Rgnl. 1184/0E. HIWAS.

L-11D, 12E

RCO 122.35 (GREEN BAY RADIO)

LONE ROCK**TRI-CO RGNL** (LNR) 2 N UTC-6(-5DT) N43°12.71' W90°10.79'

CHICAGO

717 B S3 FUEL 100LL, JET A TPA—1517(800) NOTAM FILE LNR

H-5D, L-28G

RWY 09-27: H5000X75 (ASPH) S-12.5 MIRL

IAP

RWY 09: PAPI(P2L)—GA 3.0° TCH 35'. Antenna.

RWY 27: REIL. PAPI(P2L)—GA 3.0° TCH 33'. Trees.

RWY 18-36: H1850X60 (ASPH) S-12.5 MIRL

RWY 18: Thld dsplcd 138'. Road.

RWY 36: Road.

AIRPORT REMARKS: Attended Mon-Fri 1400-2300Z†. Self-serve fuel avbl 24 hrs. MIRL Rwy 09-27 preset low ints dusk-dawn; to increase ints and ACTIVATE MIRL Rwy 18-36, PAPI Rwy 09 and Rwy 27—CTAF.

WEATHER DATA SOURCES: ASOS 119.425 (608) 583-2576 HIWAS 112.8 LNR.

COMMUNICATIONS: CTAF/UNICOM 123.0

LONE ROCK RCO 122.35 (GREEN BAY RADIO)

① MADISON APP/DEP CON 135.45 (1200-0500Z†)

① CHICAGO CENTER APP/DEP CON 133.3 (0500-1200Z†)

AIRSPACE: CLASS E svc 1400-2200Z† other times CLASS G.

RADIO AIDS TO NAVIGATION: NOTAM FILE LNR.

LONE ROCK (L) VORW/DME 112.8 LNR Chan 75 N43°17.66' W90°07.99' 202° 5.4 NM to fld. 1184/0E.

HIWAS.

ILS/DME 108.35 I-LNR Chan 20(Y) Rwy 27.

L. O. SIMENSTAD MUNI (See OSCEOLA)**MADLINE ISLAND** (See LA POINTE)**MADISON** N43°08.69' W89°20.38' NOTAM FILE MSN.

CHICAGO

(L) VORTACW 108.6 MSN Chan 23 at Dane Co Rgnl-Truax Fld. 860/3E.

L-28H

VOR portion unusable: 155°-230° byd 20NM blo 2800'; 230°-155° byd 30NM blo 2800'.

DME unusable:

010-070° byd 20 NM blo 4500'

210-010° byd 30 NM blo 4000'

070-210° byd 20 NM blo 3500'

RCO 122.6 (GREEN BAY RADIO)

MADISON**BLACKHAWK AIRFIELD**

(87Y) 10 E UTC-6(-5DT) N43°06.30' W89°11.13'

CHICAGO

920 B FUEL 100LL TPA-1920(1000) NOTAM FILE GRB

L-28H

RWY 04-22: H2814X57 (ASPH) 0.5% Up SW

IAP

RWY 04: Bldg. Rgt tfc. RWY 22: Thld dsplcd 260'. Trees.

RWY 09-27: H2203X56 (ASPH) LIRL(NSTD) 0.8% up W

RWY 09: Trees. RWY 27: Thld dsplcd 230'. Road. Rgt tfc.

AIRPORT REMARKS: Unattended. Deer and turkeys on and invof arpt. Rwy 04-22 sfc cracks with 1' vegetation growing on rwy. Rwy 09 avoid overflight of farm ¾ mile E. Rwy ends obstructed visually from others by weeds and trees approximate 10' tall. Rwy 09-27 NSTD LIRL; rwy lgts +2 to 3' above rwy and NSTD spacing. Rwy 09-27 lgtd 1973'.

COMMUNICATIONS: CTAF/UNICOM 122.7

Ⓡ MADISON APP/DEP CON 120.1 (1200-0500Z‡)

Ⓡ CHICAGO CENTER APP/DEP CON 133.3 (0500-1200Z‡)

RADIO AIDS TO NAVIGATION: NOTAM FILE MSN.

MADISON (L) VORTACW 108.6 MSN Chan 23 N43°08.69' W89°20.38' 106° 7.2 NM to fld. 860/3E.

DANE CO RGNL-TRUAX FLD

(MSN) 5 NE UTC-6(-5DT) N43°08.39' W89°20.25'

CHICAGO

887 B S4 FUEL 100LL, JET A Class I, ARFF Index C NOTAM FILE MSN

H-5D, L-28H

RWY 18-36: H9006X150 (CONC-GRVD) S-100, D-200, ST-175, DT-350 HIRL CL

IAP, AD

RWY 18: MALSR. PAPI (P4L)—GA 3.0° TCH 57'. Thld dsplcd 400'.

Hill.

RWY 36: MALSR. PAPI(P4L)—GA 3.0° TCH 59'. Thld dsplcd 989'.

RWY 03-21: H7200X150 (CONC-GRVD) S-100, D-200, ST-175,

DT-350 HIRL 0.4% up NE

RWY 03: REIL. PAPI(P4L)—GA 3.0° TCH 49'. Thld dsplcd 430'.

Trees.

RWY 21: MALSR. PAPI(P4L)—GA 3.0° TCH 41'. Road.

RWY 14-32: H5846X150 (CONC-GRVD) S-75, D-190, ST-175,

DT-400 HIRL

RWY 14: REIL. Thld dsplcd 475'.


RWY 32: REIL. VASI(V4L)—GA 3.0° TCH 56'. Tree.

LAND AND HOLD SHORT OPERATIONS

LANDING	HOLD SHORT POINT	DIST AVBL
RWY 03	14-32	3400
RWY 18	03-21	4850
RWY 21	18-36	6450
RWY 32	18-36	5300
RWY 36	14-32	7050

ARRESTING GEAR/SYSTEM

RWY 18 BAK-14 BAK-12(B) (1500')



BAK-14 BAK-12(B) (750') RWY 36

BAK-14 BAK-12(B) (1620') RWY 21

AIRPORT REMARKS: Attended continuously. Birds on and invof arpt. PAEW SW corner of W ramp. Lgtd conc barricades

W edge of W ramp. Air carrier and turbo jet training flights prohibited. General aviation svcs only on E ramp.

General aviation access to and parking on W air carrier ramp is prohibited. Noise abatement procedures in effect ctc Arpt ops. Avoid overflight of Yahara River invof arpt blo 2000' AGL. Rwy 18 and Rwy 14 apch ends are

closely aligned. Verify correct rwy and compass heading prior to departure. When twr clsd HIRL Rwy 18-36

preset on low ints, to incr ints and ACTIVATE MALSR Rwy 18 and Rwy 36, HIRL Rwy 03-21 and Rwy 14-32. REIL

Rwy 03, Rwy 14, and Rwy 32 and PAPI Rwy 18—CTAF. Twy K, J, F, E not avbl to air carrier acft with greater than

9 seats. Twy F, G, G1 and G2 restricted to military. Rwy 18-36 touchdown and rollout runway visual range avbl.

WEATHER DATA SOURCES: ASOS (608) 249-0615. LLWAS

COMMUNICATIONS: CTAF 119.3 ATIS 124.65 UNICOM 122.95

MADISON RCO 122.6 (GREEN BAY RADIO)

Ⓡ MADISON APP CON 120.1 (EAST) 135.45 (WEST) (1200-0500Z‡)

Ⓡ MADISON DEP CON 126.85 (1200-0500Z‡)

Ⓡ CHICAGO CENTER APP/DEP CON 133.3 (0500-1200Z‡)

MADISON TOWER 119.3 (1200-0500Z‡) GND CON 121.9 CLNC DEL 121.62

AIRSPACE: CLASS C svc 1200-0500Z‡ ctc APP CON other times CLASS E.**RADIO AIDS TO NAVIGATION:** NOTAM FILE MSN

MADISON (L) VORTACW 108.6 MSN Chan 23 N43°08.69' W89°20.38' at fld. 860/3E.

MONAH NDB (MHW/LOM) 400 MS N43°03.76' W89°20.75' 005° 4.6 NM to fld. NDB unmonitored when twr clsd.

ILS 109.9 I-MSN Rwy 36. Class IT. LOM MONAH NDB. Unmonitored when twr clsd.

ILS 110.1 I-DSZ Rwy 18. Class IB. Unmonitored when twr clsd.

ILS/DME 111.55 I-DQJ Chan 52Y Rwy 21.

ASR (1200-0500Z‡)

MAGGS N44°56.69' W91°22.42' NOTAM FILE EAU.
NDB (LOM) 239 EA 224° 6.7 NM to Eau Claire–Chippewa Valley Rgnl. Unmonitored.

GREEN BAY

MANITOWISH WATERS (D25) 1 S UTC–6(–5DT) N46°07.32' W89°52.94'

GREEN BAY

1610 B FUEL 100LL NOTAM FILE GRB

L–14J

RWY 14–32: H3500X60 (ASPH) S–12.5 MIRL

IAP

RWY 14: Trees. **RWY 32:** PAPI(P2L)—GA 3.5° TCH 41'. Trees.

RWY 04–22: 3299X120 (TURF)

RWY 04: Trees. **RWY 22:** Trees.

AIRPORT REMARKS: Attended Jun–Sep 1430–2300Z†, Nov–Apr 1430–1530Z†, Oct and May 1430–1800Z†. 100LL avbl 24 hrs with credit card. Airframe repairs on call 715–686–7523. Rwy 04–22 CLOSED winters. Be alert: Rwy 14–32 may be unusable due to snow covered until 30 Apr. Birds and migratory waterfowl on and invof arpt. Deer and coyotes on and invof arpt. MIRL Rwy 14–32 preset on low ints, to increase ints and ACTIVATE PAPI Rwy 32—CTAF. Rwy 04–22 marked with yellow cones.


COMMUNICATIONS: CTAF/UNICOM 122.8

MINNEAPOLIS CENTER APP/DEP CON 133.65

GCO 121.725 (FLIGHT SERVICES)

RADIO AIDS TO NAVIGATION: NOTAM FILE RHI.

RHINELANDER (L) VORTAC 109.2 RHI Chan 29 N45°38.03' W89°27.47' 327° 34.3 NM to fld. 1590/2E. HIWAS.



MANITOWOC CO (MTW) 2 NW UTC–6(–5DT) N44°07.73' W87°40.84'

GREEN BAY

651 B S2 FUEL 100LL, JET A, MOGAS NOTAM FILE MTW

H–21, L–28H

RWY 17–35: H5001X100 (ASPH) S–60 HIRL

IAP

RWY 17: MALSR. VASI(V4L)—GA 3.0° TCH 42'.

RWY 35: REIL. VASI(V4L)—GA 3.0° TCH 45'. Tree.

RWY 07–25: H3341X100 (ASPH) S–12 MIRL 0.4° up W

RWY 07: Tree.

AIRPORT REMARKS: Attended Mon–Fri 1300Z†–dusk, Sat–Sun 1400Z†–dusk. For svc after hrs call 920–682–0043 during attended hrs or 920–242–7527 after attended hrs. Geese and numerous birds on and invof arpt. Rwy 35 REIL OTS indef. ACTIVATE MIRL Rwy 07–25, HIRL Rwy 17–35, REIL Rwy 35 and MALSR Rwy 17—CTAF.

WEATHER DATA SOURCES: AWOS–3 111.0 MTW (920) 682–1164.

COMMUNICATIONS: CTAF/UNICOM 122.8

RCO 122.1R 111.0T (GREEN BAY RADIO)

® **GREEN BAY APP/DEP CON** 120.2 (1130–0530Z†)

® **MINNEAPOLIS CENTER APP/DEP CON** 125.55 (0530–1130Z†)


RADIO AIDS TO NAVIGATION: NOTAM FILE MTW.

(T) **VOR/DME** 111.0 MTW Chan 47 N44°07.71'

W87°40.80' at fld. 650/2W. AWOS–3.

MAWOC NDB (LOM) 362 MT N44°11.98' W87°42.14' 162° 4.4 NM to fld.

ILS 111.3 I–MTW Rwy 17. Class IC. LOM MAWOC NDB. ILS unmonitored.



MARSHFIELD MUNI (MFI) 1 S UTC-6(-5DT) N44°38.21' W90°11.36'

GREEN BAY

1277 B S3 FUEL 100LL, JET A NOTAM FILE MFI

H-2J, L-141

RWY 16-34: H5000X100 (ASPH) S-35, D-50 MIRL 0.5% up NW

IAP

RWY 16: REIL. VASI(V2L)—GA 3.0° TCH 35'. Rgt tfc.

RWY 34: MALSR. VASI(V2L)—GA 3.0° TCH 42'.

RWY 04-22: H3600X100 (ASPH) S-35, D-45 MIRL

RWY 04: REIL. PAPI(P2L)—GA 3.0° TCH 29'. Rgt tfc.

RWY 22: Pole.

AIRPORT REMARKS: Attended 1400-0000Z± Nov-Apr. For after hrs svc call 715-743-4700. Rwy 34 departing acft climb to 2000' MSL prior to initiating rgt turn. Birds, waterfowl and deer invof arpt. Rotating bcn OTS indef. ACTIVATE MIRL Rwy 04-22 and 16-34 and MALSR Rwy 34 and VASI Rwy 16 and Rwy 34—CTAF. PAPI Rwy 04 ops continuously.

WEATHER DATA SOURCES: ASOS 121.575 (715) 387-6516.**COMMUNICATIONS:** CTAF/UNICOM 123.0

RCO 122.55 (GREEN BAY RADIO)

Ⓡ MINNEAPOLIS CENTER APP/DEP CON 124.4

RADIO AIDS TO NAVIGATION: NOTAM FILE MFI.

WAUSAU (L) VORTACW 111.6 AUW Chan 53 N44°50.81'


W89°35.19' 242° 28.7 NM to fld. 1205/2E.

NOTAM FILE AUW.

CALIN NDB (LOM) 266 DU N44°34.15' W90°09.06' 338° 4.4 NM to fld. Unmonitored 0300-1330Z±.

NDB (MHW) 391 MFI N44°38.45' W90°11.26' at fld.

SDF 109.9 DUS Rwy 34. LOM CALIN NDB.

**MAUSTON-NEW LISBON UNION** (See NEW LISBON)**MAWOC** N44°11.98' W87°42.14' NOTAM FILE MTW.

GREEN BAY

NDB (LOM) 362 MT 170° 4.4 NM to Manitowoc Co.

McCoy N43°56.27' W90°38.51' NOTAM FILE CMY.

CHICAGO

NDB (MHW) 412 CMY 287° 4.3 NM to Sparta/Fort McCoy.

L-286

MEDFORD N45°06.32' W90°18.52' NOTAM FILE MDZ.

GREEN BAY

NDB (MHW) 335 MDZ at Taylor Co.

L-141

MEDFORD**TAYLOR CO** (MDZ) 3 SE UTC-6(-5DT) N45°06.09' W90°18.05'

GREEN BAY

1478 B FUEL 100LL, JET A TPA-2478(1000) NOTAM FILE MDZ

H-2J, L-141

RWY 09-27: H6902X75 (ASPH) MIRL 0.3% up E

IAP

RWY 09: PAPI(P2L)—GA 3.0°. TCH 31'. Tree.

RWY 27: REIL. PAPI(P2L)—GA 3.0° TCH 26'.

RWY 16-34: H4435X75 (ASPH) S-12.5 MIRL

RWY 16: PAPI(P2L). Tree.

RWY 34: REIL. PAPI(P2L).

AIRPORT REMARKS: Attended Mon-Fri 1330-2330Z±. For svc after hrs call 715-678-2974. Fuel 24 hr self svc. Deer on and invof arpt. For tkf on Rwy 34 left turn after 1000' AGL. MIRL Rwy 09-27 preset low ints; to increase ints and ACTIVATE MIRL Rwy 16-34 and PAPI Rwy 16 and Rwy 34; REIL Rwy 27 and Rwy 34—CTAF. Overnight tiedown fee.

WEATHER DATA SOURCES: AWOS-3 119.025 (715) 678-6030.**COMMUNICATIONS:** CTAF/UNICOM 122.8

Ⓡ MINNEAPOLIS CENTER APP/DEP CON 124.4

GCO 121.725 (FLIGHT SERVICES)

RADIO AIDS TO NAVIGATION: NOTAM FILE AUW.

WAUSAU (L) VORTACW 111.6 AUW Chan 53 N44°50.81' W89°35.19' 295° 34.0 NM to fld. 1205/2E.

MEDFORD NDB (MHW) 335 MDZ N45°06.32' W90°18.52' at fld. NOTAM FILE MDZ.

MENOMONIE**MENOMONIE MUNI—SCORE FLD**

(LUM) 3 E UTC-6(-5DT) N44°53.54' W91°52.07'

GREEN BAY

895 B S4 FUEL 100LL, JET A NOTAM FILE GRB

H-21, L-141

RWY 09-27: H5074X75 (ASPH) MIRL

IAP

RWY 09: REIL. PAPI(P2L)—GA 3.0° TCH 43'. Trees.

RWY 27: REIL. PAPI(P2L)—GA 3.0° TCH 40'. Road.

RWY 18-36: H3470X75 (ASPH) MIRL

RWY 18: REIL. PAPI(P2L)—GA 3.0° TCH 40'. Road.

RWY 36: PAPI(2PR)—GA 3.0° TCH 40'. Ground.

AIRPORT REMARKS: Attended Mon-Fri 1500-2300Z†. ACTIVATE MIRL Rwy 09-27 and Rwy 18-36, PAPI Rwy 09, Rwy 27, Rwy 18 and Rwy 36, REIL Rwy 09, Rwy 18 and Rwy 27—CTAF.

WEATHER DATA SOURCES: AWOS-3 118.025 (715) 235-5342.**COMMUNICATIONS:** CTAF/UNICOM 122.7

MINNEAPOLIS CENTER APP/DEP CON 125.3

GCO 121.725 (FLIGHT SERVICES)

RADIO AIDS TO NAVIGATION: NOTAM FILE EAU.

EAU CLAIRE (L) VORTACW 112.9 EAU Chan 76 N44°53.86' W91°28.71' 265° 16.6 NM to fld. 804/4E.

HIWAS.

MERRILL MUNI

(RRL) 1 NW UTC-6(-5DT) N45°11.94' W89°42.77'

GREEN BAY

1318 B S3 FUEL 100LL, JET A OX 4 NOTAM FILE RRL

H-21, L-141

RWY 07-25: H5100X75 (ASPH) S-45, D-65, ST-83, DT-100 MIRL

IAP

RWY 07: REIL. PAPI(P2L)—GA 3.0° TCH 40'. Trees.

RWY 25: REIL. PAPI(P2L)—GA 3.0° TCH 40'. Trees.

RWY 16-34: H2997X75 (ASPH) S-26 MIRL 0.5% up N

RWY 16: Pole.

RWY 34: Trees.

AIRPORT REMARKS: Attended Sat 1400-2300Z†, Sun 1500-2200Z†, Oct-May, Mon-Fri 1400-2300Z†, June-Sep, Mon-Fri 1400-0100Z†. CAUTION: Deer on and in/ovf arpt. Ultralight activity on and in/ovf arpt. MIRL Rwy 07-25 preset on low ints, to increase ints and ACTIVATE REIL Rwy 07 and Rwy 25 and MIRL Rwy 16-34—CTAF.

WEATHER DATA SOURCES: AWOS-3 119.925 (715) 539-8422.**COMMUNICATIONS:** CTAF/UNICOM 122.8

Ⓡ MINNEAPOLIS CENTER APP/DEP CON 124.4

GCO 121.725 (FLIGHT SERVICES)

RADIO AIDS TO NAVIGATION: NOTAM FILE AUW.

WAUSAU (L) VORTACW 111.6 AUW Chan 53 N44°50.81' W89°35.19' 344° 21.8 NM to fld. 1205/2E.

NDB (MHW) 257 RRL N45°11.92' W89°42.26' at fld. NOTAM FILE RRL. NDB unusable byd 12 NM.

MIDDLETON MUNI—MOREY FLD

(C29) 5 NW UTC-6(-5DT) N43°06.86' W89°31.89'

CHICAGO

928 B S4 FUEL 100LL, JET A TPA-1928(1000) NOTAM FILE GRB

L-28G

RWY 10-28: H4000X100 (ASPH) MIRL

IAP

RWY 10: REIL PAPI(P2L)—GA 4.0° TCH 32'. Trees.

RWY 28: REIL. PAPI(P2L)—GA 4.0° TCH 36'. Pole.

RWY 01-19: 2000X120 (TURF)

AIRPORT REMARKS: Attended 1400-2330Z†. Birds on and in/ovf arpt; especially during rainy periods. 135' crane ¼ mile east 1900-0400Z†, 240' crane ½ mile from AER 28 SR-SS, 230' crane 1 mile SE AER 28 and 240' crane 2.2 miles SW. Crane 80' AGL ¼ SM E of AER, unlgtd/unflagged. Avoid noise sensitive area 1 mile SW. Ctc arpt manager at 608-836-1711 for noise abatement procedures. ACTIVATE MIRL Rwy 10-28 and REIL Rwy 10 and Rwy 28—CTAF.

COMMUNICATIONS: CTAF/UNICOM 123.0

Ⓡ MADISON APP/DEP CON 135.45 (1200-0500Z†) Ⓡ CHICAGO CENTER APP/DEP CON 133.3 (0500-1200Z†)

GCO 121.725 (FLIGHT SERVICES and MADISON APP CON)

RADIO AIDS TO NAVIGATION: NOTAM FILE MSN.

MADISON (L) VORTACW 108.6 MSN Chan 23 N43°08.69' W89°20.38' 255° 8.6 NM to fld. 860/3E.

ILS/DME 110.35 I-CFQ Chan 40(Y) Rwy 10.

MILWAUKEE

N42°56.82' W87°53.82'

CHICAGO

RCO 122.65 122.4 (GREEN BAY RADIO) Unusable byd 30 NM blo 3000'.

L-28H, A

MILWAUKEE**GENERAL MITCHELL INTL**

(MKE) 5 S UTC-6(-5DT) N42°56.83' W87°53.80'

723 B S4 FUEL 100LL, JET A OX 1 LRA ARFF Index—See Remarks

NOTAM FILE MKE

CHICAGO


H-5E, L-28H, A

IAP, AD

Rwy 01L-19R: H9690X200 (ASPH-CONC-GRVD) S-100, D-185, ST-175, DT-350 HIRL, CL**Rwy 01L:** ALSF2, TDZL. PAPI(P4R)—GA 3.0° TCH 65'. Tree. 0.6% down.**Rwy 19R:** MALSR. PAPI(P4R)—GA 3.0° TCH 68'. Thld dspcd 785'. Fence.**Rwy 07R-25L:** H8012X150 (ASPH-CONC-GRVD) S-100, D-185, ST-175, DT-350 HIRL**Rwy 07R:** MALSR. PAPI(P4L)—GA 3.0° TCH 56'. Tree. 0.9% down.**Rwy 25L:** REIL. PAPI(P4L)—GA 3.0° TCH 50'. Thld dspcd 683'. Pole. 0.4% up.**Rwy 13-31:** H5868X150 (CONC) S-80, D-110, ST-139, DT-170. MIRL**Rwy 13:** REIL. PAPI(P4L)—GA 3.0° TCH 54'. Thld dspcd 741'. Pole.**Rwy 31:** REIL. PAPI(P4R)—GA 3.0° TCH 55'. Thld dspcd 534'. Railroad.**Rwy 07L-25R:** H4800X100 (ASPH) S-30, D-35, DT-55 MIRL**Rwy 07L:** REIL. VASI(V4L)—GA 3.1° TCH 37'. Tree.**Rwy 25R:** REIL. PAPI(P4R)—GA 3.0° TCH 40'. Pole.**Rwy 01R-19L:** H4183X150 (CONC) S-85, D-115, ST-146, DT-180 MIRL**Rwy 01R:** REIL.**Rwy 19L:** Tree.**AIRPORT REMARKS:** Attended continuously. Rwy 07L-25R CLOSED to all jet acft and acft design group BIII and larger.

Rwy 13-31 CLOSED turbojet acft without PPR from airport manager—call 414-747-5325. Rwy 01R CLOSED turbo jet tkf. Rwy 13-31 and Rwy 01R-19L and Rwy 07L-25R CLOSED except light weight single engine acft 0400-1200Z daily. Rwy 07L-25R no acft 65,000 lbs or greater taxi between Twy C and Twy E. All approaches are over noise sensitive areas; all turbojet acft should refrain from conducting multi VFR t/c pattern apchs and departures without prior approval from arpt manager call 414-747-5325. Training flights involving successive use of any rwy prohibited 0400-1200Z. Acft with wingspan greater than 158' cannot pass simultaneously on Twy A and Twy B between Twy R and Twy A3. Class I ARFF Index C. Index D equipment avbl upon req. Preferred usage by acft between 0400-1200Z is tkf Rwy 19R and ldg Rwy 01L. ASDE-X surveillance system in use: pilots should operate transponders with mode C on all twys and rwys. Birds on and in/ov arpt. Rwy 07L-25R and Rwy 01R-19L and Twy H, Twy J, Twy P not authorized under FAR Part 139 for scheduled ops involving air carrier acft designed for 10 or more passenger seats and scheduled/unscheduled air carrier ops involving acft designed for 31 or more passenger seats. Twy R3 clsd west of Twy R. Acft taxiing for departure on Rwy 25L via either Twy M or Rwy 13-31 should remain vigilant for the location of holding position signs/markings for Rwy 25L. Twy A clsd from Twy R to E and Twy E clsd from Twy T to M and Twy T clsd from Rwy 07R-25L to Twy E to DC10, B747, C-5 and MD11 during CAT II and CAT III ops. Twy B closed between Twy R and Twy A1 to DC8 acft and larger without prior permission from arpt manager at 414-747-5325. Twy D, D1, H, J, F (west of Twy Z and east of Rwy 01L-19R) closed to DC-9 acft and larger without PPR call arpt manager 414-747-5325. Twy V avbl for all type acft with 8450' avbl. Flight Notification Service (ADCUS) avbl. NOTE: See Special Notices

Section-Intersection Departures During Period of Darkness.

WEATHER DATA SOURCES: ASOS (414) 769-7161. TDWR.**COMMUNICATIONS:** D-ATIS 126.4 UNICOM 122.95**MILWAUKEE RCO** 122.65 122.4 (GREEN BAY RADIO) Unusable byd 30 NM bto 3000'.**① MILWAUKEE APP CON** 127.85 127.0 126.5 (A) 118.0 (B)**② MILWAUKEE DEP CON** 127.0 125.35 (A) 119.65 (B)**MILWAUKEE TOWER** 119.1 **GND CON** 121.8 **CLNC DEL** 120.8**AIRSPACE:** CLASS C svc continuous ctc APP CON**RADIO AIDS TO NAVIGATION:** NOTAM FILE MKE.**BADGER (H) VORTACW** 116.4 BAE Chan 111 N43°07.01' W88°17.06' 119° 19.9 NM to fld. 1080/2E. HIWAS.**YANKS NDB (MH/W/LOM)** 260 BL N43°03.60' W87°52.61' 189° 6.8 NM to fld. Unmonitored.**TEELS NDB (MH/LOM)** 242 GM N42°54.54' W88°02.46' 072° 6.8 NM to fld. Unmonitored.**CAPPY NDB (LOM)** 410 MK N42°50.38' W87°54.78' 008° 6.5 NM to fld.**ILS 110.3 I-MKE Rwy 01L.** Class IIIIE. LOM CAPPY NDB. MM unmonitored.**ILS/DME 111.5 I-GMF** Chan 52 Rwy 07R. Class IE. LOM TEELS NDB.**ILS 110.3 I-BLY Rwy 19R.** Class IE. LOM YANKS NDB.**ILS/DME 111.5 I-PXY** Chan 52 Rwy 25L.**COMM/NAV/WEATHER REMARKS:** APP/DEP CON: (A) West of 01L-19R extended LOC course of active rwy and north of Rwy 07R-25L extended course of active rwy. (B) East of Rwy 01L-19R extended LOC course of active rwy and south of Rwy 07R-25L extended course of active rwy.

Rwy 13-31: 5868 X 150
 Rwy 7L-25R: 4800 X 100
 Rwy 1R-19L: 4183 X 150

LAWRENCE J. TIMMERMAN (MWC) 5 NW UTC-6(-5DT) N43°06.62' W88°02.07'

CHICAGO

745 B S4 FUEL 100, JET A OX 1, 2 TPA-1745(1000) NOTAM FILE MWC

L-28H, A

RWY 15L-33R: H4103X75 (ASPH) S-30 MIRL

IAP, AD

RWY 15L: REIL. VASI(V4L)—GA 3.0° TCH 41'. Tree.

RWY 33R: VASI(V4L)—GA 3.0° TCH 26'. Tree.

RWY 15R-33L: 3231X270 (TURF)

RWY 15R: Tree.

RWY 33L: Tree.

RWY 04L-22R: H3201X75 (ASPH) S-30 MIRL

RWY 04L: REIL. VASI(V4L)—GA 4.0° TCH 44'. Tree.

RWY 22R: REIL. VASI(V4L)—GA 3.0° TCH 36'. Tree.

RWY 04R-22L: 2839X270 (TURF)

RWY 04R: Tree.

RWY 22L: Trees.

AIRPORT REMARKS: Attended May-Sep 1300-0400Z†, Oct-Apr 1300-0300Z†. Birds on and in/ov arpt. Turf Rwy 04R-22L, Rwy 15R-33L and all turf twys clsd 15 Oct-1 May. When twr clsd, ACTIVATE MIRL Rwy 04L-22R, VASI and REIL Rwy 04L and 22R, MIRL Rwy 15L-33R, VASI Rwy 15L and 33R, and REIL Rwy 15L—CTAF.

WEATHER DATA SOURCES: AWOS-3 (414) 461-2954. LAWR5.

COMMUNICATIONS: CTAF 120.5 ATIS 128.3 UNICOM 122.95

TIMMERMAN RCO 123.6R 112.5T (GREEN BAY RADIO)

Ⓡ MILWAUKEE APP/DEP CON 128.7 (North)


TIMMERMAN TOWER 120.5 (1300-0300Z†) GND CON 121.7 CLNC DEL 121.7 (when Twr clsd)

AIRSPACE: CLASS D svc 1300-0300Z† other times CLASS G.

RADIO AIDS TO NAVIGATION: NOTAM FILE MWC.

TIMMERMAN (L) VOR/DME 112.5 LJT Chan 72 N43°06.59' W88°02.24' at fld. 737/2W.

ILS 108.5 I-MWC Rwy 15L. LOC only. Unmonitored when twr clsd.



MINDI N44°00.24' W91°15.65' NOTAM FILE LSE.

CHICAGO

NDB (LOM) 272 LS 177° 7.5 NM to La Crosse Muni.

MINERAL POINT N42°53.28' W90°13.59' NOTAM FILE MRJ.

CHICAGO

NDB (MHW) 365 MRJ at Iowa Co.

L-28G

MINERAL POINT

IOWA CO (MRJ) 3 NW UTC-6(-5DT) N42°53.21' W90°14.18'

CHICAGO

1171 B S4 FUEL 100LL, JET A OX 4 NOTAM FILE MRJ

H-5D, L-28G

RWY 11-29: H5000X75 (ASPH) MIRL 0.7% up SE

IAP

RWY 11: REIL. PAPI(P2L)—GA 3.0° TCH 40'.

RWY 29: REIL. PAPI(P2L)—GA 3.0° TCH 40'.

RWY 04-22: H3601X60 (ASPH) S-12.5 MIRL

RWY 04: PAPI(P2L)—GA 3.0° TCH 31'. Road.

RWY 22: PAPI(P2L)—GA 3.0° TCH 31'.

AIRPORT REMARKS: Attended Mon-Fri 1400-2300Z†, Sat 1400-1800Z†, Sun on call. For attendant call 608-553-7571 or 608-341-8455. Fuel avbl 24 hour self service. Call pager 608-376-4464 or self service. For service information call 608-987-9931/608-574-2294. Birds on and in/ov of arpt. Be alert: Acft taxiing on Rwy 04-22 and 11-29. For noise abatement preferred no wind rwy is Rwy 29. Rwy 22 VASI OTS indef. MIRL Rwy 11-29 preset on low ints, to increase ints and ACTIVATE MIRL Rwy 04-22, PAPI Rwy 04, Rwy 22, Rwy 11 and Rwy 29, REIL Rwy 11 and Rwy 29—CTAF.

WEATHER DATA SOURCES: AWOS-3 118.525 (608) 987-2157.

COMMUNICATIONS: CTAF/UNICOM 122.8

Ⓡ CHICAGO CENTER APP/DEP CON 133.95


GCO 121.725 (FLIGHT SERVICES)

RADIO AIDS TO NAVIGATION: NOTAM FILE LNR.

LONE ROCK (L) VOR/DME 112.8 LNR Chan 75 N43°17.66' W90°07.99' 191° 24.9 NM to fld. 1184/OE.

HIWAS.

MINERAL POINT NDB (MHW) 365 MRJ N42°53.28' W90°13.59' at fld. NOTAM FILE MRJ.



MINOCQUA-WOODRUFF**LAKELAND/NOBLE F LEE MEML FLD** (ARV) 3 NW UTC-6(-5DT) N45°55.68' W89°43.86'**GREEN BAY**

1629 B S2 FUEL 100LL, JET A1 + TPA-2629(1000) NOTAM FILE ARV

H-2J, L-14J

RWY 18-36: H5150X100 (ASPH) S-90, D-150 HIRL (NSTD).

IAP

RWY 18: REIL. VASI(V4L)—GA 3.0° TCH 44'.

RWY 36: MALSR. REIL. VASI(V4L)—GA 3.0° TCH 45'. Trees.

RWY 10-28: H3602X75 (ASPH) S-35 MIRL

RWY 10: Trees.

RWY 28: REIL. PAPI(P2L)—GA 3.0° TCH 37'. Trees.

AIRPORT REMARKS: Attended Oct-May 1400-2300Z†, Jun-Sep

1300-0000Z†. For attendant other hrs call 715-356-3891 or

715-356-2972. Deer on and in/ov arpt. HIRL Rwy 18-36 preset

on low ints, to increase ints and ACTIVATE MIRL Rwy 10-28; REIL


Rwy 18, Rwy 28 and Rwy 36; VASI Rwy 18; Rwy 36; PAPI Rwy 28

and MALSR Rwy 36—CTAF. Rwy 18-36 NSTD HIRL; NSTD thld lgts

MAL type thld lgt bar in addition to standard lighting.

WEATHER DATA SOURCES: AWOS-3 121.125 (715) 356-2417.**COMMUNICATIONS:** CTAF/UNICOM 122.7**WOODRUFF RCO** 122.6 (GREEN BAY RADIO)**(R) MINNEAPOLIS CENTER APP/DEP CON** 133.65**RADIO AIDS TO NAVIGATION:** NOTAM FILE RHI.

RHINELANDER (L) VORTAC 109.2 RHI Chan 29 N45°38.03'

W89°27.47' 325° 21.1 NM to fld. 1590/2E. **HIWAS.****ARBOR VITAE NDB (MHW)** 221 ARV N45°55.57' W89°43.76' at fld. NOTAM FILE ARV.**DOUGY NDB (MHW/LOM)** 236 DO N45°50.07' W89°43.83' 001° 5.6 NM to fld. NDB unmonitored.**ILS/DME** 111.7 I-DOF Chan 54 Rwy 36. LOM DOUGY NDB. LOC only. LOC/DME unmonitored.**MONAH** N43°03.76' W89°20.75' NOTAM FILE MSN.**CHICAGO****NDB (MHW/LOM)** 400 MS 005° 4.6 NM to Dane Co Rgnl-Truax Fld. Unmonitored

L-28H

when twr clsd.

MONROE MUNI (EFT) 3 NE UTC-6(-5DT) N42°36.89' W89°35.42'**CHICAGO**

1086 B S4 FUEL 100LL, JET A NOTAM FILE EFT

H-5D, L-28G

RWY 12-30: H5000X75 (ASPH-AFSC) S-12.5 MIRL

IAP

RWY 12: REIL. PAPI(P2L)—GA 3.15° TCH 40'. Tree.

RWY 30: REIL. PAPI(P2L)—GA 3.0° TCH 30'. Tree.

RWY 02-20: H3000X75 (ASPH) MIRL 0.9% up N

RWY 02: REIL. PAPI(P2L)—GA 3.0° TCH 25'. Tree.

RWY 20: REIL. Tree.

AIRPORT REMARKS: Attended Apr-Oct 1300-2300Z†, Nov-Mar 1400-2200Z†. For attendant after hrs call

608-329-7777. Ultralight activity on and in/ov arpt. MIRL Rwy 12-30 ops low ints, to increase ints and

ACTIVATE REIL Rws 12 and 30 and Rws 02 and 20 and PAPI Rws 02 and 30 and MIRL Rwy 02-20—CTAF.

WEATHER DATA SOURCES: AWOS-3 118.375 (608) 328-8359.**COMMUNICATIONS:** CTAF/UNICOM 123.05**(R) ROCKFORD APP/DEP CON** 126.0**GCO** 121.725 (FLIGHT SERVICES)**RADIO AIDS TO NAVIGATION:** NOTAM FILE FEP.**JANESVILLE (L) VOR/DME** 114.3 JVL Chan 90 N42°33.48' W89°06.32' 276° 21.8 NM to fld. 931/3E.**HIWAS.****MOSINEE** N44°46.93' W89°39.56'**GREEN BAY****RCO** 122.525 (GREEN BAY RADIO).

H-2J, L-14J

MOSINEE**CENTRAL WISCONSIN** (CWA) 3 SE UTC-6(-5DT) N44°46.66' W89°40.01'**GREEN BAY**

1277 B S4 FUEL 100LL JET A OX 1 Class I, ARFF Index A NOTAM FILE CWA

H-2J, L-14J

RWY 08-26: H7647X150 (CONC-GRVD) S-95, D-160, ST-175, DT-270 HIRL

IAP, AD

RWY 08: MALSR. RWY 26: REIL. PAPI(P4L)—GA 3.0° TCH 49'.

RWY 17-35: H6500X150 (CONC-GRVD) S-75, D-105, ST-133, DT-180 HIRL 0.7° up N

RWY 17: REIL. VASI(V4L)—GA 3.0° TCH 42'. RWY 35: MALSR.

LAND AND HOLD SHORT OPERATIONS

LANDING	HOLD SHORT POINT	DIST AVBL
RWY 26	17-35	7300
RWY 35	08-26	5000

RUNWAY DECLARED DISTANCE INFORMATION

RWY 08:	TORA-7647	TODA-7647	ASDA-7647	LDA-7647
RWY 17:	TORA-6500	TODA-6500	ASDA-6500	LDA-6500
RWY 26:	TORA-7647	TODA-7647	ASDA-7647	LDA-7647
RWY 35:	TORA-6500	TODA-6500	ASDA-6500	LDA-6500

AIRPORT REMARKS: Attended 1100-0300Z†. 48 hr PPR for unscheduled

air carrier ops with more than 30 passenger seats call arpt manager 715-693-2147. Twy E; north of Twy C is not avbl for air carrier ops over 60000 pounds. When twr closed ACTIVATE MALSR Rwy 08 and Rwy 35—CTAF. ACTIVATE HIRL Rwys 17-35, Rwy 08-26, and PAPI Rwy 26—CTAF. VASI Rwy 17 operates 24 hrs. Rwy 17 REIL OTS indef. Lnd fee for acft providing commercial svcs.

WEATHER DATA SOURCES: AWOS-3 127.45 (715) 693-1116**COMMUNICATIONS:** CTAF 119.75 ATIS 127.45 UNICOM 122.95

MOSINEE RCO 122.525 (GREEN BAY RADIO)

Ⓡ MINNEAPOLIS CENTER APP/DEP CON 124.4

CWA TOWER 119.75 (1200-0400Z†) GND CON 121.9

AIRSPACE: CLASS D svc 1200-0400Z† other times CLASS E.**RADIO AIDS TO NAVIGATION:** NOTAM FILE AUW.

WAUSAU (L) VORTACW 111.6 AUW Chan 53 N44°50.81' W89°35.19' 218° 5.4 NM to or fld. 1205/2E.

STEVENS POINT (L) VORTAC 110.6 STE Chan 43 N44°32.60' W89°31.83' 339° 15.2 NM to fld. 1110/2E.


NOTAM FILE STE. HIWAS.

BAYYE NDB (LOM) 351 PH N44°40.59' W89°38.88' 353° 6.1 NM to fld.

DANCI NDB (LOM) 275 CW N44°45.62' W89°47.35' 079° 5.3 NM to fld.

ILS/DME 110.3 I-CWA Chan 40 Rwy 08. Class IA. LOM DANCI NDB.

ILS/DME 110.9 I-PHS Chan 46 Rwy 35. Class IE. LOM BAYYE NDB.

**NECEDAH** (DAF) 1 NW UTC-6(-5DT) N44°02.01' W90°05.11'**GREEN BAY**

919 B S2 TPA-1919(1000) NOTAM FILE GRB

L-28G

RWY 18-36: H2700X60 (ASPH) LIRL 0.3% up S

IAP

RWY 18: Trees. RWY 36: Trees.

AIRPORT REMARKS: Unattended. During winter months call 608-565-7248 before ldg to determine status. ACTIVATE

LIRL Rwy 18-36—CTAF.

COMMUNICATIONS: CTAF/UNICOM 122.7

Ⓡ VOLK APP/DEP CON 135.25 (Mon-Fri 1400-2200Z† except holidays), other times ctc

Ⓡ CHICAGO CENTER APP/DEP CON 133.3

RADIO AIDS TO NAVIGATION: NOTAM FILE STE.

STEVENS POINT (L) VORTAC 110.6 STE Chan 43 N44°32.60' W89°31.83' 219° 38.8 NM to fld. 1110/2E.

HIWAS.

NEENAH**BRENNAND** (79C) 4 SW UTC-6(-5DT) N44°09.60' W88°33.57'**GREEN BAY**

850 S4 FUEL 100LL NOTAM FILE GRB

RWY 18-36: H2450X20 (ASPH) LIRL(NSTD)

RWY 18: Thld dspld 188'. Trees. RWY 36: Thld dsplcd 275'.

AIRPORT REMARKS: Attended Mon-Fri 1400-2230Z†, Sat 1400-1800Z†. Call 920-475-6179 for repair. Rwy 18-36 has 2 flashing lgts 75' N of Rwy 18 thld and 15' S of Rwy 36 thld. Rwy 18-36 NSTD LIRL 1 thld lgt each side of thld. Rwy 18 and Rwy 36 white bar and centerline. ACTIVATE NSTD LIRL Rwy 18-36 5 clicks on 8 clicks off—CTAF.

COMMUNICATIONS: CTAF 122.9

NEILLSVILLE MUNI (VIQ) 3 E UTC-6(-5DT) N44°33.49' W90°30.73'

GREEN BAY

1237 B S2 FUEL 100LL, MOGAS NOTAM FILE GRB

L-141

RWY 09-27: H3400X60 (ASPH) S-12 LIRL 0.9% up E

IAP

RWY 09: VASI(V2L)—GA 3.0° TCH 31'. Tree.

RWY 27: VASI(V2L)—GA 3.5° TCH 25'. Tree.

AIRPORT REMARKS: Attended 1400-2300Z±. Fuel avbl PPR, call 715-743-4400. PPR for hangar space call

715-743-4400. Rotating bcn OTS indef. LIRL Rwy 09-27 ops low ints, to increase ints and ACTIVATE VASI Rwys 09 and 27—CTAF.

COMMUNICATIONS: CTAF/UNICOM 122.8

④ MINNEAPOLIS CENTER APP/DEP CON 124.4

RADIO AIDS TO NAVIGATION: NOTAM FILE STE.

STEVENS POINT (L) VORTAC 110.6 STE Chan 43 N44°32.60' W89°31.83' 273° 42.1 NM to fld. 1110/2E.

HIWAS.

NDB (MHW) 368 VIQ N44°33.43' W90°30.91' at fld. Unmonitored. NOTAM FILE GRB.

NEPCO N44°15.59' W89°53.27' NOTAM FILE ISW.

GREEN BAY

NDB (LOM) 326 EK 020° 6.4 NM to Alexander Fld South Wood Co. Unmonitored.

NEST OF EAGLES (See SPOONER)**NEW HOLSTEIN MUNI** (8D1) 1 W UTC-6(-5DT) N43°56.66' W88°06.81'

CHICAGO

992 B S4 FUEL 100LL TPA-1792(800) NOTAM FILE GRB

L-28H

RWY 14-32: H3600X75 (ASPH) S-20 MIRL

IAP

RWY 14: REIL(NSTD). Road.

RWY 32: REIL(NSTD). Ground.

RWY 04-22: 2970X250 (TURF)

RWY 04: Tree.

RWY 22: Trees. Rgt tfc.

AIRPORT REMARKS: Attended 1500-2300Z±. Rwy 04-22 CLOSED Nov 1 thru May 1. Numerous birds invof arpt. ACTIVATE MIRL Rwy 14-32 and REILS Rwy 14 and Rwy 32—CTAF.


COMMUNICATIONS: CTAF/UNICOM 123.0

④ MILWAUKEE APP/DEP CON 127.0

RADIO AIDS TO NAVIGATION: NOTAM FILE OSH.

OSHKOSH (L) VORTAC 111.8 OSH Chan 55 N43°59.43'

W88°33.36' 096° 19.4 NM to fld. 780/2E.

**NEW LISBON****MAUSTON-NEW LISBON UNION** (82C) 3 SE UTC-6(-5DT) N43°50.32' W90°08.26'

CHICAGO

106 B S2 FUEL 100LL, JET A NOTAM FILE GRB

L-28G

RWY 14-32: H3686X75 (ASPH) MIRL

IAP

RWY 14: PAPI(P2L)—GA 3.5° TCH 30'. Road.

RWY 32: PAPI(P2L)—GA 4.0° TCH 26'. Trees.

AIRPORT REMARKS: Unattended. For fuel and repairs etc 608-562-3374. Deer on and invof arpt. Rwy 14-32 298' paved stopway SE end. Rwy 14 PAPI OTS indef. ACTIVATE MIRL Rwy 14-32-122.8.

COMMUNICATIONS: CTAF 122.9


VOLK APP/DEP CON 135.25 (Mon-Fri 1400-2200Z± except holidays), other times ctc

④ CHICAGO CENTER APP/DEP CON 133.3

RADIO AIDS TO NAVIGATION: NOTAM FILE DLL.

DELLS (H) VORTAC 117.0 DLL Chan 117 N43°33.05'

W89°45.82' 314° 23.7 NM to fld. 1020/3E.



NEW RICHMOND RGNL (RNH) 2 N UTC-6(-5DT) N45°08.87' W92°32.35' **GREEN BAY**
 998 B S4 FUEL 100LL JET A OX 4 TPA-1998(1000) NOTAM FILE RNH H-2I, L-14I, A
RWY 14-32: H5507X75 (ASPH) S-12 MIRL IAP
RWY 14: REIL. PAPI(P4L)—GA 3.0° TCH 40'. **RWY 32:** REIL. PAPI(P4L)—GA 3.0° TCH 20'. Pole.
RWY 04-22: 2050X75 (TURF) 0.3% up NE
AIRPORT REMARKS: Attended continuously. 24 hr self fuel avbl for credit card users or call 715-246-7251. Seaplane
 tfc adjacent to S side of arpt. Deer and birds on and infov arpt. Aerobatic practice area 4NM NE of arpt.
 Ultralight activity on and infov arpt. Turbo-jet touch and go not authorized. Bright lgts from ball fields ½ mile S
 during evenings May thru Sep. Rwy 04-22 open to ski equipped acft winter months. Rwy distance markers on
 Rwy 14. Automobile and pedestrian access onto arpt property restricted by security fencing and gates from
 0400-1200Z+. Contact arpt manager 715-246-7735 for access instructions. Rwy 32 VASI unusable byd 4°
 right of course. MIRL Rwy 14-32 preset on low inst; to increase ints and ACTIVATE PAPI and REIL Rws 14 and
 32—CTAF.
WEATHER DATA SOURCES: AWOS-3 120.0 (715) 246-3202.
COMMUNICATIONS: CTAF/UNICOM 122.975
 (R) MINNEAPOLIS APP/DEP CON 121.2
 GCO 121.725 (MINNEAPOLIS APP CON and FLIGHT SERVICES)
RADIO AIDS TO NAVIGATION: NOTAM FILE PNM.
GOPHER (H) VORTACW 117.3 GEP Chan 120 N45°08.74' W93°22.39' 084° 35.4 NM to fld. 877/6E.
 HIWAS.
NDB (MHW) 257 RNH N45°08.84' W92°32.01' at fld. NOTAM FILE RNH.

NORTH COUNTRY SPB (See SOLON SPRINGS)

OCONTO N44°52.55' W87°54.74' NOTAM FILE GRB. **GREEN BAY**
NDB (MHW) 388 OCQ at J. Douglas Bake Meml. NDB unusable 220°-360°. L-31A

OCONTO

J. DOUGLAS BAKE MEML (OCQ) 2 SW UTC-6(-5DT) N44°52.45' W87°54.58' **GREEN BAY**
 604 B FUEL 100LL NOTAM FILE GRB L-31A
RWY 11-29: H3199X75 (ASPH) S-40, D-55, DT-90 MIRL IAP
RWY 11: REIL. Tree. **RWY 29:** Trees.
RWY 04-22: 1845X150 (TURF)
RWY 04: Trees. **RWY 22:** Trees.
AIRPORT REMARKS: Attended 1400-2000Z+. 24 hour fuel avbl. Migratory waterfowl on and infov arpt. Confirm winter
 rwy conditions and snow removal with arpt manager 920-834-7727. Rwy 04-22 not plowed Nov-Apr. ACTIVATE
 MIRL Rwy 11-29-122.8. Rwy 11 REIL OTS indef. Rwy 04-22 thlds marked with white cones.
COMMUNICATIONS: CTAF/UNICOM 122.8
 (R) GREEN BAY APP/DEP CON 119.5 (1130-0530Z+)
 (R) MINNEAPOLIS CENTER APP/DEP CON 125.55 (0530-1130Z+)
RADIO AIDS TO NAVIGATION: NOTAM FILE GRB.
GREEN BAY (H) VORTACW 115.5 GRB Chan 102 N44°33.31' W88°11.69' 031° 22.7 NM to fld. 767/1E.
 HIWAS.
OCONTO NDB (MHW) 388 OCQ N44°52.55' W87°54.74' at fld. NDB unusable 220°-360°.

SWEETWATER BAY SPB (30W) 6 NE UTC-6(-5DT) N44°57.12' W87°48.51' **GREEN BAY**
 579 NOTAM FILE GRB
WATERWAY ALL WAY: 10000X250 (WATER)
SEAPLANE REMARKS: Attended irregularly. Apch from the W or NW over western shoreline; trees up to 85' along
 shoreline.
COMMUNICATIONS: CTAF 122.9

OSCEOLA**L.O. SIMENSTAD MUNI** (OEO) 0 SE UTC-6(-5DT) N45°18.57' W92°41.40'

903 B S4 FUEL 100LL, JET A TPA-1903(1000) NOTAM FILE GRB

RWY 10-28: H5005X75 (ASPH) S-20, D-30 MIRL 0.4% up E**RWY 10:** PAPI(P2L)—GA 3.0° TCH 35'. Road.**RWY 28:** REIL. PAPI(P4L)—GA 3.0° TCH 37'.**RWY 04-22:** 2270X150 (TURF) 0.3% up SW

AIRPORT REMARKS: Attended Apr-Oct 1500-2200Z†, Nov-Mar irregularly. Self svc fuel avbl 24 hrs. Extensive flight training, glider and ultralight. Deer and birds on and invof arpt. PAEW on and adjacent to arpt sfcs. Rwy 04-22 CLOSED 1 Dec-15 Apr. Rwy 04-22 CLOSED to wheeled acft when covered with snow or ice; open to ski equipped acft during winter months. Ctc arpt manager 612-327-3297. Avoid overflight of St. Croix River National Scenic Bi-way blo 2000' AGL. MIRL Rwy 10-28 preset on low ints dusk to dawn to incr ints ACTIVATE PAPI Rwy 10 and Rwy 28 and REIL Rwy 28—CTAF. Reflectors on twy. Rwy 04-22 marked with yellow cones.


WEATHER DATA SOURCES: AWOS-3 119.925 (715) 294-3845. Wind unreliable.

COMMUNICATIONS: CTAF 122.9

Ⓡ **MINNEAPOLIS APP/DEP CON** 121.2.

GCO 121.725 (MINNEAPOLIS CLNC and FLIGHT SERVICES)**RADIO AIDS TO NAVIGATION:** NOTAM FILE PNM.

GOPHER (H) VORTACW 117.3 GEP Chan 120 N45°08.74' W93°22.39' 065° 30.6 NM to fld. 877/6E.
HIWAS.



GREEN BAY
H-2I, L-14I, A
IAP

OSHKOSH N43°59.43' W88°33.36' NOTAM FILE OSH.(L) **VORTAC** 111.8 OSH Chan 55 at Wittman Rgnl. 780/2E.**RCO** 122.25 122.1R 111.8T (GREEN BAY RADIO)

CHICAGO
L-28H

OSHKOSH**WITTMAN RGNL** (OSH) 2 S UTC-6(-5DT) N43°59.06' W88°33.42'**CHICAGO**

808 B S4 FUEL 100LL, JET A OX 1, 2 TPA-1808(1000) NOTAM FILE OSH

H-21, L-28H

RWY 18-36: H8002X150 (CONC-GRVD) S-65, D-85, ST-107,

IAP, AD

DT-130 HIRL

RWY 18: REIL. VASI(V4L)—GA 3.0° TCH 47'.**RWY 36:** MALSR. PAPI(P4L)—GA 3.0° TCH 52'. 0.3% down.**RWY 09-27:** H6178X150 (ASPH-GRVD) S-75, D-125, ST-159,


DT-185 HIRL 0.4% up W

RWY 09: REIL. VASI(V4L)—GA 3.0° TCH 50'. Pole.**RWY 27:** REIL. PAPI(P4L)—GA 3.0° TCH 47'. Thld dsplcd 531'.

Trees.

RWY 04-22: H3424X75 (ASPH) AUW-50 0.4% up SW**RWY 04:** Pole. **RWY 22:** Pole.**RWY 13-31:** H3060X75 (ASPH) AUW-50**RWY 31:** Pole.

AIRPORT REMARKS: Attended 1300-0200Z†. For arpt attendant other hrs call 920-236-7820. Birds on and invov arpt especially gulls. Rwy 13-31 and Rwy 04-22; Twys C; H and P not avbl to air carrier ops with more than 30 passenger seats. Rwy 13-31 and Rwy 04-22 have heavy cracking and vegetation growing through rwy surface, full length. Rwy 22 and Rwy 27 apch ends are closely aligned. Verify correct rwy and compass heading prior to departure. When twr clsd HIRL Rwy 09-27 preset on med ints; to increase ints and ACTIVATE HIRL Rwy 18-36; MALSR Rwy 36 and PAPI Rwy 27—CTAF.

WEATHER DATA SOURCES: ASOS (920) 426-1644. LAWRS.**COMMUNICATIONS:** CTAF 118.5 ATIS 125.9 UNICOM 122.95**OSHKOSH RCO** 122.25 122.1R 111.8T (GREEN BAY RADIO)® **MILWAUKEE APP/DEP CON** 127.0**OSHKOSH TOWER** 118.5 (1200-0400Z†) **GND CON** 121.9**AIRSPACE:** CLASS D svc 1200-0400Z† other times CLASS G.**RADIO AIDS TO NAVIGATION:** NOTAM FILE OSH.**OSHKOSH (L) VORTAC** 111.8 OSH Chan 55 N43°59.43' W88°33.36' at fld. 780/2E.**POBER NDB (LOM)** 395 OS N43°52.43' W88°33.46' 358° 6.6 NM to fld. Unmonitored.**ILS** 110.5 I-OSH Rwy 36 Class IT. LOM POBER NDB.**COMM/NAV/WEATHER REMARKS:** LOC/GS unmonitored when twr clsd. LOM/OM unmonitored.**OUTAGAMIE CO** (See APPLETON)**PALMYRA MUNI** (88C) 0 NW UTC-6(-5DT) N42°53.01' W88°35.85'**CHICAGO**

851 S4 FUEL 100LL, MOGAS NOTAM FILE GRB

RWY 09-27: 2800X200 (TURF) LIRL**RWY 27:** Tree.**AIRPORT REMARKS:** Unattended. For fuel call 262-495-4342. Crane 190' AGL 300' south of AER 09 SR-SS.

ACTIVATE LIRL Rwy 09-27—CTAF. Rwy 09-27 marked by yellow cones.

COMMUNICATIONS CTAF 122.9

PARK FALLS MUNI (PKF) 2 NE UTC-6(-5DT) N45°57.30' W90°25.47'

GREEN BAY

1500 B FUEL 100LL, MOGAS NOTAM FILE GRB

L-141

RWY 18-36: H3200X60 (ASPH) S-20 MIRL 0.3% up S

IAP

RWY 18: PAPI(P2L)—GA 3.0 TCH 29'. Trees.

RWY 36: PAPI(P2L)—GA 3.0 TCH 29'. Trees.

AIRPORT REMARKS: Attended irregularly. For fuel call 715-762-3971.

PAEW on and adjacent to arpt sfcs. Rotating bcn OTS indef. Rwy

18-36 has loose snow over thin packed snow until spring.

ACTIVATE MIRL Rwy 18-36—CTAF.

COMMUNICATIONS: CTAF 122.9

② MINNEAPOLIS CENTER APP/DEP CON 133.65


RADIO AIDS TO NAVIGATION: NOTAM FILE IWD.

IRONWOOD (L) VORTACW 108.8 IWD Chan 25 N46°31.94'

W90°07.55' 199° 36.8 NM to fld. 1230/1E. HIWAS.

NDB (MHW) 371 PKF N45°57.18' W90°25.57' at fld. NDB

unmonitored. NOTAM FILE GRB.

**PASER** N42°40.95' W87°53.97' NOTAM FILE RAC.

CHICAGO

NDB (MHW/LOM) 206 RA 041° 6.0 NM to John H. Batten. Unmonitored.

A

NDB unusable by 10 NM.

PHILLIPS N45°42.18' W90°24.74' NOTAM FILE PBH.

GREEN BAY

NDB (MHW) 263 PBH at Price Co.

L-141

RCO 122.05 (GREEN BAY RADIO)

PHILLIPS**PRICE CO** (PBH) 1 NW UTC-6(-5DT) N45°42.54' W90°24.15'

GREEN BAY

1497 B S4 FUEL 100LL, JET A, MOGAS NOTAM FILE PBH

H-2J, L-141

RWY 01-19: H5000X75 (ASPH) D-60 MIRL 0.6% up N

IAP

RWY 01: REIL. PAPI(P4L)—GA 3.0° TCH 35'.

RWY 19: REIL. PAPI(P4L)—GA 3.0° TCH 30'. Trees.

RWY 06-24: H3950X75 (ASPH) S-28, D-40 MIRL.

RWY 06: VASI(V2L)—GA 3.0° TCH 47'. Tree.

RWY 24: REIL. VASI(V2L)—GA 3.0° TCH 45'. Trees.

AIRPORT REMARKS: Attended Mon-Fri 1400-2230Z, Sat

1500-2230Z, Sun 1600-2230Z. Fuel avbl 24 hrs with credit

card. Birds on and invof arpt. Rwy 19 PAPI OTS indef. ACTIVATE

MIRL Rwy 06-24 and Rwy 01-19 and VASI Rwy 06 and 24; PAPI

Rwy 01 and 19; REIL Rwy 01, Rwy 19 and Rwy 24—CTAF.

WEATHER DATA SOURCES: AWOS-3 125.875 (715) 339-4520.**COMMUNICATIONS:** CTAF/UNICOM 122.8

PHILLIPS RCO 122.05 (GREEN BAY RADIO)

MINNEAPOLIS CENTER APP/DEP CON 133.65


RADIO AIDS TO NAVIGATION: NOTAM FILE RHI.

RHINELANDER (L) VORTAC 109.2 RHI Chan 29 N45°38.03'

W89°27.47' 275° 40 NM to fld. 1590/2E. HIWAS.

PHILLIPS NDB (MHW) 263 PBH N45°42.18' W90°24.74' at fld.

NOTAM FILE PBH.

**PISO** (See SURING)

PLATTEVILLE MUNI (PVB) 3 SE UTC-6(-5DT) N42°41.36' W90°26.66'

CHICAGO

1025 B FUEL 100LL, JET A NOTAM FILE GRB

L-286

RWY 15-33: H3999X75 (ASPH) S-12.5 MIRL

IAP

RWY 15: REIL. RWY 33: REIL. PAPI(2PL)—GA 3.0° TCH 25'.

RWY 07-25: H3599X75 (ASPH) S-30, D-35 MIRL 0.6% up NE.

RWY 25: Road.

AIRPORT REMARKS: Attended Apr-Sep 1330-0130Z†, Oct-Mar 1330-2330Z†. 24 hr self svc fuel avbl with credit card. ACTIVATE MIRL Rwy 15-33 and Rwy 07-25; REIL Rwy 15 and Rwy 33—CTAF.

WEATHER DATA SOURCES: AWOS-3 120.575 (609) 348-3637.

COMMUNICATIONS: CTAF/UNICOM 122.7

RCO 122.5 (GREEN BAY RADIO).


Ⓡ CHICAGO CENTER APP/DEP CON 133.95

RADIO AIDS TO NAVIGATION: NOTAM FILE DBQ.

DUBUQUE (H) VORTACW 115.8 DBQ Chan 105 N42°24.09'

W90°42.54' 030° 20.9 NM to fld. 1051/4E.

NDB (MHW) 203 PVB N42°41.27' W90°26.18' at fld. NOTAM FILE GRB.



POBER N43°52.43' W88°33.44' NOTAM FILE OSH.

CHICAGO

NDB (LOM) 395 OS 358° 6.6 NM to Wittman Rgnl. Unmonitored.

PORTAGE MUNI (C47) 2 NW UTC-6(-5DT) N43°33.62' W89°28.97'

CHICAGO

825 B FUEL 100LL, MOGAS TPA-1825(1000) NOTAM FILE GRB

L-286

RWY 17-35: H3775X60 (ASPH) MIRL (NSTD) 0.3% up S

IAP

RWY 17: REIL(NSTD). PVASI(PSIL). Thld dspcd 103'. Road.

RWY 35: Thld dspcd 262'. Road.

RWY 04-22: H2560X40 (ASPH) 0.3% up SW

RWY 04: Thld dspcd 60'. Road.

RWY 22: Road.

AIRPORT REMARKS: Attended Mon-Fri 1400-2200Z†, Sat-Sun 1600-2200Z†. Fuel avbl 24 hrs with credit card. Rwy 04-22 CLOSED Nov 15 to Apr 15, rwy not plowed during winter. 115' crane 200' southwest Rwy intersection Mon-Thu 1900-0400Z†. PAEW AER 04 indef. Numerous deer on and invof arpt. Rwy 04-22 severe cracking and plants growing thru pavement. P-line 110' AGL 1580' from dspcd thld Rwy 35. Rwy 35 large hangars and trees 200' W of rwy cause wind shear with strong NW winds. Rwy 17-35 NSTD MIRL. Rwy 17 first 100' not lgtd; Rwy 35 first 193' not lgtd. Rwy 04-22 marked with numbers only.

COMMUNICATIONS: CTAF/UNICOM 122.7

DELLS RCO 122.1R 117.0T (GREEN BAY RADIO)

Ⓡ MADISON APP/DEP CON 135.45 120.1 (1200-0500Z†)

Ⓡ CHICAGO CENTER APP/DEP CON 133.3 (0500-1200Z†)

RADIO AIDS TO NAVIGATION: NOTAM FILE DLL.

DELLS (H) VORTAC 117.0 DLL Chan 117 N43°33.05' W89°45.82' 084° 12.3 NM to fld. 1020/3E.

PRAIRIE DU CHIEN MUNI (PDC) 2 SE UTC-6(-5DT) N43°01.16' W91°07.42'

CHICAGO

661 B FUEL 100LL, JET A TPA-1661(1000) NOTAM FILE PDC

H-5D, L-286

RWY 14-32: H5000X75 (ASPH) S-30, D-60 MIRL

IAP

RWY 14: REIL. PAPI(P2L)—GA 3.0° TCH 28'. Pole.

RWY 32: REIL. PAPI(P2L)—GA 4.0° TCH 30'. Trees.

RWY 11-29: H3999X75 (ASPH) S-24, D-40 MIRL

RWY 11: Stack.

RWY 29: Trees.

AIRPORT REMARKS: Attended 1600-2200Z†. Fuel 24 hr self svc. ACTIVATE MIRL Rwy 11-29, Rwy 14-32, PAPI Rwy 14 and Rwy 32 and REIL Rwy 14 and Rwy 32—CTAF.

WEATHER DATA SOURCES: AWOS-3 119.925 (608) 326-9122.

COMMUNICATIONS: CTAF/UNICOM 122.8

RCO 122.25 (GREEN BAY RADIO).

Ⓡ CHICAGO CENTER APP/DEP CON 133.95

RADIO AIDS TO NAVIGATION: NOTAM FILE FOD.

WAUKON (L) VORTAC 116.6 UKN Chan 113 N43°16.81' W91°32.24' 126° 24 NM to fld. 1288/5E.

PRAIRIE DU SAC**SAUK-PRAIRIE** (91C) 2 W UTC-6(-5DT) N43°17.87' W89°45.35'**CHICAGO**


832 B S4 NOTAM FILE GRB

L-286**RWY 18-36:** H2936X3 (ASPH) LIRL 0.4% up N**IAP****RWY 18:** REIL(NSTD). **RWY 36:** REIL. Tree.**AIRPORT REMARKS:** Unattended. Ultralight activity on and in/ovf arpt. Maintenance vehicle t/c on and in/ovf arpt. W ramp and twy pvt, clsd transient. ACTIVATE LIRL Rwy 18-36 and REIL Rwy 18 and Rwy 36—CTAF.**COMMUNICATIONS:** CTAF 122.9Ⓡ **MADISON APP/DEP CON** 135.45 (1200-0500Z‡)Ⓡ **CHICAGO CENTER APP/DEP CON** 133.3 (0500-1200Z‡)**RADIO AIDS TO NAVIGATION:** NOTAM FILE DLL.**DELLS (H) VORTAC** 117.0 DLL Chan 117 N43°33.05' W89°45.82' 176° 15.2 NM to fld. 1020/3E.**PRENTICE** (5N2) 1 E UTC-6(-5DT) N45°32.58' W90°16.76'**GREEN BAY**

1578 B NOTAM FILE GRB

L-141**RWY 09-27:** H3250X60 (ASPH) MIRL**RWY 09:** Thld dsplcd 350'. Railroad.**RWY 27:** Thld dsplcd 120'. Tree.**AIRPORT REMARKS:** Unattended. ACTIVATE twy and MIRL Rwy 09-27—CTAF.**COMMUNICATIONS:** CTAF/UNICOM 123.0**RADIO AIDS TO NAVIGATION:** NOTAM FILE RHI.**RHINELANDER (L) VORTAC** 109.2 RHI Chan 29 N43°38.03'

W89°27.47' 259° 35 NM to fld. 1590/2E. HIWAS.

**PRICE CO** (See PHILLIPS)**PULASKI****CARTER** (92C) 2 S UTC-6(-5DT) N44°38.47' W88°12.91'**GREEN BAY**

785 S4 FUEL 100LL, MOGAS TPA-1585(800) NOTAM FILE GRB

L-31A**RWY 12-30:** H2555X30 (ASPH) LIRL (NSTD) 0.3% up NW**IAP****RWY 12:** Thld dsplcd 375'. Tree.**RWY 30:** Thld dsplcd 130'. Trees.**RWY 03-21:** 1610X80 (TURF)**RWY 03:** Road.**RWY 21:** Road.**AIRPORT REMARKS:** Attended dalgt hrs. Parachute Jumping. Ultralight flying on and in/ovf arpt. Rwy 12-30 large cracks in rwy. Limited line-of-sight between Rwy 03 and 12, Rwy 03 and 30. Rwy 12-30 NSTD LIRL, spaced every 300'. For NSTD LIRL Rwy 12-30 ACTIVATE 3 clicks on 5 clicks off—CTAF.**COMMUNICATIONS:** CTAF 122.9Ⓡ **GREEN BAY APP CON** 119.4 (1130-0530Z‡)Ⓡ **GREEN BAY DEP CON** 126.55 (1130-0530Z‡)Ⓡ **MINNEAPOLIS CENTER APP/DEP CON** 125.55 (0530-1130Z‡)**RADIO AIDS TO NAVIGATION:** NOTAM FILE GRB.**GREEN BAY (H) VORTACW** 115.5 GRB Chan 102 N44°33.31' W88°11.69' 349° 5.2 NM to fld. 767/1E.

HIWAS.

QUAMS MARINA SPB (See STOUGHTON)

RACINE

JOHN H. BATTEN (RAC) 2 NW UTC-6(-5DT) N42°45.67' W87°48.84'

CHICAGO
H-5E, L-28H, A
IAP

674 B S2 FUEL 100LL, JET A LRA NOTAM FILE RAC

RWY 04-22: H6574X100 (CONC-GRVD) S-50, D-65, ST-83 HIRL

RWY 04: MALSf. REIL. PAPI(P4L). Thld dsplcd 734'. Road.

RWY 22: REIL. PAPI(P4L)—GA 3.0° TCH 46'. Thld dsplcd 390'.
Railroad.

RWY 14-32: H4422X100 (ASPH) S-25, D-35 MIRL 0.4% up NW

RWY 14: REIL. PAPI(P4L). Thld dsplcd 806'. Road.

RWY 32: REIL. Tree.

AIRPORT REMARKS: Attended Mon-Fri 1300-2300Z, Sat-Sun 1400-2300Z. Migratory waterfowl on and invof arpt. PAEW AER 22. Rwy 22 REIL intermittent west side. ACTIVATE HIRL Rwy 04-22 and MIRL Rwy 14-32; PAPI Rws 04 and 14; REIL Rws 04; 22; 14 and 32; MALSf Rwy 04—CTAF. PAPI Rwy 22 opr 24 hrs. Flight Notification Service (ADCUS) avbl.

WEATHER DATA SOURCES: ASOS 117.7 HRK (262) 635-0959.

COMMUNICATIONS: CTAF/UNICOM 123.075

Ⓡ **MILWAUKEE APP/DEP CON** 120.15 (South) **CLNC DEL** 120.15

RADIO AIDS TO NAVIGATION: NOTAM FILE RAC.

HORLICK (T) VORW/DME 117.7 HRK Chan 124 N42°45.73'

W87°48.88' at fld. 669/2W. **ASOS.**


PASER NDB (MHW/LOM) 206 RA N42°40.95' W87°53.97' 041°

6.0 NM to fld. Unmonitored.

NDB unusable byd 10 NM.

ILS 108.7 I-RAC Rwy 04 LOM PASER NDB. Unmonitored 0500-1200Z.

GS unusable blo 819'.



RED WING MUNI (See RED WING MUNI Minnesota)

REEDSBURG MUNI (C35) 1 E UTC-6(-5DT) N43°31.55' W89°58.99'

CHICAGO
L-28G
IAP

907 B S4 FUEL 100LL, JET A TPA-1907(1000) NOTAM FILE GRB

RWY 18-36: H4840X75 (ASPH) S-30 MIRL 0.5% up N

RWY 18: REIL. PAPI(P2L)—GA 3.0° TCH 25'. Thld dsplcd 440'. Road.

RWY 36: REIL. Thld dsplcd 300'. Railroad.

RWY 07-25: H2510X50 (ASPH) S-30 MIRL 0.6% up NE

RWY 07: Thld dsplcd 230'. Road.

RWY 25: Thld dsplcd 300'. Road.

AIRPORT REMARKS: Attended Jun-Aug 1400-0200Z, Sep-May 1400-2300Z. Deer on and invof arpt. 160' crane E of AER 07 flagged/Igtd. MIRL Rws 18-36 and 07-25 preset on low ints, to increase ints and ACTIVATE REIL Rws 18 and 36 and PAPI Rwy 18—CTAF.

COMMUNICATIONS: CTAF/UNICOM 122.8

DELLS RCO 122.1R 117.0T (GREEN BAY RADIO)

Ⓡ **MADISON APP/DEP CON** 135.45 (1200-0500Z) **GCO** 121.725 (FLIGHT SERVICES)

Ⓡ **CHICAGO CENTER APP/DEP CON** 133.3 (0500-1200Z)

RADIO AIDS TO NAVIGATION: NOTAM FILE DLL.

DELLS (H) VORTAC 117.0 DLL Chan 117 N43°33.05' W89°45.82' 258° 9.7 NM to fld. 1020/3E.

RHINELANDER—ONEIDA CO (RHI) 2 SW UTC-6(-5DT) N45°37.85' W89°28.00'GREEN BAY
H-2J, L-14J
IAP1624 B S4 FUEL 100LL, JET A Class I, ARFF Index A NOTAM FILE RHI
RWY 09-27: H6800X150 (CONC-GRVD) S-95, D-150, DT-235 HIRL 0.4% up W

RWY 09: MALSR. PAPI(P4L)—GA 3.0° TCH 53'.

RWY 27: REIL. VASI(V4L)—GA 3.0° TCH 49'. Trees.

RWY 15-33: H5201X100 (ASPH) S-55, D-95, DT-160 HIRL

RWY 15: REIL. VASI(V4L)—GA 3.75° TCH 50'. Tree.

RWY 33: REIL. PAPI(P4L)—GA 3.0° TCH 25'.

RUNWAY DECLARED DISTANCE INFORMATION

RWY 09: TORA-6799 TODA-6799 ASDA-6799 LDA-6799

RWY 27: TORA-6799 TODA-6799 ASDA-6799 LDA-6799

AIRPORT REMARKS: Attended Oct-Apr 1400-2300Z†, May-Sep 1400-0100Z†. Birds and coyote on and invof arpt. PPR for unscheduled air carrier opns with more than 9 passenger seats ctc arpt manager 715-365-3416 or 715-365-3419. Rwy 15 VASI OTS indef. HIRL Rwy 09-27 preset on low ints; to increase ints and ACTIVATE HIRL Rwy 15-33, PAPI Rwy 09, VASI Rwy 27, Rwy 15, PAPI Rwy 33; REIL Rwy 15, Rwy 33, and Rwy 27 and MALSR Rwy 09—CTAF.

WEATHER DATA SOURCES: ASOS 126.825 (715) 362-7980. HIWAS 109.2 RHI.

COMMUNICATIONS: CTAF/UNICOM 123.0

RCO 122.1R 109.2T (GREEN BAY RADIO)

⑧ MINNEAPOLIS CENTER APP/DEP CON 133.65


AIRSPACE: CLASS E svc Mon-Fri 1200-0400Z†, Sat 1200-0130Z†, Sun 1600-0400Z† other times CLASS G.**RADIO AIDS TO NAVIGATION:** NOTAM FILE RHI.

(L) VORTAC 109.2 RHI Chan 29 N45°38.03' W89°27.47' at fld. 1590/2E. HIWAS.

VOR portion unusable 310°-340° byd 20 NM blo 5000'. DME unusable byd 35 NM blo 3500'.

ARSHA NDB (LOM) 272 RH N45°37.69' W89°37.13' 087° 6.4 NM to fld.

ILS 111.3 I-RHI Rwy 09. Class IE. ILS unmonitored.

**RICE LAKE RGNL—CARL'S FLD** (RPD) 5 SW UTC-6(-5DT) N45°25.21' W91°46.40'GREEN BAY
H-2I, L-14I
IAP

1109 B S4 FUEL 100LL, JET A NOTAM FILE RPD

RWY 01-19: H6700X100 (ASPH) S-30, D-30 MIRL

RWY 01: MALSR. PAPI(P2L)—GA 3.0° TCH 38'. Thld dsplcd 200'. Rgt tfc.

RWY 19: REIL. PAPI(P2L)—GA 3.0° TCH 38'.

RWY 13-31: H3500X75 (ASPH) MIRL

RWY 13: REIL. PAPI(P2L)—GA 3.15° TCH 41'. Trees. RWY 31: REIL. PAPI(P2L)—GA 3.0° TCH 33'. Trees. Rgt tfc.

AIRPORT REMARKS: Attended 1200-0300Z†. Rwy 19 PAPI OTS indef. MIRL Rwy 01-19 preset on low ints dusk-dawn, to increase ints and ACTIVATE REIL Rwy 01 and Rwy 19, PAPI Rwy 01 and Rwy 19 and MALSR Rwy 01—CTAF.

WEATHER DATA SOURCES AWOS-3 120.525 (715) 458-4481.**COMMUNICATIONS:** CTAF/UNICOM 122.7

RCO 122.3 (GREEN BAY RADIO)

⑧ MINNEAPOLIS CENTER APP/DEP CON 125.3

RADIO AIDS TO NAVIGATION: NOTAM FILE RPD.

(T) VORW/DME 110.0 RPD Chan 37 N45°24.91' W91°46.68' at fld. 1092/1E. OTS indef.

DME unusable 050°-080° byd 20 NM blo 2800'.

WICKR NDB (LOM) 221 RP N45°19.05' W91°48.17' 010° 6.3 NM to fld.

ILS 108.3 I-RPD Rwy 01. LOM WICKR NDB. ILS unmonitored indef.

RICHARD I BONG (See SUPERIOR)**RICHLAND** (See RICHLAND CENTER)

RICHLAND CENTER**RICHLAND** (93C) 4 SE UTC-6(-5DT) N43°17.00' W90°17.90'**CHICAGO**

742 B FUEL 100LL NOTAM FILE GRB

L-28G

RWY 17-35: H3200X60 (ASPH) S-12.5 MIRL 0.6% up N.

IAP

RWY 17: REIL. PAPI(P2L)—GA 3.5° TCH 33'. Trees. RWY 35: REIL. PAPI(P2L)—GA 3.5° TCH 24'. Tree.

RWY 09-27: 1500X100 (TURF) 0.7% up E.

RWY 09: Road. RWY 27: Tree.

AIRPORT REMARKS: Attended irregularly. Call 608-647-8804 for fuel. Ultralight activity on and invof arpt. Deer on and invof arpt. Rwy 09-27 not plowed; confirm winter and spring rwy conditions with arpt manager 608-647-8804. Rwy 09-27 marked with white and orange panels. ACTIVATE MIRL Rwy 17-35, PAPI and REIL Rws 17 and 35—CTAF.

COMMUNICATIONS: CTAF 122.9® **CHICAGO CENTER APP/DEP CON** 133.3**RADIO AIDS TO NAVIGATION:** NOTAM FILE LNR.

LONE ROCK (L) VORW/DME 112.8 LNR Chan 75 N43°17.66' W90°07.99' 265° 7.3 NM to fld. 1184/OE.
HIWAS.

RIO**GILBERT FLD** (94C) 1 W UTC-6(-5DT) N43°27.00' W89°15.01'**CHICAGO**

925 TPA-1925(1000) NOTAM FILE GRB

RWY 09-27: 1092X65 (TURF)

RWY 09: Trees. RWY 27: Trees.

AIRPORT REMARKS: Unattended. Confirm winter rwy conditions and snow removal call 920-429-3513. E twy CLOSED indef. Rwy 09-27 thlds marked with orange cones.

COMMUNICATIONS: CTAF 122.9**ROCHESTER****FOX RIVER** (96C) 2 NW UTC-6(-5DT) N42°45.00' W88°15.06'**CHICAGO**

822 NOTAM FILE GRB

RWY 01-19: H2500X36 (ASPH)

RWY 01: Trees. RWY 19: Trees.

AIRPORT REMARKS: Attended Mon-Fri 1200-2230Z†. Rwy 01-19 rwy asph is 10'-15' wider last 300' each end.**COMMUNICATIONS:** CTAF 122.9**ROCK RIVER** N43°10.42' W88°43.52' NOTAM FILE RYV.**CHICAGO**

NDB (MHW) 371 RYV at Watertown Muni. NDB unmonitored 0500-1000Z†.

L-28H

RUSK CO (See LADYSMITH)**SAUK-PRAIRIE** (See PRAIRIE DU SAC)**SAWYER CO** (See HAYWARD)**SEELEY** N46°06.73' W91°23.08' NOTAM FILE GRB.**GREEN BAY**

NDB (MHW) 344 SLY 205° 5.8 NM to Sawyer Co.

L-14I

NDB unusable byd 15 NM.

SHAWANO MUNI (EZS) 1 NE UTC-6(-5DT) N44°47.24' W88°33.60'

GREEN BAY

813 B S4 FUEL 100LL NOTAM FILE GRB

L-31A

RWY 11-29: H3900X75 (ASPH) S-17 MIRL

IAP

RWY 11: Road.

RWY 29: Trees.

RWY 17-35: H2225X60 (ASPH) MIRL

RWY 17: Road.

RWY 35: Trees.

AIRPORT REMARKS: Attended 1400Z±-dusk. Waterfowl and deer on and in/ovf arpt. ACTIVATE MIRL Rwy 11-29 and 17-35—CTAF.

WEATHER DATA SOURCES: AWOS-3 118.65 (715) 526-2465.

COMMUNICATIONS: CTAF/UNICOM 122.8

Ⓡ **GREEN BAY APP/DEP CON** 119.4 (1130-0530Z±)

Ⓡ **MINNEAPOLIS CENTER APP/DEP CON** 125.55 (0530-1130Z±)

GCO 121.725 (FLIGHT SERVICES)

RADIO AIDS TO NAVIGATION: NOTAM FILE GRB.


GREEN BAY (H) VORTACW 115.5 GRB Chan 102 N44°33.31'

W88°11.69' 311° 20.9 NM to fld. 767/1E. **HIWAS.**

• • • • •

WATERWAY ALL WAY: 12,000X1000 (WATER)

SEAPLANE REMARKS: Seaplane waterway CLOSED early Nov to early May, call arpt manager 715-526-2465 for conditions. Rotating bcn located on arpt ½ mile SW of seaplane. Seaplane base has floating tie downs and beaching ramp.



SHEBOYGAN CO MEML (SBM) 3 NW UTC-6(-5DT) N43°46.15' W87°51.13'

CHICAGO

754 B S4 FUEL 100LL, JET A TPA-1554(800) NOTAM FILE SBM

H-21, L-28H

RWY 03-21: H6000X100 (CONC-GRVD) S-60, D-60 HIRL

IAP

RWY 03: REIL. PAPI(P4R)—GA 3.0° TCH 52'. Trees.

RWY 21: MALSR. PAPI(P4L)—GA 3.0° TCH 43'.

RWY 13-31: H5000X75 (ASPH) S-23, D-32 MIRL 0.3% up NW

RWY 13: PAPI(P4L)—GA 3.0° TCH 40'. Trees.

RWY 31: PAPI(P4L)—GA 3.0° TCH 40'. Trees.

AIRPORT REMARKS: Attended Mon-Fri 1200Z±-dusk, Sat-Sun dawn-dusk. Ultralight activity on and in/ovf arpt. Waterfowl and deer on and in/ovf arpt. Twy A clsd indef. Rwy 03 REIL OTS indef. Rwy 21 MALSR OTS indef. Rwy 13 PAPI OTS indef. For services call 920-467-6151-frequency 129.85 or 920-467-0370-frequency 131.35. HIRL Rwy 03-21 and MIRL Rwy 13-31 preset low ints, to increase ints and ACTIVATE PAPI Rwy 21; REIL Rwy 03 and MALSR Rwy 21—CTAF.

WEATHER DATA SOURCES: ASOS 110.0 FAH (920) 467-0744.

COMMUNICATIONS: CTAF/UNICOM 122.7

FALLS RCO 122.1R 110.0T (GREEN BAY RADIO)

Ⓡ **MILWAUKEE APP/DEP CON** 127.0 **CLNC DEL** 127.375


GCO 121.725 (FLIGHT SERVICES)

RADIO AIDS TO NAVIGATION: NOTAM FILE OSH.

OSHKOSH (L) VORTAC 111.8 OSH Chan 55 N43°59.43' W88°33.36' 111° 33.3 NM to fld. 780/2E.

FALLS (L) VOR/DME 110.0 FAH Chan 37 N43°46.13' W87°50.93' at fld. 740/2W. NOTAM FILE SBM. **ASOS.**

ILS/DME 110.7 I-HEV Chan 44 Rwy 21.



SHELL LAKE MUNI (SSQ) 1 SE UTC-6(-5DT) N45°43.88' W91°55.24'

GREEN BAY

1233 B NOTAM FILE GRB

L-141

RWY 14-32: H3711X50 (ASPH) MIRL

IAP

RWY 14: PAPI(P2L)-GA 4.0° TCH 21'. Thld dsplcd 619'. Trees.

RWY 32: REIL: PAPI(P2L)-GA 3.0° TCH 21'. Thld dsplcd 211'. Boat.

RUNWAY DECLARED DISTANCE INFORMATION

RWY 14: TORA-3711 TODA-3711 ASDA-3500 LDA-2881

RWY 32: TORA-3286 TODA-3711 ASDA-3711 LDA-3500

AIRPORT REMARKS: Unattended. Birds on and invof arpt. ACTIVATE MIRL

Rwy 14-32; PAPI Rwy 14 and Rwy 32; REIL Rwy 32—CTAF.

COMMUNICATIONS: CTAF/UNICOM 122.8

RICE LAKE RCO 122.3 (FLIGHT SERVICES)


Ⓡ MINNEAPOLIS CENTER APP/DEP CON 126.45

GCO 121.725 (GREEN BAY FSS)

RADIO AIDS TO NAVIGATION: NOTAM FILE RPD.

RICE LAKE (T) VORW/DME 110.0 RPD Chan 37 N45°24.91'

W91°46.68' 341° 19.9 NM to fld. 1092/1E. OTS indef.



SHIOCTON (W34) 1 NE UTC-6(-5DT) N44°27.28' W88°33.71'

GREEN BAY

769 NOTAM FILE GRB

RWY 18-36: 2340X110 (TURF)

RWY 18: REIL(NSTD). Trees.

RWY 36: REIL(NSTD). Antenna.

RWY 09-27: 1415X110 (TURF)

RWY 09: Tree.

RWY 27: Road.

AIRPORT REMARKS: Unattended. Arpt CLOSED 15 Mar-25 Apr. Parachute Jumping. Ultralight activity on and invof arpt.

Deer activity on and invof arpt. Rwy 09-27 marked by orange and white barrels. Rwy 18-36 marked with orange

and white barrels. Rwy 18-36 NSTD REIL; solar powered. Rwy 18-36 cones marking drain ditch W of rwy where

Rwy 09-27 crosses.

COMMUNICATIONS: CTAF 122.9

SIREN N45°49.23' W92°22.47' NOTAM FILE RZN.

GREEN BAY

(L) VOR/DME 109.4 RZN Chan 31 at Burnett Co. 987/2E. HIWAS.

L-141

VOR/DME unusable 030°-170° byd 20NM blo 3400'. VOR unusable 011°-029° byd 20NM 275°-330°.

DME unusable

171°-180° byd 35 NM blo 3400'.

260°-350° byd 30 NM blo 3300'.

180°-200° byd 30 NM blo 3500'.

350°-029° byd 35 NM blo 3000'.

200°-260° byd 25 NM blo 3800'.

RCO 122.1 R 109.4T (GREEN BAY RADIO)

SIREN**BURNETT CO** (RZN) 3 N UTC-6(-5DT) N45°49.36' W92°22.35'

989 B FUEL 100LL, JET A, MOGAS NOTAM FILE RZN

RWY 04-22: H3900X75 (ASPH) S-8 MIRL

RWY 04: REIL. PAPI(P2L)—GA 3.45 TCH 27'. Trees.

RWY 22: REIL. PAPI(P2L)—GA 3.0 TCH 28'. Road.

RWY 13-31: H3500X75 (ASPH) S-8 MIRL

RWY 13: REIL. PAPI(P2L)—GA 3.0 TCH 28'. Trees.

RWY 31: REIL. PAPI(P2L)—GA 3.45 TCH 27'. Trees.

AIRPORT REMARKS: Attended Mon-Fri 1400-2230Z†, Sat-Sun 1500-2200Z†. Fuel 24 hr self svc. Occasional deer and bear on rwy. Rwy 13 and Rwy 31 REIL OTS indef. ACTIVATE MIRL Rwys 04-22 and 13-31; REIL Rwys 04-22 and 13-31—CTAF.

WEATHER DATA SOURCES: AWOS-3 118.325 (715) 349-8563. HIWAS 109.4 RZN.

COMMUNICATIONS: CTAF/UNICOM 122.8

SIREN RCO 122.1R 109.4T (GREEN BAY RADIO)

① MINNEAPOLIS CENTER APP/DEP CON 121.05

RADIO AIDS TO NAVIGATION: NOTAM FILE RZN.

SIREN (L) VOR/DME 109.4 RZN Chan 31 N45°49.23'

W92°22.47' at fld. 987/2E. HIWAS.


BIG DOCTOR NDB (MHW) 203 BXR N45°49.28' W92°21.99' at fld.

NOTAM FILE GRB. VFR only.

GREEN BAY

L-141

IAP

**OLON SPRINGS****NORTH COUNTRY SPB** (SS1) 1 E UTC-6(-5DT) N46°22.19' W91°47.88'

1000 NOTAM FILE GRB

WATERWAY 04-22: 6000X500 (WATER)

WATERWAY 09-27: 3500X500 (WATER)

SEAPLANE REMARKS: Unattended.**COMMUNICATIONS:** CTAF 122.9

GREEN BAY

L-141

IAP

OLON SPRINGS MUNI (OLG) 3 S UTC-6(-5DT) N46°18.89' W91°48.98'

1102 B S2 FUEL 100LL TPA—2102(1000) NOTAM FILE GRB

RWY 01-19: H3100X60 (ASPH) S-27 LIRL

RWY 01: Trees. RWY 19: Trees.

AIRPORT REMARKS: Unattended. Numerous deer on arpt. Acft mechanic on call 715-399-2171. LIRL Rwy 01-19 preset low ints dusk-dawn, ACTIVATE higher ints—CTAF. Twy to ramp from rwy marked by reflectors.

COMMUNICATIONS: CTAF 122.9

① DULUTH APP/DEP CON 125.45 (1200-0500Z†)

① MINNEAPOLIS CENTER APP/DEP CON 127.9 (0500-1200Z†)


RADIO AIDS TO NAVIGATION: NOTAM FILE DLH.

DULUTH (H) VORTACW 112.6 DLH Chan 73 N46°48.13'

W92°12.17' 146° 33.3 NM to fld. 1428/5E. HIWAS.

NDB (MHW) 388 OLG N46°19.02' W91°48.84' at fld. NOTAM

FILE GRB. Unmonitored. SHUTDOWN.

**SOUTHERN WISCONSIN RGNL** (See JANESVILLE)

SPARTA**SPARTA/FORT McCOY** (CMY)(KCMY) CIV/MIL 3 NE UTC-6(-5DT) N43°57.50' W90°44.27'**CHICAGO**837 B **FUEL** 100LL NOTAM FILE CMY**L-286****RWY 11-29:** H4708X100 (ASPH) MIRL**IAP****RWY 11:** REIL. Trees. **RWY 29:** REIL. PVASI(PSIR)—GA 3.0° TCH 65'. Thld dspld 425'. Road.**RWY 01-19:** H4295X50 (ASPH) PCN 13 F/B/W/T MIRL 0.3% up S**RWY 01:** Thld dspld 1375'. Road. **RWY 19:** Trees.**MILITARY SERVICE: FUEL** J8 (MIL) (NC-100LL PPR) PPR C608-388-3721/3713, DSN 280-3721/3713.**AIRPORT REMARKS:** Attended 1330-2200Z±. Except national training holiday. PPR for fuel; call 608-269-3122.


Occasional wild game and birds on and in/ovf arpt. ACTIVATE MIRL Rwy 01-19 and Rwy 11-29—CTAF. REIL Rwy 11 and Rwy 29 opr only when rwy lgts set on high ints.

MILITARY REMARKS: CAUTION Intermittent heavy C-130/high performance opr. Use advisory svc if avbl.**WEATHER DATA SOURCES:** AWOS-3 118.375 (608) 269-0724.**COMMUNICATIONS:** CTAF 124.6Ⓡ **VOLK APP/DEP CON** 135.25 290.8 (Mon-Fri 1400-2200Z± except holidays), other times etc,Ⓡ **CHICAGO CENTER APP/DEP CON** 133.3 380.35**McCOY TOWER** 38.5 124.6 241.0 (Mon-Fri 1400-2200Z± exc Federal holidays) **RANGE** 43.15 46.8 124.6 247.4**GCO** 121.725 (FLIGHT SERVICES)**AIRSPACE: CLASS D** Mon-Fri 1400-2200Z± exc Federal holidays, other times CLASS G.**RADIO AIDS TO NAVIGATION:** NOTAM FILE LSE.**LA CROSSE (T) VORW/DME** 108.4 LSE Chan 21 N43°52.57' W91°15.36' 075° 23 NM to fld. 650/2E.**McCOY NDB (MHW)** 412 CMY N43°56.27' W90°38.51' 287° 4.3 NM to fld. NOTAM FILE CMY.**SPOONER****NEST OF EAGLES** (1H9) 3E UTC-6(-5DT) N45°50.13' W91°48.16'**GREEN BAY**

1120 B NOTAM FILE GRB Not insp.

RWY 01-19: 3600X100 (TURF)**RWY 01:** Trees. **RWY 19:** Trees.**AIRPORT REMARKS:** Unattended. Snow not plowed winter months, turf cut and maintained summer months.**COMMUNICATIONS:** CTAF 122.9**STEVENS POINT MUNI** (STE) 3 NE UTC-6(-5DT) N44°32.71' W89°31.82'**GREEN BAY**1110 B S4 **FUEL** 100LL, JET A TPA-2110(1000) NOTAM FILE STE**H-21, L-141****RWY 03-21:** H6028X120 (ASPH) S-30, D-75, DT-195 HIRL**IAP****RWY 03:** REIL. PAPI(P2L)—GA 3.0° TCH 38'. Trees.**RWY 21:** MALSR. PAPI(P2L)—GA 3.0° TCH 37'. Tree.**RWY 12-30:** H3635X75 (ASPH) S-9 D-75 HIRL**RWY 12:** Road. **RWY 30:** Trees.**AIRPORT REMARKS:** Attended dalgt hrs. Fuel 24 hr self svc. Deer and migratory waterfowl on and in/ovf arpt. ACTIVATE HIRL Rwy 03-21 and Rwy 12-30 and MALSR Rwy 21 and REIL Rwy 03 and PAPI Rwys 03 and 21—CTAF.**WEATHER DATA SOURCES:** AWOS-3 119.275 (715) 344-5960.**HIWAS** 110.6 STE.**COMMUNICATIONS:** CTAF/UNICOM 122.7**RCO** 122.1R 110.6T (GREEN BAY RADIO)Ⓡ **MINNEAPOLIS CENTER APP/DEP CON** 124.4**RADIO AIDS TO NAVIGATION:** NOTAM FILE STE.**(L) VORTAC** 110.6 STE Chan 43 N44°32.60'W89°31.83' at fld. 1110/2E. **HIWAS.**

DME unusable byd 35 NM blo 3000'.

ILS/DME 111.35 I-STE Chan 50Y Rwy 21.

STOUGHTON**QUAMS MARINA SPB** (99C) 3 NW UTC-6(-5DT) N42°57.07' W89°16.26'**CHICAGO**

843 FUEL MOGAS TPA-1843(1000) NOTAM FILE GRB

WATERWAY ALL WAY: 15000X4000 (WATER)

SEAPLANE REMARKS: Attended Apr-Oct Mon-Fri 1400-0000Z†, Sat 1500-2300Z†, Sun 1500-2200Z†, Nov-Mar irregularly.

COMMUNICATIONS: CTAF 122.9

STURGEON BAY N44°50.21' W87°25.35' NOTAM FILE SUE.**GREEN BAY**

NDB (MHW) 414 SUE at Door Co Cherryland.

L-31B

STURGEON BAY**DOOR CO CHERRYLAND** (SUE) 2 W UTC-6(-5DT) N44°50.62' W87°25.29'**GREEN BAY**

725 B S4 FUEL 100LL, JET A NOTAM FILE SUE

L-31B

RWY 02-20: H4600X75 (ASPH) S-16, D-22 MIRL 0.4% up S

IAP

RWY 02: LDIN. REIL. PAPI(P4L)—GA 3.0° TCH 32'. Road.

RWY 20: REIL. PAPI(P4L)—GA 3.0° TCH 46'. Trees.

RWY 10-28: H3199X75 (ASPH) S-16, D-22 MIRL

RWY 10: REIL. PAPI(P4L)—GA 3.0° TCH 31'. Road.

RWY 28: REIL. PAPI(P4L)—GA 3.0° TCH 37'. Trees.

AIRPORT REMARKS: Attended Mon-Sat 1300-2200Z†, Sun 1600-2200Z†. Except summer hrs from Labor Day—Memorial Day Fri and Sat 1300-0000Z†, Sun 1500-2200Z†. After hrs fueling avbl, ctc 920-743-6952. Be Alert: No line of sight Rwy 02 to Rwy 20. Deer, turkeys and seagulls occasionally on arpt. Ultralight activity on and invof arpt. Group of five twrs approximately 4 NM northeast, tallest twr is 1300' MSL/489' AGL. ACTIVATE MIRL Rwy 02-20 and 10-28; PAPI Rwy 02, 20, 10 and 28; REIL Rwy 02; 20; 10 and 28; LDIN Rwy 02—CTAF.

WEATHER DATA SOURCES: AWOS-3 128.325 (920) 743-7087

COMMUNICATIONS: CTAF/UNICOM 122.7

① GREEN BAY APP/DEP CON 119.25 (1130-0530Z†)

① MINNEAPOLIS CENTER APP/DEP CON 125.55 (0530-1130Z†)

RADIO AIDS TO NAVIGATION: NOTAM FILE GRB.

GREEN BAY (H) VORTACW 115.5 GRB Chan 102 N44°33.31' W88°11.69' 061° 37.3 NM to fld. 767/1E. HIWAS.

FICHY NDB (LOM) 224 II N44°45.36' W87°26.95' 016° 5.4 NM to fld. Unmonitored.

STURGEON BAY NDB (MHW) 414 SUE N44°50.21' W87°25.35' at fld. NOTAM FILE SUE.

SDF 111.9 III Rwy 02. LOM FICHY NDB. SDF unusable byd 12° left or right of course. Unmonitored.

STURTEVANT**SYLVANIA** (C89) 3 W UTC-6(-5DT) N42°42.20' W87°57.54'**CHICAGO**

785 B S4 FUEL 100LL TPA-1585(800) NOTAM FILE GRB

RWY 08L-26R: 2343X120 (TURF) MIRL

RWY 08L: Road. RWY 26R: Road.

RWY 08R-26L: H2272X38 (ASPH) MIRL (NSTD)

RWY 08R: Road. RWY 26L: PAPI(P2L). Thld dspcd 140'. Road.

AIRPORT REMARKS: Attended dalgt hrs. Parachute activity on and invof arpt. Ultralight activity on arpt. ACTIVATE MIRL

Rwy 08R-26L and PAPI Rwy 26L—CTAF.

COMMUNICATIONS: CTAF/UNICOM 122.8

SUPERIOR**RICHARD I BONG** (SUW) 3 S UTC-6(-5DT) N46°41.38' W92°05.68'**GREEN BAY**

674 B S4 FUEL 100LL, JET A NOTAM FILE SUW

H-21, L-141

RWY 03-21: H5100X75 (ASPH) MIRL

IAP

RWY 03: REIL. PAPI(P4L)—GA 3.0° TCH 28'. Pole.

RWY 21: REIL. Trees.

RWY 13-31: H4000X75 (ASPH) MIRL

RWY 13: REIL. Trees.

RWY 31: REIL. PAPI(P4L)—GA 4.0°. Road.

AIRPORT REMARKS: Attended 1400Z†-dusk. Parachute Jumping. Deer on and invof arpt. ACTIVATE MIRL Rwy 13-31 and 03-21 and REIL Rwy 13-31 and 03-21—CTAF.

WEATHER DATA SOURCES: AWOS-3 118.875 (715) 394-0283.

COMMUNICATIONS: CTAF/UNICOM 122.7

① DULUTH APP/DEP CON 125.45 (1200-0500Z†) CLNC DEL 124.8

① MINNEAPOLIS CENTER APP/DEP CON 127.9 (0500-1200Z†)

RADIO AIDS TO NAVIGATION: NOTAM FILE DLH.

DULUTH (H) VORTACW 112.6 DLH Chan 73 N46°48.13' W92°12.17' 141° 8.1 NM to fld. 1428/5E. HIWAS.

BONG NDB (MHW) 260 SUW N46°41.48' W92°06.21' at fld. NOTAM FILE SUW.

SURING**PISO** (7P5) 4.3 NW UTC-6(-5DT) N45°03.92' W88°25.59'

GREEN BAY

891 **FUEL** MOGAS TPA-1391(500) NOTAM FILE GRB**RWY 01-19:** 2080X55 (TURF)**RWY 01:** Trees. **RWY 19:** Trees.**AIRPORT REMARKS:** Unattended. Fuel avbl and local full svc gas station N end of field during dalgt hrs. Rwy not plowed and arpt CLOSED Nov 15 thru Mar 31. Rwy 18-36 south half of rwy severely rutted. Rwy 01-19 marked with orange barrels.**COMMUNICATIONS:** CTAF 122.9**SWEETWATER BAY SPB** (See OCONTO)**SYLVANIA** (See STURTEVANT)**TAYLOR CO** (See MEDFORD)**TEELS** N42°54.54' W88°02.46' NOTAM FILE MKE.

CHICAGO

NDB (MH/LOM) 242 GM 072° 6.8 NM to General Mitchell Intl. Unmonitored.

L-28H, A

THREE CASTLES AIRPARK (See WONEWOC)**THREE LAKES****THREE LAKES MUNI** (4ØD) 3 SE UTC-6(-5DT) N45°47.41' W89°07.26'

GREEN BAY

1636 B TPA-2436(800) NOTAM FILE GRB

RWY 03-21: 3400X120 (TURF) LIRL(NSTD)**RWY 03:** Trees. **RWY 21:** PAPI(P2L)-GA 3.0° TCH 24'.**AIRPORT REMARKS:** Unattended. Rwy 03-21 not plowed Nov-May. 1683' AGL, 3327' MSL twr 8.5 NM SW. Rwy 03-21 ends marked with yellow cones.**COMMUNICATIONS:** CTAF/UNICOM 122.7**TIMMERMAN** N43°06.59' W88°02.24'. NOTAM FILE MWC.

CHICAGO

(L) **VOR/DME** 112.5 **LJT** Chan 72 at Lawrence J. Timmerman. 737/2W.

A

VOR unusable byd 25 NM 030°-230° blo 5500', 230°-310 blo 6500', 310°-030° blo 4500'.

DME unusable 120°-200° byd 25 NM blo 3500', 200°-315° byd 20 NM blo 5000', 315°-120° byd 25 NM blo 4000'.

RCO 123.6R 112.5T (GREEN BAY RADIO)**TOMAH****BOLEY FLD** (Y72) 1 E UTC-6(-5DT) N43°58.57' W90°28.84'


CHICAGO

966 B **FUEL** 100LL NOTAM FILE GRB

L-28G

RWY 07-25: H3900X75 (ASPH) MIRL**RWY 07:** REIL. PAPI(P2L)-GA 3.0° TCH 33'. Tree.**RWY 25:** REIL. PAPI(P2L)-GA 3.0° TCH 35'. Trees.**AIRPORT REMARKS:** Unattended. Rwy 07-25 E 300' has 1 inch dips. For fuel call 608-372-3125. MIRL Rwy 07-25 preset on low ints; to increase ints and **ACTIVATE REIL** Rwy 07 and Rwy 25-CTAF.**COMMUNICATIONS:** CTAF 122.9**RADIO AIDS TO NAVIGATION:** NOTAM FILE PNM.**NODINE (H) VORTAC** 117.9 ODI Chan 126 N43°54.74'

W91°28.05' 084° 43.0 NM to fld. 1282/1E.



TOMAHAWK RGNL (TKV) 3 W UTC-6(-5DT) N45°28.16' W89°48.34'**GREEN BAY**

1487 B S4 FUEL 100LL, JET A NOTAM FILE TKV

L-14J

RWY 09-27: H3998X75 (ASPH) S-26 MRL 0.5% up E

IAP

RWY 09: REIL. PAPI(P2L)—GA 3.0° TCH 25'. Road.

RWY 27: REIL. PAPI(P2L)—GA 3.0° TCH 21'. Trees.

AIRPORT REMARKS: Attended continuously. Airframe and powerplant repairs by prior arrangement call 715-453-2264 or 453-3482. Deer on and invof arpt. ACTIVATE MRL Rwy 09-27, PAPI and REIL Rwy 09 and Rwy 27—CTAF.**WEATHER DATA SOURCES:** AWOS-3 118.25 (715) 453-5716.**COMMUNICATIONS:** CTAF/UNICOM 122.8**MINNEAPOLIS CENTER APP/DEP CON** 133.65**RADIO AIDS TO NAVIGATION:** NOTAM FILE RHI.**RHINELANDER (L) VORTAC** 109.2 RHI Chan 29 N45°38.03' W89°27.47' 234° 17.7 NM to fld. 1590/2E.

HIWAS.

TRI-COUNTY RGNL (See LONE ROCK)**VERONA** (W19) 1 E UTC-6(-5DT) N42°59.00' W89°31.01'**CHICAGO**

960 TPA-1560(600) NOTAM FILE GRB

RWY 03-21: 2190X90 (TURF)

RWY 03: Trees.

RWY 21: Trees.

RWY 04-22: 1950X85 (TURF)

RWY 04: Road. Rgt tfc.

RWY 22: Trees.

AIRPORT REMARKS: Unattended. Arpt surfaces not plowed for snow. Confirm surface conditions with arpt manager 608-845-7239. Deer on and invof arpt. Ultralight activity on and invof arpt. Balloon ops normally early AM and PM—daigt hrs. Rwy 03-21 900' from S end rough. Rwy 04-22 marked with reflectors no markings on S end of rwy. Rwy 04-22 4-6' fence and berm 20' S of rwy edge parallels rwy. Avoid overflights of institution 0.5N and Village Park 1.0W of arpt.**COMMUNICATIONS:** CTAF 122.9**VINCENT** (See GENOA CITY)**VIROQUA MUNI** (Y51) 2 N UTC-6(-5DT) N43°34.76' W90°53.79'**CHICAGO**

1292 B FUEL 100 NOTAM FILE GRB

L-28G

RWY 11-29: H3346X60 (ASPH) S-12 HIRL 0.7% up SE

IAP


RWY 29: Trees.

RWY 02-20: 2555X90 (TURF) 1.0% up SW

RWY 20: Trees.

AIRPORT REMARKS: Unattended. 24 hr fuel avbl. Rwy 02-20 CLOSED Nov 15 thru Apr 15. Rwy 02-20 has sharp 20' drop-off each end. Rwy slopes downhill to the N approximately 1.5%. Rwy 02-20 marked with yellow cones. Rwy 11-29 HIRLS on low ints—increase ints on CTAF.**COMMUNICATIONS:** CTAF 122.9**MINNEAPOLIS CENTER APP/DEP CON** 128.6**RADIO AIDS TO NAVIGATION:** NOTAM FILE LSE.**LA CROSSE (T) VORW/DME** 108.4 LSE Chan 21 N43°52.57'

W91°15.36' 137° 23.7 NM to fld. 650/2E.



VOLK FLD (VOK) (KVOK) ANG 1N UTC-6(-5DT) N43°56.34' W90°15.21' **CHICAGO**
 912 B TPA—See Remarks NOTAM FILE GRB Not insp. H-2J, L-286
Rwy 09-27: H9000X150 (ASPH-CONC-GRVD) PCN 97 R/B/W/T HIRL DIAP, AD
Rwy 09: MALSR. PAPI(P4L). **Rwy 27:** ALSF1. PAPI(P4R). Rgt tfc.
ARRESTING GEAR/SYSTEM
Rwy 09 HOOK BAK-12B(B) (1260') HOOK BAK-12B(B) (1250') **Rwy 27**
MILITARY SERVICE: LGT ACTIVATE-ALS, HIRL, PAPI Rwy 09-27-CTAF or 239.25. Rwy 27 PAPI NSTD located rgt side.
A-GEAR Normal BAK-12B(B) configuration: apch end down, dep end up; 20 min prior notice to reconnect apch end cable. **JASU** (AM32A-60A) 6(A/M32A-86) **FUEL** J8 Avbl limited, expect possible gnd delay for req exceeding 10,000 gal. **FLUID** LPOX LOX **TRAN ALERT** Extremely limited.
MILITARY REMARKS: Opr Mon-Fri 1400-2200Z+ except holidays, subject short notice change in support of NGB validated flying. Check NOTAM for current afld hrs. See FLIP AP/1 Supplementary Arpt Remarks.
RSTD Recommend use as emergency arpt only when rqr to land as soon as possible. PPR ctc Volk Fld DSN 871-1205, C608-427-1205. Issued PPR valid for ETA +/- 1 hr. Early/late arr/dep must be coordinated. After hr re-coordination or cancel will be passed to Base OPS standby personnel C608-343-0104. Twy G ltd to F-16 acft or smaller and helicopter traffic. **CAUTION** FMQ-19 automated wx obsn avbl 24 hr, DSN 871-1066, C 608-427-1066. When wind is from S/SW expect possible Low Level Wind Shear 1 to 3 NM on final to Rwy 27. Due to tactical acft rqr, BAK-12 cable may be in position for Rwy 09-27 simultaneously. Twy E and F unlgtd, unlimited daytime VFR use, Follow Me rqr for day IFR and night IFR/VFR use. **TFC PAT** Left tfc Rwy 09. TPA-Helicopter rectangular 1500(588). **MISC** First 1600' Rwy 09 and first 1600' Rwy 27 grooved concrete, mid 5800' grooved asphalt. Standard USAF RSRS applied.
COMMUNICATIONS: SFA CTAF 127.5 ATIS 120.475 257.85 PTD 372.2
 (R) **APP/DEP CON** 135.25 290.8 (Mon-Fri 1400-1600Z+, except holidays, subject short notice change in support of NGB validated flying, check NOTAMS for current afld hrs), other time ctc
 (R) **CHICAGO CENTER APP/DEP CON** 133.3 257.92
TOWER 127.5 239.25 (Mon-Fri 1400-1600Z+, except holidays, subject short notice change in support of NGB validated flying, check NOTAMS for current afld hrs.) **GND CON** 121.9 275.8
SHEBOYGAN RANGE 260.4
HARDWOOD RANGE 132.025 297.775 358.8
AIRSPACE: CLASS D svc Mon-Fri 1400-0600Z+ except holidays subject short notice change in support of NGB validated flying, other times CLASS G.
RADIO AIDS TO NAVIGATION: NOTAM FILE GRB.
 (L) **TACAN** Chan 41 VOK (110.4) N43°56.57' W90°15.54' at fld. 961/OE. Unmonitored when twr clsd. No NOTAM MP Mon 1400-1530Z+.
 TACAN unusable byd 20NM blo 4,000'.
ILS 108.5 I-VOK Rwy 27. Class IE. Unmonitored when twr clsd. Back course unusable. No NOTAM MP: Localizer Mon 1930-2030Z+; Glide slope Mon 2030-2130Z+.
COMM/NAV/WEATHER REMARKS: Limited Special Rules Area svc avbl, ctc Radar Approach Control at DSN 871-1779, C608-427-1779.

WALWORTH

BIG FOOT AIRFIELD (7V3) 3 W UTC-6(-5DT) N42°31.54' W88°39.18' **CHICAGO**
 951 TPA-1751(800) NOTAM FILE GRB
Rwy 09-27: 2912X85 (TURF)
Rwy 09: Tree.
Rwy 18-36: 2108X100 (TURF) LIRL (NSTD)
Rwy 18: Tree.
AIRPORT REMARKS: Unattended. Rws not plowed winter months—open to ski equipped acft only. Rwy 18-36 NSTD LIRL; Rwy 18 thld lghts are 45' S of rwy markers. Rwy 18-36 and Rwy 09-27 thlds marked with red half barrels. ACTIVATE NSTD LIRL Rwy 18-36-123.75.
COMMUNICATIONS: CTAF 122.9

WASHINGTON ISLAND (2P2) 1 S UTC-6(-5DT) N45°23.17' W86°55.47' **GREEN BAY**
 652 B TPA-1652(1000) NOTAM FILE GRB
Rwy 14-32: 2230X150 (TURF) LIRL
Rwy 14: Road. **Rwy 32:** Trees.
Rwy 04-22: 1300X125 (TURF)
Rwy 04: Trees. **Rwy 22:** Trees.
AIRPORT REMARKS: Unattended. Rwy 14-32 +12' rise in rwy elevation NW 900'. Numerous flocks of waterfowl and deer on and invof arpt. Rws 14-32 and 04-22 plowed when snow is over 3 inches. Rwy 04-22 slopes downhill to the NE. Rwy 04 thld +20' higher than Rwy 22 thld. ACTIVATE LIRL Rwy 14-32 and rotating bcn-CTAF.
COMMUNICATIONS: CTAF 122.9

WATERTOWN MUNI (RYV) 0 S UTC-6(-5DT) N43°10.18' W88°43.39'

CHICAGO

833 B S4 FUEL 100LL, JET A OX 2 NOTAM FILE RYV

L-28H

RWY 05-23: H4429X75 (ASPH) S-30, D-60 MIRL

IAP

RWY 05: REIL. PAPI(P2L)—GA 3.0° TCH 50'. Thld dsplcd 190'. Tree. Rgt tfc.

RWY 23: REIL. PAPI(P2L)—GA 3.0° TCH 45'. Tree.

RWY 11-29: H2801X75 (ASPH) S-30 MIRL 0.4% up SE

RWY 11: Road. Rgt tfc.

RWY 29: Road.

RUNWAY DECLARED DISTANCE INFORMATION

RWY 05: TORA-4430 TODA-5110 ASDA-4550 LDA-4430

RWY 23: TORA-4430 TODA-4845 ASDA-4430 LDA-4430

AIRPORT REMARKS: Attended 1200-0400Z. Arpt attended other hrs on req thru FBO. Ducks and seagulls occasionally near arpt during seasonal migrations. Deer on and in/ov arpt. ACTIVATE MIRL Rwy 05-23 and Rwy 11-29, PAPI Rwy 05 and Rwy 23 and REIL Rwy 05 and Rwy 23—CTAF.

WEATHER DATA SOURCES: AWOS-3 119.975 (920) 261-0734.**COMMUNICATIONS:** CTAF/UNICOM 122.8

® MADISON APP/DEP CON 119.15 (1200-0500Z)

® CHICAGO CENTER APP/DEP CON 133.3 (0500-1200Z)

RADIO AIDS TO NAVIGATION: NOTAM FILE MKE.

BADGER (H) VORTACW 116.4 BAE Chan 111 N43°07.01' W88°17.06' 277° 19.5 NM to fld. 1080/2E. HIWAS.

ROCK RIVER NDB (MHW) 371 RYV N43°10.42' W88°43.52' at fld. NOTAM FILE RYV.

NDB unmonitored 0500-1000Z.

WAUKESHA CO (UES) 2 N UTC-6(-5DT) N43°02.46' W88°14.22'

CHICAGO

911 B S4 FUEL 100LL, JET A OX 1 NOTAM FILE UES

H-5E, L-28H, A

RWY 10-28: H5848X100 (CONC-GRVD) S-40, D-66, ST-84 HIRL

IAP, AD

RWY 10: MALSR. VASI(V4L)—GA 3.0° TCH 56'. Trees.

RWY 28: REIL. VASI(V4L)—GA 3.75° TCH 37'. Tree.

RWY 18-36: H3598X75 (ASPH) S-20 MIRL

RWY 18: REIL. PAPI (P2L). Road.

RWY 36: REIL. PAPI (P2L). Road.

AIRPORT REMARKS: Attended continuously. Deer and coyotes on and in/ov arpt. Call 262-549-6150 for oxygen availability. Twy D clsd at Rwy 18-36 indef. HIRL Rwy 10-28 preset on low ints; to increase ints and ACTIVATE MIRL Rwy 18-36; REIL Rwy 28, Rwy 18, Rwy 36, and MALSR Rwy 10—CTAF.

WEATHER DATA SOURCES: AWOS-3 118.875 (262) 521-5226.

Unavailable 1200-0300Z.


COMMUNICATIONS: CTAF 123.7 ATIS 118.875 UNICOM 122.95

® MILWAUKEE APP/DEP CON 128.7 (North) CLNC DEL 128.7

(0300-1200Z)

TOWER 123.7 (1200-0300Z) **GND CON** 121.6**AIRSPACE:** CLASS D svc 1200-0300Z other times CLASS G.**RADIO AIDS TO NAVIGATION:** NOTAM FILE MKE.

BADGER (H) VORTACW 116.4 BAE Chan 111 N43°07.01' W88°17.06' 153° 5 NM to fld. 1080/2E. HIWAS.

NDB (MHW) 359 UES N43°02.68' W88°14.11' at fld. NOTAM FILE UES. OTS indef.**ILS** 109.5 I-SKC Rwy 10. Unmonitored when twr clsd.**WAUNAKEE** (6P3) 1 S UTC-6(-5DT) N43°10.72' W89°27.08'

CHICAGO

954 FUEL 100LL TPA-1954(1000) NOTAM FILE GRB

RWY 09-27: H2223X30 (ASPH) LIRL (NSTD)

RWY 27: Thld dsplcd 146'. Building.

AIRPORT REMARKS: Unattended. For fuel call 608-225-1109. ACTIVATE LIRL Rwy 09-27—CTAF. Rwy 09-27 NSTD LIRL 165' from E end; 155' from W end. 1910' of rwy is lgtd. Rwy lgts approximately 60' from pavement edge. Rwy 27 NSTD dsplcd thld markings.

COMMUNICATIONS: CTAF 122.9

WAUTOMA MUNI (Y5Ø) 2 SW UTC-6(-5DT) N44°02.50' W89°18.27'

GREEN BAY

859 B S4 FUEL 100LL NOTAM FILE GRB

L-28H

RWY 13-31: H3300X60 (ASPH) S-12.5 MIRL

IAP

RWY 13: Trees. RWY 31: Tree.

RWY 08-26: 2280X150 (TURF)

RWY 08: Trees. RWY 26: Trees.

RWY 05-23: H1190X35 (ASPH)

RWY 05: Trees. RWY 23: Trees.

AIRPORT REMARKS: Attended May-Sep 1300-0200Z±, Oct-Apr 1300-0000Z±. 24 hour self svc fuel. Rwy 08-26 CLOSED winter months except for ski equipped acft. Rwy 08-26 East 430' CLOSED in winter. Waterfowl and deer on and in/ovf arpt. Ultralights on and in/ovf arpt. MIRL Rwy 13-31 preset on low ints; to increase ints ACTIVATE—CTAF. Rwy 08-26 ends marked with white markers.

COMMUNICATIONS: CTAF/UNICOM 122.8

④ MILWAUKEE APP/DEP CON 127.0

RADIO AIDS TO NAVIGATION: NOTAM FILE STE.

STEVENS POINT (L) VORTAC 110.6 STE Chan 43 N44°32.60' W89°31.83' 163° 31.6 NM to fld. 1110/2E.

HIWAS.

WEST BEND**HAHN SKY RANCH** (2T5) 5 NW UTC-6(-5DT) N43°27.98' W88°17.46'

CHICAGO

1090 S2 NOTAM FILE GRB

RWY 10-28: 2900X60 (TURF)

RWY 10: Brush. RWY 28: Tree.

AIRPORT REMARKS: Unattended. Rwy 10-28 has soft areas approximately 1000' from W end.

Rwy 10-28 surface rough and rolling. Ultralight activity on and in/ovf arpt. Rwy 10-28 thld not marked.

COMMUNICATIONS: CTAF 122.9**WEST BEND MUNI** (ETB) 3 E UTC-6(-5DT) N43°25.33' W88°07.68'

CHICAGO

887 B S4 FUEL 100LL, JET A TPA—1887(1000) NOTAM FILE ETB

L-28H

RWY 13-31: H4494X75 (ASPH) S-15 MIRL 0.3% up NW

IAP

RWY 13: REIL. VASI(V4L)—GA 3.0° TCH 37'. Road. RWY 31: REIL. VASI(V2L)—GA 3.0° TCH 28'. Trees.

RWY 06-24: H3897X75 (ASPH) S-12 MIRL 0.3% up SW

RWY 06: Tree. RWY 24: Road.

AIRPORT REMARKS: Attended 1300Z±-dusk. 100' crane 400' SW AER 13 Mon-Fri 1700-0500Z±. MIRL Rwy 06-24 and 13-31 preset on low ints; to increase ints and ACTIVATE REIL Rwy 13-31; VASI Rwy 13 and 31—CTAF.

WEATHER DATA SOURCES: AWOS-3 120.0 (262) 334-6161.**COMMUNICATIONS:** CTAF/UNICOM 122.8

RCO 122.1R 109.8T (GREEN BAY RADIO)

④ MILWAUKEE APP/DEP CON 125.35 CLNC DEL 124.75

RADIO AIDS TO NAVIGATION: NOTAM FILE MKE.

BADGER (H) VORTACW 116.4 BAE Chan 111 N43°07.01' W88°17.06' 018° 19.6 NM to fld. 1080/2E.

HIWAS.

(T) VOR 109.8 BJB N43°25.32' W88°07.51' at fld. NOTAM FILE ETB.

KETTLE MORAINÉ NDB (MHW) 329 LLE N43°25.51' W88°07.63' at fld. NOTAM FILE ETB. Unmonitored.

SHUTDOWN.

ILS 108.9 1-ETB Rwy 31. LOC monitored 1300-0300Z± daily.

COMM/NAV/WEATHER REMARKS: AWOS-3 ceiling unreliable.

.

HELIPAD H1: H100X100 (ASPH)

HELIPORT REMARKS: When using military helipad military helicopters use pattern to the N or W of arpt. Helipad H1 blue perimeter lgts.

WESTOTSHA (See WILMOT)**WHITewater****GUTZMER'S TWIN OAKS** (5Y3) 1 NW UTC-6(-5DT) N42°51.21' W88°45.59'

CHICAGO

821 TPA—1621(800) NOTAM FILE GRB

RWY 18-36: 2523X140 (TURF) LIRL (NSTD)

RWY 18: Trees.

AIRPORT REMARKS: Attended Apr-Nov 1400Z±-SS. Rwy 18-36 not plowed winters. Arpt CLOSED to wheeled acft when rwy snow covered. Extensive ultralight and hang glider ops on and in/ovf arpt. Rwy 18-36 not sanded or plowed.

Rwy 18-36 thld marked with white and orange L-shaped wooden A-frames. Rwy 18-36 NSTD LIRL; lgts not on frangible mounts.

COMMUNICATIONS: CTAF 122.9

WICKR N45°19.05' W91°48.17' NOTAM FILE RPD.
NDB (LOM) 221 RP 010° 6.3 NM to Rice Lake Rgnl-Carl's Fld.

WILD ROSE IDLEWILD (W23) 2 NE UTC-6(-5DT) N44°11.87' W89°13.07' **CHICAGO**
 908 B NOTAM FILE GRB
RWY 09-27: 2990X100 (TURF) RWY LGTS (NSTD)
RWY 09: Tree. **RWY 27:** Tree.
RWY 18-36: 1695X100 (TURF)
RWY 18: Trees. **RWY 36:** Trees.
AIRPORT REMARKS: Unattended. Rwy 18-36 CLOSED Nov 15 thru Apr 1. Ultralight activity on and invof arpt. Deer and cranes on and invof arpt. Rwy 09-27 plowed winter months. Rwy 9-27 NSTD thld lgts. ACTIVATE LIRL Rwy 09-27—CTAF. Rwy 09 thld lgts OTS indef. Rwy 18-36 marked with black and yellow panels. Rwy 09-27 marked with yellow panels and orange edge markers. Rwy 27 additional obstruction road 0' from thld 90' right; apch ratio 0:1.
COMMUNICATIONS: CTAF/UNICOM 122.8

WILMOT

WESTOSHA (5K6) 1 W UTC-6(-5DT) N42°30.85' W88°12.31' **CHICAGO**
 850 B S4 **FUEL** 100LL TPA—1500(650) NOTAM FILE GRB
RWY 03-21: H2849X38 (ASPH-CONC) LIRL (NSTD)
RWY 03: Thld dsplcd 36'. Road. **RWY 21:** Thld dsplcd 9'.
RWY 14-32: 1517X45 (TURF)
RWY 14: Fence. **RWY 32:** Trees.
AIRPORT REMARKS: Attended 1400-0000Z+. Rwy 14-32 CLOSED Nov 15 thru Mar 31. Arpt has noise abatement procedures ctc arpt manager on 262-862-6111. Rwy 03-21 SW 400' conc and NE 27' conc rest of rwy asph. Rwy 03-21 has a 60' drop-off 10' from NE end. ACTIVATE LIRL Rwy 03-21—CTAF. ACTIVATE rotating bcn—CTAF. Rwy 14-32 A-frames painted orange and white. Rwy 03-21 NSTD LIRL; Rwy 03 thld lgts 3 each side; Rwy 21 1 light each side.
COMMUNICATIONS: CTAF/UNICOM 123.0

WISCONSIN RAPIDS NOTAM FILE ISW. **GREEN BAY**
NDB (MHW) 215 ISW N44°21.84' W89°50.39' at Alexander Fld South Wood Co. **L-286**
RCO 122.45 (GREEN BAY RADIO)

WISCONSIN RAPIDS**ALEXANDER FLD SOUTH WOOD CO**

(ISW) 1 S UTC-6(-5DT) N44°21.62' W89°50.34'

GREEN BAY

H-2J, L-286

IAP

1021 B FUEL 100LL, JET A TPA—See Remarks NOTAM FILE ISW

RWY 02-20: H5500X100 (ASPH) S-40, D-60 MIRL

RWY 02: REIL. PAPI(P4L)—GA 3.0° TCH 50'. Trees.

RWY 20: REIL. PAPI(P4L)—GA 3.0° TCH 50'. Tree.

RWY 11-29: H3640X50 (ASPH) S-12, D-20 MIRL

RWY 11: Road.

RWY 29: PAPI(P4L)—GA 4.0° TCH 50'. Thld displcd 170'. Trees.

RWY 18-36: 2100X50 (TURF)

RWY 18: Tree. RWY 36: Trees.

AIRPORT REMARKS: Attended May-Sep 1400-2330Z†, Oct-Apr 1400-2300Z†. Birds on and in/ovf arpt. ACTIVATE MIRL Rwy 02-20; MIRL Rwy 11-29; REIL Rwy 02 and Rwy 20; PAPI Rwy 02; Rwy 20 and Rwy 29—CTAF. Rwy 18-36 marked with yellow metal triangles. Ultralight acft must have an operating altimeter, two-way radio, use ultralight ops area (Rwy 18-36), avoid overflight of hard surface rwys. Ultralight acft must have an operating altimeter and two-way radio. Ultralight ops area posted at terminal building or call 715-424-3737. Ultralights use rgt tfc for Rwys 02, 20 and 11 and left tfc for Rwy 29. When ultralight opns are clsd, ultralights use rgt tfc for Rwy 02, Rwy 20 and Rwy 11 and left tfc for Rwy 29. When Rwy 18-36 is closed ultralights may use Rwy 02-20 and Rwy 11-29. TPA: ultralight TPA 1521(500).

WEATHER DATA SOURCES: ASOS 126.575 (715) 421-2120.**COMMUNICATIONS:** CTAF/UNICOM 122.8

WISCONSIN RAPIDS RCO 122.45 (GREEN BAY RADIO)

® MINNEAPOLIS CENTER APP/DEP CON 124.4


RADIO AIDS TO NAVIGATION: NOTAM FILE STE.

STEVENS POINT (L) VORTAC 110.6 STE Chan 43 N44°32.60' W89°31.83' 231° 17.2 NM to fld. 1110/2E. HIWAS.

WISCONSIN RAPIDS NDB (MHW) 215 ISW N44°21.84' W89°50.39' at fld. NOTAM FILE ISW.

NEPCO NDB (LOM) 326 EK N44°15.59' W89°53.27' 020° 6.4 NM to fld. Unmonitored.

SEF 108.7 EKP Rwy 02 LOM NEPCO NDB. Unmonitored.

**WITTMAN RGNL** (See OSHKOSH)**WONEWOC****THREE CASTLES AIRPARK**

(4D1) 1 NW UTC-6(-5DT) N43°40.20' W90°13.96'

CHICAGO

921 TPA—1921(1000) NOTAM FILE GRB

RWY 10-28: 2740X90 (TURF)

RWY 10: Tree. RWY 28: Trees.

AIRPORT REMARKS: Unattended.**COMMUNICATIONS:** CTAF 122.9**WOODRUFF** N45°53.33' W89°36.43'**GREEN BAY**

RCO 122.6 (GREEN BAY RADIO)

L-10H, 12E

YANKS N43°03.60' W87°52.61' NOTAM FILE MKE.**CHICAGO**

NDB (MHW/LOM) 260 BL 189° 6.8 NM to General Mitchell Intl. Unmonitored.

A

2009 U.S. & CANADIAN MILITARY AERIAL AIRCRAFT/PARACHUTE DEMONSTRATIONS

During CY 2009, the U.S. and Canadian Military Aerial Demonstration Teams (Thunderbirds, Blue Angels, Snowbirds, and Golden Knights) will be performing on the dates and locations listed below.

Pilots should expect Temporary Flight Restrictions (TFR) in accordance with 14 CFR Section 91.145, Management of aircraft operations in the vicinity of aerial demonstrations and major sporting events. The dimensions and effective times of the TFRs may vary based upon the specific aerial demonstration event and will be issued via the U.S. NOTAM system. Pilots are strongly encouraged to check FDC NOTAMs to verify they have the most current information regarding these airspace restrictions.

The currently scheduled 2009 aerial demonstration locations, subject to change without notice, are:

DATE:		USAF Thunderbirds	USN Blue Angels	Canadian Snowbirds	USA Golden Knights
October	24-25		Fort Worth, TX		Fort Worth, TX
	24-25				Pinehurst, NC
	31		Houston, TX		
November	1		Houston, TX		
	7-8	Homestead AFB, FL	Jacksonville Beach, FL		
	13-14		NAS Pensacola, FL		
	14-15	Nellis AFB, NV			

Note: Dates and locations are scheduled "show dates" only and do not reflect arrival or practice date TFR periods that may precede the specific aerial demonstration events listed above. Again, pilots are strongly encouraged to check FDC NOTAMs to verify they have the most current information regarding any airspace restrictions.

MODEL ROCKET ACTIVITY IN ILLINOIS**Hillsboro Municipal Airport (3K4), Hillsboro, IL**

Model Rocket activity will be conducted within a 2 NM radius of the VLA273011, SFC to 8,000 Feet MSL, SR-SS. For further information contact Flight Services at 1-800-WX-BRIEF (992-7433).

Tuscola Airport (K96), Tuscola, IL

Model Rocket activity will be conducted within a 2 NM radius of Tuscola Airport (K96), SFC to 10,000 feet MSL, SR-SS. For further information contact Flight Services at 1-800-WX-BRIEF (992-7433).

AEROBATIC PRACTICE AREAS IN ILLINOIS**Litchfield Municipal Airport (3LF), Litchfield, IL**

Aerobatic practice will be conducted within 2 NM radius of Litchfield Municipal Airport (3LF), from 1,700 feet MSL to 4,200 feet MSL. The practice area is for waiver holders only. Pilots should use caution when opr within this area. For further information contact Flight Services at 1-800-WX-BRIEF (992-7433).

Smith Airport (LL27), Macomb, IL

Aerobatic practice will be conducted within 2 NM radius of Smith Airport (LL27), SFC to 4,100 feet MSL, SR-SS. For further information contact Flight Services at 1-800-WX-BRIEF (992-7433).

Williamson County Regional Airport (MWA), Marion, IL

Aerobatic practice will be conducted within 1 NM radius of Williamson County Regional Airport (MWA), SFC to 5,000 feet MSL, SR-SS. For further information contact Flight Services at 1-800-WX-BRIEF (992-7433).

Pinckneyville-DuQuoin Airport (PJY), Pinckneyville, IL

Aerobatic practice will be conducted within 2 NM radius of Pinckneyville-DuQuoin Airport (PJY), SFC to 3,900 feet MSL, SR-SS. For further information contact Flight Services at 1-800-WX-BRIEF (992-7433).

Springfield IL, Abraham Lincoln Capital Airport (SPI)

Aerobatic practice will be conducted within 1.5 NM radius of Springfield VOR SPI160010, from 2,100 feet MSL to 4,600 feet MSL, SR-SS. For further information contact Flight Services at 1-800-WX-BRIEF (992-7433).

AEROBATIC PRACTICE AREA**Norris Field (8I12), Richmond, IN**

Aerobatic Flight Activity will be conducted within 1 (one) NM radius of the Richmond (RID) VORTAC 193R/6 DME. Flights will occur from 800' AGL to 3,500' AGL. Pilots should use caution when operating within this area. For further information, Contact Dayton APP CON at 1-937-454-7310 or freq. 134.45.

AEROBATIC PRACTICE AREA**Skyway Estates Airport (60G), Eaton Rapids, MI**

Aerobatic Flight Activity will be conducted within a 1 (one) NM radius of the Lansing (LAN) VORTAC 171R/8DME. Flights will occur from SR to SS from 2,500 MSL to 6,000 MSL.

Pilots should use caution when operating within this area. For further information, contact Lansing ATCT at 1-517-321-1355 or freq. 119.9.

**Search Light Activity
Dayton, OH**

Search light activity will be conducted at the Dayton Schuster Performing Arts Center, Dayton, OH (FFO VORTAC 241/7.23, Lat 39-45-39.56N, Lon 084-11-32.94W) at and above 1500 MSL, from dusk until midnight. Searchlight beams may be injurious to pilots/passengers eyes at 1500 MSL and above. Flash blindness or cockpit illumination may occur at greater distances, to several miles. For further information, contact Dayton AFSS at 937-454-8398.

COMMUNICATIONS ADVISORIES**Indianapolis ARTCC****NABB INDIANA AREA****New Hope, London, Lexington Kentucky Area**

Indianapolis Center has installed frequencies in the southern portion of their airspace that require 720-channel radio capability.

Pilots should be aware that if they fly in the Nabb, IN, or the New Hope, London, and Lexington, KY, area without a 720-channel radio, ATC services will be greatly reduced. Traffic advisories, weather information, airport information, along with any other direct communication services will not be available.

While in this area of Indianapolis Center, pilots without 720-channel capability will, in most cases, monitor Flight Service Stations. There will be a noticeable delay in all clearance activity. Please ensure that ATC has adequate lead time in the event of problems or clearance requirements.

**INTERSECTION DEPARTURES DURING PERIOD OF DARKNESS
CHICAGO O'HARE INTERNATIONAL AIRPORT (ORD)
CHICAGO, ILLINOIS**

Chicago O'Hare International Airport Traffic Control Tower has been granted a waiver to the guideline that prohibits the control tower from taxiing an aircraft into "position and hold" at an intersection, between sunset and sunrise.

This waiver allows the tower to taxi the aircraft into "position and hold" during period of darkness, at the intersections listed below.

Runway 10 at Taxiway ZH
Runway 14L at Taxiway U2
Runway 14L at Taxiway V
Runway 28 at Taxiway ZY
Runway 28 at Taxiway ZV
Runway 32R at Taxiway V
Runway 32L at Taxiway T10
Runway 32L at Taxiway M

Aircraft shall not taxi into position and hold under the provisions of this waiver when the subject intersection is not visible from the tower unless the aircraft's position can be verified by the Airport Surface Detection Equipment (ASDE) prior to the issuance of a departure clearance. When the provisions of this waiver are being exercised, the affected runways shall be used for departures only, departures shall not be permitted from any point on the runway other than the intersections listed above, and only one aircraft at a time is permitted to taxi into position and hold on each respective runway.

**INTERSECTION DEPARTURES DURING PERIOD OF DARKNESS
INDIANAPOLIS INTERNATIONAL AIRPORT (IND)
INDIANAPOLIS, INDIANA**

Indianapolis International Airport Traffic Control Tower has been granted a waiver to the guideline that prohibits the control tower from taxiing an aircraft into "position and hold" at an intersection, between sunset and sunrise.

This waiver allows the tower to taxi the aircraft into "position and hold" during period of darkness, at the intersections listed below.

Runway 23L at Taxiways "C2" and "D2"
Runway 23R at Taxiways "A2" and "B2"

Aircraft shall not taxi into position and hold under the provisions of this waiver when the subject intersection is not visible from the tower. When the provisions of this waiver are being exercised, the affected runways shall be used for departures only. Intersection departures will continue to be utilized at other locations between sunset and sunrise. However, aircraft cannot be taxied into "position and hold" prior to takeoff clearance.

**INTERSECTION DEPARTURES DURING PERIOD OF DARKNESS
GENERAL MITCHELL INTERNATIONAL AIRPORT (MKE)
MILWAUKEE, WISCONSIN**

Milwaukee Mitchell International Airport Traffic Control Tower has been granted a waiver to the guideline that prohibits the control tower from taxiing an aircraft into "position and hold" at an intersection, between sunset and sunrise.

This waiver allows the tower to taxi the aircraft into "position and hold" during period of darkness, at the intersection listed below.

Runway 19R at Taxiway Victor

Aircraft shall not taxi into position and hold under the provisions of this waiver when the subject intersection is not visible from the tower. When the provisions of this waiver are being exercised, the affected runway shall be used for departures only. Intersection departures will continue to be utilized at other locations between sunset and sunrise.

**INTERSECTING RUNWAY OPERATIONS
CHICAGO O'HARE INTERNATIONAL AIRPORT (ORD)
CHICAGO, ILLINOIS**

Chicago O'Hare International (ORD) Airport Traffic Control Tower (ATCT) has been authorized to conduct intersecting runway operations to Runway 28 and Runway 14R whereby an aircraft departing Runway 28 shall be through the intersection of Runway 14R prior to the arriving aircraft on Runway 14R reaching a point no closer than 5,000 feet from the intersection of both runways.

**SIMULTANEOUS OPPOSITE DIRECTION OPERATIONS
CHICAGO O'HARE INTERNATIONAL AIRPORT (ORD)
CHICAGO, ILLINOIS**

Chicago O'Hare International (ORD) Airport Traffic Control Tower (ATCT) has been authorized to conduct arrivals to Runways 14L & 14R while conducting simultaneous opposite direction departures off of runways 09R & 28 during IFR weather conditions. ORD ATCT is authorized to conduct simultaneous converging instrument approaches to runways 14R & 22R while conducting simultaneous opposite direction departures off of runways 09R & 28 during IFR weather conditions.

**SIMULTANEOUS ILS APPROACHES WITH ONE GLIDE SLOPE OUT OF SERVICE
CHICAGO O'HARE INTERNATIONAL AIRPORT (ORD)
CHICAGO, ILLINOIS**

Chicago O'Hare International Airport Traffic Control Tower and Chicago TRACON have been authorized to conduct independent simultaneous ILS approaches with the glide slope of one parallel runway inoperative.

**ILS PRM (SIMULTANEOUS CLOSE PARALLEL) PROCEDURE FOR
PILOTS FILING FLIGHT PLANS TO CLEVELAND-HOPKINS
INTERNATIONAL (CLE)**

Effective Thursday, May 12, 2005. During the hours of 0700-2200 local, CLE ATCT may utilize ILS PRM and LDA PRM apchs to Runways 6L/6R as weather and arrival traffic demand dictate. Aircraft arriving from the west and north (primarily over ZABER and HIMEZ INT.) should expect ILS PRM Runway 6L, aircraft arriving from the east and south (primarily over CXR and KEATN INT.) should expect LDA PRM Runway 6R. If unable to participate in PRM apchs acft operators are required to contact FAA ATCSCC directly at 1-800-333-4286 or at 703-904-4452 prior to departure to obtain a pre-coordinated arrival time. Non-participating acft may encounter DLAS attributable to PRM flow. Pilot requirements and procedures are outlined in the U.S. Terminal Procedures Publications on the pages entitled Attention All Users of ILS Precision Runway Monitor (PRM) or LDA Precision Runway Monitor (PRM).

**SPECIAL NORTH ATLANTIC, CARIBBEAN AND
PACIFIC AREA COMMUNICATIONS**

VHF air-to-air frequencies enable aircraft engaged in flights over remote and oceanic areas out of range of VHF ground stations to exchange necessary operational information and to facilitate the resolution of operational problems.

Frequencies have been designated as follows:

North Atlantic area:	123.45 MHz
Caribbean area:	123.45 MHz
Pacific area:	123.45 MHz

CHICAGO, ILLINOIS CHICAGO O'HARE VOR/DME

DME unlocks can occur periodically due to ground station overload when more than 100 aircraft interrogations are received at the same time. The problem may occur when aircraft are being held in the Chicago (O'Hare) terminal area awaiting approach clearance at O'Hare. Possibilities of the problem occurring are reduced by users deactivating interrogators during nonuse or switching to an ILS DME whenever possible. Deactivating interrogators on the ground is especially important since nearby aircraft cause more overload than distant ones.

MILITARY TRAINING ROUTES

The DOD Flight Information Publication AP/1B provides textual and graphic descriptions and operating instructions for all military training routes (IR, VR, SR) and refueling tracks/anchors. Complete and more comprehensive information relative to policy and procedures for IRs and VRs is published in FAA Handbook 7610.4 (Special Military Operations) which is agreed to by the DOD and therefore directive for all military flight operations. The AP/1B is the official source of route data for military users.

CIVIL USE OF MILITARY FIELDS

U.S. Army, Air Force, Navy and Coast Guard Fields are open to civil fliers only in emergency or with prior permission.

Army installations, prior permission is required from the Commanding Officer of the installation.

For Air Force installations, prior permission should be requested at least 30 days prior to first intended landing from either Headquarters USAF (PRPOC) or the Commander of the installation concerned (who has authority to approve landing rights for certain categories of civil aircraft). For use of more than one Air Force installation, requests should be forwarded direct to Hq USAF (PRPOC), Washington, D.C. 20330.

Use of USAF installations must be specifically justified.

For Navy and Marine Corps installations, prior permission should be requested at least 30 days prior to first intended landing.

An Aviation Facility License must be approved and executed by the Navy prior to any landing by civil aircraft.

Forms and further information may be obtained from the U.S. Navy or Marine Corps aviation activity.

For Coast Guard fields prior permission should be requested from the Commandant, U.S. Coast Guard via the Commanding Officer of the field.

When instrument approaches are conducted by civil aircraft at military airports, they shall be conducted in accordance with the procedures and minimums approved by the military agency having jurisdiction over the airport.

AIRCRAFT LANDING RESTRICTIONS

Landing of aircraft at locations other than public use airports may be a violation of Federal or local law. All land and water areas are owned or controlled by private individuals or organizations, states, cities, local governments, or U.S. Government agencies. Except in emergency, prior permission should be obtained before landing at any location that is not a designated public use airport or seaplane base.

Landing of aircraft is prohibited on lands and waters administered by the National Park Service, U.S. Fish and Wildlife Service, U.S. Forest Service, and on many areas controlled by the U.S. Army Corps of Engineers, unless prior authorization is obtained from the respective agency.

CONTINUOUS POWER FACILITIES

In order to insure that a basic ATC system remains in operation despite an areawide or catastrophic commercial power failure, key equipment and certain airports have been designated to provide a network of facilities whose operational capability can be utilized independent of any commercial power supply.


In addition to those facilities comprising the basic ATC system, the following approach and lighting aids have been included in this program for a selected runway.


1. ILS (Localizer, Glide Slope, COMLO, Inner, Middle and Outer Markers)
2. Wind Measuring Capability
3. Approach Light System (ALS) or Short ALS (SALS)
4. Ceiling Measuring Capability
5. Touchdown Zone Lighting (TDZL)
6. Centerline Lighting (CL)
7. Runway Visual Range (RVR)
8. High Intensity Runway Lighting (HIRL)
9. Taxiway Lighting
10. Apron Light (Perimeter Only)

The following have been designated "Continuous Power Airports," and have independent back up capability for the equipment installed.

Airport/Ident	Runway No.	Airport/Ident	Runway No.
Albuquerque, NM (ABQ)	08	Milwaukee, WI (MKE)	01L
Anchorage, AK (ANC)	07R	Minneapolis, MN (MSP)	30L
Andrews AFB, MD (ADW)	01L	Nashville, TN (BNA)	02L
Atlanta, GA (ATL)	09R	New Orleans, LA (MSY)	10
Baltimore, MD (BWI)	10	New York, NY (JFK)	04R
Bismarck, ND (BIS)	31	New York, NY (LGA)	22
Boise, ID (BOI)	10R	Newark, NJ (EWR)	04R
Boston, MA (BOS)	04R	Oklahoma City, OK (OKC)	35R
Charlotte, NC (CLT)	36L	Omaha, NE (OMA)	14R
Chicago, IL (ORD)	14R	Ontario, CA (ONT)	26L
Cincinnati, OH (CVG)	36C	Philadelphia, PA (PHL)	09R
Cleveland, OH (CLE)	06R	Phoenix, AZ (PHX)	08
Dallas/Fort Worth, TX (DFW)	17C	Pittsburgh, PA (PIT)	10L
Denver, CO (DEN)	35R	Reno, NV (RNO)	16R
Des Moines, IA (DSM)	31	Salt Lake City, UT (SLC)	34L
Detroit, MI (DTW)	03R	San Antonio, TX (SAT)	12R
El Paso, TX (ELP)	22	San Diego, CA (SAN)	09
Fairbanks, AK (FAI)	01L	San Francisco, CA (SFO)	28R
Great Falls, MT (GTF)	03	San Juan, PR (SJU)	08
Honolulu, HI (HNL)	08L	Seattle, WA (SEA)	16C
Houston, TX (IAH)	26L	St. Louis, MO (STL)	30R
Indianapolis, IN (IND)	05L	Tampa, FL (TPA)	36L
Jacksonville, FL (JAX)	07	Tulsa, OK (TUL)	36R
Kansas City, MO (MCI)	19R	Washington, DC (DCA)	01
Los Angeles, CA (LAX)	24R	Washington, DC (IAD)	01R
Memphis, TN (MEM)	36L	Wichita, KS (ICT)	01L
Miami, FL (MIA)	08R		

NOTE—The existing CPA runway is listed. Pending and future changes at some locations will require a revised runway designation.



FIREFIGHTING TRAFFIC AREAS

Pilots are advised to stay clear of Firefighting Traffic Areas. Remain 15 miles from the area of activity. If you must over-fly the area, do so at an altitude of 5000 feet AGL above. However, to remain safe and out of the way of working aircraft, it is best to circumnavigate the area.

The wild-land fire environment can be very complex and involve a large number and variety of aircraft types including fixed and rotary wing aircraft. Some of the aircraft are small single and multi-engine command and control platforms that can be especially difficult to see and may give the appearance that the fire is not staffed. The aircraft participating in firefighting can orbit as far out as 12 miles from the perimeter of the fire. Any intrusion by aircraft not directly involved in the firefighting operation could delay the delivery of much needed retardant or water to ground firefighters and will adversely affect the safety of participating aircraft. Please stay well away from wild-land fires even if you feel that aircraft are not working the fire; they may be en route or unseen.

If you see a fire developing along your route, report it immediately to air traffic control who will advise the US Forest Service. The firefighting community would welcome this information.

The following narratives summarize the FAR Part 93 Special Air Traffic Rules, and Airport Traffic Patterns in effect as prescribed in the rule. This information is advisory in nature and in no way relieves the pilot from compliance with the specific rules set forth in FAR Parts 91 and 93.

Special Airport Traffic Areas prescribed in Part 93 are depicted on Sectional Aeronautical Charts, World Aeronautical Charts, Enroute Low Altitude Charts, and where applicable, on VFR Terminal Area Charts.

LORAIN (ELYRIA), OHIO LORAIN COUNTY AIRPORT TRAFFIC RULE

Part 93, Subpart J, requires each person piloting an airplane landing at the Lorain County Rgnl Airport shall enter the traffic pattern north of the airport and shall execute a right traffic pattern for a landing to the southwest or a left traffic pattern for a landing to the northeast. Each person taking off from the airport shall execute departure turn to the north as soon as practicable after takeoff.

OPERATIONS RESERVATIONS FOR HIGH DENSITY TRAFFIC AIRPORTS KENNEDY, LAGUARDIA, AND WASHINGTON REAGAN NATIONAL

The Federal Aviation Administration (FAA) has designated New York's Kennedy and LaGuardia Airports and Washington Reagan National Airport as High Density Traffic Airports (HDTA), Title 14, Code of Federal Regulations, part 93, subpart K, and has prescribed air traffic rules and requirements for operating aircraft (excluding helicopters) to and from those airports during certain hours.

Reservations are required for operations from 6 a.m. through 11:59 p.m. local time at LaGuardia Airport and Washington Reagan National Airport. Reservations at Kennedy Airport are required from 3 p.m. through 7:59 p.m. local time.

Reservation procedures are detailed in Advisory Circular 93-1, Reservations for Unscheduled Operations at High Density Traffic Airports. A copy of the advisory circular is available on the FAA website at <http://www.faa.gov>. Reservations for unscheduled operations are allocated through the Enhanced Computer Voice Reservation System (e-CVRS) accessible via telephone or the Internet. This system may not be used to make reservations for scheduled air carrier or commuter flights.

The toll-free telephone number for accessing e-CVRS is 1-800-875-9694 and is available for calls originating within the United States, Canada, and the Caribbean. Users outside the toll-free areas may access e-CVRS by calling the toll number of 703-707-0568. The Internet web address for accessing the e-CVRS is <http://www.fly.faa.gov/ecvrs>. If you have any questions about reservation requirements or are experiencing problems with the system, you may telephone the Airport Reservation Office at the Air Traffic Control System Command Center at (703) 904-4452.

Requests for instrument flight rules (IFR) reservations will be accepted beginning 72 hours prior to the proposed time of operation at the high-density airport. For example, a request for an 11 a.m. reservation on a Thursday will be accepted beginning at 11 a.m. on the previous Monday.

IFR reservations must be obtained prior to IFR landing or takeoff at an HDTA during slot controlled hours. An air traffic control (ATC) clearance does not constitute a reservation. A reservation does not constitute permission to operate at an HDTA if additional operational limits or procedures are required by NOTAM and/or regulation.

Aircraft involved in medical emergencies will be handled by ATC without regard to a reservation after obtaining prior approval of the ATC System Command Center on (703) 904-4452. ATC will accommodate declared other emergency situations without regard to slot reservations.

NOTE: Visual flight rule (VFR) reservations via ATC for unscheduled operations at LaGuardia are not authorized from 7 a.m. through 8:59 a.m. local time and 4 p.m. through 6:59 p.m. local time, Monday through Friday and Sunday evenings, unless otherwise announced by NOTAM. Both IFR and VFR operations during those time periods must obtain an advance reservation through e-CVRS.

FSS TELEPHONE NUMBERS

Flight Service Station (FSS) facilities provide flight planning and weather briefing services to pilots. FSS services in the contiguous United States, Hawaii and Puerto Rico, are provided by a network of large hub facilities and smaller remote facilities which are interconnected with the hubs.

Selected remote FSS facilities across the contiguous United States have variable part-time operating hours. Because of the interconnectivity between remote and hub facilities, all FSS services are available continuously using published telephone numbers and radio frequencies.

EAST CENTRAL U.S.

ILLINOIS: Kankakee, Greater Kankakee (IKK)—**IKK FSS**

MICHIGAN: Lansing, Capital City (LAN)—**LAN FSS**

Telephone Information Briefing Service (TIBS) is the FSS service that provides continuous recordings of meteorological and/or aeronautical information including area and/or route briefings, airspace procedures and special announcements. A touch-tone telephone is required to fully utilize this service.

Further information can be found in the Aeronautical Information Manual (AIM).

NATIONAL FSS TELEPHONE NUMBER

Pilot Weather Briefings 1-800-WX-BRIEF (1-800-992-7433)

OTHER FSS TELEPHONE NUMBERS (except in Alaska)

TIBS (see description above) 1-800-4TIBS-WX (1-877-484-2799)

Clearance Delivery Only 1-888-766-8267

Lifeguard Flights Only 1-877-LIF-GRD3 (1-877-543-4733)

Flights within DC SFRA & FRZ * 1-866-225-7410

* District of Columbia Special Flight Rules Area & Flight Restricted Zone

KEY to AERODROME FORECAST (TAF) and AVIATION ROUTINE WEATHER REPORT (METAR)

TAF KPIT 091730Z 091818 15005KT 5SM HZ.FEW020 WS010/31022KT
FM1930 30015G25KT 3SM SHRA OVC015 TEMPO 2022 1/2SM +TSRA
OVC008CB
FM0100 27008KT 5SM SHRA BKN020 OVC040 PROB40 0407 1SM -RA BR
FM1015 18005KT 6SM -SHRA OVC020 BECMG 1315 P6SM NSW SKC

METAR KPIT 091955Z COR 22015G25KT 3/4SM R28L/2600FT TSRA OVC010CB
18/16 A2992 RMK SLP045 T01820159

Forecast	Explanation	Report
TAF	Message type: <u>TAF</u> -routine or <u>TAF AMD</u> -amended forecast, <u>METAR</u> -hourly, <u>SPECI</u> -special or <u>TESTM</u> -non-commissioned ASOS report	METAR
KPIT	ICAO location indicator	KPIT
091730Z	Issuance time: ALL times in UTC " <u>Z</u> ", 2-digit date, 4-digit time	091955Z
091818	Valid period: 2-digit date, 2-digit beginning, 2-digit ending times In U.S. METAR : <u>COR</u> rected ob; or <u>AUTO</u> mated ob for automated report with no human intervention; omitted when observer logs on	COR
15005KT	Wind: 3 digit true-north direction, nearest 10 degrees (or <u>Varia</u> ble); next 2-3 digits for speed and unit, <u>KT</u> (KMH or MPS); as needed, <u>Gust</u> and maximum speed; 00000KT for calm; for METAR , if direction varies 60 degrees or more, <u>Variability</u> appended, e.g. 180 <u>V</u> 260	22015G25KT
5SM	Prevailing visibility: in U.S., <u>Statute Miles</u> & fractions; above 6 miles in TAF <u>Plus</u> 6SM. (Or, 4-digit minimum visibility in meters and as required, lowest value with direction)	3/4SM
	Runway Visual Range: <u>R</u> ; 2-digit runway designator <u>Left</u> , <u>Center</u> , or <u>Right</u> as needed; <u>"</u> / <u>"</u> ; <u>Minus</u> or <u>Plus</u> in U.S., 4-digit value, <u>Feet</u> in U.S., (usually meters elsewhere); 4-digit value <u>Variability</u> 4-digit value (and tendency <u>Down</u> , <u>Up</u> or <u>No change</u>)	R28L/2600FT
HZ	Significant present, forecast and recent weather: see table (on back)	TSRA
FEW020	Cloud amount, height and type: <u>SKY</u> Clear 0/8, <u>FEW</u> >0/8-2/8, <u>SCa</u> tered 3/8-4/8, <u>BroKe</u> N 5/8-7/8, <u>Over</u> cast 8/8; 3-digit height in hundreds of ft; <u>Towering CU</u> mulus or <u>Cumulonim</u> Bus in METAR ; in TAF , only <u>CB</u> . <u>Vertical Vi</u> sibility for obscured sky and height "VV004". More than 1 layer may be reported or forecast. In auto-mated METAR reports only, <u>CLea</u> R for "clear below 12,000 feet"	OVC010CB
	Temperature: degrees Celsius; first 2 digits, temperature <u>"</u> / <u>"</u> last 2 digits, dew-point temperature; <u>Minus</u> for below zero, e.g., M06	18/16
	Altimeter setting: indicator and 4 digits; in U.S., <u>A</u> -inches and hundredths; (<u>Q</u> -hectoPascals, e.g., Q1013)	A2992

KEY to AERODROME FORECAST (TAF) and AVIATION ROUTINE WEATHER REPORT (METAR)

Forecast	Explanation	Report
WS010/31022KT	In U.S. TAF , non-convective low-level ($\leq 2,000$ ft) <u>Wind Shear</u> ; 3-digit height (hundreds of ft); <u>"Z"</u> ; 3-digit wind direction and 2-3 digit wind speed above the indicated height, and unit, <u>KT</u>	RMK SLP045 T01820159
FM1930	In METAR , <u>ReMarK</u> indicator & remarks. For example: <u>Sea-Level Pressure</u> in hectoPascals & tenths, as shown: 1004.5 hPa; <u>Temp</u> /dew-point in tenths °C, as shown: temp. 18.2°C, dew-point 15.9°C	
TEMPO 2022	<u>FroM</u> and 2-digit hour and 2-digit minute beginning time: indicates significant change. Each FM starts on new line, indented 5 spaces.	
PROB40 0407	<u>TEMPO</u> rary: changes expected for < 1 hour and in total, < half of 2-digit hour beginning and 2-digit hour ending time period	
BECMG 1315	<u>PROB</u> ability and 2-digit percent (30 or 40): probable condition during 2-digit hour beginning and 2-digit hour ending time period	
	<u>BEC</u> oMinG: change expected during 2-digit hour beginning and 2-digit hour ending time period	

Table of Significant Present, Forecast and Recent Weather - Grouped in categories and used in the order listed below; or as needed in TAF, No Significant Weather.

QUALIFIER

Intensity or Proximity

- Light "no sign" Moderate + Heavy

VC Vicinity: but not at aerodrome; in U.S. **METAR**, between 5 and 10SM of the point(s) of observation; in U.S. **TAF**, 5 to 10SM from center of runway complex (elsewhere within 8000m)

Descriptor

MI Shallow	BC Patches	PR Partial	TS Thunderstorm
BL Blowing	SH Showers	DR Drifting	FZ Freezing

WEATHER PHENOMENA

Precipitation

DZ Drizzle	RA Rain	SN Snow	SG Snow grains
IC Ice crystals	PL Ice pellets	GR Hail	GS Small hail/snow pellets

UP Unknown precipitation in automated observations

Obscuration

BR Mist ($\geq 5/8$ SM)	FG Fog ($< 5/8$ SM)	FU Smoke	VA Volcanic ash
SA Sand	HZ Haze	PY Spray	DU Widespread dust

Other

SQ Squall	SS Sandstorm	DS Duststorm	PO Well developed dust/sand whirls
FC Funnel cloud	+FC tornado/waterspout		

- Explanations in parentheses "()" indicate different worldwide practices.
- Ceiling is not specified; defined as the lowest broken or overcast layer, or the vertical visibility.
- NWS **TAFs** exclude turbulence, icing & temperature forecasts; NWS **METARs** exclude trend fcsts
- Although not used in US, Ceiling And Visibility OK replaces visibility, weather and clouds if: visibility ≥ 10 km; no cloud below 5000 ft (1500 m) or below the highest minimum sector altitude, whichever is greater and no CB; and no precipitation, TS, DS, SS, MIFG, DRDU, DRSA or DRSN.

UNITED STATES DEPARTMENT OF COMMERCE

NOAA/PA 96052

National Oceanic and Atmospheric Administration—National Weather Service

FAA AND NWS

KEY AIR TRAFFIC FACILITIES

Air Traffic Control System Command Center

Main Number.....703-904-4400

RGNL AIR TRAFFIC DIVISIONS

REGION	TELEPHONE
Alaskan	907-271-5464
Central	816-329-2500
Eastern	718-553-4502
Great Lakes	847-294-7202
New England	781-238-7500
Northwest Mountain	425-227-2500
Southern	404-305-5500
Southwest	817-222-5500
Western Pacific	310-725-6500

AIR ROUTE TRAFFIC CONTROL CENTERS (ARTCCs)

ARTCC NAME	*24 HR RGNL DUTY OFFICE TELEPHONE #	BUSINESS HOURS	BUSINESS TELEPHONE #
Albuquerque	817-222-5006	7:30 a.m.-4:00 p.m.	505-856-4300
Anchorage	907-271-5936	7:30 a.m.-4:00 p.m.	907-269-1137
Atlanta	404-305-5180	7:30 a.m.-5:00 p.m.	770-210-7601
Boston	617-238-7001	7:30 a.m.-4:00 p.m.	603-879-6633
Chicago	847-294-8400	8:00 a.m.-4:00 p.m.	630-906-8221
Cleveland	847-294-8400	8:00 a.m.-4:00 p.m.	440-774-0310
Denver	425-227-1389	7:30 a.m.-4:00 p.m.	303-651-4100
Ft. Worth	817-222-5006	7:30 a.m.-4:00 p.m.	817-858-7300
Houston	817-222-5006	7:30 a.m.-4:00 p.m.	281-230-5300
Indianapolis	847-294-8400	8:00 a.m.-4:00 p.m.	317-247-2231
Jacksonville	404-305-5180	8:00 a.m.-4:30 p.m.	904-549-1501
Kansas City	816-329-3000	7:30 a.m.-4:00 p.m.	913-254-8500
Los Angeles	661-265-8200	7:30 a.m.-4:00 p.m.	661-265-8200
Memphis	404-305-5180	7:30 a.m.-4:00 p.m.	901-368-8103
Miami	404-305-5180	7:00 a.m.-3:30 p.m.	305-716-1500
Minneapolis	847-294-8400	8:00 a.m.-4:00 p.m.	651-463-5580
New York	718-995-5426	8:00 a.m.-4:40 p.m.	516-468-1001
Oakland	310-725-3300	6:30 a.m.-3:00 p.m.	510-745-3331
Salt Lake City	425-227-1389	7:30 a.m.-4:00 p.m.	801-320-2500
Seattle	425-227-1389	7:30 a.m.-4:00 p.m.	253-351-3500
Washington	718-995-5426	8:00 a.m.-4:30 p.m.	703-771-3401

MAJOR TERMINAL RADAR APPROACH CONTROLS (TRACONS)

TRACON NAME	*24 HR RGNL DUTY OFFICE TELEPHONE #	BUSINESS HOURS	BUSINESS TELEPHONE #
Atlanta	404-305-5180	7:00 a.m.-3:30 p.m.	404-669-1200
Chicago	847-294-8400	8:00 a.m.-4:00 p.m.	847-608-5509
Dallas/Ft. Worth	817-222-5006	7:30 a.m.-4:00 p.m.	972-615-2500
Denver	425-227-1389	7:30 a.m.-4:00 p.m.	303-342-1500
Houston	817-222-5006	7:30 a.m.-4:00 p.m.	281-230-8400
New York	718-995-5426	8:00 a.m.-4:30 p.m.	516-683-2901
Northern CA	310-725-3300	7:00 a.m.-3:30 p.m.	916-366-4001
Southern CA	310-725-3300	7:30 a.m.-4:00 p.m.	858-537-5800

*Facilities can be contacted through the Rgnl Duty Officer during non-business hours.

KEY AIR TRAFFIC FACILITIES

DAILY NAS REPORTABLE AIRPORTS

AIRPORT NAME	*24 HR RGNL DUTY OFFICE TELEPHONE #	BUSINESS HOURS	BUSINESS TELEPHONE #
Albuquerque Intl Sunport, NM	817-222-5006	8:00 a.m.-5:00 p.m.	505-842-4366
Andrews AFB, MD	718-995-5426	8:00 a.m.-4:30 p.m.	301-735-2380
Baltimore/Washington Intl Thurgood Marshall, MD	718-995-5426	8:00 a.m.-4:30 p.m.	410-962-3555
Boston Logan Intl, MA	781-238-7001	7:30 a.m.-4:00 p.m.	617-455-3100
Bradley Intl, CT	617-238-7001	7:30 a.m.-4:00 p.m.	203-627-3428
Burbank/Bob Hope, CA	310-725-3300	7:00 a.m.-5:30 p.m.	818-567-4806
Charlotte Douglas Intl, NC	404-305-5180	8:00 a.m.-4:30 p.m.	704-344-6487
Chicago Midway, IL	847-294-8400	8:00 a.m.-4:00 p.m.	773-884-3670
Chicago O'Hare Intl, IL	847-294-8400	8:00 a.m.-4:00 p.m.	773-601-7600
Cleveland Hopkins Intl, OH	847-294-8400	8:00 a.m.-4:00 p.m.	216-898-2020
Covington/Cincinnati, OH	708-294-7401	8:00 a.m.-4:30 p.m.	606-767-1006
Dallas/Ft. Worth Intl, TX	817-222-5006	8:30 a.m.-5:00 p.m.	972-615-2531
Dayton Cox Intl, OH	847-294-8400	7:30 a.m.-4:00 p.m.	937-454-7300
Denver Intl, CO	425-227-1389	7:30 a.m.-4:00 p.m.	303-342-1600
Detroit Metro, MI	847-294-8400	8:00 a.m.-4:00 p.m.	734-955-5000
Fairbanks Intl, AK	907-271-5936	7:30 a.m.-4:00 p.m.	907-474-0050
Fort Lauderdale Intl, FL	404-305-5180	7:00 a.m.-3:30 p.m.	305-356-7932
George Bush Intercontinental/Houston, TX	817-222-5006	7:30 a.m.-4:00 p.m.	713-230-8400
Hartsfield-Jackson Atlanta Intl, GA	404-305-5180	7:00 a.m.-3:30 p.m.	404-669-1200
Honolulu Intl, HI	310-643-3200	7:30 a.m.-4:00 p.m.	808-840-6100
Houston Hobby, TX	817-222-5006	8:00 a.m.-5:00 p.m.	713-847-1400
Indianapolis Intl, IN	847-294-8400	8:00 a.m.-4:00 p.m.	317-484-6600
Kahului/Maui, HI	310-643-3200	7:30 a.m.-4:00 p.m.	808-877-0725
Kansas City Intl, MO	816-329-3000	7:30 a.m.-4:00 p.m.	816-329-2700
Las Vegas McCarran, NV	310-725-3300	7:30 a.m.-4:00 p.m.	702-262-5978
Los Angeles Intl, CA	310-725-3300	7:00 a.m.-3:30 p.m.	310-342-4900
Memphis Intl, TN	404-305-5180	7:30 a.m.-4:00 p.m.	901-322-3350
Louis Armstrong New Orleans Intl, LA	817-222-5006	7:00 a.m.-4:30 p.m.	504-471-4300
Miami Intl, FL	404-305-5180	7:00 a.m.-4:00 p.m.	305-869-5400
Minneapolis/St. Paul, MN	847-294-8400	8:00 a.m.-4:00p.m.	612-713-4000
Nashville Intl, TN	404-305-5180	7:00 a.m.-3:30 p.m.	615-781-5460
New York Kennedy Intl, NY	718-995-5426	8:00 a.m.-4:30 p.m.	718-656-0335
New York La Guardia, NY	718-995-5426	8:00 a.m.-4:30 p.m.	718-335-5461
Newark Liberty Intl, NJ	718-995-5426	8:00 a.m.-4:30 p.m.	973-645-3103
Norman Y. Mineta San Jose Intl, CA	310-643-3200	7:30 a.m.-4:00 p.m.	408-982-0750
Ontario Intl, CA	310-643-3200	7:30 a.m.-4:00 p.m.	909-983-7518
Orlando Intl, FL	404-305-5180	7:30 a.m.-5:00 p.m.	407-850-7000
Philadelphia Intl, PA	718-995-5426	8:00 a.m.-4:30 p.m.	215-492-4100
Phoenix Sky Harbor Intl, AZ	310-643-3200	7:30 a.m.-4:00 p.m.	602-379-4226
Pittsburgh Intl, PA	718-995-5426	8:00 a.m.-4:30 p.m.	412-269-9237
Portland Intl, OR	425-227-1389	7:30 a.m.-4:00 p.m.	503-493-7500
Raleigh-Durham, NC	404-305-5180	8:00 a.m.-4:30 p.m.	919-840-5544
Ronald Reagan Washington National, DC	718-995-5426	8:00 a.m.-4:30 p.m.	703-413-1535
Salt Lake City, UT	425-227-1389	7:30 a.m.-4:00 p.m.	801-325-9600
San Antonio Intl, TX	817-222-5006	8:00 a.m.-4:30 p.m.	210-805-5507
San Diego Lindbergh Intl, CA	310-725-3300	8:00 a.m.-4:30 p.m.	619-299-0677
San Francisco Intl, CA	310-643-3200	7:00 a.m.-3:30 p.m.	650-876-2883
San Juan Intl, PR	404-305-5180	7:30 a.m.-5:00 p.m.	809-253-8663
Seattle-Tacoma Intl, WA	425-227-1389	7:30 a.m.-4:00 p.m.	206-768-2900
St. Louis Lambert, MO	816-329-3000	7:30 a.m.-4:00 p.m.	314-890-1000
Tampa Intl, FL	404-305-5180	7:30 a.m.-4:00 p.m.	813-371-7700
Ted Stevens Anchorage Intl, AK	907-271-5936	7:30 a.m.-4:00 p.m.	907-271-2700
Teterboro, NJ	718-995-5426	8:00 a.m.-4:30 p.m.	201-288-1889
Washington Dulles Intl, DC	718-995-5426	8:00 a.m.-4:30 p.m.	703-661-6031
West Palm Beach, FL	404-305-5180	8:00 a.m.-4:30 p.m.	407-683-1867
Westchester Co, NY	718-995-5426	8:00 a.m.-4:30 p.m.	914-948-6520

*Facilities can be contacted through the Rgnl Duty Officer during non-business hours.

Air Route Traffic Control Center frequencies and their remotest transmitter sites are listed below for the coverage of this volume. Bold face type indicates high altitude frequencies, light face type indicates low altitude frequencies. To insure unrestricted IFR operations within the high altitude enroute sectors, the use of 720 channel communications equipment (25 kHz channel spacing) is required.

®CHICAGO CENTER 127.8 125.2

H-2-5-10-12, L-12-27-28-31, A-1
(KZAU)

Aurora – 123.75
Burlington – 135.6
Chicago Heights – 132.95
Crown Point – 127.8
Danville – 135.75
Des Plaines – 133.2 128.65 120.35
Downers Grove – 135.75 127.6
Dubuque – **127.775** 133.95 **125.225**
Ft. Wayne – **126.325** 119.85
Goshen – 133.9 135.9 127.55
Grand Rapids – **126.125** 128.4
Hampshire – 134.2 133.35
Horicon – 135.55 **132.75** **132.225**
Jones – **125.975** **120.225**
Kankakee – 132.5 120.125 **118.225**
Lafayette – 123.85
Leroy – 119.225
Lone Rock – 133.3
Maple Park – 127.075
Milford – **135.4** **132.5** 127.45 125.05 120.175
Milwaukee – 134.75 132.3 125.1
Moline – **135.825** 118.75
Monroe – **133.425**
Muskegon – **132.27**
Oshkosh – 132.1
Pullman – 128.5
Rockford – **120.375**
Rossville 125.375 **120.975**
South Bend – **135.35**
Volk Fld 125.05

®CLEVELAND CENTER
H-2-5-10-11, L-27-28-29-30-31-32, A-2
(KZOB)

Algonac – **134.775** 132.25 **126.525**
Belmont – **135.175** **124.425** 120.4
Carleton – **134.775** 119.95
Chardon – 120.775
Detroit (North) – **120.075**
Findlay – 135.1 **127.675**
Flint – 127.7 126.75
Holland – **135.775** **121.175**
Jackson – 134.65 127.3
Litchfield – **135.725** 134.65 120.45
Mansfield – 134.9 **133.375**
Mt Hope – 120.6
Paris – 128.15 120.6
Saginaw – **133.525** 127.7
Sandusky – 132.45 127.9 **119.875** **119.325**
Waterville – 128.625

® INDIANAPOLIS CENTER – 133.425 132.775 128.375

H-5-9-10-12, L-16-25-26-27-29

(KZID)

125.55 124.525 119.55

Brookville – 135.8 135.125 **120.575**Evansville – **132.525** 128.3Henryville – **134.275 133.05** 124.775London – 134.0 **128.775** 126.57 124.8 120.475

Marietta – 125.55

Merwyn – 135.575 **134.7** 123.925

Muncie – 120.65

New Hope – 124.625 121.175

Portsmouth – 135.575 124.225 **120.275**

Rosewood – 128.075

Terre Haute – **134.175** 132.2Winchester – **128.22** 126.375 **123.775**Zanesville – **133.775 132.825** 125.075 124.45**® KANSAS CITY CENTER – 135.3**

H-5-6, L-10-15-16-27, A-2

(KZKC)

Decatur – 132.1 124.3

Effingham – **135.05 133.225** 124.3Kirksville – **134.625** 132.6

Marion – 125.3

Mt Vernon – **132.875** 127.7

Quincy – 135.525

St Charles – 125.9 121.25

St Louis – 128.1 **127.225** 125.5Vandalia – **125.725****® MINNEAPOLIS CENTER**

H-2-5-10-11, L-10-12-13-14-27-28-31

(KZMP)

Central Wisconsin – 124.4

Duluth – **134.675 134.55** 134.55 127.9Eau Claire – **133.75** 125.3

Escanaba – 127.65

Farmington – 133.7

Flying Cloud – 133.7 121.05

Green Bay – 125.55

Hayward – 126.45

Houghton – 127.2

Iron Mountain – **133.45** 121.25

Ironwood – 133.55

La Crosse – 128.6 118.85

Mosinee – 124.4

Pellston – 134.6 **132.425**

Princeton – 121.05

Rhinelander – **123.725** 133.65

Rochester – 132.35

Saginaw – 118.05

Sawyer – 119.1

Swinns Valley – **135.7** 134.85

Traverse City – 132.9

White Cloud – **132.55** 120.85

VHF frequencies available at Flight Service Stations and at their remote communication outlets (RCO's) are listed below for the coverage of this volume. Frequencies in bold type are available all altitudes but recommended for use FL180 and above. "T" indicates transmit only and "R" indicates receive only. RCO's available at NAVAIDS are listed after the NAVAID name. RCO's not at NAVAID's are listed by name.

CLEVELAND AFSS

AKRON VOR/DME 114.4T 122.1R
BELLAIRE VOR/DME 117.1T 122.1R
BRIGGS VOR/DME 112.4T 122.1R
CHARDON VOR/DME 112.7T 122.1R
CLEVELAND RCO 122.1R 122.2 **122.35**
DRYER VOR/DME 113.6T 122.1R
FINDLAY VORTAC 108.2T 122.1R 122.2 **122.65**
JEFFERSON VOR/DME 115.2T 122.1R
MANSFIELD VORTAC 108.8T 122.1R **122.6**
NEWCOMERSTOWN VOR/DME 111.8T 122.1R
SANDUSKY VOR/DME 109.2T 122.1R
WATERVILLE VOR/DME 113.1T 122.1R
YOUNGSTOWN VORTAC 109.0T 122.1R 122.2
ZANESVILLE VOR/DME 111.4T 122.1R 122.2 **122.5**

DAYTON AFSS

ALLEN COUNTY VOR 108.4T 122.1R
ATHENS-ALBANY RCO 122.25
APPLETON VORTAC 116.7T 122.1R
CINCINNATI RCO **122.4**
COLUMBUS RCO 122.2 **122.3**
DAYTON RCO 114.5T 122.1R 122.2 **122.55**
DAYTON VOR/DME 114.5T 122.1R
GALLIPOLIS RCO 121.65
HILLSBORO RCO 122.2
ROSEWOOD VORTAC 117.5T 122.1R
YELLOW BUD VOR 112.5T 122.1R

GREEN BAY AFSS

ASHLAND RCO 122.25
BLACK RIVER FALLS RCO 122.5
CHIPPEWA RCO 123.65
DELLS VORTAC 117.0T 122.1R
EAU CLAIRE RCO 122.65 123.6
ESCANABA RCO 122.3
FALLS VOR/DME 110.0T 122.1R
FOND DU LAC RCO 122.5
GREEN BAY RCO 122.2 122.55
HANCOCK RCO **122.525** 123.65
HAYWARD VOR/DME 113.4T 122.1R
IRON MOUNTAIN VOR/DME 111.2T 122.1R
IRONWOOD RCO 122.3
JANESVILLE VOR/DME 114.3T 122.1R
KENOSHA VOR/DME 109.2T 123.6R
LA CROSSE RCO 122.2 122.35
LONE ROCK RCO 122.35
MACKINAC ISLAND RCO 122.35
MADISON RCO 122.6
MARSHFIELD RCO 122.55
MANITOWOC VOR/DME 111.0T 122.1R
MENOMINEE VOR/DME 109.6T 122.1R
MILWAUKEE RCO 122.4 122.65
MOSINEE RCO **122.525**
NEWBERRY RCO 122.4
OSHKOSH VORTAC 111.8T 122.1R 122.25
PHILLIPS RCO 122.05
PLATTEVILLE RCO 122.5
PRAIRIE DU CHIEN RCO 122.25
RHINELANDER VORTAC 109.2T 122.1R
RICE LAKE RCO 122.3
SAULT STE MARIE VOR/DME 112.2T 122.1R
SAWYER RCO 123.6
SCHOOLCRAFT COUNTY RCO 122.25
SIREN VOR/DME 109.4T 122.1R
STEVENS POINT VORTAC 110.6T 122.1R
TIMMERMAN VOR/DME 112.5T 123.6R
WAUSAU RCO 122.4
WEST BEND VOR 109.8T 122.1R
WISCONSIN RAPIDS RCO 122.45
WOODRUFF RCO 122.6

KANKAKEE AFSS

BLOOMINGTON VOR/DME 108.2T 123.6R
BRADFORD VORTAC 114.7T 122.05R 123.6
CHICAGO HEIGHTS VORTAC 114.2T 122.1R
CHICAGO MEIGS RCO **122.15**
DUPAGE VOR/DME 108.4T 122.1R 122.3
GALESBURG VOR/DME 109.8T 122.1R
JOLIET VORTAC 112.3T 122.1R 122.5
KANKAKEE VOR/DME 111.6T 122.1R 122.2
MACOMB RCO **122.15**
MOLINE RCO **122.6**
NEW LENOX RCO 122.5
PEORIA RCO 122.35
PEOTONE VORTAC 113.2T 122.05R
POLO VOR/DME 111.2T 122.1R
PONTIAC VOR/DME 109.6T 122.1R
ROCKFORD VOR/DME 110.8T 122.1R 122.65
WAUKEGAN RCO 122.55

LANSING AFSS

ALPENA VORTAC 108.8T 122.1R
 BAD AXE RCO 122.65
 BATTLE CREEK RCO 122.2
 BARRIEN SPRINGS RCO 121.625
 CARLETON VORTAC 115.7T 122.1R
 DETROIT RCO 122.2 **122.55**
 FLINT RCO 122.3
 GAYLORD RCO 122.55
 GRAND RAPIDS VOR/DME 115.95T 122.1R
 JACKSON RCO 122.2
 KALAMAZOO VOR/DME 109.0T 122.1R
 KEELER VOR/DME 116.6T 122.1R
 LANSING RCO 122.2
 LITCHFIELD VOR/DME 111.2T 122.1R
 LUDINGTON RCO 122.45
 MANISTEE VOR/DME 111.4T 122.1R
 MOUNT PLEASANT RCO 122.6
 MUSKEGON RCO 122.5
 PECK VORTAC 114.0T 122.1R
 PELLSTON RCO 122.2 122.3 123.6
 PONTIAC VORTAC 111.0T 122.15R
 PULLMAN VOR/DME 112.1T 122.1R
 SAGINAW RCO 122.2 122.4
 SALEM VORTAC 114.3T 122.1R
 TRAVERSE CITY RCO 122.2 **122.65**
 WEST BRANCH RCO 122.35
 WHITE CLOUD VORTAC 117.6T 122.1R

SAINT LOUIS AFSS 122.2 122.45

BIBLE GROVE VORTAC 109.0T 122.05R
 CENTRALIA VORTAC 115.0T 122.1R
 CHAMPAIGN VORTAC 110.0T 122.1R 122.45
 DANVILLE VORTAC 111.0T 122.1R
 DECATUR VORTAC 117.2T 122.1R 122.3
 MARION VOR/DME 110.4T 122.1R
 MATTOON VOR/DME 109.4T 123.6R
 MOUNT VERNON VOR/DME 113.8T 122.05R
 QUINCY VORTAC 113.6T 122.1R 122.5
 ROBERTS VOR/DME 116.8T 122.1R
 SAINT LOUIS REGIONAL RCO 122.05
 SAMSVILLE VOR/DME 116.6T 122.1R
 SPINNER VORTAC 112.7T 122.25
 VANDALIA VORTAC 114.3T 122.1R

TERRE HAUTE AFSS

CROWNPOINT RCO 123.65
 EVANSVILLE RCO 122.65
 FORT WAYNE RCO 122.2 122.45
 GOSHEN VORTAC 113.7T 122.1R
 HOOSIER VORTAC 110.2T 122.1R
 INDIANAPOLIS RCO 122.55
 KNOX VOR/DME 115.6T 122.1R
 KOKOMO VORTAC 113.5T 122.1R
 LAFAYETTE RCO 122.2 122.35
 MUNCIE VOR/DME 114.4T 122.1R
 NABB VORTAC 112.4T 122.1R
 OSGOOD RCO 122.25
 RICHMOND VORTAC 110.6T 122.1R
 SHELBYVILLE VORTAC 112.0T 122.1R
 SOUTH BEND RCO 122.6
 TERRE HAUTE RCO **122.65**
 WASHINGTON RCO 122.2

FLIGHT STANDARDS DISTRICT OFFICES (FSDO)

Below is a list of FSDO's in the area of coverage of this directory. These offices serve the aviation industry and the general public on matters relating to certification and operation of general aviation aircraft. Address letters to Manager, Flight Standards District Office—Federal Aviation Administration.

ILLINOIS

DuPage Airport
31W775 North Avenue
West Chicago, Illinois 60185-1056
Telephone: 630-443-3100

Capital Airport
1250 North Airport Drive, Suite 1
Springfield, Illinois 62707-8417
Telephone: 217-744-1910

9950 West Lawrence Ave., Suite 400
Schiller Park, Illinois 60176
Telephone: 847-928-8000

INDIANA

8303 W. Southern Avenue
Indianapolis, Indiana 46241
Telephone: 317-487-2400

1843 Commerce Drive, Suite 200
South Bend, Indiana 46628
Telephone: 219-245-4600

MICHIGAN

3196 Kraft Ave. SE, Suite 103
Grand Rapids, Michigan 49512
Telephone: 616-954-6657

Willow Run Airport
8800 Beck Road
Belleville, Michigan 48111
Telephone: 734-487-7222

OHIO

Great Northern Technology Park II
25249 Country Club Blvd.
North Olmsted, Ohio 44070
Telephone: 440-686-2001

Lunken Airport Executive Building
Ground Floor
4242 Airport Road
Cincinnati, Ohio 45226
Telephone: 513-979-6400

Port Columbus International Airport
2780 Airport Drive, Suite 300
Columbus, Ohio 43219
Telephone: 614-255-3120

WISCONSIN

General Mitchell Intl Airport
4915 S. Howell Ave.
Milwaukee, Wisconsin 53207
Telephone: 414-486-2920

ROUTES

PREFERRED IFR ROUTES

A system of preferred routes has been established to guide pilots in planning their route of flight, to minimize route changes during the operational phase of flight, and to aid in the efficient orderly management of the air traffic using federal airways. The preferred IFR routes which follow are designed to serve the needs of airspace users and to provide for a systematic flow of air traffic in the major terminal and en route flight environments. Cooperation by all pilots in filing preferred routes will result in fewer traffic delays and will better provide for efficient departure, en route and arrival air traffic service.

The following lists contain preferred IFR routes for the low altitude stratum and the high altitude stratum. The high altitude list is in two sections; the first section showing terminal to terminal routes and the second section showing single direction route segments. Also, on some high altitude routes low altitude airways are included as transition routes.

The following will explain the terms/abbreviations used in the listing:

1. Preferred routes beginning/ending with an airway number indicate that the airway essentially overlies the airport and flight are normally cleared directly on the airway.

2. Preferred IFR routes beginning/ending with a fix indicate that aircraft may be routed to/from these fixes via a Standard Instrument Departure (SID) route, radar vectors (RV), or a Standard Terminal Arrival Route (STAR).

3. Preferred IFR routes for major terminals selected are listed alphabetically under the name of the departure airport. Where several airports are in proximity they are listed under the principal airport and categorized as a metropolitan area; e.g., New York Metro Area.

4. Preferred IFR routes used in one direction only for selected segments, irrespective of point of departure or destination, are listed numerically showing the segment fixes and the direction and times effective.

5. Where more than one route is listed the routes have equal priority for use.

6. Official location identifiers are used in the route description for VOR/VORTAC nav aids.

7. Intersection names are spelled out.

8. Navaid radial and distance fixes (e.g., ARD201113) have been used in the route description in an expediency and intersection names will be assigned as soon as routine processing can be accomplished. Navaid radial (no distance stated) may be used to describe a route to intercept a specified airway (e.g., MIV MIV101 V39); another navaid radial (e.g., UIM UIM255 GSW031); or an intersection (e.g., GSW081 FITCH).

9. Where two nav aids, an intersection and a nav aid, a nav aid and a nav aid radial and distance point, or any navigable combination of these route descriptions follow in succession, the route is direct.

10. The effective times for the routes are in UTC. During periods of daylight saving time effective times will be one hour earlier than indicated. All states observe daylight saving time except Arizona, Puerto Rico and the Virgin Islands. Pilots planning flight between the terminals or route segments listed should file for the appropriate preferred IFR route.

11. (90–170 incl) altitude flight level assignment in hundred of feet.

12. The notations "pressurized" and "unpressurized" for certain low altitude preferred routes to Kennedy Airport indicate the preferred route based on aircraft performance.

13. High Altitude Preferred IFR Routes are in effect during the following time periods unless otherwise noted.

Sun	1300–2259 local time.
Mon thru Fri	0701–2259 local time.
Sat	0701–1459 local time.

14. Use current SIDs and STARs for flight planning.

15. For high altitude routes, the portion of the routes contained in brackets [] is suggested but optional. The portion of the route outside the brackets will likely be required by the facilities involved.

LOW ALTITUDE

Terminals	Route	Effective Times (UTC)
CHICAGO METRO AREA		
From Midway (MDW) or O'Hare (ORD)		
Atlanta (ATL)	EON V171 TTH V243 GQO V333 DALAS ATL	
Denver (DEN)	SIMMN V172 OBH V219 HCT V8 DVV	
Indianapolis (IND)	EON V399 KENLA V128 JELLS	
Louisville (LOU)	EON V171 TTH V243 IUI279 CHERI	1100–0300
Memphis (MEM)	RBS V429 MWA V67 CNG V11 MIOLA	1600–2300
Miami (MIA)	EON V171 TTH V243 LGC V321 PZD V159 CTY V7	
	LAL V157 LBV V529 V35 CURVE	1100–0300
Pittsburgh (PIT)	GIJ V6 DJB V30 ACO V337 CUTTA	1100–0300
San Francisco (SFO)	SIMMN V172 PLL V158 DBQ V100 MBW V6 FMG	
	V6	
Tampa (TPA)	EON V171 TTH V243 LGC V321 PZD V159 CTY	
	V35 ENDED	
	or	
	(GPS or DME/DME-IRU Equipped) EON V171 TTH	
	V243 LGC V321 PZD V159 CTY V35 ENDED	

Terminals	Route	Effective Times (UTC)
Tulsa (TUL)	MZV BRL V63 SGF V14	0000-2359
Washington Natl (DCA)	EON V144 ESL V4 MANNE	1100-0300
From Midway (MDW) only		
Des Moines (DSM)	SIMMN V172 TNU	1100-0300
Detroit Metro-Wayne Co. (DTW)	GIJ V10 LFD MIZAR-STAR	
Detroit Satellites:		
Ann Arbor (ARB)		
Pontiac (PTK)		
Willow Run (YIP)	GIJ V10 LFD CRUX-STAR	
Windsor (YQG)		
Young (DET)	GIJ ELX V218 LAN SPRTN-STAR	
Kansas City (MKC)	MZV BRL V10 IRK BQS-STAR	1100-0300
Omaha (OMA)	SIMMN V172 OVR	0000-2359
From O'Hare (ORD) only		
Cleveland (CLE)	GIJ V6 VWV WAKEM-STAR	1100-0300
Des Moines (DSM)	SIMMN V172 TNU	0000-2359
Detroit Metro-Wayne Co (DTW)	PETTY MKG POLAR-STAR	
Detroit Satellites:		
Ann Arbor (ARB)		
Pontiac (PTK)		
Willow Run (YIP)		
Windsor (YQG)		
Young (DET)	MUSKY V100 ELX V218 LAN SPRTN-STAR	
Kansas City (MKC)	MZV BRL V10 IRK BQS-STAR	
Memphis (MEM)	RBS V429 MWA V67 CNG V11 MIOLA	0000-2359
Muskegon (MKG)	PETTY V216	
Omaha (OMA)	SIMMN V172 OVR	0000-2359
Saginaw (MBS)	PETTY MKG V216	
From O'Hare (ORD) and North Satellite Airports		
Detroit Metro-Wayne Co. (DTW)	(150-230 incl) PETTY MKG POLAR-STAR	1100-0300
CINCINNATI METRO AREA (CVG, LUK)		
Detroit/Wayne (DTW)	DQN MIZAR-STAR	1100-0300
Detroit Satellites:		
Ann Arbor (ARB)	DQN CRUX-STAR	1100-0300
Pontiac (PTK)		
Willow Run (YIP)	DQN CRUX-STAR	
Windsor (YQG)		
Young (DET)	V275 KLINE VWV VWV064 LYNTN	
From COVINGTON (CVG) only		
Atlanta (ATL)	V97 VXV V267 HRS V463 WOMAC	1100-0300
Chicago Midway (MDW)	V128 VHP BVT V97 CGT	1100-0300
Chicago O'Hare (ORD)	V128 VHP BVT V97 CGT V7 BEBEE	1100-0300
Indianapolis (IND)	V128 VHP	1100-0300
Knoxville (TYS)	HYK V97	
Louisville (SDF)	CVG206 IIU055 IIU	1100-0300
Pittsburgh (PIT)	(60-170 incl) V128 YRK V44 JPU V117 WISKE WISKE-STAR	1100-0300
CLEVELAND METRO AREA (CLE, CGF, BKL, LNN, LPR)		
Baltimore (BWI)	(90-170 incl) ACO AIR V75 MGW V44 MRB V3 EMI	1100-0300
Boston (BOS)	(60-170 incl) V522 ERI V270 CFB V72 ALB V2 GDM GDM-STAR	1100-0300
Buffalo (BUF)	(60-170 incl) V522 ERI V43 WELLA	
Chicago Midway (MDW)	(60-170 incl) SKY VWV V126 CGT	1100-0300
Chicago O'Hare (ORD)	(60-170 incl) V45 VWV V126 HALIE V340 BEARZ	1100-0300
Columbus (CMH)	(60-170 incl) DJB DJB173 HERAK APE035 APE	
Dayton (DAY)	(60-170 incl) OBRLN-DP ROD	
Detroit/Wayne (DTW)	(60-170 incl) DJB DJB314 GEMNI GEMNI- STAR	
Detroit Satellites:		
Ann Arbor (ARB)		
Pontiac (PTK)		

Terminals	Route	Effective Times (UTC)
Willow Run (YIP)	(60–170 incl) DJB LLEE0-STAR	1100-0300
Windsor (YQG)	(60–170 incl) OBRLN-DP MIE MIE244 CLANG	
Young (DET)	CLANG-STAR	
Indianapolis (IND)	(60–170 incl) ACO V337 CUTTA	1100-0300
Pittsburgh (PIT)	(60–170 incl) V522 ERI V14 BUF V2 CLUNG	1100-0300
Rochester (ROC)	(90–170 incl) ACO AIR V75 MGW V144 ESL V4	
Washington Dulles (IAD)	AML	1100-0300
	or	
	(90–170 incl) ACO AIR V75 MGW V44 MRB AML ..	1100-0300
Washington Natl (DCA)	(90–170 incl) ACO AIR V75 MGW V144 ESL V4	
	AML	1100-0300
COLUMBUS (CMH)		
Cleveland (CLE)	(60–170 incl) V43 TVT KEATN-STAR	1100-0300
Pittsburgh (PIT)	(60–170 incl) APE V12 CTW WISKE-STAR	1100-0300
Toledo (TOL)	V493 VWV	1100-0300
DAYTON (DAY)		
Chicago Midway (MDW)	V55 V422 CGT	1100-0300
Chicago O'Hare (ORD)	V55 FWA V340 BEARZ	1100-0300
Cleveland (CLE)	DQN ABERZ-STAR	1100-0300
Detroit Metro-Wayne Co (DTW)	DQN MIZAR-STAR	1100-0300
Detroit Satellites:		
Ann Arbor (ARB)		
Pontiac (PTK)		
Willow Run (YIP)	DQN CRUX-STAR	
Windsor (YQG)		
Young (DET)	V275 KLINE VWV VWV064 LYNTN	
Washington Dulles (IAD)	(90–170 incl) ZZV V144 ESL V4 AML	1100-0300
	or	
	(90–170 incl) ZZV V14 MGW V44 MRB AML	1100-0300
Washington Natl (DCA)	(90–170 incl) ZZV V144 ESL V4 AML	1100-0300
DETROIT METRO AREA		
(Detroit Metro-Wayne Co & Satellites)		
Albany (ALB)	(60–170 incl) TYCOB V116 BFD V72	1100-0300
Atlantic City (ACY)	(60–170 incl) ERRTH-DP CXR YNG V6 SEG V170	
	MXE V184	1100-0300
Boston (BOS)	(60–170 incl) TYCOB V116 BFD V72 ALB V2	
	GDM	1100-0300
Buffalo (BUF)	(60–170 incl) TYCOB V90 DKK	1100-0300
Chicago Midway (MDW)	HARWL JXN V116 LEROY GSH CGT	1100-0300
Chicago O'Hare (ORD)	FWA-DP FWA KNOX-STAR	
	or	
	FWA-DP FWA WATSON (RNAV)-STAR	
	or	
	HARWL JXN V116 ELX V100 DEERE	
	or	
	GRR MKG V510 FAH BJB OBK	
Cleveland (CLE)	MAARS ACO319 HIMEZ HIMEZ-STAR	
Columbus (CMH)	CAVVS VWV FDY V279 GUNNE	1100-0300
Fort Wayne (FWA)	(60–170 incl, Props) HARWL JXN V221	1100-0300
	or	
	(60–170 incl, Jets) ANNTS DXO217 FWA071	1100-0300
Indianapolis (IND)	HARWL JXN V221 MIE V14 CLANG-STAR	1100-0300
Milwaukee (MKE)	(60–170 incl) DUNKS V170 PMM V170 PETTY	1100-0300
Montreal (CYUL)	(60–170 incl) TYCOB V116 ERI V270 ELZ V501	
	SYR MSS V203 FRANX FRANX-STAR	1100-0300
Pittsburgh (PIT)	(60–170 incl) ACO CUTTA-STAR	1100-0300
Rochester (ROC)	(60–170 incl) TYCOB YQG 098 SURLY DKK V14	
	BUF	1100-0300
Syracuse (SYR)	(60–170 incl) TYCOB V116 ERI V14 GEE V84	1100-0300
Washington Natl (DCA)	(60–170 incl) ACO AIR V75 MGW V144 ESL V4	
	MANNE	1100-0300
Westchester Co (HPN)	(60–170 incl) TYCOB V116 ERI V270 V433 V157	
	HAARP	1100-0300
	or	

Terminals	Route	Effective Times (UTC)
	(60–170 incl, props less than 250 kts) TYCOB V116 ERI V270 V433 V123 HAARP	1100–0300
FORT WAYNE (FWA)		
Moline (MLI)	V144 BDF V156 MZV	0000–2359
Rockford (RFD)	V144 SMARS V128	0000–2359
GREATER PEORIA RGNL (PIA)		
Chicago Midway (MDW)	PIA PIA056 MOTIF JOT	
Chicago O'Hare (ORD)	PIA PIA035 V10 PLANO	
INDIANAPOLIS (IND)		
Cleveland Metro Area (CLE) (CGF) (BKL)		
(LNN) (LPR)	(RNAV only/60–170 incl) DQN T000K MFD ABERZ ABERZ–STAR	
	or	
	(all others/60–170 incl) DQN MFD MFD048 ABERZ ABERZ–STAR	
Detroit Metro–Wayne Co (DTW)	FWA MIZAR–STAR	
	FWA CRUX–STAR	
Detroit Satellites:		
Ann Arbor (ARB)		
Pontiac (PTK)		
Willow Run (YIP)	FWA CRUX–STAR	
Windsor (YQG)		
Young (DET)	V275 KLINE VWV VWV051 POOFE	
Evansville (EVV)	V305	
Kansas City (MCK)	V50 SPI BQS–STAR	0000–2359
Pittsburgh (PIT)	(60–170 incl) V50 DQN V12 CTW WISKE–STAR	1100–0300
Springfield (SGF)	V11 PXV V190	0000–2359
	or	
Tulsa (TUL)	TTH BIB V72 FAM V190	0000–2359
Wichita (ICT)	V11 PXV V190 SGF V14	0000–2359
	TTH BIB V72 ENL V234 EMP V12	0000–2359
MILWAUKEE (MKE)		
Detroit Metro–Wayne Co (DTW)	(60–170 incl) SQUIB MKG POLAR–STAR	
Detroit Satellites:		
Ann Arbor (ARB)		
Pontiac (PTK)		
Willow Run (YIP)		
Windsor (YQG)		
Young (DET)	GRR LAN SPRTN–STAR	
MOLINE (MLI)		
Fort Wayne (FWA)	V156 BDF V144	0000–2359
South Bend (SBN)	V156 BDF V144 MAPPS V156	0000–2359
ROCKFORD (RFD)		
Fort Wayne (FWA)	V128 SMARS V144	0000–2359
South Bend (SBN)	V128 SMARS V144 MAPPS V156	0000–2359
SOUTH BEND (SBN)		
Moline (MLI)	V156 MAPPS V144 BDF V156 MZV	0000–2359
Rockford (RFD)	V156 MAPPS V144 SMARS V128	0000–2359
SPRINGFIELD (SPI)		
Chicago Midway (MDW)	PNT MOTIF–STAR	0000–2359
Chicago O'Hare (ORD)	PNT V227 PLANO	0000–2359
Springfield (SGF)	V50 UIN V63 SGF V14	0000–2359
Tulsa (TUL)	V50 UIN V63 SGF V14	0000–2359
TERRE HAUTE (HUF)		
Kansas City (MCK)	V50 SPI BQS–STAR	0000–2359
Springfield (SGF)	V7 PXV V190	0000–2359
Tulsa (TUL)	V7 PXV V190 SGF V14	0000–2359

SPECIAL LOW ALTITUDE DIRECTIONAL ROUTES

Route	Effective Times (UTC)
Low Altitude IFR single–direction route for traffic overflying ZOB ARTCC landing at ORD: Westbound	JXN V116 ELX V100 DEERE
Low Altitude IFR single–direction route for traffic overflying ZOB ARTCC landing at ORD: Westbound	OXI KNOX–STAR

HIGH ALTITUDE

Effective
Times
(UTC)

Terminals

Route

AKRON (CAK)

Detroit/Wayne (DTW)..... DJB DJB314 GEMNI GEMNI-STAR

CHICAGO METRO AREA (ORD, MDW)

Atlanta (ATL)..... (RNAV only) GUIDO J73 PXV BNA ERLIN
(RNAV)-STAR

or

(all others) GUIDO J73 PXV BNA ROME-STAR.....

Baltimore (BWI) GIJ J146 J34 DJB J162 MGW EMI-STAR

Birmingham (BHM) EON DNB BNA VUZ

Boca Raton (BCT) (GPS or DME/DME-IRU equipped) EON DNV TTH
SWAPP ATL J89 OTK PRRIE (RNAV)-STAR

Boston (BOS) ELX CRL J554 JHW J82 ALB GDM GDM-STAR

Bristol/Johnson/Kingsport (TRI) EON DNV VHP J24 FLM HMV

Charleston (CHS) EON DNV VHP J24 FLM

Charleston (CRW)..... EON DNV VHP J24 FLM HVQ

Charlotte (CLT) EON DNV VHP J24 FLM JOHNS (RNAV)-STAR

Chattanooga (CHA)..... EON DNV.....

Cincinnati (CVG)..... (RNAV only) EON DNV CEGRM (RNAV)-STAR

or

(all others) EON DNV SHELBYVILLE-STAR

Columbia (CAE)..... EON DNV VHP J24 FLM

Columbus (CMH)..... GIJ GIJ092036 FWA J178 APE

Dallas/Fort Worth (DFW) RBS STL RZC FSM BYP

Dayton (DAY) GIJ GIJ092036 FWA ROD DQJ

Denver (DEN)..... IOW DSM J10 LBF SAYGE-STAR

or

PLL PLL275065 FOD J94 ONL J114 SNY

LANDR-STAR

Detroit/Wayne (DTW)..... PETTY MKG POLAR-STAR

Evansville (EVV) GUIDO

Fort Lauderdale (FLL)..... GUIDO J73 SZW J43 PIE FORTL-STAR

or

EON DNV TTH SWAPP ATL J89 HITTR PIE

FORTL-STAR

or

(GPS or DME/DME-IRU equipped) EON DNV TTH

SWAPP ATL J89 OTK JINGL (RNAV)-STAR

Greensboro (GSO)..... EON DNV VHP J24 FLM

Greer (GSP) EON DNV VHP J24 FLM SOT SUG V185 UNMAN ...

Harrisburg (MDT)..... GIJ J146 J34 DJB J518 J152 HAR

Huntsville (HSV)..... EON DNV.....

Jacksonville (JAX)..... EON DNV TTH SWAPP ATL AMG ALMA-STAR

Kennedy (JFK)..... ELX CRL J554 JHW J70 LVZ LENDY-STAR

Knoxville (TYS)..... EON DNV VHP J24 FLM J43 XVV

La Guardia (LGA)..... GIJ J146 MIP MIP-STAR

Memphis (MEM)..... RBS FAM ARG GQE-STAR

or

GUIDO J73 PXV WLDER-STAR

Miami (MIA)..... GUIDO J73 SZW J43 PIE CYY-STAR

or

(Turbojets-GPS or DME/DME-IRU equipped) EON

DNV TTH SWAPP ATL SZW SSCOT

(RNAV)-STAR

Myrtle Beach (MYR)..... EON DNV VHP J24 FLM

Nashville (BNA)..... EON DNV TTH HEHAW-STAR

Newark (EWR)..... ELX CRL J584 SLT FQM-STAR

Norfolk (ORF)..... EON DNV VHP J24 MOL TERKS-STAR

Oakland (OAK) PLL PLL275065 FOD J94 ONL J148 OAL MOD

or

PLL PLL275065 FOD J94 LCU J158 MVA.....

1500-0400

Terminals	Route	Effective Times (UTC)
Orlando Exec (ORL)	EON DNV TTH BWG GQO ATL J89 OTK LEESE-STAR	
Orlando Intl (MCO)	EON DNV TTH SWAPP ATL J89 OTK LEESE-STAR ..	
Philadelphia (PHL)	GIJ J146 CXR EWC JST BUNTS-STAR	
Phoenix (PHX)	MZV STJ J18 FTI J19 ZUN BUNTR-STAR	1200-0400
	or	
Pittsburgh (PIT)	IOW J192 PWE J64 PUB ALS J102	
Pottstown (PTW)	GIJ J146 J34 DJB ACO V337 CUTTA	
Raleigh-Durham (RDU)	GIJ J146 CXR EWC JST	
Richmond (RIC)	EON DNV VHP J24 FLM BKW ROA SBV-STAR	
Roanoke (ROA)	EON DNV VHP J24 FLM	
St. Petersburg-Clearwater (PIE)	GUIDO J73 SZW DARBS-STAR	
San Francisco (SFO)	PLL PLL275065 FOD J94 FMG ILA PYE	1500-0400
San Jose (SJC)	PLL PLL275065 FOD J94 FMG HYP-STAR	
	or	
Sarasota/Bradenton (SRQ)	DBQ J94 LCU HYP-STAR	1500-0400
Tampa (TPA)	GUIDO J73 PXV J73 SZW CLAMP-STAR	
	GUIDO J73 PXV J73 SZW DARBS-STAR	
	or	
	(GPS or DME/DME-IRU equipped) GUIDO J73 PXV J73 SZW FOXX (RNAV)-STAR	
Toledo (TOL)	GIJ J146 PLAIN VWV	
Washington Dulles (IAD)	GIJ J146 J34 BUCKO-STAR	
Washington Natl (DCA)	GIJ J146 J34 SHAAR WZRRD-STAR	
	or	
	(GPS or DME/DME-IRU equipped) GIJ J146 J34 BUCKO ELDEE (RNAV)-STAR	
	or	
West Palm Beach (PBI)	GIJ J146 J34 SHAAR ELDEE (RNAV)-STAR	
	(all others) EON DNV TTH SWAPP ATL OTK WLACE (RNAV)-STAR	
	or	
	(GPS or DME/DME-IRU equipped) DENNT DARCY DREGS DUMGE SWAPP ATL J89 OTK WLACE (RNAV)-STAR	
	or	
	(GPS or DME/DME-IRU equipped) EON DNV TTH IIU J99 VXV J43 WLACE (RNAV)-STAR	
	or	
	(all others) ORD EON DNV TTH SWAPP ATL OTK WLACE (RNAV)-STAR	
Windsor Locks (BDL)	ELX CRL J554 JHW J82 WILET RKA292 RKA SWEDE-STAR	
CHICAGO Midway (MDW) only		
Albany (ALB)	LEWKE GIJ EVOTE NELLS KEEHO JHW J82	
Allentown (ABE)	LEWKE GIJ J146 FJC	
Atlanta (ATL)	CMSKY CARYN CYBIL PXV J73 BNA ROME-STAR ..	
	or	
	CMSKY CARYN CYBIL PXV BNA ERLIN (RNAV)-STAR	
Baltimore (BWI)	LEWKE GIJ OTENS ANEWA RIEKE DJB J34 AIR KEMAN WESTMINSTER-STAR	
Birmingham (BHM)	CMSKY CARYN CYBIL PXV	
Bristol/Johnson/Kingsport (TRI)	EARND ELANR EMMLY ETAME EMEGE FLM	
Boca Raton (BCT)	(GPS or DME/DME-IRU equipped) GUIDO J73 SZW PRRIE (RNAV)-STAR	
	or	
	(GPS or DME/DME-IRU equipped) EON DNV TTH SWAPP ATL J89 OTK PRRIE (RNAV)-STAR	
	or	
	(GPS or DME/DME-IRU equipped) DENNT DARCY DREGS DUMGE SWAPP ATL J89 OTK PRRIE (RNAV)-STAR	
Boston (BOS)	LEWKE GIJ EVOTE NELLS KEEHO JHW J82 ALB GARDNER-STAR	

Terminals	Route	Effective Times (UTC)
Buffalo (BUF)	LEWKE GIJ EVOTE NELLs KEEHO DKK	
Charleston (CHS, CRW)	EARND ELANR EMMLY ETAME EMEGE FLM	
Charlotte (CLT)	EARND ELANR EMMLY ETAME FLM JOHNS (RNAV)-STAR	
Chattanooga (CHA)	DENNT DARCY DREGS DONVE BWG	
Cincinnati (CVG)	DENNT DARCY DNV CEGRM (RNAV)-STAR	
	or	
	DENNT DARCY DNV SHB-STAR	
Cleveland (CLE)	ELX CRL HIMEZ-STAR	
	or	
	LEWKE GIJ CRL HIMEZ-STAR	
Columbia (CAE)	EARND ELANR EMMLY ETAME EMEGE FLM	
Columbus (CMH)	LEWKE GIJ SEWTO FWA GUNNE-STAR	
Dallas/Fort Worth (DFW)	ACITO ADELL ARLYN STL RZC FSM BONHAM-STAR	
Detroit Metro-Wayne Co (DTW)	GIJ LFD MIZAR-STAR	
Detroit Metro Area (ARB, PTK, YIP)	GIJ LFD CRUX-STAR	
Detroit Metro Area (DET, CYQG)	GIJ LAN SPRTN-STAR	1200-0400
Evansville (EVV)	DENNT DARCY DREGS DONVE	
Fort Lauderdale (FLL)	DENNT DARCY DREGS DUMGE SWAPP ATL J89 OTK JINGL (RNAV)-STAR	
	or	
	(GPS or DME/DME-IRU equipped) DENNT DARCY DREGS DUMGE SWAPP ATL J89 OTK JINGL (RNAV)-STAR	
	or	
	EON DNV TTH IIU J99 VXX J46 AMG TAY JINGL (RNAV)-STAR	
	or	
	(GPS or DME/DME-IRU equipped) EON DNV TTH SWAPP ATL J89 OTK JINGL (RNAV)-STAR	
Fort Myers (RSW)	CMSKY CARYN CYBIL PXV J73 SZW TYNEE (RNAV)-STAR	
	or	
	(GPS or DME/DME-IRU equipped) GUIDO J73 PXV J73 SZW TYNEE (RNAV)-STAR	
Greensboro (GSO)	EARND ELANR EMMLY ETAME FLM PSK SMOKN-STAR	
Greenville-Spartanburg (GSP)	EARND ELANR EMMLY ERECO IIU	
Houston (HOU)	(GPS or DME/DME-IRU equipped) BACEN BLOKR BEKKI FAM J137 LIT J180 SWB ROKIT (RNAV)-STAR	
	or	
	(Non-advanced NAV only) BACEN BLOKR BEKKI FAM J137 LIT J180 SWB DAS-STAR	
Houston (IAH)	(Turbojets-GPS or DME/DME-IRU equipped) BACEN BLOKR BEKKI FAM J137 LIT J180 SWB TXMEX (RNAV)-STAR	
	or	
	(Non-advanced NAV only) BACEN BLOKR BEKKI FAM J137 LIT J180 SWB DAS-STAR	
Huntsville (HSV)	DENNT DARCY DREGS DONVE BWG	
Islip (ISP)	LEWKE GIJ EVOTE NELLs KEEHO JHW J70 STW LENDY	
Jacksonville (JAX)	DENNT DARCY DREGS DUMGE SWAPP AMG ALMA-STAR	
La Guardia (LGA)	LEWKE GIJ J146 ETG MILTON-STAR	
Memphis (MEM)	BACEN BLOKR BEKKI FAM ARG GILMORE-STAR ... or	
	CMSKY CARYN CYBIL PXV WLDER-STAR	
Miami (MIA)	DENNT DARCY DREGS DUMGE SWAPP ATL SZW J43 PIE CYPRESS-STAR	
	or	
	(Turbojets-GPS or DME/DME-IRU equipped) DENNT DARCY DREGS DUMGE SWAPP ATL SZW J86 OTK SSCOT (RNAV)-STAR	

PREFERRED IFR ROUTES

359

Terminals	Route	Effective Times (UTC)
	or (Turbojets-GPS or DME/DME-IRU equipped) GUIDO J73 SZW SSCOT (RNAV)-STAR.....	
	or (Turbojets-GPS or DME/DME-IRU equipped) EON DNV TTH IJU J99 VXV J46 AMG TAY SSCOT (RNAV)-STAR.....	
	or EON DNV TTH SWAPP ATL SZW J43 PIE CYPRESS-STAR	
Minneapolis (MSP)	BAE EAU-STAR	1200-0400
Manchester (MHT).....	LEWKE GIJ EVOTE NELLS KEEHO JHW J82 ALB EEN.....	
Nashville (BNA).....	CMSKY CARYN CYBIL PXV CCT HEHAW-STAR	
Newark (EWR).....	LEWKE GIJ EVOTE NELLS KEEHO J584 SLT FQM WILLIAMSPORT-STAR	
New Orleans (MSY)	BACEN BLOKR BEKKI ENL J71 MEM J35 MCB RYTHM-STAR	
Norfolk (ORF).....	EARND ELANR EMMLY ETAME EMEGE FLM J24 MOL TERKS-STAR	
Orlando (MCO/ORL)	DENNT DARCY DREGS DUMGE SWAPP ATL J89 OTK PIGLT (RNAV)-STAR	
	or DENNT DARCY DREGS DUMGE SWAPP ATL J89 OTK LEESE-STAR.....	1100-0400
Phoenix (PHX).....	MZV J18 FTI J19 ZUN EAGUL (RNAV)-STAR.....	1200-0400
	or MZV LMN J64 HLC LAA J102 GUP EAGUL (RNAV)-STAR.....	
Philadelphia (PHL).....	LEWKE GIJ J146 CXR EWC JST BUNTS-STAR	
Pittsburgh (PIT).....	LEWKE GIJ OTENS ANEWA RIEKE DJB ACO CUTTA-STAR	
Providence (PVD)	LEWKE GIJ EVOTE NELLS KEEHO JHW J82 MEMMS J522 HNK TEDDY	
Raleigh/Durham (RDU)	EARND ELANR EMMLY ETAME EMEGE FLM BKW ROA SOUTH BOSTON-STAR	
Richmond (RIC).....	EARND ELANR ETAME EMEGE FLM J24 FAK	
Rochester (ROC).....	LEWKE GIJ EVOTE NELLS KEEHO DKK BUF	
Saint Petersburg/Clearwater (PIE).....	CMSKY CARYN CYBIL PXV J73 SZW DARBS-STAR.....	
Sarasota/Bradenton (SRQ)	CMSKY CARYN CYBIL PXV J73 SZW CLAMP-STAR	
Tampa (TPA).....	CMSKY CARYN CYBIL PXV J73 SZW FOOXX (RNAV)-STAR.....	
	or CMSKY CARYN CYBIL PXV J73 SZW DARBS-STAR.....	
Teterboro (TEB).....	LEWKE GIJ EVOTE NELLS KEEHO JHW J70 LVZ WILKES BARRE-STAR	
Trenton (TTN)	LEWKE GIJ J146 CXR EWC JST BUNTS-STAR	
Washington Dulles (IAD)	LEWKE GIJ OTENS ANEWA RIEKE DJB J34 AIR MGW MGW121 VERNI ESL ROYIL-STAR	
	or (GPS or DME/DME-IRU equipped) LEWKE GIJ OTENS ANEWA RIEKE DJB J34 AIR MGW VERNI ESL SHNON (RNAV)-STAR	
Washington Natl (DCA)	(GPS or DME/DME-IRU equipped) GIJ J146 J34 BUCKO ELDEE (RNAV)-STAR.....	
	or LEWKE GIJ OTENS ANEWA RIEKE DJB J34 SHAAR WZRRD-STAR	
	or (GPS or DME/DME-IRU equipped) LEWKE GIJ OTENS ANEWA RIEKE DJB J34 SHAAR ELDEE (RNAV)-STAR.....	
White Plains (HPN)	LEWKE GIJ EVOTE NELLS KEEHO JHW ITH DNY VALRE-STAR	

Terminals

Route

Windsor Locks (BDL)	LEWKE GIJ EVOTE NELLIS KEEHO JHW J82 WILET SWEDE-STAR	
CHICAGO O'Hare (ORD) only		
Akron (CAK)	MOBLE ADIME OTENS VWV MFD V8 DALTS	
Albany (ALB)	EBAKE WISMO POSTS PADDE SVM DKK	
Allentown (ABE)	MOBLE ADIME GERBS J146 MIP	
Andrews AFB (ADW)	MOBLE ADIME OTENS ANEWA RIEKE DJB J34 SHAAR WZRRD-STAR	
Atlanta (ATL)	CMSKY CARYN CYBIL PXV J73 BNA ROME-STAR .. or CMSKY CARYN CYBIL PXV BNA ERLIN (RNAV)-STAR	
Atlantic City (ACY)	MOBLE ADIME GERBS J146 CXR EWC JST J152 HAR SIE	
Baltimore (BWI)	MOBLE ADIME OTENS ANEWA RIEKE DJB J34 AIR KEMAN WESTMINSTER-STAR	
Bedford (BED)	EBAKE WISMO POSTS PADDE SVM DKK ALB GDM V431 LOBBY	
Birmingham (BHM)	CMSKY CARYN CYBIL PXV	
Boca Raton (BCT)	(GPS or DME/DME-IRU equipped) GUIDO J73 SZW PRRIE (RNAV)-STAR	
	or (GPS or DME/DME-IRU equipped) EON DNV TTH SWAPP ATL J89 PRRIE (RNAV)-STAR	
	or (GPS or DME/DME-IRU equipped) DENNT DARCY DREGS DUMGE SWAPP ATL J89 OTK PRRIE (RNAV)-STAR	
Boston (BOS)	EBAKE WISMO POSTS PADDE SVM DKK ALB GARDNER-STAR	
Bristol/Johnson/Kingsport (TRI)	EARND ELANR EMMLY ETAME EMEGE FLM	
Buffalo (BUF)	DUFEE ELX HAAKK DOXXY SOSIC COHOW DKK	
Burlington (BTV)	EBAKE WISMO POSTS PADDE SVM DKK SYR J29 LAGGS	
Charleston (CHS, CRW)	EARND ELANR EMMLY ETAME EMEGE FLM	
Charlotte (CLT)	EARND ELANR EMMLY ETAME FLM JOHNS (RNAV)-STAR	
Chattanooga (CHA)	DENNT DARCY DREGS DONVE BWG	
Cincinnati (CVG)	DENNT DARCY DNV CEGRM (RNAV)-STAR	
	or DENNT DARCY DNV SHELBYVILLE-STAR	
Cleveland (CLE)	DUFEE ELX HIMEZ-STAR	
Columbia (CAE)	EARND ELANR EMMLY ETAME EMEGE FLM	
Columbus (CMH)	MOBLE ADIME SEWTO FWA GUNNE-STAR	
Dallas/Fort Worth (DFW)	ACITO ADELL ARLYN STL RZC FSM BONHAM-STAR	
Denver (DEN)	IOW DSM J10 LBF SAYGE-STAR	
	or DBQ J94 ONL J114 SNY LANDR-STAR	
Detroit Metro-Wayne Co (DTW)	PETTY MKG POLAR-STAR	
Detroit Metro Area (DET, CYQG, PTK, YIP, ARB)	PETTY GRR LAN SPRTN-STAR	1200-0400
Evansville (EVV)	DENNT DARCY DREGS DONVE	
Fort Lauderdale (FLL)	DENNT DARCY DREGS DUMGE SWAPP ATL J89 OTK JINGL (RNAV)-STAR	
	or DENNT DARCY DREGS SWAPP ATL J89 OTK JINGL (RNAV)-STAR	
	(GPS or DME/DME-IRU equipped) EON DNV TTH IIU J99 VXV J46 AMU TAY JINGL (RNAV)-STAR ..	
Fort Myers (RSW)	(GPS or DME/DME-IRU equipped) CMSKY CARYN CYBIL PXV J73 SZW TYNEE (RNAV)-STAR	
	or (GPS or DME/DME-IRU equipped) GUIDO J73 PXV J73 SZW TYNEE (RNAV)-STAR	
Greensboro (GSO)	EARND ELANR EMMLY ETAME EMEGE FLM PSK SMOKN-STAR	

Terminals	Route	Effective Times (UTC)
Greenville/Spartanburg (GSP).....	EARND ELANR EMMLY ERECO IIU	
Harrisburg (MDT).....	MOBLE ADIME GERBS J146 CXR EWC HAR	
Houston (HOU)	(GPS or DME/DME-IRU equipped) BACEN BLOKR BEKKI FAM J137 LIT J180 SWB ROKIT (RNAV)-STAR	
	or (Non-advanced NAV only) BACEN BLOKR BEKKI FAM J137 LIT J180 SWB DAS-STAR	
Houston (IAH)	(Turbojets-GPS or DME/DME-IRU equipped) BACEN BLOKR BEKKI FAM J137 LIT J180 SWB TXMEX (RNAV)-STAR	
	or (Non-advanced NAV only) BACEN BLOKR BEKKI FAM J137 LIT J180 SWB DAS-STAR	
Huntsville (HSV).....	DENNT DARCY DREGS DONVE BWG	
Hyannis (HYA).....	EBAKE WISMO POSTS PADDE SVM DKK ALB ENE LFV	
Indianapolis (IND)	EARND ELANR EMMLY JAKKS	
Jacksonville (JAX).....	DENNT DARCY DREGS DUMGE SWAPP ATL AMG ALMA-STAR.....	
Kennedy (JFK).....	DUFEE ELX HAAKK DOXXY SOSIC JHW J70 LVZ LENDY-STAR	
Knoxville (TYS).....	EARND ELANR EMMLY ETAME EMEGE J43 VXV ...	
La Guardia (LGA).....	MOBLE ADIME GERBS J146 ETG MILTON-STAR ...	
Louisville (LOU)	DENNT DARCY DREGS DUMGE CHERI	
Manchester (MHT).....	EBAKE WISMO POSTS PADDE SVM DKK ALB EEN .	
Memphis (MEM).....	BACEN BLOKR BEKKI FAM ARG GILMORE-STAR ... or CMSKY CARYN CYBIL PXV WLDER-STAR	
Miami (MIA).....	DENNT DARCY DREGS DUMGE SWAPP ATL SZW J43 PIE CYPRESS-STAR.....	
	or (Turbojets-GPS or DME/DME-IRU equipped) DENNT DARCY DREGS DUMGE SWAPP ATL J89 SSCOT (RNAV)-STAR	
	or (Turbojets-GPS or DME/DME-IRU equipped) GUIDO J73 SZW SSCOT (RNAV)-STAR	
	or (Turbojets-GPS or DME/DME-IRU equipped) EON DNV TTH IIU J99 VXV J46 AMG TAY SSCOT (RNAV)-STAR.....	
	or EON DNV TTH SWAPP ATL SZW J43 PIE CYY-STAR	
Minneapolis (MSP)	PLL PLL275065 ALO KASPR-STAR	1200-0400
Nashville (BNA).....	CMSKY CARYN CYBIL PXV CCT HEHAW-STAR	
Niagara Falls (IAG)	EBAKE WISMO POSTS PADDE SVM YXU	
Newark (EWR).....	DUFEE ELX HAAKK DOXXY SOSIC KEEHO J584 SLT FQM WILLIAMSPORT-STAR	
New Orleans (MSY)	BACEN BLOKR BEKKI ENL J71 MEM J35 MCB RHYTHM-STAR	
	or EARND ELANR EMMLY ERECO IIU RYANS	
Norfolk (ORF).....	EARND ELANR EMMLY ETAME EMEGE FLM J24 MOL TERKS-STAR	
Newburgh (SWF).....	DUFEE ELX HAAKK DOXXY SOSIC JHW ITH DNY V483 FILPS	
New Haven (HVN).....	DUFEE ELX HAAKK DOXXY SOSIC JHW RKA DENNA-STAR.....	

Terminals	Route	Effective Times (UTC)
Orlando (MCO/ORL)	DENNT DARCY DREGS DUMGE SWAPP ATL J89 OTK PIGLT (RNAV)-STAR	
	or	
	DENNT DARCY DREGS DUMGE SWAPP ATL LEESE-STAR	
	or	
	DENNT DARCY DREGS DUMGE SWAPP ATL J89 OTK LEESE-STAR	1100-0400
Philadelphia (PHL)	MOBLE ADIME GERBS J146 CXR EWC JST BUNTS-STAR	
Phoenix (PHX)	MZV J18 FTI J19 ZUN EAGUL (RNAV)-STAR	1200-0400
	or	
	MZV LMN J64 HLC LAA J102 GUP EAGUL (RNAV)-STAR	
Pittsburgh (PIT)	MOBLE ADIME OTENS ANEWA RIEKE DJB ACO CUTTA-STAR	
Portland (PWM)	EBAKE WISMO POSTS PADDE SVM DKK ALB CON PARSO	
	or	
	MOBLE ADIME GERBS J146 CXR EWC JST SIE	
Providence (PVD)	DUFEE ELX HAAKK DOXXY SOSIC JHW J82 MEMMS J522 HNK TEDDY-STAR	
Raleigh/Durham (RDU)	EARND ELANR EMMLY ETAME EMEGE FLM BKW ROA SOUTH BOSTON-STAR	
Richmond (RIC)	EARND ELANR EMMLY ETAME EMEGE FLM J24 FAK	
Roanoke (ROA)	EARND ELANR EMMLY ETAME EMEGE FLM	
Rochester (ROC)	DUFEE ELX HAAKK DOXXY SOSIC COHOW DKK BUF	
Saint Petersburg/Clearwater (PIE)	CMSKY CARYN CYBIL PXV J73 SZW DARBS-STAR	
	or	
	MOBLE ADIME GERBS J146 CXR EWC JST SIE	
San Juan (TJSJ)	CMSKY CARYN CYBIL PXV J73 SZW CLAMP-STAR	
Sarasota/Bradenton (SRQ)	EBAKE WISMO POSTS PADDE SVM DKK	
Syracuse (SYR)	CMSKY CARYN CYBIL PXV J73 SZW DARBS-STAR	
	or	
	CMSKY CARYN CYBIL PXV J73 SZW FOXXX (RNAV)-STAR	
Washington Dulles (IAD)	MOBLE ADIME OTENS ANEWA RIEKE DJB J34 AIR MGW MGW121 VERNI ESL ROYIL-STAR	
	or	
	(GPS or DME/DME-IRU equipped) MOBLE ADIME OTENS ANEWA RIEKE DJB J34 AIR MGW VERNI ESL SHNON (RNAV)-STAR	
Washington Natl (DCA)	MOBLE ADIME OTENS ANEWA RIEKE DJB J34 BUCKO BUCKO-STAR	
	or	
	MOBLE ADIME OTENS ANEWA RIEKE DJB J34 SHAAR WZRRD-STAR	
	or	
	(GPS OR DME/DME-IRU equipped) MOBLE ADIME OTENS ANEWA RIEKE DJB J34 SHAAR ELDEE (RNAV)-STAR	
White Plains (HPN)	DUFEE ELX HAAKK DOXXY SOSIC JHW ITH DNY VALRE-STAR	
Wilkes-Barre/Scranton (AVP)	DUFEE ELX HAAKK DOXXY SOSIC JHW J106 LVZ ..	
Windsor Locks (BDL)	DUFEE ELX HAAKK DOXXY SOSIC JHW J82 WILET SWEDE-STAR	
CINCINNATI (CVG)		
Albany (ALB)	(RNAV only) ROCKT (RNAV)-DP ROCKT CADRE AHTIY PSB	
Allentown (ABE)	(RNAV only) ROCKT (RNAV)-DP ROCKT CADRE AHTIY JST HAR	

Terminals	Route	Effective Times (UTC)
Atlanta (ATL)	(RNAV only) BLUEGRASS-DP BWG ERLIN (RNAV)-STAR	
	or	
	(all others) BLUEGRASS-DP BWG ROME-STAR....	
Baltimore (BWI)	V128 YRK HVQ J8 CSN OTT-STAR	
	or	
	(GPS or DME/DME-IRU equipped) V128 YRK HVQ	
	J8 CSN RAVNN (RNAV)-STAR	
Birmingham (BHM)	BLUEGRASS-DP TRFWA LVT SYI VUZ	
Boca Raton (BCT)	(GPS or DME/DME-IRU equipped)	
	BLUEGRASS-DP TRFWA NOTWO WALET HITTR	
	LATHY PRRIE (RNAV)-STAR	
	or	
	(GPS or DME/DME-IRU equipped)	
	BLUEGRASS-DP HYK VXV J43 ATL J89 OTK	
	PRRIE (RNAV)-STAR	
Boston (BOS)	(RNAV only) ROCKT (RNAV)-DP ROCKT CADRE	
	AHTIY PSB HNK ALB GDM GARDNER-STAR	
Chicago O'Hare (ORD)	(Advanced Nav only) MIE MZZ ROYKO-STAR	
	or	
	(Non-Advanced Nav only) DQN FWA KNOX-STAR ..	
	or	
	DQN FWA WATSN (RNAV)-STAR	
Dallas/Fort Worth (DFW)	IIU PXV J131 LIT BYP	
Fort Lauderdale (FLL)	(GPS or DME/DME-IRU equipped)	
	BLUEGRASS-DP TRFWA NOTWO OTK JINGL	
	(RNAV)-STAR	
	or	
	(all others) BLUEGRASS-DP HYK VXV J43 ATL J89	
	HITTR J75 FORTL-STAR	
Fort Myers (FMY)	(Turbojets-GPS or DME/DME-IRU equipped) HYK	
	VXV J43 SZW TYNEE (RNAV)-STAR	
Fort Myers (RSW)	(GPS or DME/DME-IRU equipped) HYK VXV J43	
	SZW TYNEE (RNAV)-STAR	1100-0300
Harrisburg (MDT)	(RNAV only) ROCKT (RNAV)-DP ROCKT CADRE	
	AHTIY JST HAR	
Houston (HOU)	(GPS or DME/DME-IRU equipped) LIT J180 SWB	
	ROKIT (RNAV)-STAR	
	or	
	(Non-advanced NAV only) LIT J180 SWB	
	DAS-STAR	
Houston (IAH)	(Turbojets-GPS or DME/DME-IRU equipped) LIT	
	J180 SWB TXMEX (RNAV)-STAR	
	or	
	(Non-advanced NAV only) LIT J180 SWB	
	DAS-STAR	
Jackson (JAN)	BLUEGRASS-DP TRFWA LVT SYI VUZ JAN	
La Guardia (LGA)	(RNAV only) ROCKT (RNAV)-DP ROCKT CADRE	
	AHTIY PSB MILTON-STAR	1000-1800
Manchester (MHT)	(RNAV only) ROCKT (RNAV)-DP ROCKT CADRE	
	AHTIY PSB ALB EEN	
Marco Island (MKY)	HYK VXV J43 SZW PIKKR (RNAV)-STAR	
Miami (MIA)	(Turbojets-GPS or DME/DME-IRU equipped)	
	BLUEGRASS-DP TRFWA NOTWO SZW SSCOT	
	(RNAV)-STAR	
	or	
	(all others) BLUEGRASS-DP HYK VXV J43 ATL	
	SZW J43 PIE CYY-STAR	
Mobile (MOB)	BLUEGRASS-DP TRFWA LVT SYI VUZ SJI	
Naples (APF)	HYK VXV J43 SZW PIKKR (RNAV)-STAR	
Newark (EWR)	ROD J29 J584 SLT FQM-STAR	
Newburg (SWF)	(RNAV only) ROCKT (RNAV)-DP ROCKT CADRE	
	AHTIY PSB J49 HNK DNY V483 FILPS	
New Orleans (MSY)	BLUEGRASS-DP TRFWA LVT SYI VUZ J22 MEI	
	RYTHM-STAR	
Orlando Exec (ORL)	HYK VXV J99 IRQ J85 AMG LEESE-STAR	1100-0300

Terminals	Route	Effective Times (UTC)
	or (GPS or DME/DME-IRU equipped) HYK VXV J99 IRQ J85 AMG SHEMP MTATA PIGLT (RNAV)-STAR	1100-0400
Orlando Intl (MCO)	HYK VXV J99 IRQ J85 AMG LEESE-STAR	1100-0300
	or (GPS or DME/DME-IRU equipped) HYK VXV J99 IRQ J85 AMG BUGGZ (RNAV)-STAR	1100-0400
Philadelphia (PHL)	(RNAV only) ROCKT (RNAV)-DP ROCKT CADRE AHTIY JST BUNTS-STAR	
Phoenix (PHX)	FAM J78 ABQ J18	
	or FAM J78 IRW J74 SJN J18	
Portland (PWM)	(RNAV only) ROCKT (RNAV)-DP ROCKT CADRE AHTIY PSB J49 ALB ENE	
Providence (PVD)	(RNAV only) ROCKT (RNAV)-DP ROCKT CADRE AHTIY PSB J49 HNK TEDDY-STAR	
Sarasota/Bradenton (SRQ)	HYK VXV J43 SZW CLAMP-STAR	
Tampa (TPA)	HYK VXV J43 SZW DARBS-STAR	
	or (GPS or DME/DME-IRU equipped) HYK VXV J43 SZW FOXXX (RNAV)-STAR	
Washington Dulles (IAD)	V128 YRK HVQ ROYL-STAR	
	or V128 YRK HVQ SHNON (RNAV)-STAR	
Washington Natl (DCA)	V128 YRK HVQ WZRRD-STAR	
	or V128 YRK HVQ ELDEE (RNAV)-STAR	
West Palm Beach (PBI)	(GPS OR DME/DME-IRU equipped) BLUEGRASS-DP TRFWA NOTWO OTK WLACE	
	or (GPS or DME/DME-IRU equipped) BLUEGRASS-DP HYK VXV J43 ATL J89 OTK WLACE	
Wilkes Barre/Scranton (AVP)	(RNAV only) ROCKT (RNAV)-DP ROCKT CADRE AHTIY PSB LVZ	
Windsor Locks (BDL)	(RNAV only) ROCKT (RNAV)-DP ROCKT CADRE AHTIY PSB RKA SWEDE SWEDE-STAR	
From LUNKEN (LUK) only:		
Albany (ALB)	(RNAV only) ROCKT (RNAV)-DP ROCKT CADRE AHTIY PSB	
Boston (BOS)	(RNAV only) ROCKT (RNAV)-DP ROCKT CADRE AHTIY PSB HNK ALB GDM GARDNER-STAR	
La Guardia (LGA)	(RNAV only) ROCKT (RNAV)-DP ROCKT CADRE AHTIY PSB MILTON-STAR	1000-1800
Manchester (MHT)	(RNAV only) ROCKT (RNAV)-DP ROCKT CADRE AHTIY PSB ALB EEN	
Newburgh (SWF)	(RNAV only) ROCKT (RNAV)-DP ROCKT CADRE AHTIY PSB J49 HNK DNV V483 FILPS	
Philadelphia (PHL)	(RNAV only) ROCKT (RNAV)-DP ROCKT CADRE AHTIY JST BUNTS-STAR	
Providence (PVD)	(RNAV only) ROCKT (RNAV)-DP ROCKT CADRE AHTIY PSB J49 HNK TEDDY-STAR	
Portland (PWM)	(RNAV only) ROCKT (RNAV)-DP ROCKT CADRE AHTIY PSB J49 ALB ENE	
Wilkes Barre/Scranton (AVP)	(RNAV only) ROCKT (RNAV)-DP ROCKT CADRE AHTIY PSB LVZ	
Windsor Locks (BDL)	(RNAV only) ROCKT (RNAV)-DP ROCKT CADRE AHTIY PSB RKA SWEDE SWEDE-STAR	
CLEVELAND METRO (CLE, CGF, BKL, LNN, LPR)		
Atlanta (ATL)	(RNAV only) DJB DJB173 HERAK APE035 APE J186 SOT ODF FLCON (RNAV)-STAR	
	or (all others) DJB DJB173 HERAK APE035 APE J186 SOT ODF WHINZ-STAR	

Effective
Times
(UTC)

Terminals	Route
Battle Creek (BTL)	AMRST-DP VWV
Birmingham (BHM)	DJB DJB173 HERAK APE035 APE J186 BULEY
Boca Raton (BCT)	(GPS or DME/DME-IRU equipped) DJB DJB173 HERAK APE035 APE J83 SPA J85 TAY PRRIE (RNAV)-STAR
Charleston (CHS)	DJB DJB173 HERAK APE035 APE J186 BULEY
Charleston (CRW)	DJB DJB173 HERAK APE035 APE
Charlotte (CLT)	DJB DJB173 HERAK APE035 APE HVQ HMV JOHNS (RNAV)-STAR
Chicago Midway (MDW)	AMRST-DP VWV GSH GSH-STAR
Chicago O'Hare (ORD)	AMRST-DP VWV ZANLA WATSON (RNAV)-STAR
	or
Chicago Rockford (RFD)	AMRST-DP VWV OXI KNOX-STAR
Cincinnati (CVG)	ALPHE-DP ALPHE J70 PMM
	(RNAV only) DJB HERAK APE TIGRR (RNAV)-STAR
	or
	(all others) DJB DJB173 HERAK APE035 APE CINCE-STAR
Dallas/Fort Worth (DFW)	OBRNL-DP RID RID234/40 PXV LIT BONHAM-STAR
Denver (DEN)	AMRST-DP VWV GSH
Elkhart (EKM)	AMRST-DP VWV GSH
Fort Lauderdale (FLL)	DJB DJB173 HERAK APE035 APE J83 SPA J85 TAY J75 HITTR PIE FORTL-STAR
	or
	(GPS or DME/DME-IRU equipped) DJB DJB173 HERAK APE035 APE J83 SPA J85 TAY J75 JINGL (RNAV)-STAR
Fort Myers (FMY)	DJB DJB200 APE021 APE J186 J91 VXV J43 SZW TYNEE (RNAV)-STAR
Fort Myers (RSW)	(GPS OR DME/DME-IRU equipped) DJB DJB173 HERAK APE035 APE J186 J91 VXV J43 SZW TYNEE (RNAV)-STAR
Fort Wayne (FWA)	OBRNL-DP FWA
Grand Rapids (GRR)	(RNAV only) ALPHE-DP ALPHE
Greensboro (GSO)	DJB DJB173 HERAK APE035 APE J186 BULEY
Houston (HOU)	(GPS or DME/DME-IRU equipped) OBRNL-DP RID RID234/40 PXV LIT J180 SWB ROKIT (RNAV)-STAR
	or
	(Non-advanced NAV only) OBRNL-DP RID RID234/40 PXV LIT J180 SWB DAS-STAR
Houston (IAH)	(Non-advanced NAV only) OBRNL-DP RID RID234/40 PXV LIT J80 SWB DAS-STAR
	or
	(Turbojets-GPS or DME/DME-IRU equipped) OBRNL-DP RID234/40 PXV LIT J180 SWB TXMEX (RNAV)-STAR
Jacksonville (JAX)	DJB DJB173 HERAK APE035 APE J83 SPA J85 AMG ALM-STAR
Kalamazoo/Battle Creek (AZO)	AMRST-DP VWV
Kansas City (MCI)	OBLRN-DP VHP J80 SPI BRAYMER-STAR
Kennedy (JFK)	FAILS V522 ERI JHW J70 LVZ LENDY-STAR
La Guardia (LGA)	V522 FAILS V188 JFN ETG MIP-STAR
Knoxville (TYS)	DJB DJB173 HERAK APE035 APE J186 BULEY
Las Vegas (LAS)	OBRNL-DP VHP STL
	or
	AMRST-DP VWV GSH
Lewisburg (LWB)	DJB DJB173 HERAK APE035 APE
Lexington (LEX)	OBRNL-DP ROD CVG CLEGG-STAR
Little Rock (LIT)	OBLRN-DP RID RID234/40 PXV
Los Angeles (LAX)	AMRST-DP VWV GSH
Louisville (SDF)	OBRNL-DP ROD CVG REDSTONE-STAR

Terminals	Route	Effective Times (UTC)
Minneapolis (MSP)	(RNAV only) ALPHE-DP ALPHE J70 PMM BAE EAU-STAR	
	or	
	AMRST-DP CRL J34 BAE EAU-STAR	
Madison (MSN)	(RNAV only) ALPHE-DP ALPHE J70 PMM	
Marco Island (MKY)	DJB DJB200 APE021 APE J186 J91 VXV J43 SZW PIKKR (RNAV)-STAR	
	or	
	DJB DJB200 APE021 APE J186 J91 ATL J89 J75 TEPEE ZEILR-STAR	
Memphis (MEM)	OBRLN-DP RID RID234/40 PXV WLDER-STAR	
Miami (MIA)	DJB DJB173 HERAK APE035 APE J83 SPA J85 TAY J75 HITTR PIE CYPRESS-STAR	
	or	
	(/E/G/R/J/L/Q only) DJB DJB173 HERAK APE035 APE J83 SPA J85 TAY J75 RSW DEEDS (RNAV)-STAR	
Milwaukee (MKE)	AMRST-DP CRL CRL316/75 MKG V2 SUDDS	
Myrtle Beach (MYR)	DJB DJB173 HERAK APE035 APE	
Naples (APF)	DJB DJB200 APE021 APE J186 J91 VXV J43 SZW PIKKR (RNAV)-STAR	
Nashville (BNA)	OBRLN-DP IIU GUITR-STAR	
Newark (EWR)	V522 J584 SLT FQM-STAR	
New Orleans (MSY)	OBRLN-DP RID IIU MCB RYTHM-STAR	
Orlando (ORL)	(RADAR and DME required) DJB DJB200 APE021 APE J83 SPA CAE SAV OMN CORLL-STAR	1100-0400
Orlando (MCO)	DJB DJB173 HERAK APE035 APE J83 SPA CAE SAV OMN BITHO-STAR	
	or	
	(GPS or DME/DME-IRU equipped) DJB DJB173 HERAK APE035 APE J83 SPA CAE SAV OMN CWRLD (RNAV)-STAR	1100-0400
Palwaukee (PWK)	(RNAV only) ALPHE-DP ALPHE J70 PMM OBK	
Philadelphia (PHL)	ACO ACO145 J518 J152 HAR V210 BUNTS	
Phoenix (PHX)	OBRLN-DP VHP STL	
	or	
	AMRST-DP VWV GSH	
Raleigh/Durham (RDU)	DJB DJB173 HERAK APE035 APE HVQ BKW ROA SOUTH- BOSTON-STAR	
San Antonio (SAT)	OBRLN-DP RID RID234/40 PXV J131 LIT J101 LFK MARCS-STAR	
San Francisco (SFO)	AMRST-DP VWV GSH	
St. Louis (STL)	OBRLN-DP VHP VANDALIA-STAR	
Sarasota/Bradenton (SRQ)	DJB DJB200 APE021 APE J186 J91 VXV J43 SZW CLAMP-STAR	
Seattle/Tacoma (SEA)	(RNAV only) ALPHE-DP ALPHE J70 PMM	
	or	
	(RNAV only) ALPHE-DP ALPHE J34 BAE	
South Bend (SBN)	AMRST-DP VWV GSH	
Tampa (TPA)	DJB DJB173 HERAK APE035 APE J186 J91 VXV J43 SZW DARBS-STAR	
	or	
	(GPS or DME/DME-IRU equipped) DJB DJB173 HERAK APE035 APE J186 J91 VXV J43 SZW FOXXX (RNAV)-STAR	
Toledo (TOL)	AMRST-DP VWV	
Toronto (CYYZ)	FAILS V443 DOGGS YXU V098 YWT YWT-STAR	
West Chicago/Dupage (DPA)	AMRST-DP VWV EON JOT	
West Palm Beach (PBI)	(GPS or DME/DME-IRU equipped) DJB DJB173 HERAK APE035 APE J83 SPA J85 TAY WLACE	
	or	
	(all others) DJB DJB173 HERAK APE035 APE J83 SPA TAY WLACE (RNAV)-STAR	
Wilmington (ILN)	DJB DJB173 HERAK APE035 APE	
COLUMBUS (CMH)		
Dallas/Fort Worth (DFW)	DQN CVG PXV J131 LIT BYP	

Terminals	Route	Effective Times (UTC)
Detroit/Wayne (DTW).....	DJB DJB314 GEMNI GEMNI-STAR	
Houston (HOU)	(GPS or DME/DME-IRU equipped) LIT J180 SWB ROKIT (RNAV)-STAR	
	or (Non-advanced NAV only) LIT J180 SWB DAS-STAR.....	
Houston (IAH)	(Turbojets-GPS or DME/DME-IRU equipped) LIT J180 SWB TXMEX (RNAV)-STAR	
	or (Non-advanced NAV only) LIT J180 SWB DAS-STAR.....	
La Guardia (LGA)	HLG ETG MIP-STAR	
Miami (MIA)	J83 SPA J85 TAY J75 HITTR PIE CYY-STAR.....	
	or (Turbojets-GPS or DME/DME-IRU equipped) J83 SPA J85 TAY SSCOT (RNAV)-STAR.....	
Newark (EWR)	DJB J29 J584 SLT FQM-STAR.....	
Washington (IAD)	APE APE100 AIR280 AIR J34 SHAAR ROYIL-STAR or (GPS or DME/DME-IRU equipped) APE APE100 AIR280 AIR MGW VERNI ESL SHNON (RNAV)-STAR	
Washington (DCA)	APE APE100 AIR280 AIR J34 SHAAR WZRRD-STAR	
	or APE APE100 AIR280 AIR J34 SHAAR ELDEE (RNAV)-STAR	
DAYTON (DAY)		
Atlanta (ATL)	(RNAV only) IIU BWG ERLIN (RNAV)-STAR	
	or IIU BWG ROME-STAR.....	
Boca Raton (BCT).....	(GPS or DME/DME-IRU equipped) V47 CVG HYK VXV J99 IRQ J85 TAY PRRIE (RNAV)-STAR	1100-0300
Charlotte (CLT)	CVG FLM JOHNS (RNAV)-STAR.....	0700-2300
Dallas/Fort Worth (DFW)	J29 PXV J131 LIT BYP.....	
Fort Lauderdale (FLL)	V47 CVG HYK VXV J43 ATL J89 HITTR PIE FORTL-STAR.....	
	or (GPS or DME/DME-IRU equipped) V47 CVG HYK VXV J43 ATL J89 OTK JINGL (RNAV)-STAR	
Fort Myers (FMY).....	V47 CVG HYK VXV J43 SZW TYNEE (RNAV)-STAR	
Fort Myers (RSW)	(GPS or DME/DME-IRU equipped) V47 CVG HYK VXV J43 SZW TYNEE (RNAV)-STAR	1100-0300
Houston (HOU)	GPS or DME/DME-IRU equipped) LIT J180 SWB ROKIT (RNAV)-STAR	
	or (Non-advanced NAV only) LIT J180 SWB DAS-STAR.....	
Houston (IAH)	(Turbojets-GPS or DME/DME-IRU equipped) LIT J180 SWB TXMEX (RNAV)-STAR	
	or (Non-advanced NAV only) LIT J180 SWB DAS-STAR.....	
La Guardia (LGA)	J29 J146 ETG MIP-STAR	
Marco Island (MKY)	V47 CVG HYK VXV J43 SZW PIKKR (RNAV)-STAR..	
Miami (MIA)	V47 CVG HYK VXV J43 ATL SZW J43 PIE CYY-STAR	
	or (Turbojets-GPS or DME/DME-IUR equipped) V47 CVG HYK VXV J43 ATL SZW SSCOT (RNAV)-STAR.....	
Naples (APF).....	V47 CVG HYK VXV J43 SZW PIKKR (RNAV)-STAR..	
Orlando Executive (ORL)	V47 CVG HYK VXV J99 IRQ J85 AMG LEESE-STAR	1100-0300
	or	

Terminals	Route	Effective Times (UTC)
	(GPS or DME/DME-IRU equipped) V47 CVG HYK VXV J99 IRQ J85 AMG SHEMP MTATA PIGLT (RNAV)-STAR	1100-0400
Orlando Intl (MCO)	V47 CVG HYK VXV J99 IRQ J85 AMG LEESE-STAR	1100-0300
	or (GPS or DME/DME-IRU equipped) V47 CVG HYK VXV J99 IRQ J85 AMG BUGGZ (RNAV)-STAR	1100-0400
Sarasota/Bradenton (SRQ)	V47 CVG HYK VXV J43 SZW CLAMP-STAR	
Tampa (TPA)	V47 CVG HYK VXV J43 SZW DARBS-STAR	
	or (GPS or DME/DME-IRU equipped) V47 CVG HYK VXV J43 SZW FOXXX (RNAV)-STAR	
West Palm Beach (PBI)	(GPS or DME/DME-IRU equipped) V47 CVG HYK VXV J99 IRQ J85 TAY WLACE	1100-0300
	or V47 CVG HYK VXV J99 IRQ TAY WLACE (RNAV)-STAR	1100-0300
DETROIT METRO AREA (DTW, DET, YQG, PTK, YIP, ARB)		
Albany (ALB)	MOONN-DP JHW	
Allentown (ABE)	ERRTH-DP ETG	
Atlanta (ATL)	RICHMOND-DP RID IIU BWG ROME-STAR	
	or (RNAV only) RICHMOND-DP RID IIU BWG ERLIN (RNAV)-STAR	
Atlantic City (ACY)	ERRTH-DP CXR EWC JST J152 HAR SIE	
Baltimore (BWI)	ACO AIR AIR111 KEMAN WESTMINSTER-STAR	
Bedford (BED)	MOONN-DP JHW J82 ALB	
Binghamton (BGM)	MOONN-DP JHW	
Birmingham (BHM)	RICHMOND-DP RID IIU	
Boston (BOS)	MOONN-DP JHW J82 ALB GARDNER-STAR	
Buffalo (BUF)	(60-170 incl) MOONN-DP BROKK DKK	
Burlington (BTV)	MOONN-DP J29 JHW LAGGS	
Cancun (MMUN)	RICHMOND-DP RID IIU	
Charleston (CHS)	ROSEWOOD-DP ROD FLM HMV	
Charleston (CRW)	ACO AIR HVQ	
	or (Turboprops/Props-at or below FL210) SCORR CHOOT APE HVQ	
Charlotte (CLT)	ROSEWOOD-DP ROD FLM HMV JOHNS (RNAV)-STAR	
Chicago Midway (MDW)	JXN V116 LEROY GSH GSH-STAR	
Cincinnati (CVG)	FDY DEBAR-STAR	
Cleveland Metro Area (CLE) (CGF) (BKL) (LNN) (LPR)	MAARS HIMEZ HIMEZ-STAR	
Columbus (CMH)	SCORR CHOOT YOGGI GUNNE-STAR	
Dallas/Fort Worth (DFW)	FORT WAYNE-DP FWA RBS STL RZC FSM BONHAM-STAR	
Denver (DEN)	DUNKS J70 PMM J94 ONL J114 SNY LANDR-STAR	1100-0359
Elmira (ELM)	MOONN-DP JHW	
Ft. Lauderdale (FLL)	ROSEWOOD-DP ROD FLM VXV CRG OMN GISSH-STAR	
	or ROSEWOOD-DP ROD FLM VXV CRG OMN FISEL (RNAV)-STAR	
Fort Myers (FMY & RSW)	(Turbojets-GPS or DME/DME-IRU equipped) ROSEWOOD-DP ROD FLM VXV AMG SHFTY (RNAV)-STAR	
Greensboro (GSO)	AIR EKN ROA HENBY	
Greer (GSP)	ROSEWOOD-DP ROD FLM SOT V185 UNMAN	
Houston (HOU)	(GPS or DME/DME-IRU equipped) RID-DP RID PXV J131 LIT J180 SWB ROKIT (RNAV)-STAR.... or	

Terminals	Route	Effective Times (UTC)
	(Non-advanced NAV only) RID-DP RID PXV J131 LIT J180 SWB DAS-STAR	
Houston (IAH)	CAVVS VVW ROD J29 PXV J131 LIT J180 CLUBS DAS-STAR..... or (Turbojets-GPS or DME/DME-IRU equipped) RID-DP RID PXV J131 LIT J180 SWB TXMEX (RNAV)-STAR	
	or (Non-advanced NAV only) RID-DP RID PXV J131 LIT J180 SWB DAS-STAR	
Huntsville (HSV)	RICHMOND-DP RID IIU J39 BNA	
Indianapolis (IND)	ANNTS DX0217 FWA071 FWA MIE V14 CLANG-STAR	
Jacksonville (JAX)	ROSEWOOD-DP ROD FLM VVX AMG ALMA-STAR ..	
Kennedy (JFK)	MOONN-DP JHW J70 LVZ LENDY-STAR.....	
La Guardia (LGA)	ERRTH-DP ETG ETG MILTON-STAR.....	
Lexington (LEX)	ROSEWOOD-DP ROD CVG CLEGG-STAR	
Los Angeles (LAX)	DUNKS J70 PMM OBK IOW J60 HEC J64	1100-0300
Louisville (SDF)	ROSEWOOD-DP ROD CVG REDSTONE-STAR	
Manchester (MHT)	MOONN-DP JHW J82 ALB EEN	
Memphis (MEM)	RICHMOND-DP CAVVS VVW ROD PXV WLDER-STAR	
Miami (MIA)	(RNAV only) ROSEWOOD-DP ROD FLM VVX CRG OMN HILEY (RNAV)-STAR	
	or ROSEWOOD-DP ROD FLM VVX CRG OMN ANNEY-STAR.....	
Minneapolis (MSP)	LAYNE DX0006 YQG341 J38 GRB EAU-STAR	
Montreal (CYUL)	TYCOB YQG098 J554 JHW J29 SYR ART ART040 J594 MSS FRANX FRANX-STAR	1100-0300
Myrtle Beach (MYR)	ACO AIR EKN RDU	
Nashville (BNA)	RICHMOND-DP RID IIU GUITR-STAR	
Newark (EWR)	ERRTH SLT FQM-STAR	
New Orleans (MSY)	RICHMOND-DP RID IIU J39 BNA MEI RYTHM-STAR	
Niagara Falls (IAG)	MOONN-DP BROKK DKK	
Norfolk (ORF)	ACO AIR MOL TERKS-STAR	
Norwood (OWD)	MOONN-DP JHW J82 ALB GDM	
Orlando Exec (ORL)	CAVVS VVW ROD J43 VVX J99 IRQ J85 AMG LEESE-STAR	
	or (GPS or DME/DME-IRU equipped) ROSEWOOD-DP ROD J43 VVX J99 IRQ J85 AMG SHEMP MTATA PIGLT (RNAV)-STAR	1100-0400
Orlando Intl (MCO)	ROSEWOOD-DP ROD FLM VVX AMG LEESE-STAR ..	
	or (GPS or DME/DME-IRU equipped) ROSEWOOD-DP ROD FLM VVX AMG BUGGZ (RNAV)-STAR	1100-0400
Philadelphia (PHL)	ERRTH-DP CXR EWC JST BUNTS-STAR	
Pittsburgh (PIT)	ACO CUTTA-STAR.....	
Portland (PWM)	MOONN-DP JHW J82 ALB CAM CON CON061 NEETS	
Pottstown (PTW)	ERRTH-SID CXR EWC JST	
Providence (PVD)	MOONN-DP JHW J82 MEMMS J522 HNK TEDDY-STAR	
Raleigh/Durham (RDU)	ACO AIR EKN ROA SOUTH BOSTON-STAR	
Reading (RDG)	ERRTH-DP ETG	
Richmond (RIC)	ACO AIR MOL FAK	
Roanoke (ROA)	ACO AIR EKN ROA	
	or (Turboprops/Props/at or below 230) SCORR CHOOT APE ROA	
Rochester (ROC)	MOONN-DP BROKK DKK	

Terminals	Route	Effective Times (UTC)
San Antonio (SAT)	FORT WAYNE-DP FWA RBS STL RZC MLC ACT MARCS-STAR	
	or	
	RICHMOND-DP RID RID234/40 PXV J131 TXK FZT TNV IDU MARCS-STAR	
San Francisco (SFO)	DUNKS J70 PMM J94 FMG ILA PYE	
Sarasota/Bradenton (SRQ)	ROSEWOOD-DP ROD FLM VXV AMG TAY LAL	
Shreveport (SHV)	RICHMOND-DP RID RID234/40 PXV	
St. Louis (STL)	ANNTS DX0217 FWA071 FWA RBS VLA-STAR	
Syracuse (SYR)	MOONN-DP JHW	
Tampa (TPA)	ROSEWOOD-DP ROD FLM VXV AMG TAY LZARD-STAR	
	or	
	(GPS or DME/DME-IRU equipped) ROD-DP ROD FLM VXV AMG TAY DADES (RNAV)-STAR	
Teterboro (TEB)	MOONN-DP JHW J70 LVZ WILKES BARRE-STAR ...	
Toronto (CYYZ)	PISTN DX0020 V450 YWT V216	
Trenton (TTN)	ERRTH-DP CXR EWC JST BUNTS-STAR	
Washington Dulles (IAD)	J42 BKW ROYIL-STAR	
	or	
	J42 BKW SHNON (RNAV)-STAR	
	or	
	PXV IIU J8 HVQ ROYIL-STAR	
	or	
	PXV IIU J8 HVQ SHNON (RNAV)-STAR	
Washington Natl (DCA)	(all others) ACO AIR J34 BUCKO BUCKO-STAR	
	or	
	(GPS or DME/DME-IRU equipped) ACO AIR J34 BUCKO ELDEE (RNAV)-STAR	
Westhampton Beach (FOK)	MOONN-DP JHW J70 STW LENDY	
West Palm Beach (PBI)	(GPS or DME/DME-IRU equipped) ROSEWOOD-DP ROD FLM VXV CRG OMN TUXXI-STAR	
	or	
	ROSEWOOD-DP ROD FLM VXV CRG OMN FRWAY (RNAV)-STAR	
White Plains (HPN)	MOONN-DP JHW ITH DNY VALRE-STAR	
Wilkes-Barre (AVP)	MOONN-DP JHW	
Wilmington (ILG)	ERRTH-DP CXR EWC JST BUNTS-STAR	
Windsor Locks (BDL)	MOONN-DP JHW J82 WILET SWEDE-STAR	
Winston Salem (INT)	AIR EKN ROA HENBY	
ELKHART (EKM)		
Cleveland Metro Area (CLE) (CGF) (BKL) (LNN) (LPR)	LFD CRL HIMEZ-STAR	
EVANSVILLE (EVV)		
Chicago O'Hare (ORD)	(/E/G/R/J/L/Q only) HEVAN MZZ ROYKO (RNAV)-STAR	0000-2359
	or	
	(non-advanced RNAV only) HEVAN MZZ MZZ344/33 OXI KNOX-STAR	0000-2359
FLINT (FNT)		
Atlanta (ATL)	(RNAV-only) VWV RID IIU BWG ERLIN (RNAV)-STAR	
	or	
	VWV RID IIU BWG ROME-STAR	
Cincinnati (CVG)	FWA DEBAR-STAR	
FORT WAYNE (FWA)		
Cincinnati (CVG)	FWA DEBAR-STAR	
GRAND RAPIDS (GRR)		
Atlanta (ATL)	IIU BWG ROME-STAR	
	or	
	(RNAV only) IIU BWG ERLIN (RNAV)-STAR	
Cincinnati (CVG)	FWA DEBAR-STAR	
Cleveland Metro (CLE) (CGF) (BKL) (LNN) (LPR)	GRR HIMEZ-STAR	

Effective
Times
(UTC)

Terminals	Route	
HAMILTON (CYHM)		
Detroit/Wayne Area (DET, YIP, PTK, CYQG)	YXU PICES-STAR.....	
INDIANAPOLIS (IND)		
Dallas/Fort Worth (DFW)	J24 STL RZC FSM BYP	
Houston (HOU)	(GPS or DME/DME-IRU equipped) LIT J180 SWB ROKIT (RNAV)-STAR	
	or	
	(Non-advanced NAV only) LIT J180 SWB DAS-STAR.....	
Houston (IAH)	(Turbojets-GPS or DME/DME-IRU equipped) LIT J180 SWB TXMEX (RNAV)-STAR	
	or	
	(Non-advanced NAV only) LIT J180 SWB DAS-STAR.....	
KALAMAZOO/BATTLE CREEK (AZO)		
Cincinnati (CVG).....	FWA DEBAR-STAR	
Cleveland Metro Area (CLE, CGF, BKL, LNN, LPR)	LFD CRL HIMEZ-STAR.....	
LANSING (LAN)		
Atlanta (ATL)	(RNAV only) VWV RID IIU BWG ERLIN (RNAV)-STAR	
	or	
	VWV RID IIU BWG ROME-STAR.....	
Cincinnati (CVG).....	FWA DEBAR-STAR	
Cleveland Metro Area (CLE, CGF, BKL, LNN, LPR)	SVM HIMEZ-STAR	
LONDON (CYXU)		
Detroit Metro Area (YIP, PTK, DET, CYQG)	YXU PICES-STAR.....	
MADISON (MSN)		
Cleveland Metro Area (CLE, CGF, BKL, LNN, LPR)	SQUIB GRR HIMEZ-STAR.....	
MILWAUKEE (MKE)		
Akron (CAK).....	OBK SAMPL ADIME OTENS VWV MFD V8 DALTS ...	
Albany (ALB)	SQUIB MKG ECK YXU BUF	
Andrews AFB (ADW)	OBK SAMPL ADIME OTENS ANEWA RIEKE DJB J34 SHAAR WZRRD-STAR.....	
Baltimore (BWI)	OBK SAMPL ADIME OTENS ANEWA RIEKE DJB J34 AIR KEMAN WESTMINSTER-STAR	
Boca Raton	(GPS or DME/DME-IRU equipped) OBK J73 SZW PRRIE (RNAV)-STAR	
Bedford (BED).....	SQUIB MKG ECK YXU BUF ALB GDM V431 LOBBY	
Boston (BOS)	SQUIB MKG ECK YXU BUF ALB GARDNER-STAR ...	
Buffalo (BUF)	SQUIB MKG ECK YXU	
Burlington (BTV).....	SQUIB MKG ECK YXU BUF SYR J29 LAGGS	
Cleveland Metro Area (CLE)	SQUIB LAN SVM HIMEZ-STAR	
Detroit/Wayne (DTW).....	BAE POLAR-STAR	
Detroit Metro Area (YIP)	SQUIB LAN SPRTN-STAR.....	
Flint (FNT)	SQUIB.....	
Fort Lauderdale (FLL)	OBK J73 SZW JINGL (RNAV)-STAR.....	1100-0300
	or	
	(GPS or DME/DME-IRU equipped) OBK J73 SZW JINGL (RNAV)-STAR	
Fort Myers (FMY)	OBK J73 SZW TYNEE (RNAV)-STAR.....	1100-0300
Harrisburg (MDT).....	OBK SAMPL ADIME GERBS J146 CXR EWC HAR ...	1100-0300
Houston (HOU)	(GPS or DME/DME-IRU equipped) LIT J180 SWB ROKIT (RNAV)-STAR	
	or	
	(Non-advanced NAV only) LIT J180 SWB DAS-STAR.....	
Houston (IAH)	(Turbojets-GPS or DME/DME-IRU equipped) LIT J180 SWB TXMEX (RNAV)-STAR	
	or	
	(Non-advanced NAV only) LIT J180 SWB DAS-STAR.....	

Terminals	Route	Effective Times (UTC)
Hyannis (HYA).....	SQUIB MKG ECK YXU BUF ENE LFA.....	
Jackson (JXN).....	SQUIB.....	
Kansas City (MCI).....	DBQ BRAYMER-STAR.....	
Kansas City (MKC).....	DBQ IRK BRAYMER-STAR.....	
Kennedy (JFK).....	SQUIB MKG ECK J16 HANKK J522 HNK IGN KINGSTON-STAR.....	
La Guardia (LGA).....	SQUIB MKG ECK YXU BUF GEE ROCKDALE-STAR ..	
Lansing (LAN).....	SQUIB.....	
Mansfield (MFD).....	OBK SAMPL ADIME OTENS VVW	
Miami (MIA).....	OBK J73 SZW J43 PIE CYY-STAR	1100-0300
	or (Turbojets-GPS or DME/DME-IRU equipped) OBK J73 SZW SSCOT (RNAV)-STAR	1100-0300
Montreal (CYUL).....	SQUIB MKG ECK YYZ J594 MSS.....	
Morristown (MMU).....	SQUIB MKG ECK J16 HANKK IGN WEARD V489 COATE	
Nashville (BNA).....	OBK J73 PXV CCT HEHAW-STAR	
Newark (EWR).....	SQUIB MKG ECK J16 HANKK J522 HNK SHAFF-STAR	
Niagara Falls (IAG).....	SQUIB MKG ECK YXU.....	
Orlando Executive (ORL).....	OBK J84 DNV TTH BWG GQO ATL J89 OTK LEESE-STAR	
	or (GPS or DME/DME-IRU equipped) OBK J84 DNV TTH BWG GQO ATL J89 OTK PIGLT (RNAV)-STAR.....	1100-0400
Orlando Intl (MCO).....	OBK J84 DNV TTH BWG GQO ATL J89 OTK LEESE-STAR	1100-0300
	or (GPS or DME/DME-IRU equipped) OBK J84 DNV TTH BWG GQO ATL J89 OTK PIGLT (RNAV)-STAR.....	1100-0400
Philadelphia (PHL).....	OBK SAMPL ADIME GERBS J146 CXR EWC JST BUNTS-STAR.....	
Pittsburgh (PIT).....	OBK SAMPL ADIME OTENS ANEWA RIEKE DJB ACO CUTTA-STAR.....	
Portland (PWM).....	SQUIB MKG ECK YXU BUF ALB CON PARSO	
Pottstown (PTW).....	SQUIB ADALE J34 CRL CXR EWC JST	
Providence (PVD).....	SQUIB MKG ECK J16 HANKK J522 HNK TEDDY-STAR	
Sarasota/Bradenton (SRQ).....	OBK J73 SZW CLAMP-STAR	1100-0300
Syracuse (SYR).....	SQUIB MKG ECK YXU BUF	
Tampa (TPA).....	OBK J73 SZW DARBS-STAR	1100-0300
	or (GPS or DME/DME-IRU equipped) OBK J73 SZW FOXXX (RNAV)-STAR.....	1100-0300
Teterboro (TEB).....	SQUIB MKG ECK J16 HANKK IGN WEARD V489 COATE	
Toledo (TOL).....	SQUIB PMM LFD	
Toronto (CYYZ).....	SQUIB MKG ECK V216.....	
Washington Dulles (IAD).....	OBK GIJ J146 J34 DJB J34 AIR MGW MGW121 VERNI ESL SHAAR ROYIL-STAR.....	
	or OBK SAMPL ADIME OTENS ANEWA RIEKE DJB J34 AIR MGW VERNI ESL SHNON (RNAV)-STAR.....	
Washington Natl (DCA).....	OBK GIJ J146 J34 DJB J34 SHAAR WZRRD-STAR ..	
	or OBK SAMPL ADIME OTENS ANEWA RIEKE DJB J34 SHAAR ELDEE (RNAV)-STAR	
West Palm Beach (PBI).....	(GPS or DME/DME-IRU equipped) OBK J73 SZW WLACE.....	
White Plains (HPN).....	SQUIB MKG ECK J16 BUF ITH DNY VALRE-STAR ..	
Windsor Locks (BDL).....	SQUIB MKG ECK J16 AUDIL SWEDE-STAR.....	
Youngstown (YNG).....	OBK SAMPL ADIME GERBS CXR	

Effective
Times
(UTC)

Terminals	Route
MOLINE (MLI)	
Cleveland Metro Area (CLE) (CGF) (BKL)	
(LNN) (LPR)	ELX CRL HIMEZ-STAR
Detroit/Wayne (DTW)	MKG POLAR-STAR
MONTREAL (CYUL)	
Cincinnati (CVG)	(RNAV only) YOW J546 YSO MAULL KODIE CTW
	TIGRR (RNAV)-STAR
	or
	(all others) YOW J546 YSO YYZ JHW JHW194
	MAULL SLT249 KODIE CTW081 CTW
	CINCE-STAR
Detroit/Wayne (DET)	YOW J546
Kennedy (JFK)	V282 J524 BUGSY J570 ALB IGN IGN-STAR
La Guardia (LGA)	V282 J542 BUGSY J570 ALB PWL IGN V157
OSHAWA (CYOO)	
Detroit Metro Area (DTW, DET, YQG, PTK, YIP, ARB)	YSN YHM YXU PICES-STAR
OTTAWA (CYOW)	
Detroit Metro Area (DTW, DET, YQG, PTK, YIP ARB)	YOW J546 YSO YXU PICES-STAR
PEORIA (PIA)	
Detroit/Wayne (DTW)	MKG POLAR-STAR
ROCKFORD (RFD)	
Cleveland Metro Area (CLE) (CGF) (BKL)	
(LNN) (LPR)	ELX CRL HIMEZ-STAR
SAGINAW (MBS)	
Cleveland Metro Area (CLE) (CGF) (BKL)	
(LNN) (LPR)	MBS V133 SVM HIMEZ-STAR
SAINT THOMAS (CYQS)	
Detroit Metro Area (DTW, DET, YQG, PTK, YIP, ARB)	AXXIS PICES-STAR
SOUTH BEND (SBN)	
Atlanta (ATL)	(RNAV only) IIU BWG ERLIN (RNAV)-STAR
	or
	IIU BWG ROME-STAR
Cincinnati (CVG)	FWA DEBAR-STAR
Cleveland Metro Area (CLE) (CGF) (BKL)	
(LNN) (LPR)	LFD CRL HIMEZ-STAR
TOLEDO (TOL)	
Atlanta (ATL)	VWV RID IIU BWG ROME-STAR
TORONTO (CYYZ)	
Cincinnati (CVG)	(RNAV only) THORL JHW MAULL KODIE CTW
	TIGRR (RNAV)-STAR
	or
	(all others) THORL JHW JHW194 MAULL SLT249
	KODIE CTW081 CTW CINCE-STAR
Detroit Metro Area (DTW, DET, YQG, PTK, YIP, ARB)	ANCOL V104 YXU PICES-STAR
La Guardia (LGA)	(above 250 kts) V252 GEE RKA-STAR
	or
	(250 kts or less) V252 GEE V14 BEEPS J522
	EXTOL RKA292 RKA NOBB-STAR
San Francisco (SFO)	GRB J106 GEP J70 ABR J32 FMG ILA PYE
WATERLOO (CYKF)	
Detroit Metro Area (DTW, DET, YQG, PTK, YIP, ARB)	YXU PICES-STAR

1100-0300

PREFERRED IFR ROUTES

SPECIAL HIGH ALTITUDE DIRECTIONAL ROUTES

Terminals	Route	Effective Times (UTC)
Traffic originating east of Chicago Terminating Denver:		
DJB	J60 IOW DSM J144 OBH J10 LBF SAYGE-STAR	1300-0100
BAE	J16 MCW ONL J114 SNY LANDR-STAR	1300-0100
STL	STL J110 GCK J154 RYLIE DANDD-STAR	
Traffic overflying Cleveland Center and south of SLT:		
HPN	(above 250 kts) SLT J190 CFB DNY280 DNY VALRE-STAR	
	or	
	PSB J49 CFB220 CFB DNY280 DNY VALRE-STAR	
	or	
	(250 kts or less) SLT J190 CFB DNY280 DNY NOBBI-STAR	
	or	
	PSB J49 CFB220 CFB DNY280 DNY NOBBI-STAR	
EWR	ROD J29 J584 FQM-STAR	1100-0300
ROD J29 J70 LVZ LENDY-STAR	1100-0300 or	
BKW J42 GVE KORRY-STAR	1100-0300	
PHL	ROD J152 HAR V210 BUNTS	1100-0300
	or	
	BKW J42 GVE DPNT-STAR	1100-0300
PIT	APE CTW V443 WISKE	
	or	
	HNN JPU V117 WISKE	
TEB/MMU/CDW/Satellites	(Non-Advanced Nav Aircraft only) ROD J29 JHW J70 LVZ LVZ-STAR	
Traffic overflying Badger VORTAC, BAE to Washington Dulles IAD:		
BAE	J34 AIR MGW MGW121 VERNI ESL ROYIL-STAR	
	or	
	(GPS or DME/DME-IRU equipped) J34 AIR MGW VERNI ESL SHNON (RNAV)-STAR	
Traffic overflying Gipper VORTAC, GIJ to Washington Dulles IAD:		
GIJ	J146 WOOST J34 AIR MGW MGW121 VERNI ESL ROYIL-STAR	
	or	
	(GPS or DME/DME-IRU equipped) J146 WOOST J34 AIR MGW VERNI ESL SHNON (RNAV)-STAR	
Traffic overflying Indianapolis Center area eastbound originating north and west of a line from DFW to JFK:		
ABE	ROD CXR J146	
BDL	ROD J29 JHW J82 WILET RKA SWEDE-STAR	
BWI	ROD J152 J162 MGW EMI-STAR	
CEF	ROD J29 JHW J82 ALB	
FRG	ROD J29 JHW J82 J522 HNK IGN V58 V91 CCC	
HPN	(above 250 kts) ROD J29 JHW J82 WILET DNY VALRE-STAR)	
	or	
	(250 kts or less) ROD J29 JHW J82 WILET DNY NOBBI-STAR	
ISP	(above 250 kts) ROD J152 J78 PSB J49 HNK J68 V130 TOMES MAD V34 CREAM V16 CCC	
	or	
	(250 kts or less) ROD J152 J78 PSB J49 HNK DNY LOVES-STAR	
TEB/MMU/CDW/LDJ	ROD J29 JHW J70 LVZ-STAR	

Terminals	Route	Effective Times (UTC)
Traffic overflying Indianapolis Center area eastbound originating south and east of a line from DFW to JFK:		
ABE	BKW LDN LDN031 V377 HAR V162 DUMMR.	
ACY	BKW J42 OTT SIE	
BWI	BKW J147 CSN OTT-STAR	
DAA	BKW J213 V143 V4 AML	
DCA/ADW	BKW WZRRD-STAR	
	or	
DOV	BKW ELDEE (RNAV)-STAR	
HPN	BKW J42 GVE ENO-STAR	
IAD	BKW J42 OOD J150 CYN BOUNO-STAR	1100-1830 and 2230-0300
	BKW ROYIL-STAR	
	or	
	BKW SHNON (RNAV)-STAR	1100-1830 and 2230-0300
	or	
	GSO J14 CREWE J51 FAK COATT-STAR	1830-2230
	or	
	GSO J14 CREWE J51 FAK BARIN (RNAV)-STAR	1830-2230
LFI	BKW J42 MOL J24 HCM	
NSF	BKW J213 FINKS AML259 AML	
PHL	BKW J42 GVE DPNT-STAR	
TEB/MMU/CDW/LDJ	(Advanced Nav Aircraft only) BKW J42 GVE JAIKE-STAR	
WRI	BKW J42 OTT SIE-STAR	
Traffic overflying Indianapolis Center from Kansas City Center landing at Cleveland Metro:		
CLE	(GPS or DME/DME-IRU equipped) STL J134 JUDDI CVG ABERZ-STAR	
Traffic overflying Indianapolis Center from Kansas City Center landing at Detroit/Wayne:		
DTW	(GPS or DME/DME-IRU equipped) PXV VHP FWA MIZAR-STAR	
Traffic overflying Indianapolis (ZID) or Cleveland (ZOB) Centers landing in the Washington Metropolitan Area:		
BWI	MGW EMI-STAR	1100-0300
	or	
	BKW J147 CSN OTT-STAR	1100-0300
DCA	APE J30 BUCKO BUCKO-STAR	1100-0300
	or	
	BKW FINKS-STAR	1100-0300
	or	1100-0300
	(GPS or DME/DME-IRU equipped) BKW ELDEE (RNAV)-STAR	1100-0300
	or	
	APE J30 SHAAR WZRRD-STAR	
	or	
	BKW WZRRD-STAR	
	or	
	APE J30 SHAAR ELDEE	
	or	
	BKW ELDEE (RNAV)-STAR	
	or	
IAD	APE AIR MGW MGW121 VERNI ESL ROYIL-STAR	
	or	
	BKW ROYIL-STAR	
	or	
	HVQ ROYIL-STAR	
	or	
	(GPS or DME/DME-IRU equipped) APE AIR MGW VERNI ESL SHNON (RNAV)-STAR	
	or	
	BKW SHNON (RNAV)-STAR	
	or	
	HVQ SHNON (RNAV)-STAR	

Terminals	Route	Effective Times (UTC)
Traffic overflying Indianapolis Center (ZID) to Chicago O'Hare (ORD)		
ORD	(Non-Advanced Nav Aircraft only) ATL J89 IIU MZZ OXI KNOX-STAR	
	or	
	(Non-Advanced Nav Aircraft only) BNA IIU MZZ OXI KNOX-STAR	
	or	
	(Non-Advanced Nav Aircraft only) FLM J24 BIGXX MZZ OXI KNOX-STAR	
	or	
	(Non-Advanced Nav Aircraft only) IRQ J99 IIU MZZ OXI KNOX-STAR	
	or	
	(Non-Advanced Nav Aircraft only, Washington/Baltimore Metro Area Only: BWI, DCA, IAD) ROD J149 FWA KNOX-STAR	

HIGH ALTITUDE—SINGLE DIRECTION ROUTES

Airway	Segment Fixes	Direction Effective	Effective Times (UTC)
J24/110	Indianapolis, IN to St. Louis, MO	West	1100-0300
J30	Joliet, IL to TRIXY Intn, VA	East	1100-0300
J34	Bellaire, OH to TRIXY Intn, VA	East	1100-0300
J149	Armel, VA to Rosewood, OH	West	1100-0300
J162	Bellaire, OH to Martinsburg, WV	East	1100-0300

Q-ROUTES REGULATORY

Q1, Q3, Q5, Q7, Q9 and Q11 are preferred single direction (Southbound) Q routes; flight planning Northbound not authorized.

Q routes are RNAV routes that require the use of GNSS or DME/DME/IRU RNAV, unless otherwise indicated. Please note that this section does not apply to Q routes in the Gulf of Mexico. Gulf of Mexico Q routes are explained in the Southeast and South Central A/FD volumes. Q routes listed in this A/FD volume have at least part of one of their leg segments within this volume's area of coverage.

GNSS and DME/DME/IRU RNAV operations are authorized along Q routes at FL 180 and above. GNSS and DME/DME/IRU RNAV MEAs will only be published if above FL 180.

DME facilities that have been assessed for RNAV operations are listed below. Q routes with no DME facilities listed are limited to GNSS RNAV operations only. Those routes will have an enroute chart note "GNSS REQUIRED".

Route	Segment	DME
Q1	ELMAA-ERAVE	BTG, OLM, HQM, HUH, UBG
	ERAVE-EASON	BTG, OLM, HQM, HUH, LTJ, CVO, DSD, OED, UBG, ONP, EUG
	EASON-EBINY	CVO, DSD, OED, BTG, UBG, ONP, EUG, LMT
	EBINY-ENVIE	CVO, OED, EUG, LMT, RBL, ENI, ONP, FJS
	ENVIE-ETCHY	OED, PYE, OAK, LIN, ECA, LMT, RBL, ENI, SAC, FJS
	ETCHY-POINT REYES	LIN, ECA, RBL, ENI, SAC, OAK
Q2	BOILE-HEDVI	HEC, PDZ, OCN, PMD, LAX, RZS, IPL, TRM, PKE, BLH, EED, BZA, GBN, PXR
	HEDVI-HOBOL	BZA, GBN, BLH, EED, PXR, IPL, TFD, DRK, TUS
	HOBOL-ITUCO	TFD, GBN, BLH, PXR, TUS, CIE, SSO
	ITUCO-NEWMAN	EWM, TFD, PXR, CIE, SSO, TUS, TCS
Q3	FEPOT-FAMUK	OLM, TOU, HQM, CVO, BTG, DSD, LTJ, UBG, ONP, EUG
	FAMUK-FRFLY	BTG, DSD, OED, CVO, EUG, ONP, UBG, RBL, LMT
	FRFLY-FINER	OED, EUG, RBL, LMT, ENI, CVO, FJS
	FINER-FOWND	OED, PYE, ECA, LIN, OAK, ENI, RBL, LMT, SAC, FJS
Q4	FOWND-POINT REYES	LIN, ECA, PYE, RBL, SAC, ENI
	BOILE-HEDVI	HEC, PDZ, OCN, PMD, LAX, RZS, IPL, TRM, PKE, BLH, EED, BZA, GBN, PXR
	HEDVI-SCOLE	EED, BLH, BZA, GBN, TRM, IPL, TFD
	SCOLE-SPTFR	EED, BLH, BZA, GBN, TRM, IPL, TFD
	SPTFR-ZEBOL	EED, IPL, BZA, GBN, TFD, PXR, BLH
	ZEBOL-SKTR	PXR, BLH, BZA, GBN, TFD, TUS, SSO, CIE, SVC, TCS
Q5	SKTR-EL PASO	EWM, CUS, SVC, TCS, SSO, CIE, ELP, DMN, CME
	HAROB-HISKU	OLM, ONP, CVO, EUG, HQM, UBG, BTG, LTJ, DSD, HUH
	HISKU-HARPR	ONP, CVO, EUG, LTJ, DSD, UBG, BTG, RBL, OED, LMT, FJS, LKV
	HARPR-HOMEG	CVO, EUG, OED, RBL, LMT, ENI, FJS, LKV
	HOMEG-HUPTU	SAC, PYE, LIN, OAK, ECA, LMT, RBL, ENI, OED, FJS
	HUPTU-STIKM	OAK, ECA, PYE, LIN, SAC, ENI, RBL
Q7	JINMO-JOGEN	CVO, HQM, LTJ, UBG, BTG, ONP, IMB, EUG, OLM, DSD, YKM, PDT, SEA
	JOGEN-JUNEJ	LTJ, IMB, UBG, EUG, CVO, RBL, LMT, FMG, DSD, LKV, OED, BTG
	JUNEJ-JAGWA	RBL, LMT, FMG, LIN, SAC, ECA, ENI, MOD, SWR, OAK, LKV, CZQ, AVE, SNS
	JAGWA-AVENAL	OAK, MOD, ECA, EHF, PRB, AVE, SNS, CZQ
Q9	SUMMA-SMIGE	OLM, UBG, SEA, YKM, BTG, ONP, IMB, HQM, PDT, EUG, LTJ, CVO, DSD, OED, EPH, MWH
	SMIGE-SUNBE	IMB, UBG, EUG, IMB, RBL, LMT, FMG, SAC, OED, CVO, LKV, DSD, BTG
	SUNBE-REBRG	RBL, LMT, FMG, SAC, ECA, MVA, CZQ, OAK, EHF, PMD, LKV, LIN, MOD, AVE, OED, SWR
	REBRG-DERBB	CZQ, PMD, EHF, LAX, RZS, AVE, MOD, ECA
	PAAGE-PAWLI	EPH, UBG, CVO, EUG, HQM, YKM, OLM, PDT, BTG, ONP, IMB, LTJ, DSD, LKV, OED, SEA
	PAWLI-PITVE	EUG, FMG, SAC, IMB, LKV, OED, DSD, RBL, LMT, CVO, REO
Q13	PITVE-PUSHH	FMG, SAC, LIN, SWR, MOD, OAL, RBL, LKV, LMT, MVA, CZQ
	PUSHH-LOS ANGELES	SAC, ECA, FMG, LIN, OAL, MOD, EHF, LAX, PMD, PDZ, HEC, OCN, CZQ, AVE, RZS
	All segments	None; GNSS required
Q15	All segments	None; GNSS required
Q19	PLESS-NASHVILLE	ENL, GQO, PXV, BNA, IUI, FAM, BWG, CSX
Q20	CORONA-HONDS	CNX, ABQ, ACH, ONM, TXO, LVS, TCC, CME
	HONDS-UNNOS	CNX, INK, CME, TXO, TCC
	UNNOS-FUSCO	FST, ACH, INK, CME, SJT, TXO, TCC
	FUSCO-JUNCTION	ABI, CWK, CSI, INK, LZZ, JCT, SJT, STV, FST
Q21	JONEZ-RAZORBACK	BYP, EOS, TUL, TXK, ADM, RZC, OKM
Q22	GUSTI-OYSTY	AEX, DAS, MCB, LLA, BTR, LCH, HRV, LFT, LEV
	OYSTY-ACMES	RQR, GCV, MCB, BTR, PCU, GPT, HRV, LEV, SJI
	ACMES-CATLN	SJI, MGM, MCB, BFM, GPT, GCV, HRV, CEW, MVC, PCU, MEI
Q23	FORT SMITH-RAZORBACK	OKM, RZC, EOS, TUL

Route	Segment	DME
Q24	LAKE CHARLES-BATON ROUGE BATON ROUGE-IRUBE IRUBE-PAYTN	AEX, DAS, LCH, MCB, LFT, BTR AEX, LEV, MCB, LCH, RQR, HRV, BTR, GCV, MCB, PCU, SJI, LBY GCV, MCB, JYU, PCU, MEI, HRV, CEW, SJI
Q25	MEEOW-WALNUT RIDGE WALNUT RIDGE-WLSUN WLSUN-POCKET CITY	ELD, MEM, LIT, FAM, RZC MEM, STL, BWG, PXV, ENL, FAM, ARG, BNA, CSX, TTH BWG, PXV, ENL, BNA, TTH
Q26	WALNUT RIDGE-DEVAC	LIT, JKS, GQO, MEM, BNA, FAM, ARG, DYR, VUZ, RMG
Q27	FORT SMITH-ZALDA	OKM, SGF, RZC, EOS, TUL
Q28	GRAZN-PYRMD PYRMD-HAKAT HAKAT-ESTEE	EIC, LIT, ELD, OKM, TXK ARG, LIT, FAM, ELD, SGF, RZC, MEM, TXK ARG, LIT, FAM, SGF, MEM
Q29	ESTEE-POCKET CITY HARES-MEMPHIS MEMPHIS-SIDAE SIDAE-POCKET CITY	ARG, CSX, FAM, PXV, ENL, MEM, STL, BWG, TTH, BNA MEM, ARG, LIT, JAN, ELD, SQS MEM, PXV, BNA, BWG, ARG, ENL PXV, TTH, BWG, ENL
Q30	SIDON-VULCAN	GLH, MEM, VUZ, JAN, JYU, MEI, MGM, SQS, RMG
Q31	DHART-JODOX JODOX-MARVELL MARVELL-TIIDE TIIDE-POCKET CITY	SQS, LIT, TXK SQS, LIT, ELD, MEM, ARG ARG, BWG, PXV, FAM, LIT, MEM, ENL, TTH BWG, PXV, ENL, TTH
Q32	EL DORADO-GAGLE GAGLE-CRAMM CRAMM-NASHVILLE NASHVILLE-SWAPP	AEX, JAN, MEM, SQS, SWB, ELD, LIT, TXK JAN, SQS, MEM, ARG, VUZ, BNA, LIT BWG, MEM, VUZ, BNA, GQO BWG, IIU, PXV, VXV, BNA, GQO
Q33	DHART-LITTLE ROCK	AEX, ELD, LIT, TXK, SWB, ARG, MEM, SQS
Q34	LITTLE ROCK-PROWL TEXARKANA-MATIE MATIE-MEMPHIS MEMPHIS-SWAPP	ELD, SGF, FAM, LIT, ARG, MEM, RZC, CSX, STL LIT, SWB, TXK, BYP, EIC, ELD, SQS LIT, ARG, MEM, ELD, SQS BWG, ARG, MEM, MKL, SQS, PXV, BNA, GQO, IIU, VXV
Q35	KIMBERLY-NEERO NEERO-WINEN WINEN-CORKR CORKR-DRAKE	LTJ, PDT, DSD, IMB, LKV, BOI, REO, BAM, SDO BQU, SDO, BAM, REO, BVL, ILC, DTA, ELY, CDC, MLF, BCE CDC, BCE, BLD, ILC, MLF, TBC, PGS, INW, DRK TBC, BCE, BLD, DRK, PGS, FLG, GCN, INW, TFD
Q36	RAZORBACK-TWITS TWITS-DEPEC DEPEC-NASHVILLE NASHVILLE-SWAPP	RZC, MEM, SGF, BUM, TUL, EOS, FAM, ARG, LIT MEM, GQO, BNA, BWG, FAM, ARG, PXV, IIU GQO, BWG, BNA, PXV, IIU VXV, BWG, BNA, GQO, PXV, IIU
Q38	ROKIT-INCIN INCIN-LAREY LAREY-BESOM	DAS, LCH, SWB, IAH, LFK, HUB, AEX JAN, MCB, SWB, AEX JAN, JYU, MEI, SQS, VUZ
Q40	ALEXANDRIA-DOOMS DOOMS-WINAP WINAP-MISLE	AEX, SWB, LCH, JAN, HEZ, MCB JAN, SQS, MEI, MCB MEI, VUZ, JYU
Q42	KIRKSVILLE-STRUK STRUK-DANVILLE DANVILLE-MUNCIE MUNCIE-HIDON	CID, IOW, UIN, LMN, IRK, BDF, STL, DEC, ENL, CSX ENL, IOW, UIN, BDF, DEC, STL, CSX, SPI, TTH, BVT, JOT, VHP, OXI, ENL, OKK, OBK, GIJ, FWA, GSH, IRK GIJ, SPI, BDF, OBK, OKK, VHP, BVT, DEC, GSH, FWA, JOT, TTH, OXI, ROD, FLM FLM, VHP, GSH, TTH, GIJ, OKK, FWA, ROD, OXI, CRL, GSH, APE, DJB, DXO, HNN, AIR, HVQ, CXR, EWC AIR, APE, HNN, CXR, HVQ, EWC, DJB AIR, APE, DJB, CXR, HNN, EWC, SLT, CSN, JHW, ETG, PSB PSB, JHW, EWC, AIR, ETG, CSN, EMI, SLT EMI, SLT, CSN, EWC, PSB, ETG, SAX, RBV, HNK, HUO, SIE ETG, EMI, CSN, HUO, SIE, JFK, PSB, SLT, HNK JFK, EMI, PSB, SLT, HNK, SIE, RBV, SAX, HUO, CYN HUO, RBV, EMI, CYN, SAX, JFK, PSB, HNK
Q104	DEFUN-HEVVN HEVVN-PLYER PLYER-SWABE SWABE-ST PETERSBURG ST PETERSBURG-CYPRESS	PIE, PZD, CRG, SZW, TAY, JYU, CEW, MGM, OTK, CRG PIE, ORL, OMN, SRQ, TAY, LAL, CRG, SZW, PZD PIE, ORL, OMN, SRQ, TAY LAL, ORL, OMN, SRQ, PHK, PIE PHK, PBI, SRQ, PIE, VRB, ORL, FLL, LAL, OMN

Route	Segment	DME
Q106	SMELZ-BULZI	LAL, ORL, OMN, PHK, PIE, CRG, VRB, TAY, OTK, PZD, AMG, SZW
	BULZI-DRABK	AMG, PZD, TAY, CRG, SZW, MGM, OTK, JYU, CEW, SJI
	DRABK-GADAY	MGM, PZD, OTK, JYU, SZW, CEW, SJI
Q108	GADAY-CLAWZ	MGM, SJI, CEW, JYU, PZD, OTK, MCN, SZW, LGC, TAY, AMG
Q110	THNDR-JAYMC	SRQ, VRB, PHK, PIE, LAL, VKZ, ORL, PBI
	JAYMC-RVERO	VKZ, VRB, PHK, PIE, LAL, SRQ, ORL, OMN, PBI, DHP
	RVERO-KPASA	OMN, PIE, PBI, SRQ, ORL, LAL
	KPASA-BRUTS	SRQ, VRB, ORL, PHK, TAY, PIE, OMN, OTK, LAL, CRG, SZW, AMG
	BRUTS-GULFR	OMN, AMG, CRG, SZW, PIE, TAY, PZD, OTK
Q112	GULFR-FEONA	TAY, MCN, PZD, CRG, OTK, SZW, AMG, MCN, ATL, MGM
	DEFUN-HEVVN	PIE, OTK, CRG, OMN, LAL, SZW, SRQ, ORL, VRB
	HEVVN-INPIN	JYU, PZD, CEW, SZW, MGM, OTK, TAY, AMG, PIE, CRG
Q116	KPASA-BRUTS	SRQ, VRB, ORL, PHK, TAY, PIE, OMN, OTK, LAL, CRG, SZW, AMG
	BRUTS-GULFR	OMN, AMG, CRG, TAY, LAL, PZD, SZW, OTK
	GULFR-CEEYA	MCN, AMG, PZD, OTK, SZW, TAY
Q118	KPASA-BRUTS	SRQ, VRB, ORL, PHK, TAY, PIE, OMN, OTK, LAL, CRG, SZW, AMG
	BRUTS-LENIE	OMN, AMG, CRG, TAY, LAL, PZD, SZW, OTK, MCN
Q501	VIXIS-GOPHER	ECK, FNT, APN, SSM, GRR, MBL, SAW, BAE, MNM, DLL, AUW, ODI, STE, FGT, EAU,
		DLH, GEP, BRD, MCW, MSP, ASP, TVC, GRB, RWF
Q502	GOPHER-SOBME	FGT, BRD, MCW, GEP, ABR, FAR, DLH, ODI, RWF, FSD
	KENPA-GOPHER	SSM, FNT, ECK, APN, SAW, GRB, BAE, DLL, AUW, ODI, FGT, DLH, EAU, MCW,
Q504		MSP, MNM, ASP, TVC, GEP, RWF, BRD
	GOPHER-SOBME	FGT, DLH, ODI, MCW, ABR, FAR, MSP, GEP, RWF, FSD, BRD
	NOTAP-CESNA	SSM, ECK, APN, GLR, PLN, ISQ, MNM, DLL, RHI, DLH, GEP, FGT, ODI, ASP, TVC,
Q505		SAW, GRB, BRD
	CESNA-HEMDI	ODI, GEP, DLH, FGT, RWF, FAR, AXN, FSD, ABR, DLL, BRD
	OMAGA-RIMBE	SSM, TVC, ASP, SAW, GRB
	RIMBE-CESNA	SSM, RHI, DLL, DLH, GEP, FGT, TVC, SAW, GRB, BRD, ODI
	CESNA-HEMDI	GEP, DLH, FGT, RWF, FAR, AXN, FSD, ABR, BRD, ODI, GRB

*Denotes Critical DME Facility

RNAV Routing Pitch and Catch Points

The purpose of this section of the Special High Altitude Routes is to present user routing options for flight within the initial HAR Phase I expansion airspace. Users are able to fly user-preferred routes, referred to as non-restrictive routing (NRR), between specific fixes described by **pitch** (entry into) and **catch** (exit out of) fixes in the HAR airspace. Pitch points indicate an end of departure procedures, preferred IFR routings, or other established routing programs where a flight can begin a segment of NRR. The catch point indicates where a flight ends a segment of NRR and joins published arrival procedures, preferred IFR routing, or other established routing programs.

The HAR Phase I expansion airspace is defined as that airspace at and above FL 350 in fourteen of the western and southern Air Route Traffic Control Centers (ARTCCs). The airspace includes Minneapolis (ZMP), Chicago (ZAU), Kansas City (ZKC), Denver (ZDV), Salt Lake City (ZLC), Oakland (ZOA), Seattle Centers (ZSE), Los Angeles (ZLA), Albuquerque (ZAB), Fort Worth (ZFW), Memphis (ZME), and Houston (ZHU). Jacksonville (ZJX) and Miami (ZMA) are included for east-west routes only.

To develop a flight plan, select pitch and catch points based upon your desired route across the Phase I airspace. Filing requirements to pitch points, and from catch points, remain unchanged from current procedures. For the portion of the route between the pitch and catch points, non-restrictive routing is permitted.

Where pitch points for a specific airport are not identified, aircraft should file an appropriate departure procedure (DP), or any other user preferred routing prior to the NRR portion of their routing. Where catch points for a specific airport are not identified aircraft should file, after the NRR portion of their routing, an appropriate arrival procedure or other user preferred routing to their destination.

Additionally, information concerning the location and schedule of Special Use Airspace (SUA) and Air Traffic Control Assigned Airspace (ATCAA) can be found on the Web Site: <http://sua.faa.gov/sua/Welcome.do>. ATCAA refers to airspace in the high altitude structure supporting military and other special operations. Users are encouraged to file around these areas when they are scheduled to be active, thereby avoiding unplanned reroutes around them.

In conjunction with the HAR program RNAV routes have been established to provide for a systematic flow of air traffic in specific portions of the enroute flight environment. The designator for these RNAV routes begin with the letter Q, for example, Q-501. Where those routes aid in the efficient orderly management of air traffic they will be published as preferred IFR routes.

HAR Special High Altitude Pitch (entry) Points for Nonrestrictive Routing for Airports Located Outside HAR Phase I Expansion Airspace

Westbound traffic originating outside of HAR airspace entering ZMP, ZAU, ZKC and ZME can begin non-restrictive routing over any of the following pitch points (listed from north to south):

DLH, CESNA, GEP, BAE, MKG, GRR, PMM, GSH, CADIZ, FWA, VHP, FLM, IIU, PXV, SGF, RZC, BNA, SALMS, VUZ, BOYDD, MIE.

Traffic originating outside of HAR airspace may also begin Nonrestrictive Routing upon crossing the pitch line depicted on the associated graphic.

HAR Special High Altitude Pitch Points for Airports Located Within (below) HAR Phase I Expansion Airspace

This section lists pitch points for airports within the HAR Phase I expansion airspace.

Albuquerque	ABQ, GUP, HANOS or ZUN
Austin	ABI, FUZ, JCT, MQP, NAVYS, SJT or TNV
Boca Raton, FL	TBIRD KPASA Q118 LENIE or TBIRD KPASA Q116 CEEYA or TBIRD KPASA Q110 FEONA or TBIRD SMELZ Q106 BULZI or TBIRD SMELZ Q106 GADAY
Burbank includes Santa Monica and Van Nuys	GMN, MARKS or DAG LAS or HEC EED or PMD BLH
Chicago Terminal Area	IOW, PLL275065, MVZ or BAE
Dallas/Fort Worth Terminal Area	ABI, LBB, GTH, CDS, MRMAC, IRW, TUL, MLC, TXK ELD, SWB or Aircraft destined the Chicago terminal area Except MDW EAKER MIDEE BDF BRADFORD-STAR or MLC J105 SGF BDF BRADFORD-STAR
Denver Terminal Area	PUB, DVC, DBL, RLG, EKR, LAR, MBW, CYS, BFF, HANKI, NATTI, ASHBY, BELKE, CABET, WEEDS, OR BINKE
Fort Lauderdale (or) Fort Lauderdale Executive	THNDR KPASA Q118 LENIE or THNDR KPASA Q116 CEEYA or THNDR KPASA Q110 FEONA or THNDR SMELZ Q106 GADAY or THNDR SMELZ Q106 BULZI
Houston Bush	LIT, EMG, MLC, JCT or Aircraft destined Atlanta Terminal Area LCH Q24 PAYTN HONIE-RNAV STAR or Aircraft joining J37 to the northeast, BPT GUSTI Q22 CATLN or Aircraft joining J42 to the northeast, ELD Q32 J42

Houston Hobby	LIT, EMG, MLC, JCT, or Aircraft joining J42 to the northeast, ELD Q32 J42
Jacksonville, FL	TAY
Kansas City Terminal Area	TIFTO, CATTS or KENTN
Los Angeles, includes Ontario	GMN, RZS or DAG LAS or TRM EED or TRM PKE
Las Vegas	DOBNE, MOSBI, NICLE, TRALR or ZELOT
Long Beach includes Orange County	GMN SNS, EHF, LANDO or TRM PKE or TRM EED
Memphis	BNA, HAAWK, SALMS or SQS
Miami Terminal Area	WINCO KPASA Q118 LENIE or WINCO KPASA Q116 CEEYA or WINCO KPASA Q110 FEONA or WINCO SMELZ Q106 GADAY or WINCO SMELZ Q106 BULZI
Milwaukee	GREAS
Minneapolis Terminal Area*	ONL, ABR, FAR, OBH, OVR, FOD
New Orleans Terminal Area	AEX, MEI, SQS, KAPLN
Orlando Terminal Area	WEBBS BRUTS Q118 LENIE or WEBBS GULFR Q116 CEEYA or WEBBS BULZI Q106 GADAY or WEBBS FEONA or WEBBS BULZI
Palm Beach, FL	TBIRD KPASA Q118 LENIE or TBIRD KPASA Q116 CEEYA or TBIRD KPASA Q110 FEONA or TBIRD SMELZ Q106 BULZI or TBIRD SMELZ Q106 GADAY
Palm Springs	TRM JOTNU BLD or TRM EED or TRM PKE
Phoenix	CHILY, CIE, CULTS, RSK, DOVEE, GCN, MESSI, SJN, DRYHT or MOHAK
Portland, OR	PDT, TIMEE

Salt Lake City	HVE, DTA, MLF, BCE, OAL, MTU, BVL, OCS, TWF, DBS, BPI or TCH J56 CHE or TCH J173 EKR
Saint Louis	VIH, MAP, MYERZ, MCM or HLV MCI
San Antonio Terminal Area	FUZ, SJT, MQP, ABI or Aircraft North of LFK, LFK or Aircraft South of HUB, ELA or Aircraft South of LFK and North of HUB LCH
San Diego	TRM EED or TRM PKE or TRM JOTNU BLD
San Francisco Bay Area	GALLI, INSLO, HAROL JSICA
Oakland	GALLI, INSLO, HAROL JSICA
San Jose	GALLI or INSLO
Seattle	BLUIT
Southwest Florida Airports (RSW/FMY)	JOCKS KPASA Q118 LENIE or JOCKS KPASA Q116 CEEYA or JOCKS KPASA Q110 FEONA or JOCKS SMELZ Q106 GADAY or JOCKS SMELZ Q106 BULZI
Tampa Terminal Area	FEONA, BULZI or BRUTS Q118 LENIE or GULFR Q116 CEEYA or BULZI Q106 GADAY

*MSP area departures with destinations east of 93 degrees west longitude via preferred IFR routing.

Catch Points for Airports Located Outside HAR Phase I Expansion Airspace

This section lists exit points for aircraft destined to specific destinations which are outside the HAR Phase I airspace.

Atlanta Terminal Area	Aircraft through ZME airspace from ZKC airspace east of FAM, Pless Q19 BNA or Aircraft through ZME airspace from ZKC airspace west of FAM, ARG Q26 DEVA or MEM or Aircraft through ZME airspace from ZID airspace west of a line from VHP to BWG, BNA or Aircraft through ZME airspace from ZID airspace east of a line from VHP to BWG, BWG or Aircraft through ZME airspace from ZFW airspace, MEM or MEI HONIE (RNAV)–STAR or PATYN HONIE (RNAV)–STAR
-----------------------	--

Baltimore–Washington*	GIJ, GEP, FLM, IIU, BAE, VHP, WHETT, BNA or VUZ
Boston*	GEP, CRL, ECK, IIU, BNA or VUZ
Buffalo*	GEP, CRL
Hartford Bradley*	GEP, CRL
Canton–Akron*	GIJ, VHP, GEP
Charlotte	BNA, VUZ
Cincinnati Terminal Area	BNA, PXV or Aircraft north of SLC, JOT or Aircraft over or south of SLC, ENL or SLC or SFO departures, ENL, JOT
Cleveland Terminal Area*	OBK
Detroit Terminal Area	BAE MKG POLAR–STAR or VHP FWA MIZAR–STAR
Detroit Young	VHP FWA or LAN SPRTN–STAR
Indianapolis Terminal Area	BIB, SPI, JOT
Louisville	ENL, MEM
Newark*	GEP, VHP, FLM, IIU, BNA, VUZ or IOW GIJ J554 CRL J584 SLT FQM
New York Kennedy*	GEP, VHP, FLM, IIU, BNA, VUZ or DBQ J94 PMM J70 LVZ LENDY–STAR
New York LaGuardia*	GIJ, GEP, VHP, BAE, FLM, IIU, BNA, VUZ
Philadelphia Terminal Area*	GIJ, GEP, VHP, BAE, WHETT, BNA, VUZ
Pittsburgh Terminal Area*	VHP, GIJ, BAE, GEP
Pontiac	LFD, LAN, VHP, FWA, GEP
Providence	JHW, HEMDI, CESNA, GEP, GRB, TVC, ASP, VHP, IIU, BNA, VUZ
Raleigh–Durham	FLM, IIU, BNA, VUZ
Toronto Terminal Area	ECK, SVM, SSM, GEP
Teterboro*	GEP, VHP, CRL, BNA, VUZ
Washington Dulles/National*	GIJ, GEP, FLM, IIU, BAE, VHP, WHETT, BNA, VUZ
White Plains*	GEP, VHP, CRL, FLM, IIU, BNA, VUZ
Willow Run*	LAN, LFD, VHP, FWA, GEP

*Eastbound aircraft over flying ZMP center airspace entering Toronto center airspace, file direct SSM or via J63, J522, Q505, Q504, Q502, Q501

or

Entering ZAU or ZOB airspace from north of DPR J16 MCW, GEP

or

Entering ZAU or ZOB airspace from or south of DPR J16 MCW, CRL.

Catch Points for Airports Located Within (below) HAR Phase I Expansion Airspace

This section lists exit points for aircraft destined to airports which are below HAR Phase I airspace.

Albuquerque Terminal Area	CURLY CURLY-STAR or ESPAN FRIHO-STAR or LAVAN LAVAN-STAR or FTI FRIHO-STAR or MIERA MIERA-STAR
Austin Terminal Area	Aircraft west of a north-south line at LFK, BLEWE or Aircraft east of a north-south line at LFK, IDU or LLO
Boca Raton, FL	CEW DEFUN Q112 INPIN SHDAY (RNAV)-STAR Aircraft through ZHU remain south of ZME and ZTL airspace or DEFUN Q112 INPIN SHDAY (RNAV)-STAR Aircraft through ZHU remain south of ZME and ZTL airspace or SZW INPIN SHDAY (RNAV)-STAR
Chicago Midway	CVA MOTIF-STAR or PIA MOTIF-STAR or DBQ CVA MOTIF-STAR or LMN MOTIF-STAR
Chicago O'Hare Terminal Area	GEP DLL MSN JVL JANESVILLE-STAR or TVC PULLMAN-STAR or FOD DBQ JVL JANESVILLE-STAR or MCW JANESVILLE-STAR or GCK IRK BRADFORD-STAR
Dallas/Fort Worth Terminal Area	IRW, LOSZY, FSM, LIT, SQS, MLU, AEX, JUMBO, TQA, TURKI, HEATR Aircraft through ZME airspace from north and west of PXV, RZC, Q23 FSM or Aircraft through ZME airspace from east of PXV, PXV Q25 MEEOW or Aircraft through ZME airspace from J6 down to, but not including J52, LIT, SQS or Aircraft through ZME airspace from J52 and south of J52, SQS

Denver Terminal Area	OATHE DANDD-STAR
	or
	HGO QUAIL-STAR
	or
	LOPEC-STAR
	or
	ALS LARKS-STAR
	or
	HBU POWDR-STAR
	or
	EKR TOMSN-STAR
	or
	CHE TOMSN-STAR
	or
	BFF LANDR-STAR
	or
	LBF SAYGE-STAR
	or
	HCT SAYGE-STAR
	or
	RSK LARKS-STAR
	or
	LAA QUAIL-STAR
	or
	GCK J154 RYLIE DANDD-STAR
	or
	OCS J154 ALPOE RAMMS-STAR
	or
	YANKI J114 SNY LANDR-STAR
	or
	Aircraft filed BIL or east, MBW RAMMS-STAR
Ft Lauderdale or Ft Lauderdale Executive	CEW DEFUN Q104 PIE SWAGS (RNAV)-STAR
	Aircraft through ZHU airspace remain south ZME and ZTL airspace
	or
Houston Bush	SZW HEVVN Q104 PIE SWAGS (RNAV)-STAR
	CRP, CVE, LLO, LUKIY, SAT
	or
	Aircraft south and east of LLA, LLA
	or
	MISLE Q40 AEX
	or
	Aircraft north and east of SJI, SJI
	or
	Aircraft east of PXV, PXV Q31 DHART SWB
Houston Hobby	or
	Aircraft north and west of PXV, PROWL Q33 DHART SWB
	CRP, ELLVR, SAT, SWB
	or
	Aircraft south and east of GIRLY, GIRLY
	or
	Aircraft north and east of SJI, SJI
	or
	BESOM Q38 ROKIT ROKIT-STAR
	or
Jacksonville	Aircraft east of PXV, PXV Q29 HARES SWB
	or
	Aircraft north and west of PXV, PROWL Q33 DHART SWB
	GADAY ZOOSS TAY
	Aircraft through ZHU airspace remain south of ZME and ZTL airspace
	or
	ZOOSS TAY

John Wayne–Orange County	HEC, PGS, BLD or Aircraft south of TBC from ZAB airspace, HIPPI
Kansas City Terminal Area	LMN BRAYMER–STAR or PWE ROBINSON–STAR or EMP JHAWK–STAR
Las Vegas	DILCO, LIDAT, IGM or Aircraft over PGA or north of PGA KSINO or Aircraft south of PGA PGS LYNSY
Los Angeles Terminal Area	Aircraft North of TBC, HEC, PGS or Aircraft South of TBC from ZAB airspace, HIPPI, MESSI
Miami Terminal Area	CEW DEFUN Q104 CYY DEEDS (RNAV)–STAR Aircraft through ZHU airspace remain south ZME and ZTL airspace or SZW HEVNV Q104 CYY DEEDS (RNAV)–STAR
Minneapolis Terminal Area	Aircraft from north, west, south, FAR GOPHER–STAR or RWF SKETR–STAR or ALO KASPR–STAR or BRD GOPHER–STAR or BAE EAU CLAIRE–STAR or FOD TWOLF–STAR
Memphis Terminal Area	ARG, BWG, FSM, PXV, LIT, RZC, SQS, VUZ, BNA, GQO, ELD
Naples, FL	CEW DEFUN Q104 PLYER PIKKR (RNAV)–STAR Aircraft through ZHU AIRSPACE remain south of ZME and ZTL airspace or SZW HEVNV Q104 PLYER PIKKR (RNAV)–STAR
Nashville	CCT, GHM, GUITR, TINGS, VOLLS
New Orleans Terminal Area	BLUEZ, GPT, LCH, MCB, TBD, FATSO
Oakland	ILA or KATTS PAMMY or Aircraft over or south of a line ILC J16 DVC REANA KATTS PAMMY or Aircraft from north of ILC, JOPER PAMMY or KATTS PAMMY or Aircraft over or south of ILC, REANA KATTS PAMMY
Orlando Terminal Area	GADAY Q108 CLAWZ LEESE–STAR Aircraft through ZHU airspace remain south of ZME/ZTL airspace or OTK LEESE–STAR

Palm Beach, FL	CEW DEFUN Q112 INPIN GULLO (RNAV)–STAR Aircraft through ZHU airspace remain south of ZME and ZTL airspace or SZW INPIN GULLO (RNAV)–STAR
Phoenix	CORKR DRK or Aircraft from ZDV airspace, GUP or Aircraft from ZAB airspace, ZUN, MOHAK, SSO or VYLLA TUS
Phoenix Satellites	FLG, SSO, MOHAK or VYLLA, TUS
Portland, OR Terminal Area	ARNIT BONVL–STAR or LARNO BONVL–STAR or MOXEE MOXEE–STAR
St. Louis Terminal Area	SGF TRAKE–STAR or BUM TRAKE–STAR or ANX TRAKE–STAR or LMN IRK RIVRS–STAR or RBS VANDALIA–STAR
Salt Lake City Terminal Area	JNC J12 HELPR SPANE–STAR or EKR MTU SPANE–STAR or BCE DTA–TCH or MLF DTA–TCH or BVL BONNEVILLE–STAR or BYI BEARR–STAR or PIH BEARR–STAR or DBS BRIGHAM CITY–STAR or JAC BRIGHAM CITY–STAR or BPI BRIGHAM CITY–STAR or OCS BRIGHAM CITY–STAR
San Diego Terminal Area	EED, LAX, GBN
Santa Ana	HEC, PGS, BLD, HIPPI
San Antonio Terminal Area	IDU, CSI, JCT, LLO, CRP, LRD or West of a north–south line at LFK, BLEWE or East of a north–south line at LFK, IDU

San Francisco	FMG GOLDEN GATE–STAR
	or
	MVA MODESTO–STAR
	or
	ENI GOLDEN GATE–STAR
	or
	OAL MODESTO–STAR
San Jose	or
	South of a line ILC to DVC, REANA KATTS OAL MODESTO–STAR
	FMG HYP EL NIDO–STAR
	or
	OAL HYP EL NIDO–STAR
	or
	ENI GOLDEN GATE–STAR
Seattle Terminal Area	or
	South of a line ILC to DVC, REANA KATTS KICHI CANDA EL NIDO–STAR
	Aircraft from northeast, southeast, south, TEMPL GLASR–STAR
	or
	SUNED CHINS–STAR
	or
	BTG OLMYPIA–STAR
Southwest Florida Airports RSW and FMY	CEW DEFUN Q104 SWABE JOSFF–STAR
	Aircraft through ZHU airspace remain south of ZME and ZTL airspace
	or
	SZW HEVVN Q104 SWABE JOSFF–STAR
Tampa Terminal Area	CEW DEFUN Q104 HEVVN DARBS–STAR
	Aircraft through ZHU airspace remain south of ZME and ZTL airspace
	or
	SZW DARBS–STAR
Tucson	DRK PXR
	or
	MOHAK GBN

VISUAL FLIGHT RULES (VFR) WAYPOINTS

VFR Waypoint names consist of five letters beginning with "VP". Stand-alone VFR Waypoints are portrayed on VFR Charts using the same four-point star symbol currently used for Instrument Flight Rules (IFR) Waypoints.

VFR Waypoints collocated with Visual Checkpoints (Visual Reporting Points) are portrayed with a Visual Check Point flag. The VFR Waypoint name is shown in parentheses adjacent to the Visual Check Point name.

VFR Waypoint names are not intended to be pronounceable and shall not be used in ATC communications.

CAUTION: GPS accuracy necessitates extra vigilance for other aircraft when navigating near any fix retrieved from a GPS database.

BALTIMORE–WASHINGTON TERMINAL AREA CHART/FLYWAY CHART

WAYPOINT IDENT	COLLOCATED VFR CHECKPOINT	LOCATION
VPAXI	_____	N38°34.57' /W076°20.38'
VPONX	_____	N39°06.65' /W076°55.92'
VPOOP	_____	N38°56.32' /W076°36.90'

BOSTON HELICOPTER CHART

VPBAY	_____	N42°16.17' /W070°49.48'
VPBLT	_____	N42°19.67' /W070°53.40'
VPCGS	_____	N42°22.08' /W071°03.13'
VPEVS	_____	N42°23.52' /W071°04.10'
VPFEN	_____	N42°12.58' /W071°08.88'
VPFRE	_____	N42°25.03' /W071°12.32'
VPGLV	_____	N42°21.88' /W070°52.18'
VPHAM	_____	N42°30.13' /W071°07.15'
VPPIK	_____	N42°20.37' /W071°15.93'
VPQUA	_____	N42°12.10' /W071°04.78'
VPQUB	_____	N42°12.60' /W070°59.83'
VPSPF	_____	N42°24.20' /W071°09.47'
VPTOB	_____	N42°31.42' /W070°59.82'
VPWAN	_____	N42°36.88' /W071°19.45'

BOSTON TERMINAL AREA CHART

VPCOH	Cohasset	N42°13.58' /W070°48.94'
VPCUT	Cuttyhunk Harbor	N41°25.50' /W070°55.03'
VPFRA	Framingham Shopping Center	N42°18.16' /W071°23.65'
VPHOL	Woods Hole	N41°31.06' /W070°40.60'
VPHUL	Hull	N42°18.20' /W070°55.30'
VPLPT	Nantucket Great Point	N41°23.41' /W070°02.78'
VPNED	Needham Towers	N42°18.51' /W071°14.64'
VPPEA	Peabody Shopping Center	N42°32.52' /W070°56.69'
VPROC	Rockingham Race Track	N42°46.29' /W071°13.57'
VPSCI	Scituate	N42°11.89' /W070°43.69'
VPTPT	Nantucket Third Point	N41°18.51' /W070°03.37'
VPTUC	Tuckernuck	N41°18.31' /W070°15.43'
VPWAK	Wakefield	N42°30.72' /W071°05.24'
VPWAN	Wang Towers	N42°36.88' /W071°19.45'

CHARLOTTE SECTIONAL CHART

VPATO	_____	N34°37.37' /W076°31.47'
VPAVA	_____	N34°57.00' /W077°16.50'
VPBFE	_____	N32°16.38' /W080°47.50'
VPBRA	_____	N36°13.75' /W076°08.08'
VPGCE	_____	N36°03.90' /W076°36.42'
VPGHI	_____	N35°15.30' /W075°31.25'
VPGIO	_____	N35°32.50' /W076°37.33'
VPKJU	_____	N35°26.58' /W076°10.22'
VPLMN	_____	N34°55.43' /W077°46.42'
VPMAB	_____	N34°42.20' /W077°03.50'
VPNPO	ISLE OF PALMS	N32°47.78' /W079°46.45'
VPOKY	_____	N35°06.53' /W075°59.17'
VPREP	_____	N32°33.98' /W080°21.82'
VPRRS	_____	N33°25.45' /W079°07.60'
VPUMO	_____	N35°35.63' /W075°28.08'
VPWZO	_____	N36°00.87' /W075°40.07'
VPZIE	_____	N32°01.62' /W080°53.42'

CHICAGO SECTIONAL CHART

WAYPOINT IDENT
VPCOH

COLLOCATED VFR CHECKPOINT

LOCATION
N31°49.35' / W081°51.07'

DENVER TERMINAL AREA CHART/FLYWAY CHART

VPBEN
VPFTG
VPNIC

NORTH INTERCHANGE

N39°44.28' / W104°26.00'
N39°44.35' / W104°32.75'
N39°58.90' / W104°59.27'

HOUSTON TERMINAL AREA CHART/FLYWAY CHART

WAYPOINT IDENT
VPBWY
VPDTN
VPGLA
VPGLB
VPKTY
VPPLN
VPRSN
VPSND
VPSNT
VPTNE
VPTNW
VPTRK

COLLOCATED VFR CHECKPOINT

LOCATION
N29°46.25' / W095°09.24'
N29°46.59' / W095°22.01'
N30°08.32' / W095°06.62'
N30°07.80' / W094°55.70'
N29°47.05' / W095°44.92'
N30°08.80' / W095°50.42'
N29°30.00' / W095°41.00'
N29°23.13' / W095°28.86'
N29°49.29' / W094°53.94'
N29°47.48' / W095°03.34'
N29°47.06' / W095°33.81'
N29°24.06' / W095°10.44'

JACKSONVILLE SECTIONAL CHART

VPAFI
VPAFY
VPBEC
VPCJA
VPCKY
VPCNY
VPDAD
VPDAR
VPDFI
VPDUT
VPEAR
VPEGV
VPPFU
VPGPE
VPHAA
VPHUC
VPIWA
VPJMY
VPKER
VPLEV
VPLJA
VPMIA
VPTLH
VPXZY
VPYIW
VPZIE

DADE CITY

CLEARWATER BEACH

ST PETE BEACH

MIDWAY

LAKE PARKER

N31°49.35' / W081°51.07'
N30°07.00' / W081°21.33'
N29°46.25' / W081°15.10'
N29°30.00' / W081°06.00'
N28°46.50' / W082°34.00'
N28°30.00' / W080°45.00'
N28°22.57' / W082°11.25'
N31°22.38' / W081°24.13'
N29°00.17' / W081°20.85'
N27°37.70' / W082°09.10'
N27°58.67' / W082°49.83'
N29°39.97' / W081°24.87'
N28°57.08' / W081°00.33'
N27°43.50' / W082°44.67'
N30°04.02' / W083°40.02'
N28°19.87' / W082°43.77'
N31°48.33' / W081°25.85'
N29°26.92' / W081°18.27'
N28°04.00' / W081°56.00'
N28°48.00' / W080°52.00'
N29°00.00' / W080°51.00'
N30°50.02' / W084°56.63'
N30°32.70' / W083°52.22'
N29°35.00' / W083°10.00'
N30°42.28' / W081°27.25'
N32°01.62' / W080°53.42'

KANSAS CITY SECTIONAL CHART

VPAGO
VPBEK
VPDEN
VPENE
VPESSE
VPFME
VPGXY
VPMBE
VPMKE
VPROV
VPUTT

N37°50.33' / W090°29.03'
N37°15.07' / W092°30.67'
N37°46.75' / W092°19.20'
N37°44.75' / W091°55.78'
N36°59.48' / W091°00.88'
N37°41.00' / W092°38.33'
N37°15.50' / W091°40.17'
N37°11.08' / W090°27.92'
N37°24.47' / W092°40.00'
N38°01.72' / W091°12.81'
N37°52.05' / W092°01.20'

KANSAS CITY TERMINAL AREA CHART

KLAMATH FALLS SECTIONAL CHART

LOS ANGELES HELICOPTER CHART

EC, 22 OCT 2009 to 17 DEC 2009

LOS ANGELES SECTIONAL CHART

WAYPOINT IDENT	COLLOCATED VFR CHECKPOINT	LOCATION
VPCNG	CONEJO GRADE US HWY 101	N34°12.54'/W118°59.61'
VPCSU	CSU CHANNEL ISLANDS	N34°09.76'/W119°02.53'
VPFPL	OXNARD FINANCIAL PLAZA	N34°13.71'/W119°10.39'
VPSTC	SATICOY BRIDGE	N34°16.62'/W119°08.34'

LOS ANGELES TERMINAL AREA CHART/FLYWAY CHART

VPCNG	CONEJO GRADE US HWY 101	N34°12.54'/W118°59.61'
VPCSU	CSU CHANNEL ISLANDS	N34°09.76'/W119°02.53'
VPGETY	GETTY CENTER	N34°04.84'/W118°28.66'
VPLBP	BANNING PASS	N33°56.05'/W116°59.63'
VPLCC	CHAFFEY COLLEGE	N34°08.87'/W117°34.33'
VPLCP	CAJON PASS	N34°18.07'/W117°27.68'
VPLDL	DISNEYLAND	N33°48.72'/W117°55.13'
VPLDP	DANA POINT	N33°27.62'/W117°42.87'
VPLDS	DODGER STADIUM	N34°04.42'/W118°14.42'
VPLFX	91/605 INTERCHANGE	N33°52.38'/W118°06.08'
VPLGP	GRIFFITH PARK OBSERVATORY	N34°07.10'/W118°18.02'
VPLHF	110/405 FWYS	N33°51.42'/W118°17.10'
VPLHP	HUNTINGTON PIER	N33°39.32'/W118°00.25'
VPLKH	KING HARBOR	N33°50.75'/W118°23.88'
VPLLC	L.A. COLISEUM	N34°00.83'/W118°17.27'
VPLLM	LAKE MATHEWS	N33°50.58'/W117°26.85'
VPLMM	MAGIC MOUNTAIN	N34°26.20'/W118°36.28'
VPLMS	MILE SQUARE PARK	N33°43.40'/W117°56.77'
VPLPD	PRADO DAM	N33°53.40'/W117°38.48'
VPLPP	PACIFIC PALISADES	N34°02.13'/W118°32.15'
VPLQM	QUEEN MARY	N33°45.17'/W118°11.37'
VPLRB	ROSE BOWL	N34°09.67'/W118°10.05'
VPLRT	SANTA ANITA RACE TRACK	N34°08.45'/W118°02.65'
VPLSA	SANTA ANA CANYON	N33°52.03'/W117°42.68'
VPLSB	SANTA FE FLOOD BASIN	N34°07.72'/W117°57.30'
VPLSC	STATE COLLEGE	N33°52.97'/W117°53.13'
VPLSF	SAN FERNANDO RESERVOIR	N34°17.87'/W118°29.00'
VPLSP	SIGNAL PEAK	N33°36.33'/W117°48.63'
VPLSR	HAWTHORNE & 405 FREEWAY	N33°53.07'/W118°21.13'
VPLSS	SANTA SUSANA PASS	N34°16.00'/W118°38.43'
VPLTW	TUJUNGA WASH & FOOTHILL	N34°16.40'/W118°20.30'
VPLVT	VINCENT THOMAS BRIDGE	N33°44.97'/W118°16.32'
VPLWT	WATER TANK	N34°10.82'/W118°46.27'
VPNEW	NEWHALL PASS	N34°20.18'/W118°30.72'
VPSTC	SATICOY BRIDGE	N34°16.62'/W119°08.34'

MIAMI SECTIONAL CHART

VPACH	HOLLYWOOD BEACH	N26°00.92'/W080°06.93'
VPBOV	_____	N27°57.00'/W080°46.75'
VPCLC	_____	N26°27.07'/W082°00.88'
VPCTE	_____	N26°09.28'/W081°20.70'
VPDAD	DADE CITY	N28°22.57'/W082°11.25'
VPDUT	_____	N27°37.70'/W082°09.10'
VPDZE	_____	N27°19.00'/W080°44.17'
VPEAR	CLEARWATER BEACH	N27°58.67'/W082°49.83'
VPEDY	ANDYTOWN TOLLGATE	N26°08.78'/W080°28.00'
VPFAH	_____	N26°25.40'/W081°29.67'
VPGPE	ST PETE BEACH	N27°43.50'/W082°44.67'
VPHRO	_____	N27°05.97'/W082°12.20'
VPHUC	_____	N28°19.87'/W082°43.77'
VPIBR	_____	N27°12.47'/W081°40.22'
VPKER	LAKE PARKER	N28°04.00'/W081°56.00'
VPKOE	_____	N24°40.08'/W081°20.55'
VPLYY	_____	N24°49.07'/W080°49.17'
VPMB0	GULFSTREAM PARK	N25°58.57'/W080°08.17'
VPOBA	PUMPING STATION	N26°28.30'/W080°26.75'
VPRBI	_____	N25°50.67'/W080°55.18'
VPRNL	RANGER STATION	N25°22.92'/W080°36.58'
VPWMO	_____	N27°03.00'/W080°35.00'

MIAMI TERMINAL AREA CHART/FLYWAY CHART

WAYPOINT IDENT	COLLOCATED VFR CHECKPOINT	LOCATION
VPACH	HOLLYWOOD BEACH	N26°00.92' / W080°06.93'
VPEDY	ANDYTOWN TOLLGATE	N26°08.78' / W080°28.00'
VPMB0	GULFSTREAM PARK	N25°58.57' / W080°08.17'
VPOBA	PUMPING STATION	N26°28.30' / W080°26.75'
VPRBI		N25°50.67' / W080°55.18'
VPRNL	RANGER STATION	N25°22.92' / W080°36.58'

NEW ORLEANS SECTIONAL CHART

VPGPT		N30°25.95' / W089°05.62'
VPLIP	PHILLIPS INLET	N30°16.23' / W085°59.25'
VPMAI		N30°50.02' / W084°56.63'
VPMOB		N30°23.00' / W088°31.72'
VPRAM		N30°18.95' / W089°35.88'
VPRER		N30°13.87' / W085°20.67'
VPRIV		N30°54.85' / W087°57.82'
VPSAW		N30°49.65' / W089°07.42'
VPTHR		N30°19.93' / W087°08.50'

NEW YORK HELICOPTER CHART

VPJAY		N40°59.00' / W073°07.00'
VPLYD		N40°57.37' / W073°29.59'
VPROK		N40°52.70' / W073°44.24'

PHOENIX TERMINAL AREA CHART/FLYWAY CHART

VPALL	ALLENVILLE	N33°20.97' / W112°35.20'
VPAQU	AQUEDUCT PUMPING STATION	N33°40.05' / W112°41.38'
VPARM	ARROWHEAD MALL	N33°38.52' / W112°13.48'
VPAWG	AHWATUKEE GOLF COURSE	N33°19.98' / W111°59.08'
VPAZM	ARIZONA MILLS	N33°23.43' / W111°57.88'
VPBAR	BARTLETT DAM	N33°49.10' / W111°37.92'
VPCCC	COUNTRY CLUB & CANAL	N33°30.73' / W111°50.37'
VPCNL	CANAL	N33°33.23' / W111°46.89°
VPFRB	FIREBIRD LAKE	N33°16.35' / W111°58.10'
VPFTN	FOUNTAIN HILLS	N33°36.12' / W111°42.72'
VPGLX	GILA CROSSING	N33°16.55' / W112°10.08'
VPGPP	GLENDALE POWER PLANT	N33°33.27' / W112°13.00'
VPMAR	MARICOPA	N33°03.42' / W112°02.88'
VPMHS	MESQUITE HIGH SCHOOL	N33°20.53' / W111°49.58'
VPNRV	NEW RIVER	N33°55.08' / W112°08.45'
VPNTT	NORTH TEST TRACK	N33°03.50' / W111°55.83'
VPIIR	PIR	N33°22.52' / W112°18.90'
VPQTR	QUINTERO GOLF COURSE	N33°49.53' / W112°23.58'
VPRVC	RIO VERDE COMMUNITY	N33°44.37' / W111°39.62'
VPSMC	SOUTH MOUNTAIN COLLEGE	N33°23.02' / W112°02.12'
VPSQP	SQUAW PEAK	N33°32.83' / W112°01.27'
VPSSS	SUPERSTITION SPRINGS MALL	N33°23.50' / W111°41.37'
VPSTN	SANTAN MOUNTAINS	N33°09.23' / W111°40.92'
VPSTT	SOUTH TEST TRACK	N32°56.25' / W111°59.67'
VPZZZ		N33°20.18' / W111°26.53'

ST LOUIS TERMINAL AREA CHART/FLYWAY CHART

VPAGN	TV ANTENNA	N38°32.08' / W090°22.42'
VPBPE		N38°23.80' / W090°20.38'
VPCJY	HOLIDAY SHORES	N38°55.00' / W089°56.00'
VPCOJ	WINFIELD DAM	N39°00.28' / W090°41.23'
VPDFA	JEFFERSON BARRACKS BRIDGE	N38°29.18' / W090°16.47'
VPEAZ	BUSCH STADIUM	N38°37.43' / W090°11.55'
VPEDZ	WATER TANKS	N38°45.30' / W090°34.87'
VPEGR	GAS TANKS	N38°35.80' / W090°19.32'
VPEOX	ST PETERS	N38°47.17' / W090°39.25'

WAYPOINT IDENT	COLLOCATED VFR CHECKPOINT	LOCATION
VPFAI	HOWELL ISLAND	N38°40.00'/W090°43.00'
VPFFY		N38°55.37'/W090°17.30'
VPGPF		N38°35.60'/W090°26.92'
VPGVI		N38°32.30'/W090°27.80'
VPHRQ	CHAIN OF ROCKS BRIDGE	N38°45.88'/W090°10.42'
VPIBO	WATERLOO	N38°20.00'/W090°09.00'
VPJMU	HORSESHOE LAKE	N38°41.00'/W090°05.00'
VPKNY	PACIFIC	N38°29.00'/W090°44.00'
VPLES	ST CHARLES	N38°47.00'/W090°30.00'
VPLIW	SIX FLAGS	N38°30.67'/W090°40.47'
VPLXU	GATEWAY ARCH	N38°37.50'/W090°11.00'
VPNSY	WOOD RIVER REFINERIES	N38°50.00'/W090°05.00'
VPNZY	WENTZVILLE	N38°48.83'/W090°50.98'
VPRAZ	JERSEYVILLE	N39°07.00'/W090°20.00'
VRPMO	FOREST PARK	N38°38.00'/W090°17.00'
VPWKO	COLUMBIA	N38°27.00'/W090°12.00'
VPXXI	MILLSTADT	N38°27.50'/W090°05.68'
VPYID	MOSENTHEIN ISLAND	N38°43.00'/W090°12.25'

SALT LAKE CITY HELICOPTER CHART

VPAIR	SALTAIR	N40°44.85'/W112°11.22'
VPBEE	SOUTH INTERCHANGE	N40°38.18'/W111°54.23'
VPBRN	BARN	N40°54.28'/W112°10.15'
VPCAP	STATE CAPITOL	N40°46.67'/W111°53.25'
VPCHS		N40°42.28'/W112°05.92'
VPCOP	BINGHAM COPPER MINE	N40°31.38'/W112°09.00'
VPCWY	CAUSEWAY	N41°05.37'/W112°07.17'
VPCYN	PARLEYS CANYON	N40°42.67'/W111°48.10'
VPFPC	FREE PORT CENTER	N41°05.92'/W112°02.27'
VPFPK	FRANCIS PEAK	N41°01.98'/W111°50.30'
VPGFS	GARFIELD STACK	N40°43.28'/W112°11.88'
VPHVE	SPAGHETTI BOWL	N40°43.50'/W111°54.22'
VPJRT	JORDAN RIVER TEMPLE	N40°35.02'/W111°55.58'
VPKSL	KSL ANTENNA	N40°46.80'/W112°05.80'
VPLGN	LAGOON AMUSEMENT PARK	N40°59.08'/W111°53.57'
VPMDH	MCKAY DEE HOSPITAL	N41°11.50'/W111°57.08'
VPMMT	MICROWAVE TOWERS	N40°48.50'/W111°53.37'
VPMSH		N41°01.67'/W112°02.47'
VPNSL		N40°50.15'/W111°54.90'
VPNTP		N41°03.57'/W112°14.23'
VPOGE	GRAIN ELEVATOR	N41°13.13'/W112°00.45'
VPOPS	POWER STATION	N41°20.38'/W112°02.78'
VPPEN	STATE PRISON	N40°29.88'/W111°53.62'
VPPPT	PROMONTORY POINT	N41°12.28'/W112°25.73'
VPPTM	POINT OF THE MOUNTAIN	N40°27.42'/W111°54.83'
VPVPO	PROVO CANYON	N40°18.77'/W111°39.45'
VPRWY		N40°48.48'/W112°00.33'
VPSLC	I-15/I-80 INTERCHANGE	N40°45.83'/W111°54.85'
VPTIP	SOUTH TIP	N40°50.93'/W112°10.92'
VPWBR	WEBER CANYON	N41°08.17'/W111°54.83'
VPWBT		N40°38.00'/W112°03.33'

SALT LAKE CITY TERMINAL AREA CHART/FLYWAY CHART

VPAIR	SALTAIR	N40°44.85'/W112°11.22'
VPBEE	SOUTH INTERCHANGE	N40°38.18'/W111°54.23'
VPBRN	BARN	N40°54.28'/W112°10.15'
VPCAP	STATE CAPITOL	N40°46.67'/W111°53.25'
VPCHS		N40°42.28'/W112°05.92'
VPCOP	BINGHAM COPPER MINE	N40°31.38'/W112°09.00'
VPVCI	CENTERVILLE INTERCHANGE	N40°55.30'/W111°53.43'
VPCWY	CAUSEWAY	N41°05.37'/W112°07.17'
VPCYN	PARLEYS CANYON	N40°42.67'/W111°48.10'
VPFPC	FREE PORT CENTER	N41°05.92'/W112°02.27'
VPFPK	FRANCIS PEAK	N41°01.98'/W111°50.30'
VPGFS	GARFIELD STACK	N40°43.28'/W112°11.88'

WAYPOINT IDENT	COLLOCATED VFR CHECKPOINT	LOCATION
VPHVE	SPAGHETTI BOWL	N40°43.50'/W111°54.22'
VPJRT	JORDAN RIVER TEMPLE	N40°35.02'/W111°55.58'
VPKSL	KSL ANTENNA	N40°46.80'/W112°05.80'
VPLGN	LAGOON AMUSEMENT PARK	N40°59.08'/W111°53.57'
VPMDH	MCKAY DEE HOSPITAL	N41°11.50'/W111°57.08'
VPMMT	MICROWAVE TOWERS	N40°48.50'/W111°53.37'
VPMSH	_____	N41°01.67'/W112°02.47'
VPNSL	_____	N40°50.15'/W111°54.90'
VPNTPE	_____	N41°03.57'/W112°14.23'
VPOGE	GRAIN ELEVATOR	N41°13.13'/W112°00.45'
VPOPS	POWER STATION	N41°20.38'/W112°02.78'
VPPEP	STATE PRISON	N40°29.88'/W111°53.62'
VPPTT	PROMONTORY POINT	N41°12.28'/W112°25.73'
VPPTM	POINT OF THE MOUNTAIN	N40°27.42'/W111°54.83'
VPPOV	PROVO CANYON	N40°18.77'/W111°39.45'
VPRWY	_____	N40°48.48'/W112°00.33'
VPSLC	I-15/I-80 INTERCHANGE	N40°45.83'/W111°54.85'
VPITP	SOUTH TIP	N40°50.93'/W112°10.92'
VPUOU	U OF U EVENTS CENTER	N40°45.73'/W111°50.28'
VPWBR	WEBER CANYON	N41°08.17'/W111°54.83'
VPWBT	_____	N40°38.00'/W112°03.33'
VPZOO	HOGLE ZOO	N40°45.00'/W111°48.95'

SAN DIEGO TERMINAL AREA CHART/FLYWAY CHART

VPLDP	DANA POINT	N33°27.62'/W117°42.87'
VPLSP	SIGNAL PEAK	N33°36.33'/W117°48.63'
VPOCN	_____	N33°14.15'/W117°26.63'
VPSBC	BARONA CASINO	N32°56.25'/W116°52.60'
VPSBL	_____	N33°05.18'/W117°18.55'
VPSBM	BLACK MOUNTAIN	N32°58.87'/W117°07.00'
VPSCF	_____	N32°48.55'/W117°09.17'
VPSCM	COWLES MOUNTAIN	N32°48.72'/W117°01.97'
VPSCP	CRYSTAL PIER	N32°47.77'/W117°15.42'
VPSCR	_____	N32°39.37'/W117°07.30'
VPSFB	IRON MOUNTAIN	N32°58.25'/W116°57.33'
VPSLJ	LAKE JENNINGS	N32°51.53'/W116°53.28'
VPSMB	_____	N32°45.57'/W117°12.22'
VPSMP	_____	N33°22.70'/W117°36.75'
VPSMS	MOUNT SOLEDAD	N32°50.40'/W117°15.10'
VPSMV	_____	N32°45.75'/W117°09.80'
VPSMW	MOUNT WOODSON	N33°00.52'/W116°58.23'
VPSOP	OTAY MESA PRISON	N32°35.82'/W116°55.28'
VPSOT	LOWER OTAY LAKE	N32°37.73'/W116°55.38'
VPSPL	SOUTH POINT LOMA	N32°39.90'/W117°14.55'
VPSPP	POWER PLANT	N33°08.25'/W117°20.23'
VPSQS	QUALCOMM STADIUM	N32°46.98'/W117°07.23'
VPSRT	DEL MAR RACE TRACK	N32°58.58'/W117°15.95'
VPSSM	SAN MIGUEL MOUNTAIN	N32°41.78'/W116°56.18'
VPSSV	SAN VICENTE ISLAND	N32°55.53'/W116°55.00'
VPSTP	TORREY PINES GOLF COURSE	N32°54.17'/W117°14.68'
VPSVA	_____	N33°11.48'/W117°16.38'

SAN FRANCISCO SECTIONAL CHART

VPKBG	KINGSBURY GRADE	N38°58.75'/W119°53.20'
-------	-----------------	------------------------

SAN FRANCISCO TERMINAL AREA CHART/FLYWAY CHART

VPALT	ALTAMONT PASS	N37°44.35'/W121°35.42'
VPANT	ANTIOCH BRIDGE	N38°01.45'/W121°45.02'
VPBBR	BENICIA BRIDGE	N38°02.50'/W122°07.45'
VPCL	CALAVERAS RESERVOIR	N37°28.16'/W121°48.93'
VPCBT	LAKE CHABOT	N37°43.68'/W122°06.94'
VPCOY	COYOTE HILLS	N37°32.50'/W122°05.06'
VPCQZ	CARQUINEZ BRIDGE	N38°03.66'/W122°13.52'
VPCRL	_____	N37°11.00'/W121°41.06'
VPCRY	CRYSTAL SPRINGS CAUSEWAY	N37°30.56'/W122°21.10'

WAYPOINT IDENT

VPCSH
VPDAM
VPDLR
VPDUB
VPEMB
VPGGF
VPGIL
VPHHH
VPKGO
VPLEX
VPMID
VPMOR
VPMUM
VPPAC
VPPRU
VPSAR
VPSLA
VPSTB
VPSUN
VPUTC
VPWAL
VPWAM
VPWFR

COLLOCATED VFR CHECKPOINT

CAL STATE UNIVERSITY
DEL VALLE DAM

DUBLIN
EMBASSY SUITES
GOLDEN GATE FIELDS
GILROY
HAMILTON
KGO
LEXINGTON RESERVOIR
MID-SPAN SAN MATEO BRIDGE
MORMON TEMPLE
NUMMI PLANT

PRUNEYARD
SARATOGA
SLAC/LINEAR ACCELERATOR
STINSON BEACH
SUNOL GOLF COURSE
U.T.C.
WALNUT CREEK

CEMENT PLANT

LOCATION

N37°39.52'/W122°03.52'
N37°36.91'/W121°44.78'
N37°07.00'/W121°47.06'
N37°42.06'/W121°55.36'
N37°26.05'/W121°53.83'
N37°53.07'/W122°18.71'
N37°01.37'/W121°33.99'
N38°03.58'/W122°30.66'
N37°31.58'/W122°06.10'
N37°11.66'/W121°59.18'
N37°36.28'/W122°11.81'
N37°48.46'/W122°11.95'
N37°29.56'/W121°56.58'
N37°38.00'/W122°32.07'
N37°17.33'/W121°56.01'
N37°15.26'/W122°02.33'
N37°24.75'/W122°14.35'
N37°54.45'/W122°40.41'
N37°34.85'/W121°53.23'
N37°13.93'/W121°41.35'
N37°53.78'/W122°04.30'
N37°30.28'/W122°10.00'
N37°30.88'/W122°12.26'

TAMPA/ORLANDO TERMINAL AREA CHART/FLYWAY CHART

VPBOV
VPCNY
VPDAD
VPDFI
VPDUT
VPEAR
VPFFU
VPGPE
VPHUC
VPKER
VPLEV
VPLJA

DADE CITY

CLEARWATER BEACH

ST PETE BEACH

LAKE PARKER

N27°57.00'/W080°46.75'
N28°30.00'/W080°45.00'
N28°22.57'/W082°11.25'
N29°00.17'/W081°20.85'
N27°37.70'/W082°09.10'
N27°58.67'/W082°49.83'
N28°57.08'/W081°00.33'
N27°43.50'/W082°44.67'
N28°19.87'/W082°43.77'
N28°04.00'/W081°56.00'
N28°48.00'/W080°52.00'
N29°00.00'/W080°51.00'

WASHINGTON SECTIONAL CHART

VPACE
VPAXI
VPBRA
VPGCE
VPWZO

N38°07.82'/W076°48.75'
N38°34.57'/W076°20.38'
N36°13.75'/W076°08.08'
N36°03.90'/W076°36.42'
N36°00.87'/W075°40.07'

VOR RECEIVER CHECK VOR RECEIVER CHECKPOINTS AND VOR TEST FACILITIES (VOT)

399

The use of VOR airborne and ground checkpoints is explained in Aeronautical Information Manual, Basic Flight Information and ATC Procedures.

NOTE: Under columns headed "Type of Checkpoint" & "Type of VOT Facility" G stands for ground. A/ stands for airborne followed by figures (2300) or (1000-3000) indicating the altitudes above mean sea level at which the check should be conducted. Facilities are listed in alphabetical order, in the state where the checkpoints or VOTs are located.

ILLINOIS

VOR RECEIVER CHECKPOINTS

Facility Name (Arpt Name)	Freq/Ident	Type Check Pt. Gnd. AB/ALT	Azimuth from Fac. Mag	Dist. from Fac. N.M.	Checkpoint Description
Centralia (Centralia Muni)	115.0/ENL	A/2000	027	6.1	Over apch end Rwy 36.
Champaign (Urbana)	110.0/CMI	A/2000	177	7.8	Over grain elevator at Pesotum.
Champaign (University of Illinois-Willard) ...	110.0/CMI	G	332	0.9	On runup pad Rwy 14L.
Decatur (Decatur)	117.2/DEC	A/1700	348	5.4	Over apch end Rwy 36.
Galesburg	109.8/GBG	A/3000	237	12	Over railroad bridge.
Jacksonville	108.6/IJX	A/1600	137	11.1	Over railroad crossing 2 NM NW of Franklin.
Joliet (Aurora Muni)	112.3/JOT	A/2500	331	15	Over intersection of rwsy.
Joliet (Joliet Rgnl)	112.3/JOT	A/1500	102	6.5	Over centerline of NW end of Rwy 04-22.
Lawrenceville (Lawrenceville-Vincennes Intl)	108.8/LWV	G	177	.6	South side of Echo.
Marion (Williamson Co Rgnl)	110.4/MWA	A/1500	287	11	Railroad intersection in town of De Soto.
	110.4/MWA	G	139	.5	On parallel twy to Rwy 29.
Mattoon/Charleston (Coles Co Memorial) ...	109.4/MT0	G	066	7	Runup pad Rwy 24. VOR checkpoint unusable.
Moline (Quad City Intl)	114.4/MZV	A/2000	034	9.8	Over intersection of Rwsy 05-23, 09-27, 13-31.
Mount Vernon (Mount Vernon)	113.8/VNN	G	223	3.2	At intersection of taxiways B and B2.
Peoria (Greater Peoria Rgnl)	115.2/PIA	A/2000	100	4.9	Over intersection Rwsy 13-31 and 4-22.
Quincy (Quincy Rgnl-Baldwin Fld)	113.6/UIN	G	029	6.6	On W side of terminal ramp.
Roberts	116.8/RBS	A/2000	151	7.8	Over grain elevator in Paxton, IL.
Rockford (Chicago/Rockford Intl)	110.8/RFD	G	108	5.1	Over intersection of twys A/B/D.
Samsville (Mount Carmel Muni)	116.6/SAM	A/1500	063	18.4	Over intersection of Rwsy 04-22 and 13-31.
Troy (St Louis Rgnl)	116.0/TOY	A/1600	322	11	Over intersection of N/S and NW/SE rwsy.
Vandalia (Vandalia Muni)	114.3/VLA	A/1700	177	5.8	Over centerline at N end N/S rwy.

VOR TEST FACILITIES (VOT)

Facility Name (Airport Name)	Freq.	Type VOT Facility	Remarks
Chicago (Midway)	111.0	G	
Chicago (O'Hare)	112.0	G	

VOR RECEIVER CHECK INDIANA

VOR RECEIVER CHECKPOINTS

Facility Name (Arpt Name)	Freq/Ident	Type Check Pt. Gnd. AB/ALT	Azimuth from Fac. Mag	Dist. from Fac. N.M.	Checkpoint Description
Boiler (Purdue Univ)	115.1/BVT	A/1800	286	12	Over water twr in town of Fowler.
Goshen (Goshen Muni)	113.7/GSH	A/2000	090	10.7	Over center of E/W rwy.
Hoosier (Monroe County)	110.2/OOM	G	349	.9	On runup pad Rwy 17.
Huntingburg	109.2/HNB	A/2500	010	8	Over water tower S edge Jasper.
Kokomo (Kokomo Muni)	113.5/OKK	G	242	.6	On taxiway A at AER 05.
Marion (Marion Muni)	108.6/MZZ	G	206	.6	Runup Pad Rwy 04
Muncie (Delaware Co-Johnson Fld)	114.4/MIE	A/2500	181	5.8	Over intersection of highway and railroad.
	114.4/MIE	G	328	0.7	On taxiway A-4 on runup area for Rwy 14.
Pocket City (Evansville Rgnl)	113.3/PXV	A/2000	056	13	Over intersection of E/W and NE/SW rws.
Terre Haute (Sky King)	115.3/TTH	A/2000	300	7	Over intersection of E/W and N/S rws.

VOR TEST FACILITIES (VOT)

Facility Name (Airport Name)	Freq.	Type VOT Facility	Remarks
Fort Wayne Intl	111.0	G	
Indianapolis Intl	109.6	G	

MICHIGAN

VOR RECEIVER CHECKPOINTS

Facility Name (Arpt Name)	Freq/Ident	Type Check Pt. Gnd. AB/ALT	Azimuth from Fac. Mag	Dist. from Fac. N.M.	Checkpoint Description
Alpena (Alpena Co Rgnl)	108.8/APN	G	203	1.1	On runup for Rwy 01.
Au Sable (Oscoda-Wurtsmith)	116.1/ASP	G	249	.9	Approach end Rwy 6.
	116.1/ASP	G	063	1.0	Approach end Rwy 24.
Battle Creek (W.K. Kellogg)	109.4/BTL	A/2000	096	11.3	NS and EW highway intersection.
Escanaba	110.8/ESC	A/2500	002	14.5	Over microwave twr 1 NM S of Perkins.
Gaylord (Gaylord Rgnl)	109.2/GLR	G	077	.6	SE corner of ramp.
Grand Rapids (Gerald R Ford Intl)	115.95/GRR	A/2500	231	10	Over intersection of N/S highway & E/W road 1 NM W of Wayland.
Houghton (Houghton Co Meml)	112.8/CMX	A/2300	077	13.5	Over smoke stack.
Kalamazoo (Kalamazoo/Battle Creek Intl) ..	109.0/AZO	G	167	.7	On twy to Rwy 35.
Lansing (Capital City)	110.8/LAN	G	058	5.4	On Twy C; 500 E of apch end Rwy 06.
Litchfield	111.2/LFD	A/2000	328	17.5	Over intersection of NS/EW expressway.
Manistique (Schoolcraft County)	110.4/ISQ	A/2400	078	13.2	Over railroad intersection.
Muskegon (Muskegon County)	115.2/MKG	A/2000	272	8.4	Over intersection of NW/SE and NE/SW rws.
Peck (St Clair County Intl)	114.0/ECK	A/2000	166	22.5	Over apch end Rwy 04.

VOR RECEIVER CHECK

401

Facility Name (Arpt Name)	Freq/Ident	Type Check Pt. Gnd. AB/ALT	Azimuth from Fac. Mag	Dist. from Fac. N.M.	Checkpoint Description
Pellston (Cheboygan City-County)	111.8/PLN	A/2000	084	6.4	Over center of E/W rwy.
Pellston (Pellston Rgnl Arpt of Emmet Co) ...	111.8/PLN	G	241	6.4	At intersection of N/S and E/W twys.
Pontiac (Oakland Co Intl)	111.0/PSI	G	113	5.8	On circle on warmup pad apch end Rwy 27L.
	111.0/PSI	G	120	5.0	On circle on warmup pad apch end Rwy 09R.
Saginaw	112.9/MBS	A/1700	058	6.7	Over intersection US 10 and I-75.

VOR TEST FACILITIES (VOT)

Facility Name (Airport Name)	Freq.	Type VOT Facility	Remarks
Detroit City	111.6	G	
Detroit (Detroit Metropolitan Wayne Co.)..	109.8	G	

OHIO

VOR RECEIVER CHECKPOINTS

Facility Name (Airport Name)	Freq/Ident	Type Check Pt. Gnd. AB/ALT	Azimuth from Fac. Mag	Dist. from Fac. N.M.	Checkpoint Description
Buckeye (Port Bucyrus-Crawford Co)	109.8/BUD	A/2500	027	10.5	Over intersection E/W grass strip and Rwy 04-22.
Dryer (Loraine County Rgnl)	113.6/DJB	G	222	1.3	At intersection of taxiway and ramp.
Jefferson (Ashtabula Co)	115.2/JFN	G	067	2.4	On ramp.
Jefferson (Germack)	115.2/JFN	A/2000	278	9.0	At intersection of E/W interstate highway and N-S highway south of town of Geneva Ohio.
Mansfield (Shelby Community)	108.8/MFD	A/2000	277	4.8	Over hangar NW corner of arpt.
Mansfield (Mansfield Lahm Rgnl)	108.8/MFD	G	134	4.7	At intersection of taxiways A and D.
Springfield (Springfield-Beckley Muni)	113.2/SGH	G	050	1.2	On NE taxiway abeam approach end Rwy 24.
Waterville (Fulton Co.)	113.1/VWV	A/1800	295	24.2	Over hangar on WSW side of arpt.
Zanesville (Zanesville Muni)	111.4/ZZV	A/2000	270	5.5	Over water tank.
	111.4/ZZV	G	028	.5	On taxiway near apch end of Rwy 22.

VOR RECEIVER CHECK VOR TEST FACILITIES (VOT)

Facility Name (Airport Name)	Freq.	Type VOT Facility	Remarks
Akron Canton Rgnl	110.6	G	
Cincinnati Muni Arpt Lunken Field	108.4	G	
Cleveland Hopkins Intl	110.4	G	
Columbus (Port Columbus Intl.)	111.0	G or	
		A/2300–5000	Within 10 NM radius of airport.
Dayton (James M Cox Dayton Intl.)	111.0	G or	Within a 10 NM radius of arpt.
		A/2500–4000	
Sidney (Sidney Muni)	111.0	A/2500–4000	

WISCONSIN

VOR RECEIVER CHECKPOINTS

Facility Name (Arpt Name)	Freq/Ident	Type Check Pt. Gnd. AB/ALT	Azimuth from Fac. Mag	Dist. from Fac. N.M.	Checkpoint Description
Eau Claire (Chippewa Valley Rgnl)	112.9/EAU	G	182	2.1	Center of ramp.
Green Bay (Austin Straubel Intl)	115.5/GRB	G	141	4.6	On Twy M1 at Rwy 18R apch end.
Janesville	114.3/JVL	A/1900	287	12.7	Over water tower N of Brodhead.
Janesville (Southern Wisconsin Rgnl)	114.3/JVL	G	035	4.3	On taxiway A1.
Kenosha (Sylvania)	109.2/ENW	A/2100	353	5.9	Over N/S interstate highway bridge over E/W highway N of arpt.
LaCrosse (La Crosse Muni)	108.4/LSE	G	356	1.0	Runup pad AER Rwy 18.
Madison (Dane Co Rgnl/Truax Fld)	108.6/MSN	G	151	0.6	On NE corner air national guard ramp adjacent to taxiway D.
Manitowoc (Manitowoc Co)	111.0/MTW	G	196	0.5	SW corner of terminal ramp.
Oshkosh (Wittman Rgnl)	111.8/OSH	G	282	0.6	On taxiway at Rwy 09 apch end
	111.8/OSH	G	173	0.7	On N/S taxiway abeam control tower.
Rhineland (Rhineland–Oneida Co)	109.2/RHI	G	212	0.5	At intersection of E–W taxiway at terminal.
Sheboygan Falls (Sheboygan Co Meml)	110.0/FAH	G	232	.4	On taxiway at Rwy 03 apch end.
Stevens Point (Stevens Point Muni)	110.6/STE	A/2500	257	12.1	Over N/S railroad and E/W road in Rudolph.
	110.6/STE	G	022	0.6	From AER 21.
Wausau (Central Wisconsin)	111.6/AUW	A/2800	222	5.5	Over intersection of N–S and E–W rwy.
West Bend	109.8/BJB	A/2500	220	7.6	Over microwave tower E of Slinger.

VOR TEST FACILITIES (VOT)

Facility Name (Airport Name)	Freq.	Type VOT Facility	Remarks
Milwaukee (Gen Mitchell Intl)	109.0	G	

PARACHUTE JUMPING AREAS

403

The following tabulation lists all reported parachute jumping sites in the area of coverage of this directory. Unless otherwise indicated, all activities are conducted during daylight hours and under VFR conditions. The busiest periods of activity are normally on weekends and holidays, but jumps can be expected at anytime during the week at the locations listed. Jumps within restricted airspace are not listed.

All times are local and altitudes MSL unless otherwise specified.

Contact facility and frequency is listed at the end of the remarks, when available, in bold face type.

Refer to Federal Aviation Regulations Part 105 for required procedures relating to parachute jumping.

Organizations desiring listing of their jumping activities in this publication should contact the nearest FSS, tower or ARTCC.

Qualified parachute jumping sites will be depicted on the appropriate visual chart(s).

Note: (c) in this publication indicates that the parachute jump area is charted.

To qualify for charting, a jump area must meet the following criteria:

- (1) Been in operation for at least 1 year.
- (2) Operate year round (at least on weekends).
- (3) Log 4,000 or more jumps each year.

In addition, jump sites can be nominated by FAA Regions if special circumstances require charting.

LOCATION	DISTANCE AND RADIAL FROM NEAREST VOR/VORTAC	MAXIMUM ALTITUDE	REMARKS
ILLINOIS			
(c) Carmi Muni	19.7 NM; 298°Pocket City.....	9,500 AGL	3 NM radius. SR--SS weekends.
Deer Grove	25 NM; 343°Bradford	12,500	3 NM radius. SR--SS Year round.
Greenville Arpt	18 NM; 210°Vandalia	13,500	3 NM radius. Weekends and holidays, SR--1 hour after SS. Kansas City Center 127.7
(c) Hinckley Arpt	22 NM; 308°Joliet.....	14,500 AGL	2 NM radius. Mon--Fri 0800 to 1 hour after SS, Sat--Sun 0700 to 1 hour after SS.
(c) Minier, Illinois Valley Parachute Club Arpt	25 NM; 122°Peoria	15,000	Daily SR to 1 hour after SS.
(c) Ottawa, Skydive Chicago Arpt	23.1 NM; 250° Joliet.....	17,500 AGL	2 NM radius. SR to 1 hour past SS.
(c) Rantoul National Aviation Center--Frank Elliott Fld	16.5 NM; 019° Champaign	13,500	2 NM radius. Daily 0600--2200.
Sterling	16 NM; 206° Polo	12,000 AGL	Year round SR--SS. 10 NM radius.
Tampico	23 NM; 200°Polo	12,500	1 NM radius. 1000--SS daily.
(c) Taylorville, Taylorville Muni.....	24 NM; 138° Spinner	15,000	5 NM radius. SR--1 hr past SS.
(c) Vandalia, Vandalia Muni	6.2 NM; 178° Vandalia	15,000	5 NM radius. Fri, Sat, Sun and holidays, SR--½ hour past SS. Kansas City Center 124.3
INDIANA			
(c) Angola, Tri--State Steuben Co Arpt	33 NM; 040°Wolf Lake	14,500	5 NM radius, Mon, Wed, Fri, Sat, Sun 0900--SS.
Cloverdale, Swope Airstrip.....	25 NM; 085° Terre Haute	12,500	5 NM radius. SR--SS daily.
(c) Connersville	14 NM; 257° Richmond	13,500	5 NM radius. Daily SR--SS.
Crawfordsville, Crawfordsville Muni	27.2 NM; 290° Brickyard	15,000	3 NM radius. Fri--Sat--Sun SR--SS.
(c) Flora, Flora Muni	22.4 NM; 272° Kokomo	13,000	5 NM radius. Weekends and holidays, 0900--SS daily. Grissom APP CON 121.05
Franklin Flying Fld	17 NM; 220° Shelbyville	13,500	5 NM radius. SR--SS daily.
(c) Goshen Muni	10 NM; 090° Goshen	14,500 AGL	1 NM radius. Weds, Fri--Sat--Sun SR--SS. South Bend Rgnl Tower 132.05
(c) Greensburg Muni	25 NM; 145° Shelbyville	12,000 AGL	2 NM radius. 0900--2000 daily.
Hobart Sky Ranch Arpt.....	15 NM; 077° Chicago Heights ...	10,000 AGL	2 NM radius. Weds, weekends 0800--SS.
Kingsbury	23 NM; 230°Gipper	1,500	0.3 NM radius. Occasional use.
Mentone	26 NM; 183° Goshen	12,500	3 NM radius. SR--SS daily.
Muncie, Horizon Fld	10 NM; 360°Muncie	13,000	Daily 0600--1900.
(c) Richmond, Richmond Muni.....	0 NM; Richmond	14,500	3 NM radius. SR--1 hour after SS--daily.
Veedersburg, Songer Arpt.....	24 NM; 220°Boiler	10,000	5 NM radius. Weekends and holidays, SR--SS.
MICHIGAN			
(c) Allegan, Padgham Fld.....	13 NM; 072° Pullman	10,700	2 NM radius. Daily SR--SS.
East Tawas, Iosco Co Arpt	8 NM; 192° Au Sable.....	15,000	5 NM radius. May--Oct SR--SS daily.
Fowlerville	20 NM; 225° Flint	12,000	5 NM radius. Apr--Oct 0800--SS.
Fremont Muni	16.2 NM; 008° Muskegon	12,000	3 NM radius. Apr--Oct Sat--Sun SR--SS.
Harbor Springs	17 NM; 235° Pellston.....	12,000	3 NM radius. May--Sep daily SR--SS.

PARACHUTE JUMPING AREAS

LOCATION	DISTANCE AND RADIAL FROM NEAREST VOR/VORTAC	MAXIMUM ALTITUDE	REMARKS
Marshall, Brooks Fld.....	14 NM; 107° Battle Creek.....	15,000	5 NM radius. Apr–Oct daily 0900–SS.
(c) Mount Pleasant Muni Arpt.....	Ø NM; Mount Pleasant.....	14,000	2 NM radius. Jan–Dec daily 0900–SS.
(c) Romeo.....	26 NM; 085° Pontiac.....	15,000	2 NM radius. Apr–Oct daily SR–SS.
(c) Saginaw, Saginaw Co H.W. Browne Arpt.....	11 NM; 125° Saginaw.....	12,000	2 NM radius. Apr–Nov daily SR–SS.
(c) Tecumseh, Meyers–Diver's.....	22 NM; 272° Carleton.....	17,000	5 NM radius. Apr–Oct daily SR–SS.
OHIO			
Alliance, Barber Arpt.....	9 NM; 155° Akron.....	13,500	5 NM radius. Mon, Wed, Thur, Fri and weekends SR–SS.
Alliance, Miller Arpt.....	10 NM; 139° Akron.....	13,500 AGL	5 NM radius. Daily SR–SS.
Belleville.....	15 NM; 168° Mansfield.....	8,500	5 NM radius. SR–SS weekend.
(c) Bowling Green, Bordner Arpt.....	8 NM; 212° Waterville.....	14,000	Daily. Radius 2 NM.
(c) Celina, Lakefield Arpt.....	26.5 NM; 298° Rosewood.....	14,000	1 NM radius. Daily SR–SS.
Centerburg, Chapman Mem.....	12 NM; 325° Appleton.....	12,000	SR–SS weekends.
(c) Chesapeake, Lawrence Co Airpark.....	26 NM; 052° Newcombe.....	11,000	1 NM radius. 0900–2300 Sat–Sun. 1600–2300 Wed–Fri.
(c) Circleville, Clark Dream Strip.....	13 NM; 332° Yellow Bud.....	17,500	2 NM radius. Wed 0600–Sun 2400. Port Columbus Intl Tower 125.95
Commercial Point.....	32 NM; 233° Appleton.....	10,000	0800–2100 Sat, Sun.
Findlay.....	9 NM; 355° Findlay.....	12,500 AGL	Daily.
Fulton County Arpt.....	24.5; 295° Waterville.....	10,500	Daily SR–SS.
(c) Garrettsville, Gates Arpt.....	11 NM; 172° Chardon.....	13,500 AGL	SR–SS daily.
Grafton, Mole Arpt.....	10 NM; 139° Dryer.....	12,500	0700–0930 daily.
Lebanon, Lebanon–Warren Co Arpt.....	21 NM; 280° Midwest.....	14,500 AGL	5 NM radius. Daily SR–SS.
Mansfield.....	4 NM; 132° Mansfield.....	3,000	3 NM radius. Tue–Fri 0800–2200. Unit training assemblies 1 weekend a month.
Ottawa, Putnam County Arpt.....	10.9 NM; 298° Findlay.....	10,500 AGL	SR–2400.
(c) Petersburg.....	16 NM; 294° Ellwood City.....	12,500 AGL	2 NM radius. Mon–Fri 1700–SS, weekends SR–SS.
(c) Rittman, Hilty Fld.....	21 NM; 314° Briggs.....	16,000 AGL	5 NM radius. Daily 1 hour before SR–1 hour after SS.
Salem, Phillis Lakefront Arpt.....	27 NM; 088° Briggs.....	10,000	Evening and weekends to SS
Stonelick Parachute Center.....	27 NM; 068° Cincinnati.....	10,000	SR–SS daily.
Sycamore.....	25 NM; 285° Mansfield.....	12,500 AGL	1 NM radius. Daily SR–SS.
Van Wert County.....	27.3 NM; 104° Fort Wayne.....	10,000	Weekdays 1600–SS, Weekends SR–SS
Vickery, Wrights Fld.....	12 NM; 270° Sandusky.....	10,000 AGL	SR–SS weekends.
(c) Xenia, Skydive Green County Inc.....	32 NM; 129° Dayton.....	12,500 AGL	Daily SR–2400.
WISCONSIN			
(c) Baldwin Arpt.....	45 NM; 095° Gopher.....	15,000 AGL	Wed–Fri 1500–½ hour past SS, Weekends SR–½ hour past SS.
(c) Bristol, Winfield Arpt.....	37.5 NM; 160° Badger.....	12,500 AGL	SR–½ hour past SS.
(c) Chippewa Falls, Wissota Arpt.....	9 NM; 070° Eau Claire.....	15,000	5 NM radius. Daily SR–1 hour past SS.
(c) East Troy Muni Arpt.....	20 NM; 190° Badger.....	14,500 AGL	SR–½ hour past SS.
Edgerton, Jana Arpt.....	20 NM; 142° Madison.....	11,000	10 NM radius. Wed–Sun & Holidays SR–SS.
(c) Fort Atkinson Muni.....	25 NM; 247° Badger.....	14,000	3 NM radius. Daily SR–SS.
Lake Delton.....	3 NM; 332° Dells.....	12,500	Daily May 15–Sept 25.
(c) Lancaster Muni Arpt.....	22.8 NM; 359° Dubuque.....	13,500 AGL	2 NM radius. Sat–Sun 0900–1 hr past SS. Wed and Fri 1500–1 hr past SS.
(c) Marshall, Mathaire Fld.....	16 NM; 058° Madison.....	12,500 AGL	SR–½ hour past SS.
(c) Oshkosh.....	8 NM; 293° Oshkosh.....	13,500 AGL	Daily SR–SS.
(c) Pulaski, Carter Arpt.....	5 NM; 350° Green Bay.....	12,000 AGL	Daily SR–SS.
(c) Shiocton.....	17 NM; 250° Green Bay.....	13,500	5 NM SR–SS daily.
(c) Superior, Richard I Bong.....	8 NM; 143° Duluth.....	12,500 AGL	3 NM radius. Daily SR–1 hour past SS.

The purpose of this bulletin is to provide major changes in aeronautical information that have occurred since the last publication date of each Sectional Aeronautical, VFR Terminal Area, and Helicopter Route Charts listed. The general policy is to include only those changes to controlled airspace and special use airspace that present a hazardous condition or impose a restriction on the pilot, and major changes to airports and radio navigational facilities, thereby providing the VFR pilot with the essential data necessary to update and maintain chart currency. The data is grouped by type and then by effective date. When a new edition of the Aeronautical Chart is published, the corrective tabulation will be removed from this bulletin. Inasmuch as this Bulletin provides major changes only, pilots should consult the airport listing in this directory for all new information. Users of U.S. World Aeronautical Charts (WAC) and U.S. Gulf Coast VFR Aeronautical Charts should consult the appropriate Sectional and VFR Terminal Area Charts for revisions.

Military Training Routes (MTRs) are shown on Sectional Aeronautical Charts, VFR Terminal Area, and Helicopter Route Charts. Only the route centerline, direction of flight and the route designator are shown —route widths and altitudes are not shown. Since these routes are subject to change every 56 days and the charts are reissued generally every 6 months, routes with a change in the alignment of the charted route centerline will be listed in this Aeronautical Chart Bulletin below. You are advised to contact the nearest FSS for route dimensions and current status for those routes affecting your flight.

CG-21 WORLD AERONAUTICAL CHART

39th Edition, 24 Sep 2009

OBSTRUCTIONS

22 Oct 2009 Add obst 1348' MSL (600' AGL), 34°15'06"N, 84°59'12"W.

Change obst from 312' MSL to 1312' MSL, 33°35'33"N, 083°58'31"W.

AIRPORTS

22 Oct 2009 Change elevation from 191' to 1911' at Blairsville arpt, 34°51'16"N, 083°59'50"W. Change runway orientation to 01/19 at Halifax-Northampton Co Rgnl arpt, 36°19'47"N, 077°38'07"W.

NAVAIDS

22 Oct 2009 No Major Changes.

AIRSPACE

22 Oct 2009 No Major Changes.

SPECIAL USE AIRSPACE

22 Oct 2009 No Major Changes.

MILITARY TRAINING ROUTES

22 Oct 2009 No Major Changes.

MISCELLANEOUS

22 Oct 2009 No Major Changes.

CHICAGO HELICOPTER ROUTE CHART

5th Edition, 12 May 2005

OBSTRUCTIONS**12 May 2005 – 7 Jul 2005** No Major Changes.**1 Sep 2005** Add obst 896' MSL (300' AGL) UC, 41°46'40"N, 87°49'16"W.**27 Oct 2005 – 5 Jul 2007** No Major Changes.**30 Aug 2007** Change group obst from 1780' MSL (1195' AGL) to 1973' MSL (1375' AGL) UC, 41°53'20"N, 87°37'36"W.**25 Oct 2007** Change obst from 1130' MSL (335' AGL) to 1195' MSL (400' AGL), 41°36'01"N, 87°58'44"W.**20 Dec 2007 – 31 Jul 2008** No Major Changes.**25 Sep 2008** Add obst 968' MSL (370' AGL) UC, 41°34'40"N, 87°31'33"W.**20 Nov 2008 – 22 Oct 2009** No Major Changes.**AIRPORTS****12 May 2005 – 7 Jul 2005** No Major Changes.**1 Sep 2005** Delete MILL ROSE arpt, 42°04'38"N, 88°09'35"W.**27 Oct 2005** Delete DARIEN-WOODRIDGE FIRE DEPT heliport, 41°45'15"N, 88°00'26"W.**22 Dec 2005 – 5 Jul 2007** No Major Changes.**30 Aug 2007** Change CTAF freq 123.05 to 122.9 at SCHAUMBURG MUNI HELISTOP heliport, 42°02'53"N, 88°03'09"W.

Delete ADDISON FIRE DEPARTMENT STATION 3 heliport, 41°55'48"N, 88°02'28"W.

25 Oct 2007 – 10 Apr 2008 No Major Changes.**5 Jun 2008** Delete LANDIS PLASTICS heli, 41°40'43"N, 87°45'45"W.

Delete CRYSTAL LAKE HOLIDAY INN heli, 42°13'14"N, 88°17'05"W.

Delete CLARK heli, 42°22'06"N, 87°59'30"W.

31 Jul 2008 – 20 Nov 2008 No Major Changes.**15 Jan 2009**

Change CHICAGO O'HARE ATCT frequencies from 120.75(S), 126.9(N), 127.925 132.7 390.9 to 120.75 126.9 (CNTR TWR), 132.7 390.9 (CNTR TWR), 135.925 (N TWR), 41°58'51"N, 87°54'23"W.

12 Mar 2009 No Major Changes.**7 May 2009** Delete SEARS MERCHANDISE GROUP heli, 42°04'35"N, 088°13'01"W.

Change CHICAGO O'HARE ATCT freq from 135.925(N TWR) to 128.15(N TWR), 41°58'51"N, 87°54'23"W.

2 Jul 2009 – 22 Oct 2009 No Major Changes.**NAVAIDS****12 May 2005 – 22 Oct 2009** No Major Changes.**AIRSPACE****12 May 2005 – 25 Sep 2008** No Major Changes.**20 Nov 2008** Change CHICAGO Class B freq from 128.45 to 133.625.**12 Mar 2009 – 22 Oct 2009** No Major Changes.**SPECIAL USE AIRSPACE****12 May 2005 – 22 Oct 2009** No Major Changes.**MILITARY TRAINING ROUTES****12 May 2005 – 22 Oct 2009** No Major Changes.**MISCELLANEOUS****12 May 2005 – 22 Oct 2009** No Major Changes.

CHICAGO SECTIONAL
79th Edition, 22 Oct 2009

OBSTRUCTIONS

22 Oct 2009 No Major Changes.

AIRPORTS

22 Oct 2009 No Major Change.

NAVAIDS

22 Oct 2009 No Major Changes.

AIRSPACE

22 Oct 2009 No Major Changes.

SPECIAL USE AIRSPACE

22 Oct 2009 No Major Changes.

MILITARY TRAINING ROUTES

22 Oct 2009 No Major Changes.

MISCELLANEOUS

22 Oct 2009 No Major Changes.

CHICAGO TERMINAL AREA CHART
79th Edition, 22 Oct 2009

OBSTRUCTIONS

22 Oct 2009 No Major Changes.

AIRPORTS

22 Oct 2009 No Major Changes.

NAVAIDS

22 Oct 2009 No Major Changes.

AIRSPACE

22 Oct 2009 No Major Changes.

SPECIAL USE AIRSPACE

22 Oct 2009 No Major Changes.

MILITARY TRAINING ROUTES

22 Oct 2009 No Major Changes.

MISCELLANEOUS

22 Oct 2009 No Major Changes.

CINCINNATI SECTIONAL

82nd Edition, 2 Jul 2009

OBSTRUCTIONS**2 Jul 2009** No Major Changes.**27 Aug 2009** Add obst 1525' MSL (410' AGL) UC, 40°12'15"N, 82°35'03"W.

Add obst 2811' MSL (305' AGL) UC, 39°24'30"N, 79°21'41"W.

Add obst 1687' MSL (380' AGL) UC, 38°00'44"N, 82°10'09"W.

Add obst 1341' MSL (300' AGL) UC, 38°43'50"N, 81°22'53"W.

Add obst 3611' MSL (315' AGL) UC, 37°53'06"N, 80°46'24"W.

Add obst 1067' MSL (300' AGL) UC, 38°17'38"N, 82°11'57"W.

Add obst 1217' MSL (300' AGL) UC, 38°38'11"N, 81°23'43"W.

Add obst 1328' MSL (350' AGL) UC, 37°37'05"N, 84°15'43"W.

Add obst 1810' MSL (310' AGL) UC, 38°19'51"N, 79°03'36"W.

Add obst 2925' MSL (300' AGL) UC, 37°39'29"N, 80°57'29"W.

Add obst 2752' MSL (300' AGL) UC, 37°32'06"N, 80°55'20"W.

Add obst 1213' MSL (310' AGL) UC, 38°41'39"N, 83°37'34"W.

Add obst 1198' MSL (300' AGL) UC, 38°20'28"N, 82°03'56"W.

Add obst 1242' MSL (310' AGL) UC, 39°37'20"N, 82°14'33"W.

Add obst 1680' MSL (550' AGL) UC, 39°53'38"N, 79°55'58"W.

22 Oct 2009 Add obst 1224' MSL (300' AGL) UC, 39°44'58"N, 84°23'43"W.

Add obst 1358' MSL (312' AGL) UC, 39°00'37"N, 83°34'13"W.

Add obst 1629' MSL (285' AGL) UC, 36°04'48"N, 84°31'00"W.

Add obst 3434' MSL (270' AGL) UC, 36°43'42"N, 80°27'08"W.

Add obst 1674' MSL (554' AGL) UC, 39°42'28"N, 79°57'32"W.

Add obst 1403' MSL (297' AGL) UC, 38°48'04"N, 82°57'44"W.

Add obst 3226' MSL (400' AGL) UC, 40°01'35"N, 78°48'07"W.

Add obst 3190' MSL (400' AGL) UC, 40°03'28"N, 78°48'15"W.

AIRPORTS**2 Jul 2009** No Major Changes.**27 Aug 2009** Change CTAF 122.9 to 123.05 at MCCREARY arpt, 36°41'43"N, 84°23'29"W.**22 Oct 2009** Delete POWELL arpt, 36°02'40"N, 84°00'15"W.**NAVAIDS****2 Jul 2009 – 27 Aug 2009** No Major Changes.**22 Oct 2009** Delete LOUISA NDB, 38°01'13"N, 77°51'32"W.**AIRSPACE****2 Jul 2009 – 27 Aug 2009** No Major Changes.**27 Aug 2009** Revise WAVERLY, OH Class E. That airspace extending upward from 700 feet above the surface within a 9.9-mile radius of Pike County Airport.

Delete DAYTON Class C freq 127.65.

Add DAYTON Class C freqs 118.425 and 127.225.

Revise DAYTON Class C freq from 316.7 to 352.05.

22 Oct 2009 No Major Change.**SPECIAL USE AIRSPACE****2 Jul 2009 – 22 Oct 2009** No Major Changes.**MILITARY TRAINING ROUTES****2 Jul 2009 – 22 Oct 2009** No Major Changes.**MISCELLANEOUS****2 Jul 2009 – 22 Oct 2009** No Major Changes.

CINCINNATI TERMINAL AREA CHART
21st Edition, 2 Jul 2009**OBSTRUCTIONS****2 Jul 2009** No Major Changes.**27 Aug 2009** Add obst 1144' MSL (258' AGL) UC, 38°42'07"N, 85°22'02"W.**22 Oct 2009** No Major Changes.**AIRPORTS****2 Jul 2009 – 22 Oct 2009** No Major Changes.**NAVAIDS****2 Jul 2009 – 22 Oct 2009** No Major Changes.**AIRSPACE****2 Jul 2009 – 22 Oct 2009** No Major Changes.**SPECIAL USE AIRSPACE****2 Jul 2009 – 22 Oct 2009** No Major Changes.**MILITARY TRAINING ROUTES****2 Jul 2009 – 22 Oct 2009** No Major Changes.**MISCELLANEOUS****2 Jul 2009 – 22 Oct 2009** No Major Changes.

CLEVELAND TERMINAL AREA CHART
72nd Edition, 24 Sep 2009**OBSTRUCTIONS****22 Oct 2009** No Major Changes.**AIRPORTS****22 Oct 2009** Delete SHENANDOAH AIRPARK arpt, 40°55'12"N, 82°28'44"W.**NAVAIDS****22 Oct 2009** No Major Changes.**AIRSPACE****22 Oct 2009** No Major Changes.**SPECIAL USE AIRSPACE****22 Oct 2009** No Major Changes.**MILITARY TRAINING ROUTES****22 Oct 2009** No Major Changes.**MISCELLANEOUS****22 Oct 2009** No Major Changes.

DETROIT HELICOPTER ROUTE CHART**1st Edition, 4 Aug 2005****OBSTRUCTIONS****1 Sep 2005** No Major Changes.**27 Oct 2005** Add group obst 1009' MSL (388' AGL) UC, 42°03'58"N, 83° 23'40"W.**22 Dec 2005 – 12 Mar 2009** No Major Changes.**7 May 2009** Add obst 1293' MSL (330' AGL), 42°09'30"N, 84°01'31"W.**2 Jul 2009 – 22 Oct 2009** No Major Changes.**AIRPORTS****1 Sep 2005** Add SELFRIDGE ANGB ATCT 340.7, 42°36'46"N, 82°49'54"W.**27 Oct 2005** Delete HYNES arpt, 42°36'39"N, 83°43'58"W.**22 Dec 2005 – 8 Jun 2006** No Major Changes.**3 Aug 2006** Delete CTAF freq, 122.9 at SALINE arpt., 42°08'47"N, 83°47'31"W.**28 Sep 2006 – 10 May 2007** No Major Changes.**5 Jul 2007** Delete CARRIAGE LANE arpt, 42°27'52"N, 84°02'05"W.**30 Aug 2007 – 14 Feb 2008** No Major Changes.**10 Apr 2008** Delete FULLER heliport, 42°33'34"N, 83°10'40"W.**5 Jun 2008 – 31 Jul 2008** No Major Changes.**25 Sep 2008** Add SELFRIDGE ANGB ATCT freq 225.4, 42°36'30"N, 82°50'07"W.**20 Nov 2008 – 7 May 2009** No Major Changes.**2 Jul 2009** Delete INDEPENDENCE GREEN heliport, 42°28'12"N, 83°25'09"W. Delete COBO HALL heliport, 42°19'33"N, 83°02'52"W.**27 Aug 2009 – 22 Oct 2009** No Major Changes.**NAVAIDS****1 Sep 2005 – 13 Apr 2006** No Major Changes.**8 Jun 2006** Delete LAUREL NDB, 42°14'38"N, 83°02'51"W.**3 Aug 2006 – 22 Oct 2009** No Major Changes.**AIRSPACE****1 Sep 2005 – 15 Mar 2007** No Major Changes.**10 May 2007** Change DETROIT Class B freq from 124.9 to 127.5.**5 Jul 2007 – 22 Oct 2009** No Major Changes.**SPECIAL USE AIRSPACE****1 Sep 2005 – 22 Oct 2009** No Major Changes.**MILITARY TRAINING ROUTES****1 Sep 2005 – 22 Oct 2009** No Major Changes.**MISCELLANEOUS****1 Sep 2005 – 16 Feb 2006** No Major Changes.**13 Apr 2006** Change MEF 1¹ to 1² in quadrant 42°00' – 42°15'N, 83°15' – 83°30' W.**8 Jun 2006 – 22 Oct 2009** No Major Changes.

DETROIT SECTIONAL
79th Edition, 24 Sep 2009**OBSTRUCTIONS**

22 Oct 2009 Add obst 1193' MSL (285' AGL) UC, 41°32'32"N, 80°51'34"W.

Add obst 2540' MSL (260' AGL) UC, 41°53'03"N, 78°37'09"W.

Add obst 956' MSL (203' AGL), 42°41'02"N, 78°54'26"W.

Add obst 702' MSL (204' AGL), 42°57'23"N, 76°59'42"W.

Add obst 3226' MSL (400' AGL) UC, 40°01'35"N, 78°48'07"W.

Add obst 1001' MSL (394' AGL), 42°16'06"N, 82°16'30"W.

AIRPORTS

22 Oct 2009 Delete ZEITLER arpt, 43°29'24"N, 84°21'54"W.

Delete PEWANOGOWINK-BANKS arpt, 43°11'10"N, 83°54'04"W.

Delete SHENANDOAH AIRPARK arpt, 40°55'12"N, 82°28'44"W.

Delete MAYES arpt, 43°14'27"N, 84°52'48"W.

NAVAIDS

22 Oct 2009 No Major Changes.

AIRSPACE

22 Oct 2009 Revise MANSFIELD, OH class E airspace. That airspace extending upward from 700 feet above the surface within a 6.9-mile radius of Mansfield Lahm Regional Airport and within a 6.3-mile radius of Galion Municipal Airport, and within a 6.3-mile radius of Shelby Community Airport, and within a 6.3-mile radius of Willard Airport, and within 4 miles each side of the 137° bearing from Mansfield Lahm Regional Airport extending from the 6.9-mile radius to 11.1 miles southeast of the airport, and within 4 miles each side of the 317° bearing from Mansfield Lahm Regional Airport extending from the 6.9-mile radius to 10.7 miles northwest of the airport, and within 6.1 miles each side of the Mansfield VORTAC 307° radial extending from the 6.9-mile radius to 13.3 miles northwest of the VORTAC, and within 4.4 miles each side of the Mansfield VORTAC 130° radial extending from the 6.9-mile radius to 13.8 miles southeast of the VORTAC.

SPECIAL USE AIRSPACE

22 Oct 2009 No Major Changes.

MILITARY TRAINING ROUTES

22 Oct 2009 No Major Changes.

MISCELLANEOUS

22 Oct 2009 No Major Changes.

DETROIT TERMINAL AREA CHART**72nd Edition, 24 Sep 2009****OBSTRUCTIONS****22 Oct 2009** No Major Changes.**AIRPORTS****22 Oct 2009** No Major Changes.**NAVAIDS****22 Oct 2009** No Major Changes.**AIRSPACE****22 Oct 2009** No Major Changes.**SPECIAL USE AIRSPACE****22 Oct 2009** No Major Changes.**MILITARY TRAINING ROUTES****22 Oct 2009** No Major Changes.**MISCELLANEOUS****22 Oct 2009** No Major Changes.**GREEN BAY SECTIONAL****78th Edition, 4 Jun 2009****OBSTRUCTIONS****2 Jul 2009** Add obst 1189'MSL (260'AGL)UC, 44°26'06"N, 87°44'04"W. Add obst 1120'MSL (320'AGL)UC, 44°14'18"N, 88°57'34"W. Add obst 1371'MSL (320'AGL)UC, 44°53'14"N, 88°53'35"W. Add obst 1402'MSL (278'AGL)UC, 45°19'53"N, 91°42'24"W. Add obst 1289'MSL (310'AGL)UC, 44°15'58"N, 89°13'31"W. Add obst 1974'MSL (320'AGL)UC, 45°43'10"N, 89°08'14"W.**27 Aug 2009** Add obst 1070'MSL (270'AGL)UC, 44°38'29"N, 91°59'35"W.

Add obst 1584'MSL (280'AGL)UC, 45°27'05"N, 91°57'04"W.

Add obst 1609'MSL (320'AGL)UC, 45°16'05"N, 91°51'33"W.

22 Oct 2009 Add obst 1796'MSL (420'AGL)UC, 47°24'20"N, 92°17'06"W.**AIRPORTS****2 Jul 2009** Delete RAMSY FARM arpt, 45°50'19"N, 87°19'20"W. Delete PEIL'S VERMILLION WINGS spb, 47°53'07"N, 92°24'18"W.**27 Aug 2009** No Major Changes.**22 Oct 2009** Delete FONTECCHIO arpt, 45°47'05"N, 88°04'05"W.**NAVAIDS****2 Jul 2009 – 27 Aug 2009** No Major Changes.**22 Oct 2009** Delete MANITOWISH NDB, 46°07'23"N, 89°52'58"W.**AIRSPACE****2 Jul 2009 – 27 Aug 2009** No Major Changes.**22 Oct 2009** Revise IRONWOOD, MI. Class E: That airspace extending upward from 700 feet above the surface within a 6.6-mile radius of Gogebic Iron County Airport and within 3.2 miles each side of the Ironwood VORTAC 104° radial extending from the 6.6-mile radius to 11.7 miles southeast of the VORTAC, and within 2.4 miles each side of the Ironwood VORTAC 260° radial extending from the 6.6-mile radius to 7 miles west of the VORTAC and within 4 miles each side of the 090° bearing from the airport extending from the 6.6-mile radius to 11.4 miles east of the airport; and that airspace extending upward from 1,200 feet above the surface within a 21-mile radius of the Ironwood VORTAC.**SPECIAL USE AIRSPACE****2 Jul 2009 – 22 Oct 2009** No Major Changes.**MILITARY TRAINING ROUTES****2 Jul 2009 – 22 Oct 2009** No Major Changes.**MISCELLANEOUS****2 Jul 2009 – 22 Oct 2009** No Major Changes.

KANSAS CITY SECTIONAL

82nd Edition, 4 Jun 2009

OBSTRUCTIONS

2 Jul 2009 Add obst 1308' MSL (358' AGL) UC, 38°14'23"N, 94°56'37"W. Add obst 1682' MSL (310' AGL) UC, 37°02'18"N, 93°34'31"W. Add obst 1012' MSL (265' AGL) UC, 39°36'08"N, 93°06'18"W. Change obst from 1656' MSL (741' AGL) to 1949' MSL (1034' AGL), 38°21'40"N, 90°32'55"W. Add obst 1129' MSL (290' AGL) UC, 38°47'46"N, 91°21'16"W.

27 Aug 2009 Add obst 1265' MSL (290' AGL) UC, 37°32'46"N, 90°12'37"W. Add obst 560' MSL (260' AGL) UC, 36°40'24"N, 89°58'57"W. Add obst 1516' MSL (260' AGL) UC, 37°39'55"N, 91°35'29"W. Add obst 1490' MSL (320' AGL) UC, 36°27'39"N, 94°27'12"W. Add obst 995' MSL (260' AGL) UC, 39°04'38"N, 90°50'02"W.

22 Oct 2009 Add obst 1635' MSL (305' AGL) UC, 36°27'17"N, 93°25'52"W. Add obst 1641' MSL (238' AGL), 37°59'00"N, 96°52'21"W. Add obst 934' MSL (520' AGL), 38°06'35"N, 90°15'30"W. Add obst 1197' MSL (260' AGL), 37°44'20"N, 90°30'11"W. Add obst 1025' MSL (275' AGL), 37°21'50"N, 90°41'52"W. Add obst 1187' MSL (255' AGL) UC, 36°46'11"N, 96°12'35"W. Add obst 1481' MSL (310' AGL) UC, 37°49'56"N, 91°33'28"W.

AIRPORTS

2 Jul 2009 Delete MARTIN arpt, 39°25'01"N, 90°35'09"W. Delete JOAN LAKE arpt, 38°12'30"N, 90°52'00"W. Delete SONTIMER arpt, 38°48'30"N, 90°36'45"W.

27 Aug 2009 Change CTAF 122.825 to 123.0 at BARTLESVILLE arpt, 36°45'51"N, 96°00'40"W. Delete SMITH arpt, 39°18'47"N, 90°16'40"W.

22 Oct 2009 No Major Changes.

NAVAIDS

2 Jul 2009 No Major Changes.

27 Aug 2009 Delete MOSBY NDB, 39°20'45"N, 94°18'27"W. Shutdown EL DORADO NDB, 37°46'46"N, 96°48'59"W.

22 Oct 2009 Shutdown BILMART NDB, 36°58'11"N, 92°40'39"W.

AIRSPACE

2 Jul 2009 No Major Changes.

27 Aug 2009 Revise MOUNT STERLING, IL Class E: That airspace extending upward from 700 feet above the surface within a 6.6-mile radius of Mount Sterling Municipal Airport. Revise FULTON, MO Class E: That airspace extending upward from 700 feet above the surface within a 6.5-mile radius of Elton Hensley Memorial Airport and within 2.6 miles each side of the 069° bearing from the Guthrie NDB extending from the 6.5-mile radius of the airport to 7 miles northeast of the NDB, and within 2.6 miles each side of the 229° bearing from the NDB extending from the 6.5-mile radius of the airport to 7 miles southwest of the NDB.

22 Oct 2009 No Major Changes.

SPECIAL USE AIRSPACE

2 Jul 2009 – 27 Aug 2009 No Major Changes.

22 Oct 2009 Add SHIRLEY A MOA: Boundary beginning at 35°19'00"N, 92°38'00"W to 35°19'00"N, 93°12'00"W to 35°38'15"N, 93°35'00"W to 36°02'00"N, 93°13'00"W to 36°02'00"N, 93°06'15"W to 36°06'00"N, 93°06'15"W to 36°06'00"N, 92°38'00"W to the point of beginning. Altitude: 11,000' MSL to but not including FL 18,000'. Time of use: 0700-1200 and 1300-1700, Monday-Friday; other times by NOTAM. Controlling agency: Memphis Cntr. Frequency: 281.55.

Add SHIRLEY B MOA: Boundary beginning at 35°19'00"N, 92°38'00"W to 36°06'00"N, 92°38'00"W to 36°06'00"N, 92°07'11"W to 35°58'53"N, 91°46'00"W to 35°19'00"N, 92°02'00"W to the point of beginning. Altitude: 11,000' MSL to but not including FL 18,000'. Time of use: 0700-1200 and 1300-1700, Monday-Friday; other times by NOTAM. Controlling agency: Memphis Cntr. Frequency: 281.55.

MILITARY TRAINING ROUTES

2 Jul 2009 No Major Changes.

27 AUG 2009 IR 504 Revised

22 Oct 2009 No Major Changes.

MISCELLANEOUS

2 Jul 2009 – 22 Oct 2009 No Major Changes.

LAKE HURON SECTIONAL
78th Edition, 24 Sep 2009**OBSTRUCTIONS****22 Oct 2009** No Major Changes.**AIRPORTS****22 Oct 2009** No Major Changes.**NAVAIDS****22 Oct 2009** No Major Changes.**AIRSPACE****22 Oct 2009** No Major Changes.**SPECIAL USE AIRSPACE****22 Oct 2009** No Major Changes.**MILITARY TRAINING ROUTES****22 Oct 2009** No Major Changes.**MISCELLANEOUS****22 Oct 2009** No Major Changes.

MINNEAPOLIS-ST. PAUL TERMINAL AREA CHART
72nd Edition, 2 Jul 2009**OBSTRUCTIONS****2 Jul 2009 – 22 Oct 2009** No Major Changes.**AIRPORTS****2 Jul 2009 – 22 Oct 2009** No Major Changes.**NAVAIDS****2 Jul 2009 – 22 Oct 2009** No Major Changes.**AIRSPACE****2 Jul 2009 – 27 Aug 2009** No Major Changes.

22 Oct 2009 Revise MINNEAPOLIS, MN. Class E. That airspace extending upward from 700 feet above the surface within a 20-mile radius of the Minneapolis-St. Paul International Airport (Wold-Chamberlain) Airport DME antenna, and within a 6.5-mile radius of the Anoka County-Blaine Airport (Janes Field), and within 4 miles each side of the 001° bearing from the Anoka County-Blaine Airport (Janes Field) extending from the 6.5-mile radius to 9.9 miles north of the airport, and within a 6.3-mile radius of the Lake Elmo Airport, and within a 6.4-mile radius of the Airlake Airport, and within 3.3 miles each side of the 084° bearing from the Farmington VORTAC extending from the 6.4-mile radius to 14.8 miles east of the Airlake Airport.

SPECIAL USE AIRSPACE**2 Jul 2009 – 22 Oct 2009** No Major Changes.**MILITARY TRAINING ROUTES****2 Jul 2009 – 22 Oct 2009** No Major Changes.**MISCELLANEOUS****2 Jul 2009 – 22 Oct 2009** No Major Changes.

PITTSBURGH TERMINAL AREA CHART

72nd Edition, 24 Sep 2009

OBSTRUCTIONS**22 Oct 2009** No Major Changes.**AIRPORTS****22 Oct 2009** No Major Changes.**NAVAIDS****22 Oct 2009** No Major Changes.**AIRSPACE****22 Oct 2009** No Major Changes.**SPECIAL USE AIRSPACE****22 Oct 2009** No Major Changes.**MILITARY TRAINING ROUTES****22 Oct 2009** No Major Changes.**MISCELLANEOUS****22 Oct 2009** No Major Changes.

ST. LOUIS SECTIONAL

80th Edition, 2 Jul 2009

OBSTRUCTIONS**2 Jul 2009** No Major Changes.**27 Aug 2009** Add obst 1144' MSL (258' AGL) UC, 38°42'07"N, 85°22'02"W.

Add obst 1328' MSL (350' AGL) UC, 37°37'05"N, 84°15'43"W.

Add obst 865' MSL (304' AGL) UC, 37°22'45"N, 88°39'47"W.

Add obst 1265' MSL (290' AGL) UC, 37°32'46"N, 90°12'37"W.

Add obst 560' MSL (260' AGL) UC, 36°40'24"N, 89°58'57"W.

Add obst 995' MSL (260' AGL) UC, 39°04'38"N, 90°50'02"W.

Add obst 792' MSL (270' AGL) UC, 37°38'14"N, 87°38'10"W.

Add obst 865' MSL (306' AGL) UC, 39°12'53"N, 87°20'48"W.

22 Oct 2009 Add obst 1224' MSL (300' AGL) UC, 39°44'58"N, 84°23'43"W.

Add obst 1629' MSL (285' AGL) UC, 36°04'48"N, 84°31'00"W.

Add obst 916' MSL (258' AGL) UC, 40°03'49"N, 87°42'44"W.

Add obst 934' MSL (520' AGL) UC, 38°06'35"N, 90°15'30"W.

Add obst 1197' MSL (260' AGL) UC, 37°44'20"N, 90°30'11"W.

Add obst 1025' MSL (275' AGL) UC, 37°21'50"N, 90°41'52"W.

Add obst 797' MSL (330' AGL) UC, 36°34'10"N, 88°50'13"W.

Add obst 754' MSL (320' AGL) UC, 36°47'55"N, 88°30'22"W.

AIRPORTS**2 Jul 2009** No Major Changes.**27 Aug 2009** Change CAPE GIRARDEAU ATCT freq 119.0 to 125.525, 37°13'31"N, 89°34'15"W.

Change CTAF 119.0 to 125.525 at CAPE GIRARDEAU arpt, 37°13'31"N, 89°34'15"W.

Delete O'NEAL arpt, 38°41'29"N, 87°33'08"W.

Change CTAF 122.9 to 123.05 at MC CREARY CO arpt, 36°41'43"N, 84°23'29"W.

Delete HEMP RIDGE arpt, 38°09'11"N, 85°07'08"W.

Delete SMITH arpt, 39°18'47"N, 90°16'40"W.

22 Oct 2009 Delete CLARK arpt, 40°11'40"N, 86°31'23"W.

Delete POWELL arpt, 36°02'40"N, 84°00'16"W.

Delete HIGGINBOTHAM arpt, 39°20'29"N, 87°31'53"W.

NAVAIDS**2 Jul 2009 – 22 Oct 2009** No Major Changes.**AIRSPACE****2 Jul 2009** No Major Changes.**27 Aug 2009** Revise MOUNT STERLING, IL CLASS E: That airspace extending upward from 700 feet above the surface within a 6.6-mile radius of Mount Sterling Municipal Airport.

Delete DAYTON Class C freq 127.65.

Add DAYTON Class C freqs 118.425 and 127.225.

Revise DAYTON Class C freq from 316.7 to 352.05.

22 Oct 2009 No Major Changes.**SPECIAL USE AIRSPACE****2 Jul 2009 – 22 Oct 2009** No Major Changes.**MILITARY TRAINING ROUTES****2 Jul 2009 – 22 Oct 2009** No Major Changes.**MISCELLANEOUS****2 Jul 2009 – 22 Oct 2009** No Major Changes.

ST. LOUIS TERMINAL AREA CHART

72nd Edition, 2 Jul 2009

OBSTRUCTIONS**2 Jul 2009** No Major Changes.**27 Aug 2009** Add obst 995' MSL (260' AGL) UC, 39°04'38"N, 90°50'02"W.**22 Oct 2009** No Major Changes.**AIRPORTS****2 Jul 2009 – 22 Oct 2009** No Major Changes.**NAVAIDS****2 Jul 2009 – 22 Oct 2009** No Major Changes.**AIRSPACE****2 Jul 2009 – 22 Oct 2009** No Major Changes.**SPECIAL USE AIRSPACE****2 Jul 2009 – 22 Oct 2009** No Major Changes.**MILITARY TRAINING ROUTES****2 Jul 2009 – 22 Oct 2009** No Major Changes.**MISCELLANEOUS****2 Jul 2009 – 22 Oct 2009** No Major Changes.

TWIN CITIES SECTIONAL

78th Edition, 2 Jul 2009

OBSTRUCTIONS**2 Jul 2009** No Major Changes.**27 Aug 2009** Add windmill farm. 2608' is highest MSL, 45°57'36"N, 98°58'15"W.**22 Oct 2009** Add obst 1580' MSL (305' AGL) UC, 45°20'57"N, 95°15'14"W.

Add obst 1981' MSL (295' AGL) UC, 46°23'06"N, 100°37'17"W.

Add obst 2414' MSL (340' AGL) UC, 48°52'37"N, 100°03'24"W.

Add obst 2514' MSL (340' AGL) UC, 48°56'57"N, 100°03'14"W.

Add obst 2361' MSL (260' AGL) UC, 47°34'40"N, 100°36'13"W.

Add obst 2237' MSL (260' AGL) UC, 47°24'38"N, 100°35'22"W.

Add obst 2238' MSL (260' AGL) UC, 47°32'29"N, 100°14'40"W.

Add obst 2334' MSL (310' AGL) UC, 47°23'02"N, 100°16'57"W.

Add windmill farm. 2118' is highest MSL, 48°30'23"N, 99°54'54"W.

AIRPORTS**2 Jul 2009 – 22 Oct 2009** No Major Changes.**NAVAIDS****2 Jul 2009 – 22 Oct 2009** No Major Changes.**AIRSPACE****2 Jul 2009 – 27 Aug 2009** No Major Changes.

22 Oct 2009 Revise MINNEAPOLIS, MN. Class E. That airspace extending upward from 700 feet above the surface within a 20-mile radius of the Minneapolis-St. Paul International Airport (Wold-Chamberlain) Airport DME antenna, and within a 6.5-mile radius of the Anoka County-Blaine Airport (Janes Field), and within 4 miles each side of the 001° bearing from the Anoka County-Blaine Airport (Janes Field) extending from the 6.5-mile radius to 9.9 miles north of the airport, and within a 6.3-mile radius of the Lake Elmo Airport, and within a 6.4-mile radius of the Airlake Airport, and within 3.3 miles each side of the 084° bearing from the Farmington VORTAC extending from the 6.4-mile radius to 14.8 miles east of the Airlake Airport.

SPECIAL USE AIRSPACE**2 Jul 2009 – 22 Oct 2009** No Major Changes.**MILITARY TRAINING ROUTES****2 Jul 2009 – 22 Oct 2009** No Major Changes.**MISCELLANEOUS****2 Jul 2009 – 22 Oct 2009** No Major Changes.

SUPPLEMENTAL COMMUNICATION REFERENCE

Contained within this tabulation, and listed alphabetically by airport name, are all private-use airports charted on the U.S. IFR Enroute Low and High Altitude charts in the United States, having terminal approach and departure control facilities. Additionally, listed by country, are all Canadian and Mexican airports that appear on the U.S. IFR Enroute charts with approach and departure control services. All frequencies transmit and receive unless otherwise noted. Radials defining sectors are outbound from the facility.

UNITED STATES

FACILITY NAME	CHART & PANEL
Frankfort, IL (LL40) Chicago App/Dep Con 133.1 285.6	L-28H
Glasgow Industrial, MT (Ø7MT) Salt Lake Center App/Dep Con 126.85 305.2	H-1E, 2F, L-13D
USAF Academy Bullseye Aux Airstrip, CO (C09Ø) ASOS 118.325	L-10F
West Kentucky Airpark, KY (5KY3) Memphis Center App/Dep Con 133.65 292.15	L-16I
William P Gwinn, FL (Ø6FA) Gwinn Tower 120.4 314.6 (Mon-Fri 1300-2100Z) Gnd Con 121.65 279.25	H-8I, L-23C

CANADA

FACILITY NAME	CHART & PANEL
Abbotsford, BC (CYXX) ATIS 119.8 (1500-0700Z) Victoria Trml App/Dep Con 132.7 (Avbl on ground) 290.8 Tower 119.4 (Inner) 121.0 (Outer) 295.0 (1500-0700Z) Gnd Con 121.8 MF 119.4 295.0 (0700-1500Z) (Shape irregular to 4500')	H-1B, L-12F
Amos/Magny, QC (CYEY) Montreal Center App/Dep Con 125.9	H-11B
Atikokan Muni, ON (CYIB) MF 122.3 (5 NM to 4500' No ground station)	L-14I
Barrie-Orillia (Lake Simcoe Rgnl), ON (CNB9) AWOS 122.55 (Pvt) Toronto Center App/Dep Con 124.025	H-11B, L-31D
Bar River, ON (CPF2) Toronto Center App/Dep Con 132.65	L-31C
Bathurst, NB (CZBF) Moncton Center App/Dep Con 134.25	L-32J
Boundary Bay, BC (CZBB) ATIS 125.5 (1500-0700Z) Vancouver App/Dep Con 132.3 363.8 Tower 118.1 (Inner) 127.6 (Outer) (1500-0700Z) Gnd Con 124.3 MF 118.1 (0700-1500Z to 2000'. Vancouver Trml 125.2 above 2000'. Shape irregular to 2500')	H-1B, L-1E
Brampton, ON (CNC3) Toronto Trml App/Dep Con 119.3 253.1	L-31D
Brandon Muni, MB (CYBR) Winnipeg Center App/Dep Con 132.25 285.4 MF 122.1 (5 NM to 4000')	H-2H
Brantford, ON (CYFD) Toronto Trml App/Dep Con 128.27	L-31D
Brockville-Thousand Islands Rgnl Tackaberry, ON (CNL3) Montreal Center App/Dep Con 134.675	L-32G
Bromont, QC (CZBM) Montreal Center App/Dep Con 132.35 MF 122.15 (5 NM to 3400')	L-32G
Burlington Airpark, ON (CZBA) Toronto Center App/Dep Con 119.3 253.1	L-31D
Castlegar, BC (CYCG) Vancouver Center App/Dep Con 134.2 227.3 MF 122.1 (5 NM to 6500')	H-1C
Centralia/James T. Fld Muni, ON (CYCE) Toronto Center App/Dep Con 135.30	H-10G, 11B, L-31D
Charlottetown, PE (CYYG) Moncton Center App/Dep Con 135.65 384.8 MF 118.0 (5 NM to 3200')	H-11E, L-32J
Chatham-Kent, ON (CNZ3) Cleveland Center App/Dep Con 132.25	H-10G, L-30G

FACILITY NAME	CHART & PANEL
Collingwood, ON (CNY3) Toronto Center App/Dep Con 124.02	H-11B, L-31D
Cornwall Rgnl, ON (CYCC) Boston Center App/Dep Con 135.25 377.1	L-32G
Cranbrook/Canadian Rockies Intl, BC (CYXC) Vancouver Center App/Dep Con 133.6 MF 122.3 (5 NM to 6100')	H-1C
Debert, NS (CCQ3) Halifax Trml App/Dep Con 119.2	H-11E, L-32J
Digby, NS (CYID) Moncton Center App/Dep Con 123.9	L-32J
Downsview, ON (CYZD) Toronto Center App Con 133.4 Toronto Center Dep Con 133.4 MF 126.2 (3 NM to 1900')	H-11B, L-31E
Drummondville, QC (CSC3) Montreal Center App/Dep Con 132.35	L-32H
Earlton (Timiskaming Rgnl), ON (CYXR) MF 122.0 (5 NM to 3800') AWOS 128.6	H-11B
Elliot Lake Muni, ON (CYEL) Toronto Center App/Dep Con 135.4	L-31C
Fort Frances Muni, ON (CYAG) Minneapolis Center App/Dep Con 120.9	L-14H
Fredericton Intl, NB (CYFC) ATIS 127.55 Moncton Center App/Dep Con 124.3 135.5 270.8 Cinc Del 121.7 (Ltd hrs) MF 119.0 (5 NM to 3500')	H-11E, L-32I
Goderich, ON (CYGD) Toronto Center App/Dep 135.3 266.3	H-11B, L-31D
Greenwood, NS (CYZX) ATIS 128.85 244.3 (1100-0000Z‡) App/Dep Con 120.6 335.9 Tower 119.5 126.2 236.6 324.3 Gnd Con 133.75 289.4 Cinc Del 128.05 283.9	H-11E, L-32J
Grimsby Air Park, ON (CNZ8) Toronto Trml App/Dep Con 128.27 268.75 Tower 125.0 308.475	L-31E
Halifax/Shearwater, NS (CYAW) ATIS 129.175 (Ltd hrs) App/Dep Con 119.2 Tower 119.0 126.2 340.2 360.2 (Ltd hrs) Gnd Con 121.7 250.1	H-11E, L-32J
Halifax/Stanfield Intl, NS (CYHZ) ATIS 121.0 Moncton Center App/Dep Con 118.7 119.2 128.55 135.3 225.2 363.8 Tower 118.4 236.6 Gnd Con 121.9 275.8 Cinc Del 123.95 Apron Advisory 122.125	H-11E, L-32J
Hamilton, ON (CYHM) ATIS 128.1 Toronto Trml App/Dep Con 128.27 268.75 Tower 119.7 125.0 Gnd Con 121.6	H-10H, 11B, L-11B
Kingston, ON (CYGK) Montreal Center App/Dep Con 135.05 398.4 (0400-1115Z‡) MF 122.5 (1115-0400Z‡ 5 NM to 3300')	H-11C, L-31E, 32F
Kitchener/Waterloo, ON (CYKF) ATIS 125.1 (1200-0400Z‡) Toronto Trml App/Dep Con 128.275 Waterloo Tower 126.0 118.55 (1200-0400Z‡) Gnd Con 121.8 MF 126.0 (0400-1200Z‡ 5 NM to 4000')	H-11B, L-31D
Lachute, QC (CSE4) Montreal Center App Con 124.65 132.85 268.3 Montreal Center Dep Con 132.85 268.3	L-32G
La Tuque, QC (CYLQ) Montreal Center App/Dep Con 134.5	H-11C
Langley, BC (CYNJ) ATIS 124.5 (1630-0230Z, DT 1530-0330Z) Victoria Trml 132.7 290.8 Tower 119.0 (1630-0230Z, DT 1530-0330Z) Gnd Con 121.9 MF 119.0 (0230-1630Z, DT 0330-1530Z 3 NM to 1900')	L-1E

FACILITY NAME	CHART & PANEL
Leamington, ON (CLM2) Cleveland Center App/Dep Con 132.45	L-30F
Lethbridge, AB (CYQL) ATIS 124.4 (1300-0545Z‡) Edmonton Center App/Dep Con 132.75 265.2 MF 121.0 (5 NM to 6000')	H-1D
Lindsay, ON (CNF4) Toronto Center App/Dep 134.25	L-31E, L-32F
Liverpool/South Shore Rgnl, NS (CYAU) Moncton Center App/Dep Con 123.9	L-32J
London, ON (CYXU) ATIS 127.8 (1120-0345Z‡) Toronto Center App/Dep 135.3 135.625 Tower 119.4 125.65 (1120-0345Z‡) Gnd Con 121.9 MF 119.4 (0345-1120Z‡ 5 NM to 3000')	H-10G, 11B, L-30G, 31D
Manitowaning/Manitoulin East Muni, ON (CYEM) Toronto Center App/Dep 135.4 260.9	L-31C
Maniwaki, QC (CYMW) Montreal Center App/Dep Con 126.57	L-32G
Mascouche, QC (CSK3) MF 122.35 (5 NM to 2500'. No gnd station. Excluding the portion S of the N shore of Riviere des Milles-Iles and 1 NM around Lac Agile Mascouche arpt.)	L-32G
Medicine Hat, AB (CYXH) AWOS 124.875 (0345-1245Z‡) MF 122.2 (1245-0345Z‡ 5 NM to 5400')	H-1D
Midland/Huronina, ON (CYEE) Toronto Center App/Dep 124.025	L-31D
Miramichi, NB (CYCH) Moncton Center App/Dep Con 123.7	H-11E, L-32J
Moncton/Greater Moncton Intl, NB (CYQM) ATIS 128.65 App/Dep 124.4 Tower 120.8 236.6 Gnd Con 121.8 275.8 Apron Advisory 122.075	H-11E, L-32J
Mont-Laurier, QC (CSD4) Montreal Center App/Dep Con 126.57	L-32G
Montreal Intl (Mirabel), QC (CYMX) ATIS 125.7 Montreal Center App Con 124.65 132.85 268.3 Montreal Dep Con 132.85 MF 119.1 (7 NM shape irregular to 2000') VFR Advisory 134.15	H-11C, 12K, L-32G
Montreal/Pierre Elliott Trudeau Intl, QC (CYUL) ATIS 133.7 Montreal Trml App Con 118.9 124.65 126.9 132.85 268.3 Tower 119.9 267.1 Gnd Con 121.9 275.8 Clnc Del 125.6 Apron 122.075 Montreal Trml Dep Con 118.9 (SE-S-SW) 124.65 268.3 (W-NW-NE) VFR Advisory 134.15	H-11C, 12K, L-32G
Montreal/St-Hubert, QC (CYHU) ATIS 124.9 (Apr-Oct 1045-0500Z‡, Nov-Mar 1045-0400Z) AWOS 124.9 Montreal Center App/Dep Con 125.15 268.3 St. Hubert Tower 118.4 (Apr-Oct 1045-0500Z‡, Nov-Mar 1045-0400Z) Gnd Con 126.4 MF 118.4 (Apr-Oct 0500-1045Z‡, Nov-Mar 0400-1045Z 5 NM shape irregular to 2500') VFR Advisory 134.15	H-11C, L-32G
Muskoka, ON (CYQA) AWOS 124.575 MF 122.3 (5 NM to 3900')	H-11B, L-31D
Nanaimo, BC (CYCD) Victoria Trml App/Dep 120.8 133.95 252.3 MF 122.1 1330-0530Z‡ (5 NM to 2500')	H-1B, L-1E
North Bay, ON (CYYB) ATIS 124.9 (1130-0300Z‡) Toronto Center App/Dep 121.225 127.25 MF 118.3 (1130-0330Z‡ 7 NM to 5000')	L-31E
Oshawa, ON (CYOO) ATIS 125.675 (1130-0330Z‡) Toronto Trml App Con 133.4 Tower 120.1 (1130-0330Z‡) Gnd Con 118.4 Toronto Trml Dep Con 133.4 MF 120.1 (0330-1130Z‡ 5 NM to 3000')	H-11B, L31D

FACILITY NAME	CHART & PANEL
Ottawa/Carp, ON (CYRP) ATIS 121.15 Ottawa Trml App/Dep Con 128.175 252.5	L-31E, 32F
Ottawa/Gatineau, QC (CYND) Ottawa Trml App/Dep Con 127.7 128.175 252.5 MF 122.3 (5 NM shape irregular to 2500') VFR Advisory Ottawa Trml 127.7	H-11C, L-32G
Ottawa/MacDonald-Cartier Intl, ON (CYOW) ATIS 121.15 Ottawa App Con 135.15 Tower 118.8 120.1 341.3 Gnd Con 121.9 CInc Del 119.4 Ottawa Dep Con 128.175	L-11C
Owen Sound/Billy Bishop Rgnl, ON (CYOS) Toronto Center App/Dep 132.575 290.6	L-31D
Pelee Island, ON (CYPT) Cleveland Center App/Dep Con 126.35 360.0	L-30F
Pembroke, ON (CYTA) Montreal Center App/Dep Con 135.2 Petawawa Advisory 126.4 250.1 (Mon-Fri 1300-2130Z†, OT PPR)	H-11C, L-31E, 32F
Penticton, BC (CYYF) Vancouver Center App/Dep Con 133.5 351.3 MF 118.5 (5 NM to 4100')	H-1B
Peterborough, ON (CYPQ) AWOS 126.925 Toronto Center App/Dep 134.25	H-11B, L-31E, 32F
Pincher Creek, AB (CZPC) Edmonton Center App/Dep Con 132.75 265.2	H-1D
Pitt Meadows, BC (CYPK) ATIS 125.0 (1500-0700Z†) Vancouver Center App Con 128.6 352.7 (Outer) Pitt Tower 126.3 (1500-0700Z†) Gnd Con 123.8 Vancouver Center Dep Con 132.3 363.8 (South) MF 126.3 (0700-1500Z†) (3NM to 2500')	L-1E
Quebec/Jean Lesage Intl, QC (CYQB) ATIS 134.6 Montreal Center App/Dep Con 124.0 127.85 135.025 270.9 322.8 (185.65 Quebec Trw VFR acft at or below 3000') Tower 118.65 236.6 Gnd Con 121.9 250.0	H-11D, L-32H
Riviere Du Loup, QC (CYRI) AWOS 122.025 (Pvt) Montreal Center App/Dep Con 125.1 299.6	H-11D
Rouyn Noranda, QC (CYUY) Montreal Center App/Dep Con 125.9 MF 122.2 (5 NM to 4000')	H-11B
Saint John, NB (CYSJ) Moncton Center App/Dep Con 124.3 135.5 270.8 MF 118.5 (5 NM to 3400')	H-11E, L-32J
Sarnia (Chris Hadfield), ON (CYZR) Toronto Center 134.375	H-10G, 11B, L-30F
Sault Ste Marie, ON (CYAM) ATIS 133.05 (1300-0100Z†) Toronto Center App/Dep Con 132.65 344.5 Tower 118.8 (1300-0100Z†) Gnd Con 121.7 MF 118.8 (0100-1300Z† 5 NM irregular shape to 3000')	H-2K, L-31B
Sherbrooke, QC (CYAM) AWOS 126.25 Montreal Center App/Dep Con 132.55 MF 123.5 (Ltd hrs 5 NM to 3800')	H-11D, L-32H
South Renfrew Muni, ON (CNP3) Montreal Center App/Dep 124.275	L-31E, 32F
Southport, MB (CYPG) ATIS 120.85 (Mon-Fri 1400-2300Z† except holidays) Tower 126.2 384.2 (Mon-Fri 1400-2300Z† except holidays) Gnd Con 121.7 275.8	H-2H

FACILITY NAME	CHART & PANEL
Springwater Barrie Airport, ON (CNA3) Toronto Center App/Dep Con 124.025	L-31D
St. Catharines/Niagara District, ON (CYSN) ATIS 128.525 (1215-0200Z‡) Toronto Trml App/Dep Con 133.4 253.1 MF 123.25 (1215-0200Z‡ 5 NM to 3300')	H-10H, 11B, L-31E
St. Frederic, QC (CSZ4) Montreal Center App/Dep Con 135.025 270.9	L-32H
St. Georges, QC (CYSG) Montreal Center App/Dep Con 132.35 MF 122.15 (5 NM 3900' ASL)	H-32H, L-11D
St. Jean, QC (CYJN) Montreal Center App/Dep Con 125.15 268.3 Tower 118.2 (Apr-Oct 1230-0230Z‡ Nov-Mar 1300-0200Z‡) Gnd Con 121.7	L-32G
Sudbury, ON (CYSB) ATIS 127.4 Toronto Center App/Dep Con 135.5 MF 125.5 (7 NM to 4000')	H-31B, 10G, L-31D
Summerside, PE (CYSU) AWOS 122.55 (Pvt) Moncton Center App/Dep Con 124.4 384.8	H-11E, L-32J
Thunder Bay, ON (CYQT) ATIS 128.8 (1100-0400Z‡) Winnipeg Center App/Dep Con 132.125 (0400-1100Z‡) Tower 118.1 (1100-0400Z‡) Gnd Con 121.9 App/Dep 119.2 MF 118.1 (0400-1100Z‡ 5 NM to 4000')	H-2J, L-14J
Timmins, ON (CYTS) ATIS 124.95 (1000-0500Z‡) Toronto Center App/Dep Con 128.3 226.3 MF 122.3 (5 NM to 4000')	H-11B
Toronto/Buttonville Muni, ON (CYKZ) ATIS 127.1 (1200-0400Z‡) Toronto Center App Con 133.4 Toronto Center Dep Con 133.4 Tower 124.8 119.9 (1200-0400Z‡) Gnd Con 121.8 MF 124.8 (0400-1200Z‡ No gnd station. 5 NM shape irregular to below 2500')	L-31E
Toronto/City Centre, ON (CYTZ) ATIS 133.6 (1130-0400Z‡) App Con 133.4 Dep Con 133.4 Tower 118.2 119.2 226.5 (1130-0400Z‡) Gnd Con 121.7	L-31E
Toronto/Lester B Pearson Intl, ON (YYZ) ATIS 120.825 App Con 124.475 125.4 132.8 Dep Con 127.575 128.8 Tower 118.35 118.7 Gnd Con 118.0 119.1 121.65 121.9 Clnc Del 121.3 (1200-0400Z‡) VFR Advisory 119.3 133.4	H-11B, L-31D
Trenton, ON (CYTR) ATIS 135.45 257.7 App/Dep Con 128.4 324.3 Tower 128.7 236.6 Gnd Con 121.9 275.8 Clnc Del 124.35 286.4	H-11C, L-31E, 32F
Trenton/Mountain View, ON (CPZ3) Trenton Mil Advisory 268.0	H-11C, L-31E, 32F
Trois-Rivieres, QC (CYRQ) Montreal Center App/Dep Con 128.225 229.2 MF 123.0 (5 NM to 3200')	H-11C, L-32H
Val-d'Or, QC (CYVO) Montreal Center App/Dep Con 125.9 308.3 MF 118.5 (1030-0325Z‡ 5 NM to 4000')	H-11B
Vancouver Intl, BC (CYVR) ATIS 124.6 124.75 App Con 128.6 128.17 352.7 (Outer) 133.1 134.225 352.7 (Inner) Dep Con 126.125 (north) 132.3 (south) 363.8 Tower 118.7 (south) 119.55 (north) VFR 124.0 125.65 226.5 236.6 Gnd Con 121.7 (south) 127.15 (north) 275.8 Clnc Del 121.4	H-1B, L-1E

FACILITY NAME	CHART & PANEL
Victoria Intl, BC (CYYJ) ATIS 118.8 (1400-0800Z) App Con 125.95 308.4 Dep Con 133.85 308.4 Tower 119.1 (Outer) 119.7 (Inner) 239.6 Gnd Con 121.9 361.4 (1400-0800Z) OT ctc Kamloops 119.7 Clncl Del 126.4 (1400-0800Z)	H-1B, L-1E
Victoriaville, QC (CSR3) Montreal Center App Con 132.35	L-32H
Waterville/Kings Co Muni, NS (CCW3) Greenwood Trml App/Dep Con 120.6 335.9 Greenwood Tower 119.5 324.3	L-32J
Warton, ON (CYVW) Toronto Center App/Dep Con 132.575 MF 122.2 (5 NM to 3700')	H-11B, L-31D
Windsor, ON (CYQG) ATIS 134.5 (1130-0330Z) Detroit App/Dep Con 126.85 127.5 134.3 348.3 363.2 Tower 124.7 (1130-0330Z) Gnd Con 121.7 MF 124.7 (0330-1130Z) 6 NM irregular shape to below 3000' VFR Advisory Detroit App Con 134.3	H-10G, L-8J
Yarmouth, NS (CYQI) Moncton Center App/Dep Con 123.9 368.5 MF 123.0 (5 NM to 3100')	H-11E, L-32I

MEXICO

FACILITY NAME	CHART & PANEL
Abraham Gonzalez Intl (MMCS) Juarez App Con 119.9 Juarez Tower 118.9	H-4K, L-6F
Del Norte Intl (MMAN) ATIS 127.55 (1300-0300Z) Monterrey App 119.75 120.4 Tower 118.6	H-7B, L-20G
Durango Intl (MMDO) ATIS 132.1 Tower 118.1 Durango Info 122.3	H-7A
General Abelardo L. Rodriguez Intl (MMTJ) ATIS 127.9 Tijuana App Con 119.5 120.3 Tijuana Tower 118.1 Clncl Del 122.35 Tijuana Info 132.1	H-4H, L-4H
General Lucio Blanco Intl (MMRX) Reynosa App Con 118.8 Reynosa Tower 118.8	H-7B, L-20H
General Mariano Escobedo Intl (MMMY) ATIS 127.7 Monterrey App Con 119.75 120.4 Monterrey Tower 118.1 Gnd Con 121.9	H-7B, L-20G
General R Fierro Villalobos Intl (MMCU) ATIS 127.9 Chihuahua App Con 121.0 Chihuahua Tower 118.4	L-6I
General Rodolfo Sanchez Taboada Intl (MMML) ATIS 127.6 Mexicali App Con 118.2 Mexicali Tower 118.2 Mexicali Info 123.9 122.3	H-4H, L-4J, 5A
General Servando Canales (MMMA) Matamoros App Con 118.0 Matamoros Tower 118.0	H-7C, L-21A
Plan De Guadalupe Intl (MMIO) Saltillo App Con 127.4 Saltillo Tower 118.4	H-7B
Quetzalcoatl Intl (MMNL) Nuevo Laredo App Con 118.3 Nuevo Laredo Tower 118.3	H-7B, L-20G
Torreon Intl (MMTC) App Con 119.6 Tower 118.5	H-7A

**INTENTIONALLY
LEFT
BLANK**









In support of the Federal Aviation Administration's Runway Incursion Program, selected towered airport diagrams have been published in the Airport Diagram section of the A/FD. Diagrams will be listed alphabetically by associated city and airport name. Airport diagrams, depicting runway and taxiway configurations, will assist both VFR and IFR pilots in ground taxi operations. The airport diagrams in this publication are the same as those published in the U.S. Terminal Procedures Publications. For additional airport diagram legend information see the U.S. Terminal Procedures Publication.

NOTE: Some text data published under the individual airport in the front portion of the A/FD may be more current than the data published on the Airport Diagrams. The airport diagrams are updated only when significant changes occur.

GENERAL INFORMATION





PILOT CONTROLLED AIRPORT LIGHTING SYSTEMS

Available pilot controlled lighting (PCL) systems are indicated as follows:

1. Approach lighting systems that bear a system identification are symbolized using negative symbology, e.g., , , .
2. Approach lighting systems that do not bear a system identification are indicated with a negative "0" beside the name. A star (★) indicates non-standard PCL, consult the individual airport in the front portion of the A/FD, e.g., ★. To activate lights use frequency indicated in the communication section of the chart with a  or the appropriate lighting system identification e.g., UNICOM 122.8 , , .

<u>KEY MIKE</u>	<u>FUNCTION</u>
7 times within 5 seconds	Highest intensity available
5 times within 5 seconds	Medium or lower intensity (Lower REIL or REIL-off)
3 times within 5 seconds	Lowest intensity available (Lower REIL or REIL-off)

CHART CURRENCY INFORMATION

FAA procedure amendment number  Amdt 11A 99365  Date of latest change
 Orig 00365 

The Chart Date identifies the Julian date the chart was added to the volume or last revised for any reason. The first two digits indicate the year, the last three digits indicate the day of the year (001 to 365/6) in which the latest addition or change was first published.

The Procedure Amendment Number precedes the Chart Date, and changes any time instrument information (e.g., DH, MDA, approach routing, etc.) changes. Procedure changes also cause the Chart Date to change.

MISCELLANEOUS

- ★ Indicates a non-continuously operating facility, see the individual airport in the front portion of the A/FD.
- # Indicates control tower temporarily closed UFN.


09071

LEGEND

INSTRUMENT APPROACH PROCEDURES (CHARTS)

AIRPORT DIAGRAM

Runways



ARRESTING GEAR: Specific arresting gear systems; e.g., BAK12, MA-1A etc., shown on airport diagrams, not applicable to Civil Pilots. Military Pilots refer to appropriate DOD publications.



ARRESTING SYSTEM

REFERENCE FEATURES

Buildings.....	■
Tanks.....	●
Obstructions.....	▲
Airport Beacon #.....	☆
Runway	
Radar Reflectors.....	▼
Control Tower #.....	■
Hot Spot.....	○

When Control Tower and Rotating Beacon are co-located, Beacon symbol will be used and further identified as TWR.

Runway length depicted is the physical length of the runway (end-to-end, including displaced thresholds if any) but excluding areas designated as stopways.

A **D** symbol is shown to indicate runway declared distance information available, see appropriate A/FD, Alaska or Pacific Supplement for distance information.

Runway Weight Bearing Capacity/or PCN Pavement Classification Number is shown as a codified expression.

Refer to the appropriate Supplement/Directory for applicable codes e.g., RWY 14-32 S75, T185, ST175, TT325
PCN 80 F/D/X/U

Helicopter Alighting Areas (H) (H) (H) (H) (H)

Negative Symbols used to identify Copter Procedures landing point..... (H) (H) (H) (H) (H)

Runway Threshold elevation.....THRE 123

Runway TDZ elevation.....TDZE 123

Runway Slope.....0.3% DOWN

(shown when runway slope is greater than or equal to 0.3%)

NOTE:

Runway Slope measured to midpoint on runways 8000 feet or longer.

U.S. Navy Optical Landing System (OLS) "OLS" location is shown because of its height of approximately 7 feet and proximity to edge of runway may create an obstruction for some types of aircraft.

Approach light symbols are shown in the Flight Information Handbook.

Airport diagram scales are variable.


True/magnetic North orientation may vary from diagram to diagram

Coordinate values are shown in 1 or ½ minute increments. They are further broken down into 6 second ticks, within each 1 minute increments.

Positional accuracy within ±600 feet unless otherwise noted on the chart.

NOTE:

All new and revised airport diagrams are shown referenced to the World Geodetic System (WGS) (noted on appropriate diagram), and may not be compatible with local coordinates published in FUP. (Foreign Only)



Airport diagrams are specifically designed to assist in the movement of ground traffic at locations with complex runway/taxiway configurations and provide information for updating Computer Based Navigation Systems (I.E., INS, GPS) aboard aircraft. Airport diagrams are not intended to be used for approach and landing or departure operations. For revisions to Airport Diagrams: Consult FAA Order 7910.4.

LEGEND

HOT SPOTS

An "Airport surface hot spot" is a location on an aerodrome movement area with a history or potential risk of collision or runway incursion, and where heightened attention by pilots/drivers is necessary.


A "hot spot" is a runway safety related problem area on an airport that presents increased risk during surface operations. Typically it is a complex or confusing taxiway/taxiway or taxiway/runway intersection. The area of increased risk has either a history of or potential for runway incursions or surface incidents, due to a variety of causes, such as but not limited to: airport layout, traffic flow, airport marking, signage and lighting, situational awareness and training. Hot spots are depicted on airport diagrams as open circles or polygons designated as "HOT¹", "HOT²", etc. and tabulated in the list below with a brief description of each hot spot. Hot spots will remain charted on airport diagrams until such time the increased risk has been reduced or eliminated.

CITY/AIRPORT	HOT SPOT	DESCRIPTION
ILLINOIS		
MOLINE QUAD CITY INTL (MLI)	HOT ¹	Rwy 31 Non-standard hold position. Distance to edge of rwy 698'.
INDIANA		
EVANSVILLE EVANSVILLE RGNL (EVV)	HOT ¹	Pilots taxiing to Rwy 09 enter the rwy mid-field. Do not taxi to the "numbers" without ATC clearance. Rwy 09-27 is a short distance from the General Aviation Ramp-use appropriate vigilance.
	HOT ²	Pilots cleared to taxi to Rwy 27 sometimes enter the Rwy 27 without a clearance.
	HOT ³	Rwy 18-36 in close proximity to General Aviation Ramp-use appropriate vigilance.
	HOT ⁴	Rwy 18-36 in close proximity to General Aviation Ramp-use appropriate vigilance.
MICHIGAN		
JACKSON JACKSON CO-REYNOLDS FLD (JXN)	HOT ¹	Caution confusing signage.
	HOT ²	No signage.
WISCONSIN		
JANESVILLE SOUTHERN WISCONSIN RGNL (JVL)	HOT ¹	Rwy 32 and Rwy 36 approach ends are closely aligned and may be confused when lining up for departure.
MILWAUKEE GENERAL MITCHELL INTL (MKE)	HOT ¹	Pilots taxiing northbound on Twy E for an intersection departure on Rwy 19R at Twy V can end up entering Rwy 7L-25R if they miss the right turn for Twy V. To avoid a runway incursion, pilots on Twy E should use extreme caution approaching Rwy 7L-25R.
	HOT ²	Runway holding position markings for the approach end of Rwy 25L are not where you expect them to be - they are well removed from the Rwy 25L entry point. Aircraft taxiing for a Rwy 25L departure on either Twy M or Rwy 13-31, note the positions of the Rwy 25L runway holding position markings.
	HOT ³	Use caution in the area of Twy M and Rwy 1L-19R. Pavement widens out as the taxiway approaches the runway and may cause confusion.

09071

AIRPORT DIAGRAM

AL-6 (FAA)

AKRON FULTON INTL (AKR)
AKRON, OHIO

AIRPORT DIAGRAM


09071

AKRON, OHIO
AKRON FULTON INTL (AKR)

09015

AIRPORT DIAGRAM

AL-638 (FAA)

AKRON-CANTON RGNL (CAK)
AKRON, OHIO

AIRPORT DIAGRAM

09015


AKRON, OHIO
AKRON-CANTON RGNL (CAK)

08269

AIRPORT DIAGRAM

AL-5178 (FAA)

ALTON/ST. LOUIS RGNL (ALN)
ALTON/ST. LOUIS, ILLINOIS



AIRPORT DIAGRAM

08269

ALTON/ST. LOUIS, ILLINOIS
ALTON/ST. LOUIS RGNL (ALN)


08045

AIRPORT DIAGRAM

AL-5506 (FAA)

ANN ARBOR MUNI (ARB)

ANN ARBOR, MICHIGAN



AIRPORT DIAGRAM

08045

ANN ARBOR, MICHIGAN
ANN ARBOR MUNI (ARB)


09295

AIRPORT DIAGRAM

APPLETON/OUTAGAMIE COUNTY RGNL (ATW)

AL-5216 (FAA)

APPLETON, WISCONSIN



AIRPORT DIAGRAM


09295

 APPLETON, WISCONSIN
 APPLETON/OUTAGAMIE COUNTY RGNL (ATW)

09295

AIRPORT DIAGRAM

AL-41 (FAA)

BATTLE CREEK/ W.K. KELLOGG (BTL)
BATTLE CREEK, MICHIGAN


AIRPORT DIAGRAM

09295

BATTLE CREEK, MICHIGAN
BATTLE CREEK/ W.K. KELLOGG (BTL)

09239

AIRPORT DIAGRAM

 BELLEVILLE/SCOTT AFB/MIDAMERICA (BLV)
 AL-46 (FAA) BELLEVILLE, ILLINOIS


AIRPORT DIAGRAM

09239

 BELLEVILLE, ILLINOIS
 BELLEVILLE/SCOTT AFB/MIDAMERICA (BLV)


09295

BLOOMINGTON/CENTRAL IL RGNL ARPT AT BLOOMINGTON-NORMAL(BMI)

AIRPORT DIAGRAM

AL-5058 (FAA)

BLOOMINGTON, ILLINOIS



AIRPORT DIAGRAM

BLOOMINGTON, ILLINOIS

09295


BLOOMINGTON/CENTRAL IL RGNL ARPT AT BLOOMINGTON-NORMAL(BMI)

09295

AIRPORT DIAGRAM

BLOOMINGTON / MONROE COUNTY (BMG)
BLOOMINGTON, INDIANA

AL-5168 (FAA)




AIRPORT DIAGRAM

09295

BLOOMINGTON, INDIANA
BLOOMINGTON / MONROE COUNTY (BMG)

CARBONDALE-MURPHYSBORO/ SOUTHERN ILLINOIS (MDH)
AL-5091 (FAA) CARBONDALE-MURPHYSBORO, ILLINOIS



CARBONDALE-MURPHYSBORO, ILLINOIS
CARBONDALE-MURPHYSBORO/ SOUTHERN ILLINOIS (MDH)


09295

09071

AIRPORT DIAGRAM

AL-81 (FAA)

CHICAGO MIDWAY INTL (MDW)
CHICAGO, ILLINOIS



AIRPORT DIAGRAM


09071

CHICAGO, ILLINOIS
CHICAGO MIDWAY INTL (MDW)

09015

AIRPORT DIAGRAM

AL-954 (FAA)

CHICAGO/ROCKFORD INTL (RFD)
CHICAGO/ROCKFORD, ILLINOIS

AIRPORT DIAGRAM

09015


CHICAGO/ROCKFORD, ILLINOIS
CHICAGO/ROCKFORD INTL (RFD)

09015

AIRPORT DIAGRAM

AL-5104 (FAA)

CHICAGO/DU PAGE (DPA)
CHICAGO (WEST CHICAGO), ILLINOIS




AIRPORT DIAGRAM

09015

CHICAGO (WEST CHICAGO), ILLINOIS
CHICAGO/DU PAGE (DPA)

09295

AIRPORT DIAGRAM

AL-5028 (FAA) CHICAGO/PROSPECT HEIGHTS/WHEELING, ILLINOIS
CHICAGO EXECUTIVE (PWK)

AIRPORT DIAGRAM


09295

CHICAGO/PROSPECT HEIGHTS/WHEELING, ILLINOIS
CHICAGO EXECUTIVE (PWK)

09015

AIRPORT DIAGRAM

AL-5324 (FAA)

CHICAGO/ WAUKEGAN RGNL (UGN)
CHICAGO/WAUKEGAN, ILLINOIS


AIRPORT DIAGRAM

09015

CHICAGO/WAUKEGAN, ILLINOIS
CHICAGO/ WAUKEGAN RGNL (UGN)

09071

AIRPORT DIAGRAM


CINCINNATI MUNI AIRPORT-LUNKEN FIELD (LWK)
AL-83 (FAA)
CINCINNATI, OHIO

09015

AIRPORT DIAGRAM

CLEVELAND/ BURKE LAKEFRONT (BKL)
CLEVELAND, OHIO

AL-5370 (FAA)



AIRPORT DIAGRAM

09015


CLEVELAND, OHIO
CLEVELAND/ BURKE LAKEFRONT (BKL)

09183

AIRPORT DIAGRAM

AL-84 (FAA)

CLEVELAND-HOPKINS INTL (CLE)
CLEVELAND, OHIO



AIRPORT DIAGRAM

09183


CLEVELAND, OHIO
CLEVELAND-HOPKINS INTL (CLE)

08269

AIRPORT DIAGRAM

AL-5027 (FAA)

CLEVELAND / CUYAHOGA COUNTY (CGF)
CLEVELAND, OHIO



AIRPORT DIAGRAM

08269

CLEVELAND, OHIO
CLEVELAND / CUYAHOGA COUNTY (CGF)

09295


AIRPORT DIAGRAM

AL-594 (FAA)

COLUMBUS MUNI (BAK)
COLUMBUS, INDIANA

AWOS-3
119.75
COLUMBUS TOWER ★
118.6
GND CON
121.6
CLNC DEL
134.85 (When twr closed)

D



AIRPORT DIAGRAM

09295

COLUMBUS, INDIANA
COLUMBUS MUNI (BAK)

COLUMBUS/ BOLTON FIELD (TZR)
COLUMBUS, OHIO




08269

AIRPORT DIAGRAM

AL-5387 (FAA)

COLUMBUS/OHIO STATE UNIVERSITY (OSU)
COLUMBUS, OHIO



AIRPORT DIAGRAM

08269


COLUMBUS, OHIO
COLUMBUS/OHIO STATE UNIVERSITY (OSU)

09295

AIRPORT DIAGRAM

COLUMBUS/ PORT COLUMBUS INTL (CMH)
COLUMBUS, OHIO

AL-94 (FAA)



AIRPORT DIAGRAM


COLUMBUS, OHIO
COLUMBUS/ PORT COLUMBUS INTL (CMH)

09295

09295

AIRPORT DIAGRAM

AL-6846 (FAA)

COLUMBUS/RICKENBACKER INTL (LCK)
COLUMBUS, OHIO


AIRPORT DIAGRAM

09295

COLUMBUS, OHIO
COLUMBUS/RICKENBACKER INTL (LCK)

09183

AIRPORT DIAGRAM

DAYTON / JAMES M. COX-DAYTON INTL (DAY)
AL-107 (FAA) DAYTON, OHIO

AIRPORT DIAGRAM

09183

DAYTON, OHIO
DAYTON / JAMES M. COX-DAYTON INTL (DAY)


09295

AIRPORT DIAGRAM

AL-710 (FAA)

DECATUR (DEC)

DECATUR, ILLINOIS



AIRPORT DIAGRAM

09295


DECATUR, ILLINOIS
DECATUR (DEC)

09015

AIRPORT DIAGRAM

DETROIT/ COLEMAN A. YOUNG MUNI (DET)
DETROIT, MICHIGAN

AL-118 (FAA)



AIRPORT DIAGRAM

09015

DETROIT, MICHIGAN
DETROIT/ COLEMAN A. YOUNG MUNI (DET)


09295

AIRPORT DIAGRAM

DETROIT METROPOLITAN WAYNE COUNTY (DTW)

AL-119 (FAA)

DETROIT, MICHIGAN



AIRPORT DIAGRAM


09295

DETROIT, MICHIGAN
DETROIT METROPOLITAN WAYNE COUNTY (DTW)

09295

AIRPORT DIAGRAM

DETROIT/WILLOW RUN (YIP)
DETROIT, MICHIGAN




AIRPORT DIAGRAM

09295

DETROIT, MICHIGAN
DETROIT/WILLOW RUN (YIP)

09071

AIRPORT DIAGRAM

EAU CLAIRE/CHIPPEWA VALLEY RGNL (EAU)
AL-937 (FAA) EAU CLAIRE, WISCONSIN

AIRPORT DIAGRAM


09071

EAU CLAIRE, WISCONSIN
EAU CLAIRE/CHIPPEWA VALLEY RGNL (EAU)

09295
AIRPORT DIAGRAM

AL-5287 (FAA)

ELKHART MUNI (EKM)
ELKHART, INDIANA




AIRPORT DIAGRAM
09295

ELKHART, INDIANA
ELKHART MUNI (EKM)

09295

AIRPORT DIAGRAM

AL-513 (FAA)

EVANSVILLE RGNL (E.V.V.)
EVANSVILLE, INDIANA

AIRPORT DIAGRAM

09295


EVANSVILLE, INDIANA
EVANSVILLE RGNL (E.V.V.)

09295

AIRPORT DIAGRAM

FLINT / BISHOP INTL (FNT)
FLINT, MICHIGAN

AL-618 (FAA)



AIRPORT DIAGRAM


09295

FLINT, MICHIGAN
FLINT / BISHOP INTL (FNT)

09295

AIRPORT DIAGRAM

AL-156 (FAA)

FORT WAYNE INTL (FWA)
FORT WAYNE, INDIANA

AIRPORT DIAGRAM


09295

FORT WAYNE, INDIANA
FORT WAYNE INTL (FWA)

09015

AIRPORT DIAGRAM

AL-748 (FAA)

GARY/CHICAGO INTL (GYY)
GARY, INDIANA


AIRPORT DIAGRAM

09015

GARY, INDIANA
GARY/CHICAGO INTL (GYY)

09183

AIRPORT DIAGRAM

GRAND RAPIDS / GERALD R. FORD INTL (GRR)
AL-5184 (FAA) GRAND RAPIDS, MICHIGAN

AIRPORT DIAGRAM

09183

GRAND RAPIDS, MICHIGAN
GRAND RAPIDS / GERALD R. FORD INTL (GRR)


09183

AIRPORT DIAGRAM

AL-873 (FAA)

GREEN BAY/AUSTIN STRAUBEL INTL (GRB)

GREEN BAY, WISCONSIN



AIRPORT DIAGRAM

09183

GREEN BAY, WISCONSIN
GREEN BAY/AUSTIN STRAUBEL INTL (GRB)


09239

AIRPORT DIAGRAM

AFD-470 [USAF]

GRISSOM ARB (KGUS)

PERU, INDIANA



AIRPORT DIAGRAM


PERU, INDIANA

GRISSOM ARB (KGUS)

09295

AIRPORT DIAGRAM

AL-203 (FAA)

INDIANAPOLIS INTL (IND)
INDIANAPOLIS, INDIANA

AIRPORT DIAGRAM


09295

INDIANAPOLIS, INDIANA
INDIANAPOLIS INTL (IND)

09295

AIRPORT DIAGRAM

AL-861 (FAA)

JACKSON COUNTY-REYNOLDS FIELD (JXXN)
JACKSON, MICHIGAN

AIRPORT DIAGRAM


09295

JACKSON, MICHIGAN
JACKSON COUNTY-REYNOLDS FIELD (JXXN)

09071

AIRPORT DIAGRAM

JANESVILLE/SOUTHERN WISCONSIN RGNL (JVL)
AL-938 (FAA) JANESVILLE, WISCONSIN



AIRPORT DIAGRAM

09071


JANESVILLE, WISCONSIN
JANESVILLE/SOUTHERN WISCONSIN RGNL (JVL)

08325

AIRPORT DIAGRAM

KALAMAZOO/ BATTLE CREEK INTL (AZO)
KALAMAZOO, MICHIGAN

AL-717 (FAA)



AIRPORT DIAGRAM


08325

KALAMAZOO, MICHIGAN
KALAMAZOO/ BATTLE CREEK INTL (AZO)

09239

AIRPORT DIAGRAM

AL-5449 (FAA)

KENOSHA RGNL (E,N,W)
KENOSHA, WISCONSIN

AIRPORT DIAGRAM

09239


KENOSHA, WISCONSIN
KENOSHA RGNL (E,N,W)

AIRPORT DIAGRAM

AL-219 (FAA)

LA CROSSE MUNI (LSE)

LA CROSSE, WISCONSIN



AIRPORT DIAGRAM

09295


LA CROSSE, WISCONSIN

LA CROSSE MUNI (LSE)

08325

AIRPORT DIAGRAM

AL-224 (FAA)

LANSING/ CAPITAL CITY (L.A.N)
LANSING, MICHIGAN

AIRPORT DIAGRAM

08325

LANSING, MICHIGAN
LANSING/ CAPITAL CITY (L.A.N)

09295

AIRPORT DIAGRAM

MADISON/DANE COUNTY RGNL TRUAX FIELD (MSN)
AL-245 (FAA) MADISON, WISCONSIN

ATIS

124.65 278.3

MADISON TOWER*


119.3 257.8

GND CON

121.9 348.6

CLNC DEL

121.62

CAUTION: BE ALERT TO RUNWAY CROSSING CLEARANCES.
READBACK OF ALL RUNWAY HOLDING INSTRUCTIONS IS REQUIRED.

AIRPORT DIAGRAM


09295

MADISON, WISCONSIN
MADISON/DANE COUNTY RGNL TRUAX FIELD (MSN)

09295

AIRPORT DIAGRAM

AL-860 (FAA)

MANSFIELD LAHM RGNL (MFD)
MANSFIELD, OHIO

AIRPORT DIAGRAM

09295

MANSFIELD, OHIO
MANSFIELD LAHM RGNL (MFD)


09295

AIRPORT DIAGRAM

MARION / WILLIAMSON COUNTY RGNL (MWA)

AL-5215 (FAA)

MARION, ILLINOIS



AIRPORT DIAGRAM

09295


MARION, ILLINOIS

MARION / WILLIAMSON COUNTY RGNL (MWA)

09295

AIRPORT DIAGRAM

AL-773 (FAA)

MARQUETTE/ SAWYER INTL (SAW)
MARQUETTE, MICHIGAN

AIRPORT DIAGRAM

09295

MARQUETTE, MICHIGAN
MARQUETTE/ SAWYER INTL (SAW)

09295


AIRPORT DIAGRAM

MILWAUKEE/ LAWRENCE J. TIMMERMAN (MWC)

AL-5077 (FAA)

MILWAUKEE, WISCONSIN

ATIS
128.3
TIMMERMAN TOWER★
120.5
GND CON
121.7
CLNC DEL
121.7 (When Tower Closed)



AIRPORT DIAGRAM

09295


MILWAUKEE, WISCONSIN
MILWAUKEE/ LAWRENCE J. TIMMERMAN (MWC)

09295

AIRPORT DIAGRAM

AL-269 (FAA)

MOLINE/QUAD CITY INTL (MLI)
MOLINE, ILLINOIS



AIRPORT DIAGRAM

09295

MOLINE, ILLINOIS
MOLINE/QUAD CITY INTL (MLI)

09295

AIRPORT DIAGRAM

MOSINEE/CENTRAL WISCONSIN (CWA)
MOSINEE, WISCONSIN

AL-5674 (FAA)

ATIS

127.45


CWA TOWER*

119.75 360.7

GND CON

121.9 360.7

D




AIRPORT DIAGRAM

09295

MOSINEE, WISCONSIN
MOSINEE/CENTRAL WISCONSIN (CWA)

09295

AIRPORT DIAGRAM

MUNCIE/DELAWARE COUNTY-JOHNSON FIELD (MIE)
AL-5011 (FAA) MUNCIE, INDIANA

AIRPORT DIAGRAM

09295

MUNCIE, INDIANA
MUNCIE/DELAWARE COUNTY-JOHNSON FIELD (MIE)

09295

AIRPORT DIAGRAM

AL-278 (FAA)

MUSKEGON COUNTY (MKG)
MUSKEGON, MICHIGAN

ATIS

124.3


MUSKEGON TOWER *

126.25 363.1

GND CON

121.6

D

CAUTION: BE ALERT TO RUNWAY CROSSING CLEARANCES.
READBACK OF ALL RUNWAY HOLDING INSTRUCTIONS IS REQUIRED.

AIRPORT DIAGRAM


09295

MUSKEGON, MICHIGAN
MUSKEGON COUNTY (MKG)

09295

AIRPORT DIAGRAM

AL-730 (FAA)

OSHKOSH/ WITTMAN RGNL (OSH)
OSHKOSH, WISCONSIN

AIRPORT DIAGRAM

09295

OSHKOSH, WISCONSIN
OSHKOSH/ WITTMAN RGNL (OSH)


09295

AIRPORT DIAGRAM

PONTIAC/OAKLAND COUNTY INTL (PTK)

PONTIAC, MICHIGAN

AL-5052 (FAA)



AIRPORT DIAGRAM


09295

PONTIAC, MICHIGAN
PONTIAC/OAKLAND COUNTY INTL (PTK)

09295

AIRPORT DIAGRAM

AL-648 (FAA)

SAGINAW / MBS INTL (MBS)
SAGINAW, MICHIGAN

AIRPORT DIAGRAM


09295

SAGINAW, MICHIGAN
SAGINAW / MBS INTL (MBS)

09071

AIRPORT DIAGRAM

SAULT STE MARIE/CHIPPEWA COUNTY INTL (CIU)
SAULT STE MARIE, MICHIGAN



AIRPORT DIAGRAM

SAULT STE MARIE, MICHIGAN
SAULT STE MARIE/CHIPPEWA COUNTY INTL (CIU)

09071

05216


AIRPORT DIAGRAM

AFD-276 [USAF]

SELFRIDGE ANGB (KMTG)

MT. CLEMENS, MICHIGAN

ATIS 125.325 270.1
 SELFRIDGE TOWER
 120.15 340.7
 GND CON
 128.3 275.8
 CLNC DEL
 119.0 259.95



AIRPORT DIAGRAM


WGS DATUM

MT. CLEMENS, MICHIGAN
 SELFRIDGE ANGB (KMTG)

09295

AIRPORT DIAGRAM

AL-399 (FAA)

SOUTH BEND RGNL (SBN)
SOUTH BEND, INDIANA

AIRPORT DIAGRAM


09295

SOUTH BEND, INDIANA
SOUTH BEND RGNL (SBN)

09295

AIRPORT DIAGRAM

AL-958 (FAA)

SPRINGFIELD-BECKLEY MUNI (SGH)
SPRINGFIELD, OHIO

AIRPORT DIAGRAM


09295

SPRINGFIELD, OHIO
SPRINGFIELD-BECKLEY MUNI (SGH)

06271

AIRPORT DIAGRAM

AFD-714 [USAF]

VOLK FIELD (VOK)
CAMP DOUGLAS, WISCONSIN

WGS DATUM


CAMP DOUGLAS, WISCONSIN
VOLK FIELD (VOK)

09127

AIRPORT DIAGRAM

AL-5078 (FAA)

WAUKESHA COUNTY (UES)
WAUKESHA, WISCONSIN



AIRPORT DIAGRAM

09127


WAUKESHA, WISCONSIN
WAUKESHA COUNTY (UES)

09295

AIRPORT DIAGRAM

WRIGHT-PATTERSON AFB (KFFO)

DAYTON, OHIO



AIRPORT DIAGRAM


DAYTON, OHIO

WRIGHT-PATTERSON AFB (KFFO)

09295

AIRPORT DIAGRAM

AL-466 (FAA)

YOUNGSTOWN-WARREN RGNL (YNG)
YOUNGSTOWN-WARREN, OHIO


AIRPORT DIAGRAM

09295

YOUNGSTOWN-WARREN, OHIO
YOUNGSTOWN-WARREN RGNL (YNG)

**INTENTIONALLY
LEFT
BLANK**

NATIONAL WEATHER SERVICE (NWS)
UPPER AIR OBSERVING STATION (UAOS)
AND
WEATHER RADAR NETWORK



LEGEND

- △ AVIATION WEATHER SERVICE (MILITARY)
- ▲ AIR TRAFFIC CONTROL RADAR
- ★ UPPER AIR OBSERVING STATION
HYDROGEN FILLED BALLOON RELEASES AROUND
1100 UTC AND 2300 UTC DAILY/RADAR
- RADAR ONLY
- UAOS-BALLOON RELEASES AROUND 1100 UTC
AND 2300 UTC DAILY
- OTHER NWS UPPER AIR STATIONS-BALLOON RELEASE
TIMES ARE FLEXIBLE BUT GENERALLY AROUND SUNRISE
AND/OR EARLY AFTERNOON

NOTE: FOR RELEASES LATER THAN 1130 UTC AND 2330 UTC, AND
FOR SPECIAL RELEASES AT OTHER THAN THE SCHEDULED
HOURS, AN AERONAUTICAL INFORMATION MESSAGE OR NOTAM*
WILL BE FILED.